

WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow December 24, 2013 to December 30, 2013 203 cfs

S-12 Discharge 91 cfs
 S-333 Discharge 112 cfs

----- Data Summary ----- December 13, 2013 to December 20, 2013
 WCA-3A Stage (end of week) 10.10 ft. msl
 Angel's 6.30 ft. msl
 G3273 6.94 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.00	0.82

S-140		0.81
-------	--	------

ENP		M
-----	--	---

This Week's Avg	0.00	0.81
Pre-Project Avg	0.24	0.76

----- Transition Zone Information -----

WCA-3A is in Zone E

Supplemental discharge is	0 cfs
Distance to Top of Zone E	0.15 feet
Distance to Bottom of Regulatory Zone	0.40 feet



----- Statistical Parameters -----

Rainfall Formula Amount	203 cfs
Last Week's Rainfall Formula	259 cfs
Pre-Project Mean Discharge	321 cfs

Rainfall Excess Terms	RL1 -0.54	RL2 1.77	RL3 -3.82
-----------------------	-----------	----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow December 17, 2013 to December 23, 2013 259 cfs

S-12 Discharge 117 cfs
 S-333 Discharge 143 cfs

----- Data Summary -----
 December 6, 2013 to December 13, 2013
 WCA-3A Stage (end of week) 10.16 ft. msl
 Angel's 6.60 ft. msl
 G3273 7.03 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.02	0.77

S-140		0.88
-------	--	------

ENP		M
-----	--	---

This Week's Avg	0.02	0.83
Pre-Project Avg	0.24	0.78

----- Transition Zone Information -----

WCA-3A is in Zone E

Supplemental discharge is	0 cfs
Distance to Top of Zone E	0.09 feet
Distance to Bottom of Regulatory Zone	0.34 feet



----- Statistical Parameters -----

Rainfall Formula Amount	259 cfs
Last Week's Rainfall Formula	348 cfs
Pre-Project Mean Discharge	376 cfs

Rainfall Excess Terms	RL1 -0.51	RL2 1.43	RL3 -4.67
-----------------------	-----------	----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow December 10, 2013 to December 16, 2013 636 cfs

S-12 Discharge 286 cfs
 S-333 Discharge 350 cfs

----- Data Summary ----- November 29, 2013 to December 6, 2013
 WCA-3A Stage (end of week) 10.28 ft. msl
 Angel's 6.84 ft. msl
 G3273 7.12 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.02	0.84
S-140		0.78
ENP		M

This Week's Avg	0.02	0.81
Pre-Project Avg	0.27	0.80

----- Transition Zone Information -----

WCA-3A is in Zone D

Supplemental discharge is 288 cfs
 Distance to Top of Zone E -0.06 feet
 Distance to Bottom of Regulatory Zone 0.22 feet

----- Statistical Parameters -----



Rainfall Formula Amount 348 cfs
 Last Week's Rainfall Formula 390 cfs
 Pre-Project Mean Discharge 462 cfs

Rainfall Excess Terms

RL1 0.65	RL2 -0.55	RL3 -4.67
----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow December 3, 2013 to December 9, 2013 1350 cfs

S-12 Discharge 607 cfs
 S-333 Discharge 742 cfs

----- Data Summary ----- November 22, 2013 to November 29, 2013
 WCA-3A Stage (end of week) 10.37 ft. msl
 Angel's 7.10 ft. msl
 G3273 7.23 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.22	0.95
S-140		0.75
ENP		M

This Week's Avg	1.22	0.85
Pre-Project Avg	0.29	0.82

----- Transition Zone Information -----

WCA-3A is in Zone D

Supplemental discharge is 960 cfs
 Distance to Top of Zone E -0.19 feet
 Distance to Bottom of Regulatory Zone 0.13 feet

----- Statistical Parameters -----



Rainfall Formula Amount 390 cfs
 Last Week's Rainfall Formula 311 cfs
 Pre-Project Mean Discharge 566 cfs

Rainfall Excess Terms

RL1 2.35	RL2 -2.62	RL3 -4.01
----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **November 26, 2013** to **December 2, 2013** **1344** cfs

S-12 Discharge 605 cfs
 S-333 Discharge 739 cfs

----- **Data Summary** ----- **November 15, 2013** to **November 22, 2013**
 WCA-3A Stage (end of week) 10.34 ft. msl
 Angel's 6.72 ft. msl
 G3273 7.05 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.75	0.87
S-140		0.82
ENP		M

This Week's Avg	1.75	0.85
Pre-Project Avg	0.32	0.87

----- **Transition Zone Information** -----

WCA-3A is in Zone D

Supplemental discharge is 1033 cfs
 Distance to Top of Zone E -0.21 feet
 Distance to Bottom of Regulatory Zone 0.16 feet

----- **Statistical Parameters** -----



Rainfall Formula Amount 311 cfs
 Last Week's Rainfall Formula 316 cfs
 Pre-Project Mean Discharge 689 cfs

Rainfall Excess Terms

RL1 1.12	RL2 -3.82	RL3 -2.33
----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow November 19, 2013 to November 25, 2013 1421 cfs

S-12 Discharge 640 cfs
 S-333 Discharge 782 cfs

----- Data Summary -----
 November 8, 2013 to November 15, 2013
 WCA-3A Stage (end of week) 10.31 ft. msl
 Angel's 6.08 ft. msl
 G3273 6.88 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.09	0.94
S-140		0.92
ENP		M

This Week's Avg	0.09	0.93
Pre-Project Avg	0.40	0.91

----- Transition Zone Information -----

WCA-3A is in Zone D

Supplemental discharge is 1105 cfs
 Distance to Top of Zone E -0.22 feet
 Distance to Bottom of Regulatory Zone 0.19 feet



----- Statistical Parameters -----

Rainfall Formula Amount 316 cfs
 Last Week's Rainfall Formula 435 cfs
 Pre-Project Mean Discharge 820 cfs

Rainfall Excess Terms
 RL1 -0.93 RL2 -4.67 RL3 -1.97

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow November 12, 2013 to November 18, 2013 2362 cfs

S-12 Discharge 1063 cfs
 S-333 Discharge 1299 cfs

----- Data Summary -----
 November 1, 2013 to November 8, 2013
 WCA-3A Stage (end of week) 10.43 ft. msl
 Angel's 6.18 ft. msl
 G3273 6.91 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.04	1.09
S-140		1.06
ENP		M

This Week's Avg	0.04	1.07
Pre-Project Avg	0.56	0.97

----- Transition Zone Information -----

WCA-3A is in Zone D

Supplemental discharge is 1928 cfs
 Distance to Top of Zone E -0.39 feet
 Distance to Bottom of Regulatory Zone 0.07 feet



----- Statistical Parameters -----

Rainfall Formula Amount 435 cfs
 Last Week's Rainfall Formula 627 cfs
 Pre-Project Mean Discharge 937 cfs

Rainfall Excess Terms
 RL1 -1.67 RL2 -4.67 RL3 -2.20

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **November 5, 2013** to **November 11, 2013** **MAX** cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- **Data Summary** ----- **October 25, 2013** to **November 1, 2013**
 WCA-3A Stage (end of week) 10.57 ft. msl
 Angel's 6.38 ft. msl
 G3273 7.02 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.00	1.23
S-140		1.20
ENP		M

This Week's Avg	0.00	1.22
Pre-Project Avg	0.92	1.02

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -0.57 feet
 Distance to Bottom of Regulatory Zone -0.07 feet



----- **Statistical Parameters** -----

Rainfall Formula Amount 627 cfs
 Last Week's Rainfall Formula 814 cfs
 Pre-Project Mean Discharge 1084 cfs

Rainfall Excess Terms
RL1 -1.69 RL2 -4.01 RL3 -2.67

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **October 29, 2013** to **November 4, 2013** **MAX** cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- **Data Summary** ----- **October 18, 2013** to **October 25, 2013**
 WCA-3A Stage (end of week) 10.73 ft. msl
 Angel's 6.59 ft. msl
 G3273 7.07 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.68	1.16
S-140		1.23
ENP		M

This Week's Avg	0.68	1.19
Pre-Project Avg	1.19	1.06

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -0.77 feet
 Distance to Bottom of Regulatory Zone -0.27 feet

----- **Statistical Parameters** -----



Rainfall Formula Amount 814 cfs
 Last Week's Rainfall Formula 904 cfs
 Pre-Project Mean Discharge 1220 cfs

Rainfall Excess Terms

RL1 -2.15	RL2 -2.33	RL3 -3.86
-----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **October 22, 2013** to **October 28, 2013** **MAX** cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- **Data Summary** ----- **October 11, 2013** to **October 18, 2013**
 WCA-3A Stage (end of week) 10.72 ft. msl
 Angel's 6.66 ft. msl
 G3273 7.09 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.00	1.24
S-140		1.37
ENP		M

This Week's Avg	0.00	1.31
Pre-Project Avg	1.38	1.12

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -0.81 feet
 Distance to Bottom of Regulatory Zone -0.30 feet



----- **Statistical Parameters** -----

Rainfall Formula Amount 904 cfs
 Last Week's Rainfall Formula 943 cfs
 Pre-Project Mean Discharge 1229 cfs

Rainfall Excess Terms
RL1 -2.97 RL2 -1.97 RL3 -4.62

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **October 15, 2013** to **October 21, 2013** **MAX** cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- **Data Summary** ----- **October 4, 2013** to **October 11, 2013**
 WCA-3A Stage (end of week) 10.90 ft. msl
 Angel's 6.95 ft. msl
 G3273 7.20 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.28	1.21
S-140		1.24
ENP		M

This Week's Avg	0.28	1.23
Pre-Project Avg	1.67	1.16

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -1.03 feet
 Distance to Bottom of Regulatory Zone -0.53 feet



----- **Statistical Parameters** -----

Rainfall Formula Amount 943 cfs
 Last Week's Rainfall Formula 934 cfs
 Pre-Project Mean Discharge 1130 cfs

Rainfall Excess Terms
 RL1 -2.52 RL2 -2.20 RL3 -3.53

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **October 8, 2013** to **October 14, 2013** **MAX** cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- **Data Summary** ----- **September 27, 2013** to **October 4, 2013**
 WCA-3A Stage (end of week) 11.05 ft. msl
 Angel's 7.00 ft. msl
 G3273 7.23 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.96	1.43
S-140		1.37
ENP		M

This Week's Avg	0.96	1.40
Pre-Project Avg	1.88	1.21

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -1.23 feet
 Distance to Bottom of Regulatory Zone -0.73 feet



----- **Statistical Parameters** -----

Rainfall Formula Amount 934 cfs
 Last Week's Rainfall Formula 772 cfs
 Pre-Project Mean Discharge 995 cfs

Rainfall Excess Terms
RL1 -1.04 RL2 -2.67 RL3 -3.66

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **October 1, 2013** to **October 7, 2013** **MAX** cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- **Data Summary** ----- **September 20, 2013** to **September 27, 2013**
 WCA-3A Stage (end of week) 11.11 ft. msl
 Angel's 7.02 ft. msl
 G3273 7.25 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	2.10	1.23

S-140		1.27
-------	--	------

ENP		M
-----	--	---

This Week's Avg	2.10	1.25
Pre-Project Avg	2.07	1.25

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is	MAX	cfs
Distance to Top of Zone E		-1.33 feet
Distance to Bottom of Regulatory Zone		-0.83 feet



----- **Statistical Parameters** -----

Rainfall Formula Amount	772 cfs
Last Week's Rainfall Formula	518 cfs
Pre-Project Mean Discharge	779 cfs

Rainfall Excess Terms	RL1 0.19	RL2 -3.86	RL3 -3.85
-----------------------	----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow September 24, 2013 to September 30, 2013 **MAX** cfs

S-12 Discharge **MAX** cfs
 S-333 Discharge **MAX** cfs

----- **Data Summary** ----- **September 13, 2013 to September 20, 2013**
 WCA-3A Stage (end of week) **11.02** ft. msl
 Angel's **7.16** ft. msl
 G3273 **7.35** ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	2.28	1.26

S-140		1.22
-------	--	-------------

ENP		M
-----	--	----------

This Week's Avg	<hr style="border: 0.5px solid black;"/> 2.28	<hr style="border: 0.5px solid black;"/> 1.24
Pre-Project Avg	2.16	1.27

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is	MAX	cfs
Distance to Top of Zone E		-1.29 feet
Distance to Bottom of Regulatory Zone		-0.79 feet



----- **Statistical Parameters** -----

Rainfall Formula Amount	518 cfs
Last Week's Rainfall Formula	390 cfs
Pre-Project Mean Discharge	540 cfs

Rainfall Excess Terms	RL1 -0.93	RL2 -4.62	RL3 2.33
-----------------------	------------------	------------------	-----------------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow September 17, 2013 to September 23, 2013 **MAX** cfs

S-12 Discharge **MAX** cfs
 S-333 Discharge **MAX** cfs

----- **Data Summary** ----- **September 6, 2013** to **September 13, 2013**
 WCA-3A Stage (end of week) **11.00** ft. msl
 Angel's **6.55** ft. msl
 G3273 **7.03** ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.88	1.33
S-140		1.21
ENP		M

This Week's Avg	0.88	1.27
Pre-Project Avg	2.00	1.31

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is **MAX** cfs
 Distance to Top of Zone E **-1.31** feet
 Distance to Bottom of Regulatory Zone **-0.81** feet



----- **Statistical Parameters** -----

Rainfall Formula Amount **390** cfs
 Last Week's Rainfall Formula **436** cfs
 Pre-Project Mean Discharge **385** cfs

Rainfall Excess Terms
RL1 **-2.39** RL2 **-3.53** RL3 **1.83**

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow September 10, 2013 to September 16, 2013 **MAX** cfs

S-12 Discharge **MAX** cfs
 S-333 Discharge **MAX** cfs

----- **Data Summary** ----- **August 30, 2013 to September 6, 2013**
 WCA-3A Stage (end of week) **11.06** ft. msl
 Angel's **6.80** ft. msl
 G3273 **7.05** ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.65	1.51
S-140		1.30
ENP		M

This Week's Avg	0.65	1.40
Pre-Project Avg	1.90	1.34

----- **Transition Zone Information** -----

WCA-3A is in Zone A

Supplemental discharge is **MAX** cfs
 Distance to Top of Zone E **-1.42** feet
 Distance to Bottom of Regulatory Zone **-0.92** feet

----- **Statistical Parameters** -----



Rainfall Formula Amount **436** cfs
 Last Week's Rainfall Formula **470** cfs
 Pre-Project Mean Discharge **310** cfs

Rainfall Excess Terms

RL1 -1.74	RL2 -3.66	RL3 2.49
------------------	------------------	-----------------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow September 3, 2013 to September 9, 2013 **MAX** cfs

S-12 Discharge **MAX** cfs
 S-333 Discharge **MAX** cfs

----- Data Summary -----
 WCA-3A Stage (end of week) **August 23, 2013** to **August 30, 2013**
 Angel's **11.13** ft. msl
 G3273 **6.13** ft. msl
6.87 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.49	1.38

S-140		1.42
-------	--	-------------

ENP		M
-----	--	----------

This Week's Avg	1.49	1.40
Pre-Project Avg	1.89	1.36

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is	MAX	cfs
Distance to Top of Zone E		-1.53 feet
Distance to Bottom of Regulatory Zone		-1.04 feet



----- Statistical Parameters -----

Rainfall Formula Amount	470 cfs
Last Week's Rainfall Formula	518 cfs
Pre-Project Mean Discharge	257 cfs

Rainfall Excess Terms	RL1 -1.47	RL2 -3.85	RL3 2.44
-----------------------	------------------	------------------	-----------------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow August 27, 2013 to September 2, 2013 **MAX** cfs

S-12 Discharge **MAX** cfs
 S-333 Discharge **MAX** cfs

----- Data Summary -----
 WCA-3A Stage (end of week) **August 16, 2013** to **August 23, 2013**
 Angel's **11.20** ft. msl
 G3273 **6.10** ft. msl
6.90 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.95	1.79
S-140		1.65
ENP		M

This Week's Avg	0.95	1.72
Pre-Project Avg	1.73	1.40

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is **MAX** cfs
 Distance to Top of Zone E **-1.64** feet
 Distance to Bottom of Regulatory Zone **-1.15** feet



----- Statistical Parameters -----

Rainfall Formula Amount **518** cfs
 Last Week's Rainfall Formula **666** cfs
 Pre-Project Mean Discharge **223** cfs

Rainfall Excess Terms
 RL1 **-2.88** RL2 **2.33** RL3 **-3.35**

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow August 20, 2013 to August 26, 2013 **MAX** cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary -----
 WCA-3A Stage (end of week) August 9, 2013 to August 16, 2013
 Angel's 11.34 ft. msl
 G3273 6.19 ft. msl
6.94 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.07	1.64
S-140		1.68
ENP		M

This Week's Avg	0.07	1.66
Pre-Project Avg	1.70	1.39

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -1.83 feet
 Distance to Bottom of Regulatory Zone -1.34 feet



----- Statistical Parameters -----

Rainfall Formula Amount 666 cfs
 Last Week's Rainfall Formula 799 cfs
 Pre-Project Mean Discharge 199 cfs

Rainfall Excess Terms
 RL1 -2.06 RL2 1.83 RL3 -3.28

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow August 13, 2013 to August 19, 2013 **MAX** cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary -----
 August 2, 2013 to August 9, 2013
 WCA-3A Stage (end of week) 11.54 ft. msl
 Angel's 6.38 ft. msl
 G3273 7.02 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.46	1.42

S-140		1.31
-------	--	------

ENP		M
-----	--	---

This Week's Avg	1.46	1.36
Pre-Project Avg	1.72	1.42

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is	MAX	cfs
Distance to Top of Zone E		-2.07 feet
Distance to Bottom of Regulatory Zone		-1.58 feet



----- Statistical Parameters -----

Rainfall Formula Amount	799 cfs
Last Week's Rainfall Formula	862 cfs
Pre-Project Mean Discharge	185 cfs

Rainfall Excess Terms	RL1 -0.79	RL2 2.49	RL3 0.83
-----------------------	-----------	----------	----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow August 6, 2013 to August 12, 2013 **MAX** cfs

S-12 Discharge **MAX** cfs
 S-333 Discharge **MAX** cfs

----- Data Summary -----
 WCA-3A Stage (end of week) **July 26, 2013** to **August 2, 2013**
 Angel's **11.52** ft. msl
 G3273 **6.52** ft. msl
7.00 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.26	1.49

S-140		1.36
-------	--	-------------

ENP		M
-----	--	----------

This Week's Avg	<hr style="border: 0.5px solid black;"/> 1.26	<hr style="border: 0.5px solid black;"/> 1.43
Pre-Project Avg	1.83	1.42

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is	MAX	cfs
Distance to Top of Zone E		-2.10 feet
Distance to Bottom of Regulatory Zone		-1.61 feet



----- Statistical Parameters -----

Rainfall Formula Amount	862 cfs
Last Week's Rainfall Formula	978 cfs
Pre-Project Mean Discharge	175 cfs

Rainfall Excess Terms	RL1 -1.79	RL2 2.44	RL3 1.89
-----------------------	------------------	-----------------	-----------------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow July 30, 2013 to August 5, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary ----- July 19, 2013 to July 26, 2013

WCA-3A Stage (end of week) 11.39 ft. msl
 Angel's 6.95 ft. msl
 G3273 7.12 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.92	1.66
S-140		1.73
ENP		M

This Week's Avg	0.92	1.70
Pre-Project Avg	1.92	1.42

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -2.01 feet
 Distance to Bottom of Regulatory Zone -1.52 feet

----- Statistical Parameters -----



Rainfall Formula Amount 978 cfs
 Last Week's Rainfall Formula 774 cfs
 Pre-Project Mean Discharge 162 cfs

Rainfall Excess Terms

RL1 3.11 RL2 -3.35 RL3 3.14

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow July 23, 2013 to July 29, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary ----- July 12, 2013 to July 19, 2013

WCA-3A Stage (end of week) 11.23 ft. msl
 Angel's 7.24 ft. msl
 G3273 7.27 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	6.21	1.35
S-140		1.32
ENP		M

This Week's Avg	6.21	1.34
Pre-Project Avg	1.95	1.43

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -1.90 feet
 Distance to Bottom of Regulatory Zone -1.41 feet

----- Statistical Parameters -----



Rainfall Formula Amount 774 cfs
 Last Week's Rainfall Formula 505 cfs
 Pre-Project Mean Discharge 148 cfs

Rainfall Excess Terms

RL1 3.62 RL2 -3.28 RL3 3.23

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow July 16, 2013 to July 22, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary ----- July 5, 2013 to July 12, 2013

WCA-3A Stage (end of week) 10.58 ft. msl
 Angel's 6.89 ft. msl
 G3273 7.05 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.45	1.75
S-140		1.74
ENP		M

This Week's Avg	1.45	1.75
Pre-Project Avg	1.93	1.45

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -1.80 feet
 Distance to Bottom of Regulatory Zone -0.81 feet

----- Statistical Parameters -----



Rainfall Formula Amount 505 cfs
 Last Week's Rainfall Formula 553 cfs
 Pre-Project Mean Discharge 128 cfs

Rainfall Excess Terms

RL1 -0.62	RL2 0.83	RL3 -1.86
-----------	----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow July 9, 2013 to July 15, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary -----

	June 28, 2013	to	July 5, 2013
WCA-3A Stage (end of week)	10.45		ft. msl
Angel's	6.69		ft. msl
G3273	6.91		ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	2.33	1.60

S-140		1.75
-------	--	------

ENP		M
-----	--	---

This Week's Avg	2.33	1.68
Pre-Project Avg	2.05	1.45

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is	MAX	cfs
Distance to Top of Zone E		-1.63 feet
Distance to Bottom of Regulatory Zone		-0.72 feet



----- Statistical Parameters -----

Rainfall Formula Amount	553 cfs
Last Week's Rainfall Formula	622 cfs
Pre-Project Mean Discharge	111 cfs

Rainfall Excess Terms	RL1 -1.18	RL2 1.89	RL3 0.70
-----------------------	-----------	----------	----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow July 2, 2013 to July 8, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary ----- June 21, 2013 to June 28, 2013

WCA-3A Stage (end of week) 10.28 ft. msl
 Angel's 6.06 ft. msl
 G3273 6.67 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.12	2.09
S-140		1.61
ENP		M

This Week's Avg	1.12	1.85
Pre-Project Avg	2.10	1.49

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -1.42 feet
 Distance to Bottom of Regulatory Zone -0.60 feet

----- Statistical Parameters -----



Rainfall Formula Amount 641 cfs
 Last Week's Rainfall Formula 761 cfs
 Pre-Project Mean Discharge 94 cfs

Rainfall Excess Terms

RL1 -2.37 RL2 3.14 RL3 2.15

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow June 25, 2013 to July 1, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary -----
 June 14, 2013 to June 21, 2013
 WCA-3A Stage (end of week) 10.23 ft. msl
 Angel's 6.06 ft. msl
 G3273 6.69 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.70	1.83

S-140		1.66
-------	--	------

ENP		M
-----	--	---

This Week's Avg	0.70	1.74
Pre-Project Avg	1.98	1.51

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is	MAX	cfs
Distance to Top of Zone E		-1.32 feet
Distance to Bottom of Regulatory Zone		-0.59 feet



----- Statistical Parameters -----

Rainfall Formula Amount	761 cfs
Last Week's Rainfall Formula	863 cfs
Pre-Project Mean Discharge	75 cfs

Rainfall Excess Terms	RL1 -2.10	RL2 3.23	RL3 3.33
-----------------------	-----------	----------	----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow June 18, 2013 to June 24, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary -----
 WCA-3A Stage (end of week) June 7, 2013 to June 14, 2013
 Angel's 10.14 ft. msl
 G3273 6.70 ft. msl
6.86 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.30	1.71
S-140		1.66
ENP		M

This Week's Avg	1.30	1.68
Pre-Project Avg	1.83	1.55

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -1.19 feet
 Distance to Bottom of Regulatory Zone -0.55 feet



----- Statistical Parameters -----

Rainfall Formula Amount 863 cfs
 Last Week's Rainfall Formula 615 cfs
 Pre-Project Mean Discharge 54 cfs

Rainfall Excess Terms
RL1 3.57 RL2 -1.86 RL3 3.82

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow June 11, 2013 to June 17, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary -----
May 31, 2013 to June 7, 2013
 WCA-3A Stage (end of week) 9.93 ft. msl
 Angel's 6.50 ft. msl
 G3273 6.85 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	5.90	1.63
S-140		1.62
ENP		M

	5.90	1.63
This Week's Avg	1.67	1.59
Pre-Project Avg		

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is MAX cfs
 Distance to Top of Zone E -0.93 feet
 Distance to Bottom of Regulatory Zone -0.38 feet



----- Statistical Parameters -----

Rainfall Formula Amount 615 cfs
 Last Week's Rainfall Formula 315 cfs
 Pre-Project Mean Discharge 40 cfs

Rainfall Excess Terms
RL1 3.99 RL2 0.70 RL3 2.84

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow June 4, 2013 to June 10, 2013 MAX cfs

S-12 Discharge MAX cfs
 S-333 Discharge MAX cfs

----- Data Summary -----
 WCA-3A Stage (end of week) May 24, 2013 to May 31, 2013
 Angel's 9.51 ft. msl
 G3273 6.36 ft. msl
6.36 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.47	1.76

S-140		1.75
-------	--	------

ENP		M
-----	--	---

This Week's Avg	1.47	1.76
Pre-Project Avg	1.57	1.61

----- Transition Zone Information -----

WCA-3A is in Zone A

Supplemental discharge is	MAX	cfs
Distance to Top of Zone E		-0.47 feet
Distance to Bottom of Regulatory Zone		-0.01 feet



----- Statistical Parameters -----

Rainfall Formula Amount	315 cfs
Last Week's Rainfall Formula	328 cfs
Pre-Project Mean Discharge	27 cfs

Rainfall Excess Terms	RL1 -0.43	RL2 2.15	RL3 0.90
-----------------------	-----------	----------	----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **May 28, 2013** to **June 3, 2013** **1208 cfs**

S-12 Discharge **544 cfs**
 S-333 Discharge **664 cfs**

----- **Data Summary** -----
May 17, 2013 to **May 24, 2013**
 WCA-3A Stage (end of week) **9.44** ft. msl
 Angel's **5.53** ft. msl
 G3273 **5.97** ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.18	1.58

S-140		1.55
-------	--	-------------

ENP		M
-----	--	----------

This Week's Avg	1.18	1.56
Pre-Project Avg	1.43	1.61

----- **Transition Zone Information** -----

WCA-3A is in Zone E1

Supplemental discharge is	880 cfs
Distance to Top of Zone E	-0.35 feet
Distance to Bottom of Regulatory Zone	0.10 feet



----- **Statistical Parameters** -----

Rainfall Formula Amount	328 cfs
Last Week's Rainfall Formula	361 cfs
Pre-Project Mean Discharge	17 cfs

Rainfall Excess Terms	RL1 -0.76	RL2 3.33	RL3 0.24
-----------------------	------------------	-----------------	-----------------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow **May 21, 2013** to **May 27, 2013** **1204 cfs**

S-12 Discharge 542 cfs
 S-333 Discharge 662 cfs

----- **Data Summary** -----
May 10, 2013 to **May 17, 2013**
 WCA-3A Stage (end of week) 9.47 ft. msl
 Angel's 4.64 ft. msl
 G3273 4.97 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.77	1.66
S-140		1.83
ENP		M

	0.77	1.75
This Week's Avg	1.21	1.62
Pre-Project Avg		

----- **Transition Zone Information** -----

WCA-3A is in Zone E1

Supplemental discharge is 843 cfs
 Distance to Top of Zone E -0.34 feet
 Distance to Bottom of Regulatory Zone 0.11 feet



----- **Statistical Parameters** -----

Rainfall Formula Amount 361 cfs
 Last Week's Rainfall Formula 436 cfs
 Pre-Project Mean Discharge 12 cfs

Rainfall Excess Terms
RL1 -1.43 RL2 3.82 RL3 0.38

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow May 14, 2013 to May 20, 2013 1318 cfs

S-12 Discharge 593 cfs
 S-333 Discharge 725 cfs

----- Data Summary -----
May 3, 2013 to May 10, 2013
 WCA-3A Stage (end of week) 9.53 ft. msl
 Angel's 4.73 ft. msl
 G3273 5.11 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.36	1.78
S-140		1.86
ENP		M
This Week's Avg	0.36	1.82
Pre-Project Avg	1.08	1.61

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 882 cfs
 Distance to Top of Zone E -0.35 feet
 Distance to Bottom of Regulatory Zone 0.10 feet



----- Statistical Parameters -----

Rainfall Formula Amount 436 cfs
 Last Week's Rainfall Formula 340 cfs
 Pre-Project Mean Discharge 13 cfs

Rainfall Excess Terms
RL1 1.46 RL2 2.84 RL3 -1.24

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow May 7, 2013 to May 13, 2013 1261 cfs

S-12 Discharge 567 cfs
 S-333 Discharge 693 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) April 26, 2013 to May 3, 2013
 Angel's 9.59 ft. msl
 G3273 4.59 ft. msl
5.40 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	3.26	1.53
S-140		1.67
ENP		M

This Week's Avg	3.26	1.60
Pre-Project Avg	0.92	1.60

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 920 cfs
 Distance to Top of Zone E -0.37 feet
 Distance to Bottom of Regulatory Zone 0.09 feet



----- Statistical Parameters -----

Rainfall Formula Amount 340 cfs
 Last Week's Rainfall Formula 93 cfs
 Pre-Project Mean Discharge 16 cfs

Rainfall Excess Terms
RL1 3.58 RL2 0.90 RL3 -0.63

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow April 30, 2013 to May 6, 2013 227 cfs

S-12 Discharge 102 cfs
 S-333 Discharge 125 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) April 19, 2013 to April 26, 2013
 Angel's 9.32 ft. msl
 G3273 4.66 ft. msl
5.33 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	2.14	1.61
S-140		1.81
ENP		M

This Week's Avg	2.14	1.71
Pre-Project Avg	0.80	1.58

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 134 cfs
 Distance to Top of Zone E -0.05 feet
 Distance to Bottom of Regulatory Zone 0.40 feet



----- Statistical Parameters -----

Rainfall Formula Amount 93 cfs
 Last Week's Rainfall Formula -42 cfs
 Pre-Project Mean Discharge 24 cfs

Rainfall Excess Terms
RL1 1.87 RL2 0.24 RL3 -0.79

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow April 23, 2013 to April 29, 2013 0 cfs

S-12 Discharge 0 cfs
 S-333 Discharge 0 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) April 12, 2013 to April 19, 2013
 Angel's 9.26 ft. msl
 G3273 4.79 ft. msl
5.21 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	1.35	1.55
S-140		1.58
ENP		M

This Week's Avg	1.35	1.57
Pre-Project Avg	0.69	1.54

----- Transition Zone Information -----

WCA-3A is in Zone E

Supplemental discharge is 0 cfs
 Distance to Top of Zone E 0.05 feet
 Distance to Bottom of Regulatory Zone 0.51 feet



----- Statistical Parameters -----

Rainfall Formula Amount -42 cfs
 Last Week's Rainfall Formula -71 cfs
 Pre-Project Mean Discharge 29 cfs

Rainfall Excess Terms
RL1 0.24 RL2 0.38 RL3 -0.15

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow April 16, 2013 to April 22, 2013 0 cfs

S-12 Discharge 0 cfs
 S-333 Discharge 0 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) April 5, 2013 to April 12, 2013
 Angel's 9.26 ft. msl
 G3273 4.61 ft. msl
5.02 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.07	1.25
S-140		1.42
ENP		M

This Week's Avg	0.07	1.33
Pre-Project Avg	0.60	1.51

----- Transition Zone Information -----

WCA-3A is in Zone E

Supplemental discharge is 0 cfs
 Distance to Top of Zone E 0.10 feet
 Distance to Bottom of Regulatory Zone 0.56 feet



----- Statistical Parameters -----

Rainfall Formula Amount -71 cfs
 Last Week's Rainfall Formula -156 cfs
 Pre-Project Mean Discharge 31 cfs

Rainfall Excess Terms
RL1 0.97 RL2 -1.24 RL3 -0.32

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow April 9, 2013 to April 15, 2013 0 cfs

S-12 Discharge 0 cfs
 S-333 Discharge 0 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) March 29, 2013 to April 5, 2013
 Angel's 9.33 ft. msl
 G3273 4.65 ft. msl
5.35 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	2.14	1.61

S-140		1.81
-------	--	------

ENP		M
-----	--	---

This Week's Avg	2.14	1.71
Pre-Project Avg	0.59	1.47

----- Transition Zone Information -----

WCA-3A is in Zone E

Supplemental discharge is	0 cfs
Distance to Top of Zone E	0.07 feet
Distance to Bottom of Regulatory Zone	0.53 feet



----- Statistical Parameters -----

Rainfall Formula Amount	-156 cfs
Last Week's Rainfall Formula	-227 cfs
Pre-Project Mean Discharge	32 cfs

Rainfall Excess Terms	RL1 0.66	RL2 -0.63	RL3 -0.73
-----------------------	----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow April 2, 2013 to April 8, 2013 0 cfs

S-12 Discharge 0 cfs
 S-333 Discharge 0 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) March 22, 2013 to March 29, 2013
 Angel's 9.27 ft. msl
 G3273 4.16 ft. msl
4.60 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.06	1.62
S-140		1.76
ENP		M

This Week's Avg	0.06	1.69
Pre-Project Avg	0.54	1.41

----- Transition Zone Information -----

WCA-3A is in Zone E

Supplemental discharge is 0 cfs
 Distance to Top of Zone E 0.18 feet
 Distance to Bottom of Regulatory Zone 0.64 feet



----- Statistical Parameters -----

Rainfall Formula Amount -227 cfs
 Last Week's Rainfall Formula -217 cfs
 Pre-Project Mean Discharge 31 cfs

Rainfall Excess Terms
RL1 -0.73 RL2 -0.79 RL3 -0.92

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow March 26, 2013 to April 1, 2013 0 cfs

S-12 Discharge 0 cfs
 S-333 Discharge 0 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) March 15, 2013 to March 22, 2013
 Angel's 9.41 ft. msl
 G3273 4.34 ft. msl
4.90 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.50	1.25
S-140		1.71
ENP		M

This Week's Avg	0.50	1.48
Pre-Project Avg	0.43	1.36

----- Transition Zone Information -----

WCA-3A is in Zone E

Supplemental discharge is 0 cfs
 Distance to Top of Zone E 0.08 feet
 Distance to Bottom of Regulatory Zone 0.55 feet

----- Statistical Parameters -----



Rainfall Formula Amount -217 cfs
 Last Week's Rainfall Formula -227 cfs
 Pre-Project Mean Discharge 26 cfs

Rainfall Excess Terms

RL1 -0.27	RL2 -0.15	RL3 -1.68
-----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow March 19, 2013 to March 25, 2013 0 cfs

S-12 Discharge 0 cfs
 S-333 Discharge 0 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) March 8, 2013 to March 15, 2013
 Angel's 9.47 ft. msl
 G3273 4.45 ft. msl
5.08 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.00	1.18

S-140		0.95
-------	--	------

ENP		M
-----	--	---

This Week's Avg	0.00	1.07
Pre-Project Avg	0.43	1.29

----- Transition Zone Information -----

WCA-3A is in Zone E

Supplemental discharge is	0 cfs
Distance to Top of Zone E	0.06 feet
Distance to Bottom of Regulatory Zone	0.54 feet



----- Statistical Parameters -----

Rainfall Formula Amount	-227 cfs
Last Week's Rainfall Formula	-213 cfs
Pre-Project Mean Discharge	25 cfs

Rainfall Excess Terms	RL1 -0.52	RL2 -0.32	RL3 -1.54
-----------------------	-----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow March 12, 2013 to March 18, 2013 2 cfs

S-12 Discharge 1 cfs
 S-333 Discharge 1 cfs

----- Data Summary -----
 WCA-3A Stage (end of week) March 1, 2013 to March 8, 2013
 Angel's 9.58 ft. msl
 G3273 4.73 ft. msl
5.43 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.02	1.12
S-140		1.20
ENP		M

This Week's Avg	0.02	1.16
Pre-Project Avg	0.33	1.22

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 2 cfs
 Distance to Top of Zone E 0.00 feet
 Distance to Bottom of Regulatory Zone 0.47 feet



----- Statistical Parameters -----

Rainfall Formula Amount -213 cfs
 Last Week's Rainfall Formula -202 cfs
 Pre-Project Mean Discharge 35 cfs

Rainfall Excess Terms
RL1 -0.36 RL2 -0.73 RL3 -1.39

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow March 5, 2013 to March 11, 2013 116 cfs

S-12 Discharge 52 cfs
 S-333 Discharge 64 cfs

----- Data Summary -----
 February 22, 2013 to March 1, 2013
 WCA-3A Stage (end of week) 9.67 ft. msl
 Angel's 5.00 ft. msl
 G3273 5.77 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.26	1.00
S-140		1.19
ENP		M

This Week's Avg	0.26	1.09
Pre-Project Avg	0.40	1.15

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 116 cfs
 Distance to Top of Zone E -0.05 feet
 Distance to Bottom of Regulatory Zone 0.43 feet



----- Statistical Parameters -----

Rainfall Formula Amount -202 cfs
 Last Week's Rainfall Formula -193 cfs
 Pre-Project Mean Discharge 50 cfs

Rainfall Excess Terms
 RL1 -0.27 RL2 -0.92 RL3 -1.37

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow February 26, 2013 to March 4, 2013 179 cfs

S-12 Discharge 81 cfs
 S-333 Discharge 98 cfs

----- Data Summary ----- February 15, 2013 to February 22, 2013
 WCA-3A Stage (end of week) 9.74 ft. msl
 Angel's 5.27 ft. msl
 G3273 6.02 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.16	0.95
S-140		1.12
ENP		M

This Week's Avg	0.16	1.03
Pre-Project Avg	0.38	1.08

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 179 cfs
 Distance to Top of Zone E -0.07 feet
 Distance to Bottom of Regulatory Zone 0.41 feet



----- Statistical Parameters -----

Rainfall Formula Amount -193 cfs
 Last Week's Rainfall Formula -218 cfs
 Pre-Project Mean Discharge 69 cfs

Rainfall Excess Terms
RL1 0.21 RL2 -1.68 RL3 -1.30

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow February 19, 2013 to February 25, 2013 217 cfs

S-12 Discharge 98 cfs
 S-333 Discharge 120 cfs

----- Data Summary ----- February 8, 2013 to February 15, 2013
 WCA-3A Stage (end of week) 9.80 ft. msl
 Angel's 5.34 ft. msl
 G3273 6.04 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.87	1.11
S-140		1.23
ENP		M

This Week's Avg	0.87	1.17
Pre-Project Avg	0.35	1.01

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 217 cfs
 Distance to Top of Zone E -0.09 feet
 Distance to Bottom of Regulatory Zone 0.39 feet



----- Statistical Parameters -----

Rainfall Formula Amount -218 cfs
 Last Week's Rainfall Formula -225 cfs
 Pre-Project Mean Discharge 88 cfs

Rainfall Excess Terms
RL1 -0.04 RL2 -1.54 RL3 -0.45

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow February 12, 2013 to February 18, 2013 231 cfs

S-12 Discharge 104 cfs
 S-333 Discharge 127 cfs

----- Data Summary -----
 February 1, 2013 to February 8, 2013
 WCA-3A Stage (end of week) 9.85 ft. msl
 Angel's 5.21 ft. msl
 G3273 6.02 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.02	1.06
S-140		1.07
ENP		M

This Week's Avg	0.02	1.06
Pre-Project Avg	0.35	0.94

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 231 cfs
 Distance to Top of Zone E -0.09 feet
 Distance to Bottom of Regulatory Zone 0.39 feet



----- Statistical Parameters -----

Rainfall Formula Amount -225 cfs
 Last Week's Rainfall Formula -185 cfs
 Pre-Project Mean Discharge 110 cfs

Rainfall Excess Terms
 RL1 -0.94 RL2 -1.39 RL3 -0.33

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow February 5, 2013 to February 11, 2013 319 cfs

S-12 Discharge 144 cfs
 S-333 Discharge 176 cfs

----- Data Summary -----
 January 25, 2013 to February 1, 2013
 WCA-3A Stage (end of week) 9.93 ft. msl
 Angel's 5.41 ft. msl
 G3273 6.21 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.00	1.05
S-140		1.10
ENP		M

This Week's Avg	0.00	1.07
Pre-Project Avg	0.35	0.88

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 319 cfs
 Distance to Top of Zone E -0.13 feet
 Distance to Bottom of Regulatory Zone 0.36 feet



----- Statistical Parameters -----

Rainfall Formula Amount -185 cfs
 Last Week's Rainfall Formula -144 cfs
 Pre-Project Mean Discharge 130 cfs

Rainfall Excess Terms
 RL1 -0.88 RL2 -1.37 RL3 -0.33

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow January 29, 2013 to February 4, 2013 433 cfs

S-12 Discharge 195 cfs
 S-333 Discharge 238 cfs

----- Data Summary -----
 January 18, 2013 to January 25, 2013
 WCA-3A Stage (end of week) 10.02 ft. msl
 Angel's 5.56 ft. msl
 G3273 6.34 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.04	0.99
S-140		0.88
ENP		M

This Week's Avg	0.04	0.94
Pre-Project Avg	0.33	0.83

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 433 cfs
 Distance to Top of Zone E -0.17 feet
 Distance to Bottom of Regulatory Zone 0.31 feet



----- Statistical Parameters -----

Rainfall Formula Amount -144 cfs
 Last Week's Rainfall Formula -98 cfs
 Pre-Project Mean Discharge 153 cfs

Rainfall Excess Terms
 RL1 -0.75 RL2 -1.30 RL3 -0.39

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow January 22, 2013 to January 28, 2013 521 cfs

S-12 Discharge 234 cfs
 S-333 Discharge 287 cfs

----- Data Summary -----
 January 11, 2013 to January 18, 2013
 WCA-3A Stage (end of week) 10.10 ft. msl
 Angel's 5.62 ft. msl
 G3273 6.44 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.03	0.83
S-140		0.93
ENP		M

This Week's Avg	0.03	0.88
Pre-Project Avg	0.35	0.81

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 521 cfs
 Distance to Top of Zone E -0.21 feet
 Distance to Bottom of Regulatory Zone 0.28 feet



----- Statistical Parameters -----

Rainfall Formula Amount -98 cfs
 Last Week's Rainfall Formula -59 cfs
 Pre-Project Mean Discharge 186 cfs

Rainfall Excess Terms
 RL1 -0.66 RL2 -0.45 RL3 -1.27

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow January 15, 2013 to January 21, 2013 609 cfs

S-12 Discharge 274 cfs
 S-333 Discharge 335 cfs

----- Data Summary -----
 January 4, 2013 to January 11, 2013
 WCA-3A Stage (end of week) 10.18 ft. msl
 Angel's 5.64 ft. msl
 G3273 6.54 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.01	0.82
S-140		0.82
ENP		M

This Week's Avg	0.01	0.82
Pre-Project Avg	0.25	0.77

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 609 cfs
 Distance to Top of Zone E -0.24 feet
 Distance to Bottom of Regulatory Zone 0.25 feet



----- Statistical Parameters -----

Rainfall Formula Amount -59 cfs
 Last Week's Rainfall Formula -20 cfs
 Pre-Project Mean Discharge 216 cfs

Rainfall Excess Terms
 RL1 -0.64 RL2 -0.33 RL3 -1.65

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**



WCA-3A RAINFALL-BASED MANAGEMENT PLAN

Target Flow January 8, 2013 to January 14, 2013 673 cfs

S-12 Discharge 303 cfs
 S-333 Discharge 370 cfs

----- Data Summary ----- December 28, 2012 to January 4, 2013
 WCA-3A Stage (end of week) 10.25 ft. msl
 Angel's 5.58 ft. msl
 G3273 6.61 ft. msl

<u>Station</u>	<u>Rainfall (in)</u>	<u>Pan Evaporation (in)</u>
NEXRAD Rain for WCA-3A and S7 evaporation	0.01	0.76
S-140		0.98
ENP		M

This Week's Avg	0.01	0.87
Pre-Project Avg	0.27	0.75

----- Transition Zone Information -----

WCA-3A is in Zone E1

Supplemental discharge is 673 cfs
 Distance to Top of Zone E -0.27 feet
 Distance to Bottom of Regulatory Zone 0.22 feet

----- Statistical Parameters -----

Rainfall Formula Amount -20 cfs
 Last Week's Rainfall Formula 28 cfs
 Pre-Project Mean Discharge 247 cfs

Rainfall Excess Terms

RL1 -0.71	RL2 -0.33	RL3 -2.48
-----------	-----------	-----------

COMMENT: S7 estimated evap data and S140 estimated evap data were used. ENP evap data were missing

***NOTE: Actual discharges may vary from target discharges because of changing hydrologic conditions.**

