Settlement Agreement Report

Fourth Quarter October – December 2013

Prepared for the Technical Oversight Committee

July 22, 2014



Shark River Slough compliance results are published annually in this report when the final approved flow data for a federal water year are available. The October 1, 2013 – September 30, 2014 water year will be published at that time.

Prepared by:

Cheol Mo, Violeta Ciuca, and Stuart Van Horn

Compliance Assessment and Reporting Section
Water Quality Bureau
South Florida Water Management District
3301 Gun Club Road
West Palm Beach, FL 33406

PURPOSE

The South Florida Water Management District has prepared this report to provide a quarterly update to the Technical Oversight Committee on the compliance status with total phosphorus levels or limits defined in the 1991 Settlement Agreement, entered as a Consent Decree in 1992, and modified in 1995. The areas of interest in this report include the interior marsh stations in the Arthur R. Marshall Loxahatchee National Wildlife Refuge and two discharges to Everglades National Park: inflows to Shark River Slough and inflows to Taylor Slough and Coastal Basins.

CONTENTS

Executive Sui	nmary	I
Arthur R. Ma	rshall Loxahatchee National Wildlife Refuge	3
Backgroun	d	3
	Period Update	
-	ational Park	
	r Slough	
	und	
	g Period Update	
•	igh and Coastal Basins	
0	ınd	
Reportir	g Period Update	9
	APPENDICES	
Appendix A	Monthly Total Phosphorus Concentration Data for the Arthur R. Marshall Loxahatchee National Wildlife Refuge	Λ 1
Appendix B	Weekly Grab Total Phosphorus Concentration Data for Shark River Slough	
Appendix C	Weekly Grab Total Phosphorus Concentration Data for Taylor Slough and	. Б-1
rr	Coastal Basins	C-1
Appendix D	Calculation Methods	
Appendix E	Document Revisions	. E-1
	TABLES	
Table 1.	TP compliance, fourth quarter 2013.	1
Table 2.	Refuge TP compliance tracking.	
Table 3.	Taylor Slough and Coastal Basins TP compliance tracking	
	FIGURES	
Figure 1.	Areas of interest.	2
Figure 2. Figure 3.	Refuge water quality sampling and stage measurement stations	
	concentrations with calculated long-term levels	5
Figure 4.	ENP flow structures.	

Figure 5.	The 12-month flow-weighted mean TP concentrations in inflows to ENP through
	Taylor Slough and Coastal Basins at the end of each water year compared to the
	11 ppb long-term TP limit11
Figure 6.	The 12-month flow-weighted mean TP concentrations in inflows to ENP through
_	Taylor Slough and Coastal Basins at the end of each month and the
	flow-weighted mean TP concentration for each sampling event11
Figure 7.	Daily flows into ENP as a stacked sum of Taylor Slough (structure S332D) and
C	Coastal Basins (structure S18C).
Figure 8.	Daily flows at individual Coastal Basins (S18C) and Taylor Slough (S332D)
O	structures into ENP
Figure 9.	Flow from Taylor Slough and Coastal Basins structures (S332D and S18C) on the
O	day of sampling and the corresponding flow-weighted mean TP concentrations
	for individual sampling events14

ACRONYMS AND ABBREVIATIONS

cfs cubic feet per second ENP Everglades National Park

feet NGVD 29 feet relative to National Geodetic Vertical Datum of 1929

kac-ft thousand acre feet ppb parts per billion

Refuge Arthur R. Marshall Loxahatchee National Wildlife Refuge

TOC Technical Oversight Committee

TP total phosphorus
μg/L micrograms per liter
WCA Water Conservation Area

EXECUTIVE SUMMARY

This report fulfills the South Florida Water Management District's reporting requirements under the 1991 Settlement Agreement, entered as a Consent Decree in 1992 and modified in 1995, for the fourth quarter of 2013 (October – December 2013). Total phosphorus (TP) compliance highlights for this period are summarized below for the Arthur R. Marshall Loxahatchee National Wildlife Refuge and Everglades National Park, including Shark River Slough, and Taylor Slough and Coastal Basins (**Table 1** and **Figure 1**):

- **Refuge:** The geometric mean TP concentration was below the long-term level in October, November, and December 2013.
- Shark River Slough: The 12-month flow-weighted mean TP concentration (annual compliance result) will be published at a later date when the final approved flow data is available for the current federal water year, WY2014 (October 1, 2013 September 30, 2014).
- Taylor Slough and Coastal Basins: The 12-month flow-weighted mean TP concentrations were below the 12-month long-term limit during the fourth quarter of 2013.

Table 1. TP compliance, fourth quarter 2013.

Mont	h	Geometric Mean TP Concentration (ppb)		Long-term Level (ppb)		Mean Stage (feet NGVD 29)		Number of Samples	
Arthur R.	Arthur R. Marshall Loxahatchee National Wildlife Refuge								
Oct 201	13		6.6	8.3	*	1	6.83*		14
Nov 20	13		5.6	9.	1		16.61		14
Dec 20	13		4.4	9.	1		16.62		13
12-Month Period	Period Total Flow		12-Month Flow-weighted Mean		•	Long-term Limit		Percent of Sampling Ev Greater than 10 ppt	
Ending	(ка	c-ft)	TP Concentra	ation (ppb)	(pp	D)	Guidelin	е	Observed
Everglade	s Nationa	al Park – S	hark River Slo	ugh					
Oct 2013	The	nuarterly flo	w and TP data f	or this table is	nosted sena	rately on t	he TOC website	- The	annual
Nov 2013	comp	liance resul	It will be publishe	ed in this repo	rt for the 12-	-month flow	w-weighted me	an TP	concentration
Dec 2013	for th	for the federal water year ending on September 30 when the final approved flow data is available.							
Everglades National Park – Taylor Slough and Coastal Basins									
Oct 2013	22	28.9	4.7	4.7		0	53.1		1.3
Nov 2013	22	21.7	4.7	1	11.	11.0			1.3
Dec 2013	22	27.5	4.6)	11.	0	53.1		1.3

Notes

- ppb = parts per billion. Values are actually in μg/L (micrograms per liter), which, for the purposes of this report, is equivalent to ppb.
- feet NGVD 29 = elevation in feet relative to the National Geodetic Vertical Datum of 1929.
- kac-ft = thousand acre feet.
- * 1-9 gage stage datum for October 22, 2013, sampling event was missing. The October 23, 2013 stage datum at 1-9 was used for the daily stage for both October 22 and 23, 2013, to calculate the sampling event mean stage.




Figure 1. Areas of interest.

ARTHUR R. MARSHALL LOXAHATCHEE NATIONAL WILDLIFE REFUGE

Background

The 1991 Settlement Agreement ended the Everglades lawsuit and was entered into by the federal government, the State of Florida, and the South Florida Water Management District. The subsequent Consent Decree, as modified in 1995, specified that interim and long-term total phosphorus (TP) concentration levels for the Arthur R. Marshall Loxahatchee National Wildlife Refuge (Refuge) must be met by February 1, 1999, and December 31, 2006, respectively. Both the interim and long-term concentration levels vary monthly because they are calculated as a function of water stage measured at gauging stations 1-7, 1-8C, and 1-9 within the Refuge. The stage range within which the interim and long-term concentration levels are applicable is 15.42 to 17.14 feet relative to the National Geodetic Vertical Datum of 1929 (feet NGVD 29). The monthly TP concentrations are determined from water samples collected at 14 interior marsh stations, LOX3 through LOX16 (Figure 2). As required in the Consent Decree, the concentrations are converted to a geometric mean, which is compared to the long-term concentration level. Monthly TP data for each station for the past 36 months are provided in Appendix A. The calculation methods specified in the Consent Decree are provided in Appendix D.

Reporting Period Update

Average sampling day stages in the Refuge were 16.83, 16.61, and 16.62 feet NGVD29 in October, November, and December 2013, respectively (**Figure 3** and **Table 2**). 1-9 gage stage datum for October 22, 2013, sampling event was missing. The October 23, 2013 stage datum at 1-9 was used for the daily stage for both October 22 and 23, 2013 to calculate the average sampling day stage for the October 2014 sampling event.

The geometric means, calculated from TP concentrations measured in water samples collected in October, November, and December 2013, were 6.6, 5.6, and 4.4 parts per billion (ppb), respectively. The geometric mean TP concentration was below the long-term level for the months of October, November, and December 2013.

TP samples were collected at 14 stations for the months of October and November 2013, and at 13 stations for December 2013. Sample was not collected at LOX3 station in December 2013 because the water depth was less than 0.1 meters.




Figure 2. Refuge water quality sampling and stage measurement stations.




Figure 3. (A) Monthly TP geometric mean concentrations for the Refuge compared to calculated long-term levels, which are adjusted for fluctuations in stage. The long-term level was not applicable for May 2011 through July 2011 because the average stage was less than 15.42 feet. The geometric mean TP concentration was above the long-term level in October 2012. **(B)** Deviation of monthly geometric mean TP concentrations with calculated long-term levels. Values smaller than zero indicate that the geometric mean was lower than the long-term level.

Table 2. Refuge TP compliance tracking.

Month	Geometric Mean TP Concentration (ppb)	Long-Term Level (ppb) Effective 12/31/2006	Average Stage ^a (ft NGVD 29)	Number of Samples
Jan-2011	5.1	10.7	16.29	10
Feb-2011	6.0	11.3	16.19	10
Mar-2011	8.1	14.0	15.79	8
Apr-2011	11.4	16.3	15.53	7
May-2011	no data	N/A ^b	14.87	0
Jun-2011	no data	N/A ^b	14.30	0
Jul-2011	20.2	N/A ^b	15.11	4
Aug-2011	11.5	16.6	15.50	8
Sep-2011	9.8	14.0	15.80	11
Oct-2011	7.4	12.1	16.06	11
Nov-2011	7.8	9.2	16.59	14
Dec-2011	6.2	9.2	16.59	7
Jan-2012	6.0	10.0	16.43	14
Feb-2012	7.5	11.1	16.23	13
Mar-2012	6.3	12.8	15.96	10
Apr-2012	8.1	13.1	15.92	10
May-2012	7.2	11.7	16.12	12
Jun-2012	7.4	11.6	16.14	14
Jul-2012	6.0	12.5	16.00	14
Aug-2012	5.5	11.3	16.18	13
Sep-2012	7.0	7.2	17.38	14
Oct-2012	7.6*	7.2	17.20	14
Nov-2012	6.1	7.3	17.11	14
Dec-2012	6.7	8.3	16.82	14
Jan-2013	7.2	9.1	16.62	14
Feb-2013	6.7	10.3	16.36	13
Mar-2013	5.8	10.0	16.42	14
Apr-2013	7.0	11.7	16.12	11
May-2013	8.0	11.5	16.15	10
Jun-2013	7.8	10.4	16.36	12
Jul-2013	6.5	9.8	16.48	14
Aug-2013	5.8	9.4	16.55	14
Sep-2013	7.0	10.3	16.38	14
Oct-2013	6.6	8.3**	16.83**	14
Nov-2013	5.6	9.1	16.61	14
Dec-2013	4.4	9.1	16.62	13

Notes:

- •ppb = parts per billion. Values are actually in µg/L (micrograms per liter), which, for the purposes of this report, is equivalent to ppb.
- feet NGVD 29 = elevation in feet relative to the National Geodetic Vertical Datum of 1929.
- · Highlighted rows with bold, italicized text indicate when an excursion over the long-term level occurred.
- The seven "J" flag qualified data collected on December 13, 2011, were excluded from the December 2011 geometric mean calculation following the TOC's decision at the May 30, 2012 quarterly meeting.
- ^a Average stage is calculated using stage elevations at stations 1-7, 1-8C, and 1-9 for a given sampling date.
- b N/A denotes that the level was not applicable because the average stage was less than 15.42 feet.
- * The geometric mean was greater than the long-term level.
- ** 1-9 gage stage datum for October 22, 2013, sampling event was missing. The October 23, 2013 stage datum at 1-9 was used for the daily stage for both October 22 and 23, 2013 to calculate the sampling event mean stage.

EVERGLADES NATIONAL PARK

Shark River Slough

Background

The Settlement Agreement/Consent Decree (1995) specified that interim and long-term total phosphorus (TP) concentration limits for discharges into the Everglades National Park (ENP) (**Figure 4**) through Shark River Slough be met by October 1, 2003, and December 31, 2006, respectively. It was specified that the TP concentrations be presented as 12-month flow-weighted means. Only the TP concentrations for the water year ending September 30 are evaluated for compliance with the Consent Decree limits (**Appendix D**). The long-term TP concentration limit for inflows to Shark River Slough is represented by concentrations delivered through S12A, S12B, S12C, and S12D during the Outstanding Florida Waters baseline period of March 1, 1978, to March 1, 1979, and is adjusted for variations in flow. Inflow concentrations of TP through S12A, S12B, S12C, S12D, and S333 are compared to the interim and long-term limits at the end of each water year (October 1 through September 30). The long-term limit went into effect in Water Year 2007.

The 12-month flow-weighted mean TP concentration (7.2 parts per billion (ppb)) was lower than the long-term limit (7.6 ppb) for the 12 month period ending on September 30, 2013. Therefore, inflow into ENP through Shark River Slough met the TP compliance for Water Year 2013.

Reporting Period Update

Pursuant to agreement among all Technical Oversight Committee (TOC) members at the May 14, 2013 TOC meeting, the following three changes are made to the quarterly Settlement Agreement Report: 1) publishing of the quarterly 12-month flow-weighted mean TP concentrations for Shark River Slough is discontinued, 2) provisional quarterly 12-month flow-weighted mean TP concentrations are posted separately to the TOC website, http://www.sfwmd.gov/toc and 3) the annual 12-month flow-weighted mean TP concentration for the current water year ending on September 30 will be published once the final approved flow data for the S12A, S12B, S12C, and S12D structures becomes available. These changes have been implemented beginning with the January - March 2013 first Quarter report.

The current water year began on October 1, 2013, and ends on September 30, 2014. It is anticipated that the final approved flow data for the current water year will be available in April 2015, and the annual 12-month flow-weighted mean TP concentration to determine compliance with the long-term limit will be published as a revision to the July – September 2014 Third Quarter Report.

In addition to the provisional quarterly 12-month flow-weighted mean TP concentrations that are posted separately to the TOC website, the water quality data for Shark River Slough is available in **Appendix B** of this report.




Figure 4. ENP flow structures.

Taylor Slough and Coastal Basins

Background

Under the Consent Decree, a single total phosphorus (TP) long-term limit of 11 parts per billion (ppb), to be met by December 31, 2006, was set for the two points of inflow to Taylor Slough (S332 and S175) and the inflow point to the Coastal Basins (S18C) (see **Appendix C**). The 12-month flow-weighted mean concentrations have consistently been lower than the long-term limit of 11 ppb.

Inflow TP concentrations to Everglades National Park (ENP) through Taylor Slough and the Coastal Basins are compared to the 11 ppb limit at the end of each water year using data from both the old (S175, S332 and S18C) and new (S174, S332D and S18C) combinations of structures (**Figure 5**). The narrow bars in **Figure 5** represent the 12-month flow-weighted mean TP concentrations from S332, S175, and S18C for Water Years 1991 through 2002. The wider bars for Water Years 1999 through 2013 represent the new combination of structures.

TP and flow data from both sets of structures presented in prior editions of this report through December 2001 (April 2002 report) showed that, beginning in October 2000, the 12-month moving total flow for S332D, S174, and S18C was consistently greater than flow at S332, S175, and S18C. There was also a shift in flow-weighted mean TP concentration data whereby S332D, S174, and S18C concentrations became equal to and then consistently lower than the concentrations at S332, S175, and S18C. These changes reflected the switch from S332 to S332D for water delivery to Taylor Slough between July 3 and July 5, 2000. Furthermore, the S174 site was plugged in September 2007, preventing any additional flow. Consequently, for Water Years 2002 through 2007, compliance tracking was represented by S332D, S174 and S18C. Since Water Year 2008, S332D and S18C have represented the compliance tracking structures.

The flow-weighted mean TP concentration was below the long-term limit for the 12-month period ending on September 30, 2013. Therefore, Taylor Slough and Coastal Basins TP concentration was in compliance for Water Year 2013.

Reporting Period Update

Figure 6 presents the 12-month and individual sampling event flow-weighted mean TP concentrations at the S332D and S18C structures. All TP grab sample concentrations taken on positive flow days reported for surface water monitoring at the sites were used for the compliance calculations.

The daily flows into ENP through S332D and S18C are presented in **Figures 7** and **8**.

For the combined flow through S332D and S18C, the 12-month flow-weighted mean TP concentrations for the periods ending October, November, and December 2013 were 4.7, 4.7, and 4.6 ppb, respectively (**Table 3**).

The Consent Decree stipulates that the percent of flow-weighted mean TP concentrations greater than 10 ppb from each sampling event in any 12-month period must not exceed a fixed

guideline of 53.1 percent. For the 12-month periods ending October, November, and December 2013, the sampling event TP concentrations greater than 10 ppb were 1.3, 1.3, and 1.3 percent, respectively.

Figure 9 shows the relationship between the daily inflows and the corresponding flow-weighted mean TP concentrations for each sampling event. The sampling event flow-weighted mean concentrations generally remained very low. The average of the flow-weighted mean TP concentrations was 4.0 ppb in the fourth quarter.

The United States Army Corps of Engineers authorized the C-111 Spreader Canal project in 1995 to restore more natural hydrologic conditions in Taylor Slough and to maintain flood protection to the east of the L31N and C-111 canals. The original project facilities consisted of pump stations (S332B, S332C, and S332D), detention cells (Cell 1 through Cell 5), a connector cell between Cell 2 and Cell 3, a flow-way cell originating at Berm 3 of Cell 5, and four diversion structures (DS1 through DS4). Upon completion of an United States Army Corps of Engineers construction project in 2009, an interconnected detention system now exists, starting at the S332B west discharge and continuing to the S332D high head cell.




Figure 5. The 12-month flow-weighted mean TP concentrations in inflows to ENP through Taylor Slough and Coastal Basins at the end of each water year compared to the 11 ppb long-term TP limit.




Figure 6. The 12-month flow-weighted mean TP concentrations in inflows to ENP through Taylor Slough and Coastal Basins at the end of each month and the flow-weighted mean TP concentration for each sampling event.




Figure 7. Daily flows measured in cubic feet per second (cfs) into ENP as a stacked sum of Taylor Slough (structure S332D) and Coastal Basins (structure S18C).




Figure 8. Daily flows at individual Coastal Basins (S18C) and Taylor Slough (S332D) structures into the ENP.

Table 3. Taylor Slough and Coastal Basins TP compliance tracking.

12-Month Period	Total Flow	Flow-Weighted Mean TP	Long-Term Limit (ppb)	Percent of Sampling Events Greater than 10 ppb			
Period	(kac-ft)	Concentration (ppb)	Effective 12/31/2006	Guideline	Observed		
Feb 2010 - Jan 2011	273.0	5.4	11.0	53.1	0.0		
Mar 2010 - Feb 2011	253.5	5.4	11.0	53.1	0.0		
Apr 2010 - Mar 2011	246.6	5.3	11.0	53.1	0.0		
May 2010 - Apr 2011	235.2	5.3	11.0	53.1	0.0		
Jun 2010 - May 2011	215.0	5.2	11.0	53.1	7.1		
Jul 2010 - Jun 2011	183.4	5.2	11.0	53.1	8.1		
Aug 2010 - Jul 2011	156.3	5.3	11.0	53.1	8.8		
Sep 2010 - Aug 2011	126.4	5.5	11.0	53.1	9.4		
Oct 2010 - Sep 2011	111.4	5.6	11.0	53.1	9.4		
Nov 2010 - Oct 2011	134.6	6.3	11.0	53.1	12.1		
Dec 2010 - Nov 2011	157.9	6.4	11.0	53.1	12.5		
Jan 2011 - Dec 2011	170.2	6.3	11.0	53.1	11.1		
Feb 2011 - Jan 2012	169.5	6.4	11.0	53.1	10.0		
Mar 2011 - Feb 2012	170.2	6.4	11.0	53.1	9.3		
Apr 2011 - Mar 2012	169.5	6.4	11.0	53.1	9.5		
May 2011 - Apr 2012	170.3	6.3	11.0	53.1	10.0		
Jun 2011 - May 2012	193.5	6.1	11.0	53.1	2.5		
Jul 2011 - Jun 2012	224.6	6.0	11.0	53.1	2.3		
Aug 2011 - July 2012	255.1	5.8	11.0	53.1	2.1		
Sep 2011 - Aug 2012	273.0	5.8	11.0	53.1	2.0		
Oct 2011 - Sep 2012	290.7	5.7	11.0	53.1	2.0		
Nov 2011 - Oct 2012	283.6	5.3	11.0	53.1	0.0		
Dec 2011 - Nov 2012	273.0	5.1	11.0	53.1	0.0		
Jan 2012 - Dec 2012	279.6	5.1	11.0	53.1	0.0		
Feb 2012 - Jan 2013	284.9	5.1	11.0	53.1	0.0		
Mar 2012 - Feb 2013	284.9	5.1	11.0	53.1	1.6		
Apr 2012 - Mar 2013	284.9	5.1	11.0	53.1	1.6		
May 2012 - Apr 2013	282.4	5.0	11.0	53.1	1.6		
Jun 2012 - May 2013	263.5	5.1	11.0	53.1	1.6		
Jul 2012 - Jun 2013	260.4	5.0	11.0	53.1	1.5		
Aug 2012 - Jul 2013	264.0	4.9	11.0	53.1	1.4		
Sep 2012 - Aug 2013	255.8	4.8	11.0	53.1	1.4		
Oct 2012 - Sep 2013	248.0	4.8	11.0	53.1	1.3		
Nov 2012 - Oct 2013	228.9	4.7	11.0	53.1	1.3		
Dec 2012 - Nov 2013	221.7	4.7	11.0	53.1	1.3		
Jan 2013 - Dec 2013	227.5	4.6	11.0	53.1	1.3		

Notes:

- kac-ft = thousand acre feet.
- ppb = parts per billion. Values are actually in μ g/L (micrograms per liter), which, for the purposes of this report, is equivalent to ppb.
- Compliance is evaluated annually based on the 12-month flow-weighted mean TP concentration for the federal water year ending on September 30. The compliance periods are shown as highlighted rows with bold, italicized text.




Figure 9. Flow from Taylor Slough and Coastal Basins structures (S332D and S18C) on the day of sampling and the corresponding flow-weighted mean TP concentrations for individual sampling events.

APPENDIX A

MONTHLY TOTAL PHOSPHORUS CONCENTRATION DATA FOR THE ARTHUR R. MARSHALL LOXAHATCHEE NATIONAL WILDLIFE REFUGE

Total Phosphorus concentration data used in this report can be directly retrieved from the South Florida Water Management District DBHYDRO database by copying and pasting the following link into the address field of a web browser:

http://www.sfwmd.gov/dbhydroplsql/water_quality_data.report_full?v_where_clause=wher e+station_id+like+('LOX%25')+and+station_id+not+like+('LOXA%25')+and+test_number+=+25 +and+date_collected+>=+'01-OCT-2013'+and+date_collected+<+'01-JAN-2014'+and+sample_type_new+=+'SAMP'&v_target_code=file_csv

The link above generates only data that have not been qualified. Qualified water quality data must be retrieved interactively via the DBHYDRO Browser.

Stage data for stations 1-7, 1-8C, and 1-9 from the reporting quarter can be retrieved by copying and pasting the following link into the address field of a web browser:

http://www.sfwmd.gov/dbhydroplsql/web_io.report_process?v_period=uspec&v_start_date =20131001&v_end_date=20131231&v_report_type=format7&v_target_code=file_csv&v_run_m ode=onLine&v_js_flag=Y&v_dbkey=FE775/FE776/FE777

Table A-1. Arthur R. Marshall Loxahatchee National Wildlife Refuge monthly total phosphorus data (parts per billion).

Month-Year	LOX3	LOX4	LOX5	LOX6	LOX7	LOX8	LOX9	LOX10	LOX11	LOX12	LOX13	LOX14	LOX15	LOX16
Jan-2011		8		5	6	8			4	5	4	4	4	5
Feb-2011		9		5	7	8			5	6	6	5	4	7
Mar-2011					12	15			7	6	7	7	7	7
Apr-2011						48			10	7	7	12	8	11
May-2011														
Jun-2011														
Jul-2011		30			12					20			23	
Aug-2011				12	13	17			8	11		14	8	12
Sep-2011		13		10	6	10	12	10	8	11		9	8	13
Oct-2011		11		6	5	8	6	10	7	8		7	7	8
Nov-2011	7	18	7	6	7	10	7	8	9	7	9	6	6	7
Dec-2011	7 (J)	10 (J)	6 (J)	5	7 (J)	9 (J)	8 (J)	8 (J)	7	6	8	6	5	7
Jan-2012	5	9	6	5	6	8	3	8	7	6	6	6	6	6
Feb-2012		10	9	5	9	10	9	11	7	6	6	7	5	7
Mar-2012		6		5	8	10			6	5	7	6	5	7
Apr-2012		11		5	10	13			8	8	7	7	6	9
May-2012		9		5	8	8	9	9	7	6	7	6	6	8
Jun-2012	10	9	9	6	9	10	10	7	7	6	7	5	5	6
Jul-2012	5	7	6	5	5	7	6	6	5	6	8	5	7	7
Aug-2012	5	6	7	4	5	5	6	6	5	7		4	6	6
Sep-2012	8	15	8	6	8	7	7	7	5	6	5	7	6	7
Oct-2012	5	7	7	8	9	6	9	8	8	9	8	8	8	8
Nov-2012	7	7	7	5	7	8	6	7	7	6	6	4	5	5
Dec-2012	6	6	8	6	8	7	8	8	6	7	6	5	8	6
Jan-2013	6	8	8	6	9	10	7	9	7	8	8	5	5	7
Feb-2013		8	10	4	9	8	9	8	6	6	6	5	5	6
Mar-2013	6	6	8	5	6	9	7	9	4	4	5	4	6	5
Apr-2013		7		7	7	11	9		6	7	6	6	6	6
May-2013		8		7	8	10	7		*	8	8	8	9	7
Jun-2013		9		6	8	8	9	12	5	8	5	10	7	10
Jul-2013	7	6	7	7	7	7	5	5	5	5	6	8	7	11
Aug-2013	7	5	5	5	5	8	5	6	6	6	7	3	7	9
Sep-2013	6	7	6	6	6	8	6	9	6	8	7	6	8	10
Oct-2013	5	10	4	6	5	8	7	6	6	7	8	9	6	8
Nov-2013	7	7	4	4	4	7	6	7	5	6	7	5	5	6
Dec-2013		5	4	3	5	4	3	7	4	5	5	5	4	5

Notes:

⁻⁻⁻ indicates sample was not collected due to insufficient water depth. (J) indicates analyte detected in field blank and/or associated sample.

^{*} LOX11 water quality sample for May 2013 was accidentally discarded during processing. The resampling guideline protocol was initiated to resample the station. However, due to weather conditions, resampling could not be accomplished within the 72-hour maximum time frame specified in the protocol.

APPENDIX B

WEEKLY GRAB TOTAL PHOSPHORUS CONCENTRATION DATA FOR SHARK RIVER SLOUGH

Total phosphorus concentration data used in this report can be directly retrieved from the South Florida Water Management District DBHYDRO database by copying and pasting the following link into the address field of a web browser:

http://www.sfwmd.gov/dbhydroplsql/water_quality_data.report_full?v_where_clause=wher e+station_id+in+('S12A','S12B','S12C','S12D','S333')+and+test_number+=+25+and+collect_meth od+=+'G'+and+date_collected+>=+'01-OCT-2013'+and+date_collected+<+'01-JAN-2014'+and+sample_type_new+=+'SAMP'&v_target_code=file_csv

The link generates only data that have not been flagged. Flagged water quality data must be retrieved interactively via DBHYDRO Browser.

The provisional daily mean flow data for stations S12A, S12B, S12C, S12D, and the "Preferred DBKEY" daily mean flow data for stations S333, and S334, during the reporting quarter can be retrieved by copying and pasting the following link into the address field of a web browser: http://www.sfwmd.gov/dbhydroplsql/web_io.report_process?v_period=uspec&v_start_date = 20131001&v_end_date = 20131231&v_report_type = format7&v_target_code = file_csv&v_run_m ode=onLine&v_js_flag=Y&v_dbkey=03620/03626/03632/03638/15042/FB752

The "Preferred DBKEY" daily mean flow data for S12A, S12B, S12C, and S12D structures will be available for retrieval upon completion of the final approved flow data (expected April 2015).

Table B-1. Weekly grab total phosphorus concentration data for Shark River Slough (parts per billion).

Date	S12A	S12B	S12C	S12D	S333	Remarks
01/02/2013	5		12	6	6	Compliance data
01/07/2013	6	5	5	7	7	N/A
01/14/2013	11			8	10	Compliance data
01/22/2013	11			7	9	N/A
01/28/2013	10			6	9	Compliance data
02/04/2013	10			7	8	N/A
02/11/2013	11			6	10	Compliance data
02/18/2013	9			6	8	N/A
02/25/2013	13			7	9	Compliance data
03/04/2013	14			7	9	N/A
03/11/2013	12			5	6	Compliance data
03/18/2013	13				7	N/A
03/25/2013	21				9	Compliance data
04/01/2013	30				8	N/A
04/08/2013	22				11	Compliance data
04/15/2013	26				12	N/A
04/22/2013	25				14	Compliance data
04/29/2013	24				15	N/A
05/06/2013	26			10	15	Compliance data
05/13/2013	17		11	8	12	N/A
05/20/2013	20		8	8	18	Compliance data
05/28/2013	21		9	8	12	N/A
06/03/2013	21		10	10	10	Compliance data
06/10/2013	23		9	11	11	N/A
06/17/2013	19		8	9	16	Compliance data
06/24/2013	12		8	7	17	N/A
07/01/2013	11		8	9	15	Compliance data
07/08/2013	11	10	8	11	8	N/A
07/15/2013	10	*	9	11	10	Compliance data
07/22/2013	6	7	8	11	9	N/A
07/29/2013	6	5	6	9	8	Compliance data
08/05/2013	6	5	7	8	8	N/A
08/12/2013	4	4	5	7	7	Compliance data
08/19/2013	5	3	4	7	11	N/A
08/26/2013	5	4	5	8	7	Compliance data
09/03/2013	5	6	6		7	N/A
09/09/2013	5	5	6	7	7	Compliance data
09/16/2013	5	4	5	7	7	N/A
09/23/2013	5	6	6	7	7	Compliance data
09/30/2013	5	4	5	6	6	N/A
10/07/2013	4	4	6	7	7	Compliance data
10/14/2013	4	4	5	6	6	N/A
10/21/2013	5	4	6	6	6	Compliance data
10/28/2013	5	4	6	7	7	N/A
11/04/2013	8	8	6	8	8	Compliance data
11/12/2013	10	7	6	7	6	N/A
11/18/2013	11	7	5	7	7	Compliance data
11/25/2013	8	6	6	7	8	N/A
12/02/2013	7	5	4	6	6	Compliance data
12/09/2013	11	5	4	6	7	N/A
12/16/2013	6			8	7	Compliance data
12/23/2013	7			7	6	N/A
12/30/2013	8			**	8	Compliance data
12/30/2013				L		compliance data

Notes: --- indicates water sample was not collected because the spillway gates were closed at the time of the site visit.

[&]quot;Compliance data" indicates bi-weekly sampling data used for consent decree calculation.

[&]quot;N/A" indicates bi-weekly sampling data presented for informational purposes only and not used for consent decree calculation.

^{*} The flow data indicated that there was flow at S12B on July 15, 2013. However, the gate was closed at the time of the site visit for the sampling.

^{**} The provisional flow data indicated that there was flow at S12D on December 30, 2013. However, the gate was closed at the time of the site visit for the sampling.

APPENDIX C

WEEKLY GRAB TOTAL PHOSPHORUS CONCENTRATION DATA FOR TAYLOR SLOUGH AND COASTAL BASINS

Total phosphorus (TP) concentration data used in this report can be directly retrieved from the SFWMD DBHYDRO database by copying and pasting the following link into the address field of a web browser:

http://www.sfwmd.gov/dbhydroplsql/water_quality_data.report_full?v_where_clause=wher e+station_id+in+('S332DX','S18C',)+and+test_number+=+25+and+collect_method+=+'G'+and+date_collected+>=+'01-OCT-2013'+and+date_collected+<+'01-JAN-2014'+and+sample_type_new+=+'SAMP'&v_target_code=file_csv

The link generates only data that have not been flagged. Flagged water quality data must be retrieved interactively via DBHYDRO Browser.

The "Preferred DBKEY" daily mean flow data for stations at Taylor Slough (S332D), and the Coastal Basins (S18C), during the reporting quarter can be retrieved by copying and pasting the following link into the address field of a web browser:

http://www.sfwmd.gov/dbhydroplsql/web_io.report_process?v_period=uspec&v_start_date =20131001&v_end_date=20131231&v_report_type=format7&v_target_code=file_csv&v_run_m ode=onLine&v_js_flag=Y&v_dbkey=15760/TA413

Table C-1. Weekly grab total phosphorus concentration data for Taylor Slough and Coastal Basins (parts per billion).

er billion).	1	
Date	S332DX	S18C
12/03/2012		4
12/04/2012	6	
12/10/2012	5	
12/11/2012		3
12/17/2012	5	
12/18/2012		3
12/27/2012		3
01/02/2013	5	3
01/07/2013	5	
01/08/2013		4
01/14/2013	6	
01/15/2013		4
01/22/2013		3
01/23/2013	6	
01/28/2013	6	
01/29/2013		4
02/04/2013	5	
02/05/2013		4
02/11/2013	6	
02/12/2013		6
02/18/2013	5	
02/19/2013		15
02/25/2013	6	
02/26/2013		3
03/04/2013	5	
03/05/2013		5
03/11/2013	6	
03/12/2013		5
03/18/2013	6	
03/19/2013		4
03/25/2013	9	
03/26/2013		4
04/01/2013	7	
04/02/2013		4
04/08/2013	7	
04/09/2013		5
04/15/2013	5	
04/16/2013		4
04/22/2013	5	
04/23/2013		4
04/29/2013	4	
04/30/2013		6
05/06/2013	7	
05/07/2013		6
05/13/2013	6	
05/14/2013		6
05/20/2013	9	
05/21/2013		5
05/28/2013		5
05/29/2013	7	
06/03/2013	5	
06/04/2013		4
06/10/2013		
		4
06/11/2013		
06/17/2013	6	
06/18/2013		3
06/24/2013	6	
06/25/2013		4

Date	S332DX	S18C
07/01/2013	5	
07/02/2013		4
07/08/2013	6	
07/09/2013		4
07/15/2013	6	
07/16/2013		4
07/22/2013	6	
07/23/2013		3
07/29/2013	4	
07/30/2013		4
08/05/2013	5	
08/06/2013		3
08/12/2013	5	
08/13/2013		3
08/19/2013	5	
08/20/2013		3
08/26/2013	5	
08/27/2013		3
09/03/2013	6	5
09/09/2013	6	
09/10/2013		3
09/16/2013	6	
09/17/2013		4
09/23/2013	6	
09/24/2013		3
09/30/2013	6	
10/01/2013		4
10/07/2013	6	
10/08/2013		4
10/14/2013	5	
10/15/2013		4
10/21/2013	6	
10/22/2013		3
10/28/2013	5	
10/29/2013		3
11/04/2013	5	
11/05/2013		3
11/13/2013	4	4
11/18/2013	5	
11/19/2013		2
11/25/2013	5	
11/26/2013		3
12/02/2013	4	
12/03/2013		3
12/09/2013	5	
12/10/2013		2
12/16/2013	4	
12/17/2013		2
12/23/2013	5	
12/26/2013		3
12/30/2013	5	
12/31/2013		3

Note: -- indicates water sample was not collected.

APPENDIX D

CALCULATION METHODS

Long Term Marsh Concentration Levels for Loxahatchee National Wildlife Refuge

Long Term Marsh Concentration Levels:

$$C = 10.7172 - 0.541156S + 1.372\sqrt{7.5819 - 0.9310S + 0.02902216S^2}$$

Terms:

C = the natural log of the geometric mean total phosphorus concentration across 14 marsh stations.

S = average stage measured at gauges CA1-9, CA1-7, and CA1-8C on sampling date (feet).

This equation is applicable over a stage range of 15.42 to 17.14 feet. If the stage on any sampling date exceeds 17.14 feet, a stage of 17.14 feet should be used in calculating the long term concentration levels. The equation shall not apply to dates when the average stage is less than 15.42 feet.

(1991 Settlement Agreement entered as a Consent Decree in 1992 and modified in 1995, Exhibit B, Appendix B, Attachment II, page B-7)

Discharge Limits and OFW Standards for Shark River Slough

Interim Discharge Limit:

$$C = 11.16 - 0.00465Q + 1.397\sqrt{6.377 - 0.00591Q + 0.00000436Q^2}$$

Long-Term Discharge Limit & OFW Standard:

$$C = 11.38 - 0.00538Q + 1.397\sqrt{2.493 - 0.00231Q + 0.00000170Q^2}$$

Frequency Exceedance:

$$F = 48.411 - 0.02896Q + 1.397\sqrt{330.1 - 0.3071Q + 0.0002254Q^2}$$

Terms:

Water Year = October through September

Q = total inflow to Shark River Slough for water year, S-12s + S-333 + any additional inflow from the WCAs established in the future, thousand acre-ft/yr (Kac-ft/yr).

C = limit on maximum flow-weighted-mean inflow concentration for any Water Year, composite of all inflows to Shark Slough (ppb).

F = exceedance for maximum frequency (percent) of inflow concentrations exceeding 10 ppb, computed from the time series of concentrations composited across all inflow structures on each sampling date with positive flow in a given Water Year.

The range of flow (Q) used in deriving the limits is 117 to 1061 Kac-ft/yr. If the total flow for any water year exceeds 1061 Kac-ft/yr, a flow of 1061 Kac-ft/yr should be used in calculating the discharge limits.

(1991 Settlement Agreement entered as a Consent Decree in 1992 and modified in 1995, Exhibit B, Appendix A, Attachment I, page A-5)

Note: Additional inflows, currently, comprises the discharges through S334, S355A and S335B, and S356. The latest TOC approved methodology to incorporate these additional inflows was documented in the Shark River Slough section of the Settlement Agreement July – September 2006 Report (dated November 9, 2011).

Discharge Limits and OFW Standards for Taylor Slough and Coastal Basins

Long-Term Flow-Weighted Discharge Limit & OFW Standard = 11.0 ppb

Frequency Exceedance:

Frequency of values > 10 ppb must be less than 53.1%.

Terms:

Limits are defined on a Water Year basis, October through September.

Basin flow is the total flow through structures S-332, S-175, S-18C, plus any new release points from this basin established in the future, thousand acre-ft/yr (Kac-ft/yr).

Limits apply to the flow-weighted-mean concentration for any Water Year, composite of all inflows to Taylor Slough (S-332) and Coastal Basin (S-18C).

Frequency exceedance is the exceedance for maximum frequency (percent) of inflow concentrations exceeding 10 ppb, computed from the time series of concentrations composited across all inflow structures on each sampling date with positive flow in a given Water Year.

(1991 Settlement Agreement entered as a Consent Decree in 1992 and modified in 1995, Exhibit B, Appendix A, Attachment II, page A-6)

APPENDIX E DOCUMENT REVISIONS

Table E-1. Revisions to this report since initial publication.

Page/Date	Original	Revision