

**SOUTH FLORIDA WATER MANAGEMENT DISTRICT**

**Construction and Testing of an  
Upper Floridan Aquifer Monitor Well  
L-63N CANAL ASR SITE  
Okeechobee, Florida**

**Technical Publication WS-27**



by  
**Clayton B. McMillan**  
**Robert T. Verrastro, P.G.**

**December 2008**

**sfwmd.gov**



# Executive Summary

This report summarizes the construction of the Upper Floridan aquifer monitor well at the Taylor Creek aquifer storage and recovery (ASR) well site, in Okeechobee, Florida.

The ASR system, along with a dual-zone monitor well, was constructed in 1988 and tested by the South Florida Water Management District (SFWMD or District) during the early 1990s. The dual-zone monitor well is approximately 600 feet northeast of the ASR well.

To support the reactivation of an ASR system at this site, a single-zone monitor well (OKF-106) was constructed within 150 feet of the ASR well, as required by ASR system permit requirements to monitor water quality and water levels in the Upper Floridan aquifer. During times of surplus water, the ASR system is intended to convey stormwater from Taylor Creek (L-63N Canal) as recharge water to the ASR well for storage in the Floridan aquifer. The water recovered from recharge of the ASR well will be discharged back into Taylor Creek. The monitor well will collect water quality and water level data in the Upper Floridan aquifer, located up section of the Taylor Creek ASR well's storage zone.

Based on hydrogeologic testing at the borehole, and lithologic and geophysical logging, the top of the targeted monitor interval was identified at 718 feet below land surface. The well was constructed of 10.75-inch (outer diameter) polyvinyl chloride to 718 below land surface, with an open-hole monitor zone interval from 718 to 800 feet bsl. Hydraulic testing indicated modest productivity in this interval. Transmissivity was estimated at 5,845 square feet per day from a calculated specific capacity of 6.27 gallons per minute per foot.

Water collected from the open hole of the well contains a chloride and total dissolved solids concentration of 670 milligrams per liter (mg/L) and 1,500 mg/L, respectively. As of November 15, 2008, the piezometric surface at the completed wellhead exhibited a pressure of 1.5 pounds per square inch, which equals a water level of 8.465 feet above land surface. The wellhead was constructed using 316 stainless steel. Telemetry equipment was installed on the wellhead, providing continuous recording of water-level data. All water-level and water quality data are stored in the District's environmental database, DBHydro.



Applied Drilling Engineering drilling the 17-inch pilot hole

# Table of Contents

EXECUTIVE SUMMARY .....	I
SECTION 1: INTRODUCTION .....	1
SECTION 2: WELL CONSTRUCTION .....	5
2.1 Well Construction Details .....	5
2.1.1 Pit Casing Installation .....	5
2.1.2 Final Casing Installation.....	6
2.1.3 Open-Hole Construction .....	7
2.2 Wellhead and Pad Completion .....	8
2.3 Aquifer Pump Test .....	9
2.4 Final Geophysical Logging and Video Survey.....	10
SECTION 3: HYDROGEOLOGY .....	11
3.1 Geology .....	11
3.2 Aquifer Designations .....	12
3.3 Petrographic Analysis .....	12
3.4 Aquifer Pumping Tests.....	14
SECTION 4: WATER QUALITY.....	17
SECTION 5: REFERENCES .....	19

## List of Tables

Table 1.	Cement summary.....	7
Table 2.	Water quality data.....	7
Table 3.	Summary of water analysis from Well OKF-106 at the L63N Canal ASR site ..	17

# List of Figures

Figure 1.	General location map.	2
Figure 2.	Taylor Creek ASR site.	3
Figure 3.	Geologic setting of the Taylor Creek ASR site.	4
Figure 4.	Completed well schematic.	6
Figure 5.	Wellhead and well pad schematic.	8
Figure 6.	Wellhead and well pad.	9
Figure 7.	General stratigraphy of the monitor well construction.	11
Figure 8.	Core sample from Core Laboratories.	13
Figure 9.	Step drawdown test.	14
Figure 10.	Specific capacity.	15
Figure 11.	Drawdown versus Time.	16
Figure 12.	Drawdown versus Time - Recovery.	16

# List of Appendices

Appendix A.	FDEP Well Construction Permit
Appendix B.	Weekly Construction Summary Reports
Appendix C.	Lithologic Descriptions
Appendix D.	Casing Summary
Appendix E.	18-inch Steel Casing Mill Certificate
Appendix F.	CertainTeed Production Casing Specifications
Appendix G.	Core Description
Appendix H.	Report of Core Sample Analysis
Appendix I.	Geophysical Logs and Video Survey
Appendix J.	Lithology and Geophysical Correlations
Appendix K.	Aquifer Pump Test Data
Appendix L.	HBEL Water Quality Reports

Note: Appendices available on CD; Appendix I video survey available on DVD

# 1

## Introduction

This report summarizes the drilling, construction, and testing of the single-zone monitor well, OKF-106, at Taylor Creek's L63N Canal aquifer storage and recovery (ASR) site in Okeechobee County (**Figure 1**). To support the reactivation of the ASR system at this site, OKF-106 was completed in the Upper Floridan aquifer between 718 and 800 feet below land surface (bls) to monitor water quality and water levels per ASR construction permit requirements. The well is located in the northeast quadrant of Section 24, Township 37 South, Range 35 East, and the geographic coordinates are  $27^{\circ} 14' 16''$  N latitude and  $080^{\circ} 47' 08''$  W longitude North American Datum of 1983 (NAD 1983). The land surface elevation of 32.82 feet National Geodetic Vertical Datum of 1929 (NGVD, 1929) was determined from a survey.

The ASR system is intended to convey stormwater during times of surplus water from Taylor Creek and recharge it into the ASR well for storage in the Floridan aquifer. The water recovered from recharge of the ASR well will be discharged back into Taylor Creek (**Figure 2**). The monitor well will collect water quality and water level data in the Upper Floridan aquifer, located up section of the Taylor Creek ASR well's storage zone. **Figure 3** shows the geologic setting of the Taylor Creek site.


Construction of OKF-106 was authorized by the Florida Department of Environmental Protection (FDEP) through a Class V Group and Underground Injection Control ASR System construction permit (number 0198641-009-UC) (**Appendix A**). Per this permit, weekly informational summary reports were submitted to the FDEP during construction and testing. **Appendix B** presents these weekly summary reports.



**Figure 1.** General location map.



**Figure 2.** Taylor Creek ASR site.



**Figure 3.** Geologic setting of the Taylor Creek ASR site.

The Tampa-based contractor, Applied Drilling Engineering (ADE), was responsible for drilling, well construction, and testing services at the project site, while Boyle Engineering Company (Boyle) of Palm City, Florida provided consultation services.

# 2

## Well Construction


The OKF-106 monitor well was completed in the Upper Eocene-aged Ocala Formation, part of the Upper Floridan aquifer. During construction, the SFWMD prepared and sent weekly summary reports to the FDEP and Technical Advisory Committee (TAC) (**Appendix B**). Daily drilling reports were prepared by the contractor and submitted with the weekly summary reports.

### 2.1 WELL CONSTRUCTION DETAILS

Applied Drilling Engineering (ADE) began construction on June 30, 2008. Limited site preparation was needed, as the drill site was an existing construction site. Support timbers were substituted for a drilling pad. Mud rotary and reverse-air techniques were used during drilling operations. Formation samples (well cuttings) were collected at 10-foot intervals and lithologic descriptions were conducted on the cuttings (**Appendix C**). A schematic of the completed well is shown in **Figure 4**.

#### 2.1.1 Pit Casing Installation

On July 1, 2008, closed-circulation mud rotary drilling was used to advance a nominal 8-inch diameter pilot hole from land surface to 82 feet bls. ADE reamed (over-drilled) the 8-inch diameter pilot hole using a nominal 23-inch diameter reamer bit to a depth of 84 feet bls. Then ADE installed the 18-inch steel pit casing from land surface to 82 feet bls and pressure grouted it back to land surface using 108 cubic feet ( $\text{ft}^3$ ) of ASTM Type II neat cement. The casing summary is presented in **Appendix D**. **Appendix E** provides the manufacturer's mill certificates for the 18-inch diameter steel pit casing.



**Figure 4.** Completed well schematic.

### 2.1.2 Final Casing Installation

On July 7, 2008, ADE employed the mud rotary method to drill a nominal 17-inch pilot hole from 82 to 720 feet bls. Geophysical logs (gamma, caliper, and dual induction) were conducted on the pilot hole on July 25, 2008 after reaching 720 feet bls. The FDEP approved seating the casing at 717 feet bls based on the formation samples (well cuttings) and geophysical logs. On July 28, 2008, ADE installed the 10-inch Certa-lok<sup>TM</sup> polyvinyl chloride (PVC) casing to 717 feet bls and pressure grouted the annular space. ADE then cemented the remaining annular space around the 10-inch PVC casing to land surface in three stages by the tremie method using ASTM Type II cement mixed with 4 percent bentonite. **Table 1** shows a summary of the cementing stages. **Appendix D** provides a casing summary. The CertainTeed casing specifications are shown in **Appendix F**.

**Table 1.** Cement summary.

Stage No.	Pumped Volume (cubic feet)	Slurry Type	Hard Tagged (ft bls)
1	216	4% bentonite-cement	463
2	209	4% bentonite-cement	128
3	108	4% bentonite-cement	0

### 2.1.3 Open-Hole Construction

On August 7, 2008, ADE switched to the reverse-air method to advance the nominal 8-inch diameter borehole from 717 to 730 feet bls. Based on the competency of formation samples at the interval of 730 to 740 feet bls, ADE obtained one 4-inch, full diameter core with 80 percent recovery. A representative core section was prepared for analysis by Core Laboratories, Inc. in Midland, Texas. Section 3.3: Petrographic Analysis provides the analysis and the core description is presented in **Appendix G**. **Appendix H** provides the corresponding report from Core Laboratories, Inc., which is also described in Section 3.3. After retrieving the core, ADE advanced the 8-inch diameter borehole to a total depth 802 feet bls. Samples of formation water were collected from the discharge stream at 10-foot intervals during the reverse-air drilling and field-tested for pH, temperature, conductivity, and total dissolved solids concentration (**Table 2**).

**Table 2.** Water quality data.

Depth (ft bls)	Temperature (°C)	pH (SU)	Specific Conductance (µS/cm)	Total Dissolved Solids (mg/L)
730	28.6	7.63	2,590	1,290
740	30.1	7.69	2,680	1,340
760	28.7	8.15	2,700	1,350
770	27.1	7.62	2,710	1,360
780	27.1	8.07	2,720	1,360
800	27.0	8.16	2,700	1,360

Legend:

°C - degrees Celsius

SU - standard units

µS/cm - microSiemens per centimeter

mg/L - milligrams per liter

## 2.2 WELLHEAD AND PAD COMPLETION

On August 20, 2008, ADE constructed the wellhead and well pad (Figure 5) as specified in the statement of work for this contract. All PVC parts are schedule 80 and the steel parts are 316 stainless steel. A 10 x 10 x 6-inch diameter PVC tee was connected to the 10-inch PVC production casing by a flange held in place with stainless steel bolts. From the upper end of the PVC tee, a 10-inch diameter blind flange plate, with a 3-inch diameter threaded connection was installed; complete with neoprene gaskets and stainless steel bolts. A 3-inch stainless steel ball valve was installed onto a 3-inch diameter steel pipe extending above the blind flange. A  $\frac{1}{2}$ -inch diameter smooth nose sample port was built onto the 3-inch diameter steel pipe, along with a 4-inch steel, 50 pounds per square inch, fluid-filled pressure gauge, via a 3-inch diameter steel tee. Along the horizontal part of the 10-inch PVC tee, a 6-inch butterfly valve was installed on the 6-inch PVC pipe with an impeller McCrometer flowmeter. The PVC pipe was coupled with two 6-inch diameter 45-degree bends and buried to discharge at the detention pond to the south.




Figure 5. Wellhead and well pad schematic.

ADE poured the 10-foot by 10-foot by 8-inch reinforced finished well pad and installed an aluminum survey marker on the southwest corner of the pedestal with 4-inch steel posts and rails around the well pad. **Figure 6** shows the finished wellhead and well pad.



**Figure 6.** Wellhead and well pad.

## 2.3 AQUIFER PUMP TEST

On August 26, 2008, ADE ran a step drawdown test in OKF-106. The test consisted of three steps, run for 60 minutes, and its purpose was to determine the maximum sustainable discharge rate for a single-well aquifer performance test (APT). ADE began pumping the well at 173 gallons per minute (gpm) for the first step. This step resulted in a drawdown of 24 feet in OKF-106. The second step was conducted at a pumping rate of 307 gpm with a drawdown of 44 feet. The final step occurred at 400 gpm with a 60.5 foot drawdown in the well. This step test provided data to calculate the specific capacity and determine the optimal pumping rate for the 8-hour APT, which was approximately 400 gpm. On August 27, 2008, the 8-hour APT began at a discharge rate of 414 gpm. Section 3.4: Aquifer Pumping Tests presents the corresponding drawdown and recovery illustrations and analyses.

## 2.4 FINAL GEOPHYSICAL LOGGING AND VIDEO SURVEY

On September 2, 2008, Advanced Borehole Services (ABS) of Dade City, Florida conducted a down-hole video survey and discovered an obstruction in the borehole at 723 feet bls, preventing the survey from being completed. ADE mobilized a drill rig to the site and drilled out the obstruction. ABS completed the video survey and conducted geophysical logs (gamma, caliper, dual induction, and resistivity) on September 8, 2008. **Appendix I** provides the geophysical log results (see CD) and video survey (see DVD).

# 3

## Hydrogeology

### 3.1 GEOLOGY

The description of the geology at the project site is based on the analyses of drill cuttings, geophysical logs (**Appendix I**), and hydrologic tests conducted during the construction of OKF-106. The lithologic log of the cuttings is provided in **Appendix C**. The borehole was terminated in the Ocala Formation at 802 feet bls. **Figure 7** summarizes the general stratigraphic description of the monitor well construction. **Appendix J** provides more information about the lithology and its geophysical correlation.

The geologic formations penetrated during construction range in age from Pleistocene to Upper Eocene. They consist of undifferentiated Quaternary deposits, the Hawthorn Group (the Hawthorn Formation and the Tampa Formation), and the Ocala Formation.

Lithologic Description	Geologic Age	Formation	Hydrogeologic Units	Depth (ft)
Undifferentiated deposits of sands, clay, and shell	Pleistocene	Anastasia	Surficial Aquifer	100
	Pliocene	Tamiami		200
Sandy phosphatic clay with interbedded shell	Miocene	Hawthorn	Confining Units and Minor Water Producing Zones	300
		Tampa		400
Calcareous clays with interbedded limestone, shell, and marl	Upper Eocene	Ocala	Upper Floridan Aquifer (artesian)	500
Light brown to brown, fossiliferous limestone, abundance of <i>lepidocyclina</i>				600
				700
				800

**Figure 7.** General stratigraphy of the monitor well construction.

Undifferentiated sediments of Pliocene to Pleistocene age are found from land surface to 240 feet bls at the site. These surficial deposits mainly consist of unconsolidated quartz sand (fine- to medium-grained), shell fragments, silts, and clays with trace amounts of phosphatic sediments. The cuttings then increase in clay content from less than 30 percent beginning at 180 feet bls through 240 feet bls, where clays account for about 75 percent of sample lithology.

The Hawthorn Formation (Hawthorn Group) of Miocene age is found on-site from 250 feet bls and consists primarily of clays. A thick bed of moderately-cohesive clay extends to 340 feet bls. Beds of quartz sand, shell fragments, and carbonate sands are found at the 340 to 500 feet bls interval. Grains of phosphate-rich sediment are found in percentages from 5 to 15 percent of sample composition. Underlying the Hawthorn Formation, also of Miocene age, the Tampa Formation, consists of indurated limestone, shell fragments, and trace amounts of phosphate, with clays being the primary constituent. The depth range of the formation is 500 to 700 feet bls. A thick layer of moderately- to well-cohesive clays is found at the 500 to 600 feet bls interval. This layer provides good confinement for the Upper Floridan aquifer, which occurs in the calcareous Ocala Formation underlying the Hawthorn Group.

The Ocala Formation of Upper Eocene age starts at 700 feet bls. It consists of poorly indurated calcarenous limestone with abundant shells and shell fragments. The abundance of the indicative *Lepidocyclina* sp. fossils increases with depth, as well as increased friability. The monitor interval, extending from 718 to 820 feet bls, occurs within the carbonate rocks of the Ocala Formation.


## 3.2 AQUIFER DESIGNATIONS

The penetrated strata are grouped into three principal systems: the surficial aquifer system (SAS), the intermediate confining unit, and the Floridan aquifer system (FAS). The aquifers and confining unit identified at the site are illustrated in **Figure 3** and **Figure 7**. The SAS includes the water table aquifer. The intermediate confining unit includes the formations within the Hawthorn Group. The upper section of the FAS, also known as the Upper Floridan aquifer, includes the carbonate strata of the Ocala Formation at this site. The Upper Floridan aquifer is the hydraulic unit identified as the monitor interval for this well.

## 3.3 PETROGRAPHIC ANALYSIS

One 10-foot core sample was collected from this borehole. The core was obtained within the Ocala Formation, from a depth of 730 to 740 feet bls. The sample was packaged and shipped to Core Laboratories, Inc. in Midland, Texas for petrographic analysis. Based on the core analysis report provided by Core Laboratories, Inc., the Ocala Formation sample is divided into two

classifications: bioclastic grainstone and packstone. **Figure 8** shows the different areas of the core sample. The lithologic description received from the laboratory is for the upper grainstone area only. Porosity is estimated at about 30 to 35 percent with moldic, intraparticle, and interparticle pore-types. Generally, the texture is grainstone. Calcite composes 100 percent of the minerals with trace amount (<0.5%) of quartz. Bioclasts include foraminifera (*Lepidocyclus* sp. **Figure 8** inset), bivalves, gastropods, and bryozoans.




**Figure 8.** Core sample from Core Laboratories. The core description is from the upper grainstone area. Note the inset photo of orbitoid foraminifera (*Lepidocyclus* sp.).


### 3.4 AQUIFER PUMPING TESTS

On August 26, 2008, ADE ran a step drawdown test in OKF-106. The test consisted of three steps and its purpose was to determine the maximum sustainable discharge rate for a single-well APT. ADE began pumping the well at 173 gpm for the first step, which resulted in a drawdown of 24 feet. The pumping rate for the second step was 307 gpm with a drawdown of 44 feet. The final step was pumped at 400 gpm with a 60.5-foot drawdown. **Figure 9** plots the results to the step drawdown test. The specific capacity was calculated for each step, and the corresponding range of calculated specific capacity is 6.6 to 7.2 gallons per minute per foot (gpm/ft) (shown in **Figure 10**).

Based on the specific capacity test, a pumping rate of approximately 400 gpm was determined for the 8-hour constant-rate APT.



**Figure 9.** Step drawdown test.




**Figure 10.** Specific capacity.

On August 27, 2008, the 8-hour APT was conducted with a pumping rate of 414 gpm. **Figures 11** and **12** present drawdown and recovery plots of the 8-hour APT. Transmissivity of the Upper Floridan aquifer is calculated to be 43,718 gallons per day per foot (gpd/ft) (5,845 ft<sup>2</sup>/day), using the straight-line method, which is similar to the calculation using the Cooper-Jacob nonequilibrium equation:


$$T = \frac{264 Q}{\Delta s}$$

Where:

- $T$  = coefficient of transmissivity, in gpd/ft.
- $Q$  = pumping rate, in gallons per day (gpd).
- $\Delta s$  = slope of the “time versus drawdown” plot between one log cycle, in ft.



**Figure 11.** Drawdown versus Time.



**Figure 12.** Drawdown versus Time - Recovery.

Appendix K provides electronic files of the aquifer pump tests.

## 4

# Water Quality

Upon completion of the pumping portion of the constant-rate pump test, a water sample was collected and analyzed for primary and secondary drinking water parameters, as required by the well construction permit. **Appendix L** contains the laboratory data sheets and quality validation reports. **Table 3** presents a summary of the laboratory results.

**Table 3.** Summary of water analysis from Well OKF-106 at the L63N Canal ASR site  
(sample data: August 27, 2008).

Constituent	Concentration	Units
Total Dissolved Solids	1,500	mg/L
Sodium	430	mg/L
Chloride	670	mg/L
Magnesium	56	mg/L
Sulfate	250	mg/L
Alkalinity	100	mg/L
Gross Alpha	3.1 +/- 2.2	pCi/L
Specific Conductance	2,700	$\mu\text{mhos}/\text{cm}$
pH	7.52	SU
Color	2.0	CU
Odor	180	TON
Total Coliform	BDL	CFU/100 mL
Arsenic	2.6	$\mu\text{g}/\text{L}$
Iron	0.025	mg/L
Pesticides (all parameters)	BDL	$\mu\text{g}/\text{L}$
Volatile Organic Constituents (all parameters)	BDL	$\mu\text{g}/\text{L}$
Semi-volatile Organic Constituents (all parameters)	BDL	$\mu\text{g}/\text{L}$
Halogenated Organic Constituents (all parameters)	BDL	$\mu\text{g}/\text{L}$

Legend:

mg/L - milligrams per liter  
pCi/L - picocuries per liter

$\mu\text{mhos}/\text{cm}$  - micromohs per centimeter


SU - standard units

CU - color units

TON - threshold odor number

CFU/100 mL - colony-forming units per 100 milliliters

$\mu\text{g}/\text{L}$  - micrograms per liter



Completed wellhead with telemetry equipment installed

# 5

## References

- CH2M Hill. 1989. *Construction and Testing of the Aquifer Storage Recovery (ASR) Demonstration Project for Lake Okeechobee, Florida (Volumes I and II)*. CH2M Hill, Gainesville, FL.
- Scott, T.M. 1992. *A Geologic Overview of Florida*. Open-file Report No. 50:78. *Florida Geological Survey*.
- Driscoll, F.G. (ed.). 1986. Groundwater and Wells (Second edition). Johnson Division, St. Paul, MN, 1089.







**sfwmd.gov**

South Florida Water Management District  
3301 Gun Club Road  
West Palm Beach, Florida 33406  
561-686-8800 • FL WATS 1-800-432-2045  
[www.sfwmd.gov](http://www.sfwmd.gov)

MAILING ADDRESS: P.O. Box 24680  
West Palm Beach, FL 33416-4680

**SOUTH FLORIDA WATER MANAGEMENT DISTRICT**

**Construction and Testing of an  
Upper Floridan Aquifer Monitor Well  
L-63N CANAL ASR SITE  
Okeechobee, Florida**

**Technical Publication WS-27  
APPENDICES**



by  
Clayton B. McMillan  
Robert T. Verrastro, P.G.

December 2008

**sfwmd.gov**

A  
FDEP  
**Well Construction  
Permit**



# Department of Environmental Protection

Southeast District  
400 N. Congress Avenue — Suite 200  
West Palm Beach, Florida 33401

Charlie Crist  
Governor

Jeff Kotkamp  
Lt. Governor

Michael W. Sole  
Secretary

## NOTICE OF PERMIT

June 9, 2008

Mr. Chip Merriam  
Deputy Executive Director  
South Florida Water Management District  
3301 Gun Club Road  
West Palm Beach, FL 33406

OKEECHOBEE COUNTY  
UIC – L-63N Canal ASR Facility  
FILE: 0198641-009-UC

Dear Mr. Merriam:

Enclosed is Permit Number 0198641-009-UC, to construct a single zone monitoring well (UFA-MW1) at the L-63N Canal ASR Facility, located a few miles southeast of the City of Okeechobee, near the intersection of State Road 710 and the L-63N Canal in Okeechobee County, Florida. This permit is issued pursuant to Section(s) 403.087, Florida Statutes and Florida Administrative Codes 62-4, 62-520, 62-522, 62-528 and 62-550.

Any party to this Order (permit) has the right to seek judicial review of the permit pursuant to Section 120.68, Florida Statutes, by the filing of a Notice of Appeal pursuant to Rule 9.110, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel, Mail Stop 35, 3900 Commonwealth Blvd., Tallahassee, Florida 32399-3000; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 days from the date this Notice is filed with the Clerk of the Department.

Should you have any questions, please contact Mark A. Silverman, P.G., or Joseph R. May, P.G., of this office at (561) 681-6778 or (561) 681-6691, respectively.

Executed in West Palm Beach, Florida.

STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Jack Long  
District Director  
Southeast District  
*OL*

Date  
*6-6-08*

Copies furnished to:

Robert Verrastro, SFWMD  
Paul Linton, SFWMD  
Scott Burns, SFWMD  
Steve Anderson, SFWMD/WPB

Donnie McClaugherty, FDEP/TLH  
George Heuler, FDEP/TLH  
Chad Kennedy, FDEP/MPB  
Jonathan Arthur, FGS/TLH

Nancy Marsh, USEPA/ATL  
Bart Bibler, FDOH/TLH  
Robert Renken, USGS/FTL  
Ron Reese, USGS/FTL

## CERTIFICATE OF SERVICE

This is to certify that this NOTICE OF PERMIT and all copies were mailed before the close of business on 6/09/08 to the listed persons.

Clerk Stamp

FILING AND ACKNOWLEDGMENT FILED, on this date, pursuant to the §120.52, Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

*Barbara Malone*  
Clerk

*6/09/08*  
Date



# Department of Environmental Protection

Charlie Crist  
Governor

Jeff Kotikamp  
Lt. Governor

Michael W. Sole  
Secretary

Southeast District  
400 N. Congress Avenue — Suite 200  
West Palm Beach, Florida 33401

**PERMITTEE:**  
Mr. Chip Merriam  
Deputy Executive Director  
South Florida Water Management District  
3301 Gun Club Road  
West Palm Beach, FL 33406

**PERMIT/CERTIFICATION NUMBER:** 0198641-009-UC  
**DATE OF ISSUANCE:** June 9, 2008  
**EXPIRATION DATE:** June 8, 2013  
**COUNTY:** Okeechobee  
**POSITION:** 26° 14' 20" N / 80° 14' 09" W  
**PROJECT:** Construction and Testing Permit for a  
Single Zone Monitor Well at the L-63N  
Canal ASR Facility

**PROJECT:** Construction permit for a single zone monitoring well, UFA-MW1.

This permit is issued under the provisions of Chapter 403.087, Florida Statutes, and Florida Administrative Code (F.A.C.) Rules 62-4, 62-520, 62-522, 62-528 and 62-550. The above named permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

**TO CONSTRUCT AND TEST:** One single zone monitoring well (UFA-MW1) at the L-63N Canal ASR Facility. This well shall be constructed to accommodate anticipated Class V, Group 7 aquifer storage and recovery (ASR) well monitoring at the L-63N Canal ASR Facility. The facility, which had been permitted, constructed and operated (cycle tested) by the SFWMD during the early 1990's, includes a 24-inch diameter ASR well and a dual-zone monitoring well. The ASR well was completed with an open hole extending from 1,268 to 1,700 feet below land surface (bls). The dual zone monitoring well was completed with an upper zone extending from 990 to 1,075 feet bls, and a lower zone extending from 1,275 to 1,700 feet bls.

Monitoring well UFA-MW1 is being constructed because current UIC permitting criteria requires a monitoring well within 150 feet of the ASR well, to monitor for upward fluid movement, for a Water Quality Criteria Exemption (WQCE). The new monitoring well will be constructed of 10-inch diameter final PVC casing. It is anticipated that this casing will be cemented to a depth of approximately 700 feet bls, and that an open hole will extend to approximately 750 feet bls, to monitor the uppermost portion of the Floridan aquifer overlying the ASR storage zone. The actual setting depth of the final casing and the monitor interval will be determined based on field conditions only after approval from the Department.

**IN ACCORDANCE WITH:** Application to construct and test a single zone monitoring well received March 21, 2008 deemed complete as of June 4, 2008.

**LOCATED AT:** The L-63N Canal ASR Facility, which is a few miles southeast of the City of Okeechobee, near the intersection of State Road 710 and the L-63N Canal in Okeechobee County, Florida..

**TO SERVE:** The Governor's Lake Okeechobee and Estuary Recovery (LOER) Plan.

**SUBJECT TO:** General Conditions 1-24 and Specific Conditions 1-8.

## GENERAL CONDITIONS:

The following General Conditions are referenced in Florida Administrative Code Rule 62-528.307.

1. The terms, conditions, requirements, limitations and restrictions set forth in this permit are "permit conditions" and are binding and enforceable pursuant to Section 403.141, F.S.
2. This permit is valid only for the specific processes and operations applied for and indicated in the approved drawings or exhibits. Any unauthorized deviation from the approved drawings, exhibits, specifications, or conditions of this permit may constitute grounds for revocation and enforcement action.
3. As provided in Subsection 403.087(7), F.S., the issuance of this permit does not convey any vested rights or exclusive privileges. Neither does it authorize any injury to public or private property or any invasion of personal rights, nor infringement of federal, state, or local laws or regulations. This permit is not a waiver of or approval of any other Department permit that may be required for other aspects of the total project which are not addressed in this permit.
4. This permit conveys no title to land, water, does not constitute State recognition or acknowledgment of title, and does not constitute authority for the use of submerged lands unless herein provided and the necessary title or leasehold interests have been obtained from the State. Only the Trustees of the Internal Improvement Trust Fund may express State opinion as to title.
5. This permit does not relieve the permittee from liability for harm to human health or welfare, animal, or plant life, or property caused by the construction or operation of this permitted source, or from penalties therefrom; nor does it allow the permittee to cause pollution in contravention of Florida Statutes and Department rules, unless specifically authorized by an order from the Department.
6. The permittee shall properly operate and maintain the facility and systems of treatment and control (and related appurtenances) that are installed and used by the permittee to achieve compliance with the conditions of this permit, or are required by Department rules. This provision includes the operation of backup or auxiliary facilities or similar systems when necessary to achieve compliance with the conditions of the permit and when required by Department rules.
7. The permittee, by accepting this permit, specifically agrees to allow authorized Department personnel, upon presentation of credentials or other documents as may be required by law and at reasonable times, access to the premises where the permitted activity is located or conducted to:
  - a. Have access to and copy any records that must be kept under conditions of this permit;
  - b. inspect the facility, equipment, practices, or operations regulated or required under this permit; and
  - c. Sample or monitor any substances or parameters at any location reasonably necessary to assure compliance with this permit or Department rules.Reasonable time will depend on the nature of the concern being investigated.
8. If, for any reason, the permittee does not comply with or will be unable to comply with any condition or limitation specified in this permit, the permittee shall immediately provide the Department with the following information:
  - a. A description of and cause of noncompliance; and
  - b. The period of noncompliance, including dates and times; or, if not corrected the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate, and prevent the recurrence of the noncompliance. The permittee shall be responsible for any and all damages which may result and may be subject to enforcement action by the Department for penalties or for revocation of this permit.

**GENERAL CONDITIONS:**

9. In accepting this permit, the permittee understands and agrees that all records, notes, monitoring data and other information relating to the construction or operation of this permitted source which are submitted to the Department may be used by the Department as evidence in any enforcement case involving the permitted source arising under the Florida Statutes or Department rules, except where such use is proscribed by Sections 403.111 and 403.73, F.S. Such evidence shall only be used to the extent it is consistent with the Florida Rules of Civil Procedure and appropriate evidentiary rules.
10. The permittee agrees to comply with changes in Department rules and Florida Statutes after a reasonable time for compliance; provided, however, the permittee does not waive any other rights granted by Florida Statutes or Department rules.
11. This permit is transferable only upon Department approval in accordance with Rules 62-4.120 and 62-528.350, F.A.C. The permittee shall be liable for any non-compliance of the permitted activity until the transfer is approved by the Department.
12. This permit or a copy thereof shall be kept at the work site of the permitted activity.
13. The permittee shall comply with the following:
  - a. Upon request, the permittee shall furnish all records and plans required under Department rules. During enforcement actions, the retention period for all records shall be extended automatically unless the Department determines that the records are no longer required.
  - b. The permittee shall hold at the facility or other location designated by this permit records of all monitoring information (including calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation) required by the permit, copies of all reports required by this permit, and records of all data used to complete the application for this permit. These materials shall be retained at least three years from the date of the sample, measurement, report, or application unless otherwise specified by Department rule.
  - c. Records of monitoring information shall include:
    - 1) the date, exact place, and time of sampling or measurements;
    - 2) the person responsible for performing the sampling or measurements;
    - 3) the dates analyses were performed;
    - 4) the person responsible for performing the analyses;
    - 5) the analytical techniques or methods used
    - 6) the results of such analyses
  - d. The permittee shall furnish to the Department, within the time requested in writing, any information which the Department requests to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit.
  - e. If the permittee becomes aware that relevant facts were not submitted or were incorrect in the permit application or in any report to the Department, such facts or information shall be corrected promptly.
14. All applications, reports, or information required by the Department shall be certified as being true, accurate, and complete.
15. Reports of compliance or noncompliance with, or any progress reports on, requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each scheduled date.
16. Any permit noncompliance constitutes a violation of the Safe Drinking Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.

**GENERAL CONDITIONS:**

17. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.
18. The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit.
19. This permit may be modified, revoked and reissued, or terminated for cause, as provided in 40 C.F.R. Sections 144.39(a), 144.40(a), and 144.41 (1998). The filing of a request by the permittee for a permit modification, revocation or reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
20. The permittee shall retain all records of all monitoring information concerning the nature and composition of injected fluid until five years after completion of any plugging and abandonment procedures specified under Rule 62-528.435, F.A.C. The permittee shall deliver the records to the Department office that issued the permit at the conclusion of the retention period unless the permittee elects to continue retention of the records.
21. All reports and other submittals required to comply with this permit shall be signed by a person authorized under Rules 62-528.340(1) or (2), F.A.C. All reports shall contain the certification required in Rule 62-528.340(4), F.A.C.
22. The permittee shall notify the Department as soon as possible of any planned physical alterations or additions to the permitted facility. In addition, prior approval is required for activities described in Rule 62-528.410(1)(h).
23. The permittee shall give advance notice to the Department of any planned changes in the permitted facility or injection activity which may result in noncompliance with permit requirements.
24. The permittee shall report any noncompliance which may endanger health or the environment including:
  - a. Any monitoring or other information which indicates that any contaminant may cause an endangerment to an underground source of drinking water; or
  - b. Any noncompliance with a permit condition or malfunction of the injection system which may cause fluid migration into or between underground sources of drinking water.

All information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within 5 days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause, the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and the steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

[space intentionally blank]

## SPECIFIC CONDITIONS:

### 1. General Requirements

- a. The terms, conditions, requirements, limitations and restrictions set forth in this permit are "permit conditions" and are binding and enforceable pursuant to Section 403.141, F.S.
- b. This permit is for the SFWMD to construct and test a single zone monitoring well, referred to herein as CRA-MW1, at the L-63N Canal ASR Facility. This permit does not authorize the construction or operational testing of any other well or wells associated with the L-63N Canal ASR System project.
- c. This permit approval is based upon evaluation of the data contained in the application and the plans and specifications submitted in support of the application. Any changes, except as provided elsewhere in this permit, must be approved by the Department before implementation.
- d. The permittee shall be subject to all requirements and regulations of Okeechobee County and the South Florida Water Management District (SFWMD) regarding the construction and testing of this single zone monitoring well.
- e. If historical or archaeological artifacts, such as Indian canoes, are discovered at any time within the project site, the permittee shall notify the FDEP Southeast District office in West Palm Beach and the Bureau of Historic Preservation, Division of Archives, History and Records Management, R. A. Gray Building, Tallahassee, Florida 32301, telephone number (850) 487-2073.

### 2. Construction and Testing Requirements

- a. Prior to the commencement of any work, the name of the Florida-licensed water well contractors supervising the drilling operations and the water well contractors' registration number shall be submitted to the Department. The permittee or the engineer of record shall provide the Department with copies of all required federal, state or local permits prior to spudding the single zone monitoring well.
- b. A Department approved blow-out prevention device shall be installed on the well prior to penetration of the Floridan aquifer.
- c. The measurement points for drilling and logging operations shall be surveyed and referenced to the North American Vertical Datum of 1988 (NAVD 88) prior to the onset of drilling activities for the single zone monitoring well.
- d. No drilling operations shall begin without an approved disposal site for drilling fluids, cuttings, or waste. It shall be the permittee's responsibility to obtain the necessary approval(s) for disposal prior to the start of construction. Any formation waters discharged to surface or surficial aquifer waters during an aquifer performance test shall require an Industrial Wastewater permit from the Department, unless otherwise authorized.
- e. The Department shall be notified within 48 hours after work has commenced.
- f. Hurricane Preparedness – Upon the issuance of a "Hurricane Watch" by the National Weather Service, the preparations to be made include but are not necessarily limited to the following:
  - 1) Secure all on-site salt and stockpiled additive materials to prevent surface and/or groundwater contamination.
  - 2) Properly secure drilling equipment and rig(s) to prevent damage to well(s) and on-site treatment process equipment.
- g. Waters spilled during construction or testing of the single zone monitoring well shall be contained and properly disposed.

**SPECIFIC CONDITIONS:**

- h. Department approval and UIC-TAC review are required prior to the following stages of construction:
  - 1) Spud date for the well
  - 2) 10-inch diameter PVC casing seat in monitoring well
  - 3) Monitoring zone interval determination
- i. The drilling and geophysical logging program, during the drilling of the single zone monitoring well, shall at a minimum include:
  - 1) Install an 18-inch O.D. steel surface casing from approximately 0-60 feet bpl.
  - 2) Drill a nominal 17-inch diameter hole using the mud rotary method from the landing of the pit casing to approximately 710 feet bpl. Perform the following logging techniques subsequent to drilling:
    - Natural gamma ray
    - Dual induction
    - Caliper
  - 3) Install and cement in place 10-inch diameter (10.75-inch O.D., 9.31-inch I.D.) PVC casing (to approximately 700 feet bbl). The casing will have neat cement with up to 6% bentonite filled annulus. Run temperature log after each lift.
  - 4) Drill a nominal 9-inch diameter pilot hole using a standard reverse air rotary drilling method from approximately 700 feet bpl to approximately 775 feet bpl. Collect one core within this interval for geotechnical and petrographic analysis, collect water samples at each drill rod connection (approximately every 20 to 30 feet), develop the open hole interval, perform a short-term (approximately 15 minute duration) specific capacity test, collect water samples from the open hole section, and perform the following logging techniques in the open hole section:
    - Natural gamma ray
    - Dual induction
    - Caliper
    - Borehole video survey
    - Temperature/differential temperature
    - Fluid resistivity
    - Flowmeter
    - Temperature/differential temperature (dynamic conditions)
    - Fluid resistivity (dynamic conditions)
    - Flowmeter (dynamic conditions)
  - 5) Conduct an 8 to 10-hour drawdown and recovery test at an anticipated rate of 200 to 300 gallons per minute (gpm). Collect water samples at the beginning, middle and end of the drawdown portion of the test.
  - 6) Water samples (entailed above) will be analyzed as follows:
    - a) Samples collected at each drill rod connection below 700 feet bbl (approximately every 20 to 30 feet) – chloride, sulfate, total dissolved solids (TDS), specific conductance, temperature and pH;
    - b) Water samples collected from the open hole section prior to the 8 to 10-hour drawdown and recovery test – all parameters listed in Item a) above, plus calcium, sodium, magnesium, potassium, total alkalinity, total and noncarbonated hardness, iron, silica and strontium;

**SPECIFIC CONDITIONS:**

- c) Water samples collected at the beginning, middle and end of the drawdown test - all parameters listed in Item b) above, plus the primary and secondary drinking water quality standards and minimum criteria listed in Attachment A.
- j. Testing:
  - 1) Injection is prohibited as this is a single zone monitoring well.
- k. UIC-TAC meetings are scheduled on the 2<sup>nd</sup> and 4<sup>th</sup> Tuesday of each month subject to a five working day prior notice and timely receipt of critical data by all TAC members. Emergency meetings may be arranged when justified to avoid undue construction delays.
- l. Department approval at a scheduled TAC meeting shall be based on the permittee's presentation that shows compliance with Department rules and this permit.
- m. No fluids shall be injected with the exception of fluids used while drilling operations are under way.

**3. Quality Assurance/Quality Control Requirements**

- a. The permittee shall ensure that the construction of this facility shall be as described in the application and supporting documents. Any proposed modifications to this permit shall be submitted in writing to the Underground Injection Control program manager for review and clearance prior to implementation. Changes of negligible impact to the environment and staff time will be reviewed by the program manager, cleared when appropriate and incorporated into this permit. Changes or modifications other than those described above will require submission of a completed application and appropriate processing fee as per Rule 62-4.050, F.A.C.
- b. A Florida registered professional engineer, pursuant to Chapter 471, Florida Statutes (F.S.), shall be retained throughout the construction period and operational testing to be responsible for the construction and operation and to certify the application, specifications and completion report and other related documents, pursuant to Rule 62-528.440(5), F.A.C. A professional engineer or professional geologist, pursuant to Chapter 492, F.S., shall provide monitoring of the drilling and testing operation. The permittee shall notify the Department immediately of any change of the Engineer of Record or Geologist of Record.
- c. In accordance with Section 492, Florida Statutes, all documents prepared for the geological/hydrogeological evaluation of the single zone monitoring well shall be signed and sealed by a Florida Licensed Professional Geologist or qualified Florida Licensed Professional Engineer.
- d. All water quality samples required in this permit shall be collected and analyzed in accordance with Department Standard Operating Procedures (SOP), pursuant to the FDEP Quality Assurance, Chapter 62-160, F.A.C. The various components of the collection of the FDEP SOPs are found in DEP-SOP-001/01 (Field Procedures) and DEP-SOP-002-1 (Laboratory Procedures).
- e. Continuous on-site supervision by qualified personnel (engineer or geologist) is required during all testing, geophysical logging and cementing operations.

**SPECIFIC CONDITIONS:**

- f. The permittee shall calibrate all pressure gauge(s), flow meter(s) and other related measurement equipment associated with the injection well system on a semi-annual basis. The permittee shall maintain all monitoring equipment and shall ensure that the monitoring equipment is calibrated and in proper operating condition at all times. Laboratory equipment, methods, and quality control will follow EPA guidelines as expressed in Standard Methods for the Examination of Water and Wastewater. The pressure gauge(s), flow meter(s) and other related measurement equipment associated with the injection well system shall be calibrated using standard engineering methods.
- g. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures.

**4. Reporting Requirements**

- a. This project shall be monitored by the Department and the TAC, which consists of representatives of the following agencies:
  - Department of Environmental Protection, West Palm Beach
  - Department of Environmental Protection, Tallahassee
  - South Florida Water Management District (SFWMD), West Palm Beach
  - United States Geological Survey (USGS)-Fort Lauderdale office, Final Report only
- b. The permittee shall provide copies of all correspondence relative to this permit to each member of the UIC-TAC. Such correspondence includes but is not limited to reports, schedules, analyses and geophysical logs required by the Department under the terms of this permit. The permittee is not required to provide specific correspondence to any UIC-TAC member who submits to the permittee a written request to be omitted as a recipient of specific correspondence.
- c. Throughout the construction period allowed by this permit, daily progress reports shall be submitted to the Department and the TAC each week. The reporting period shall run Friday through Thursday and reports shall be mailed on Friday of each week. The weekly progress reports, certified by a Florida Licensed Professional Geologist or qualified Florida Licensed Professional Engineer, pursuant to S.C.s 3.b. and 7.a., and shall include at a minimum the following information:
  - 1) A cover letter summarizing each week's activities and a projection of activities in the next reporting period;
  - 2) Description of daily footage drilled by diameter of bit, or size of hole opener, or reamer being used;
  - 3) Description of work during installation and cementing of casing, including amounts of casing and cement used. Details of cementing operations shall include the number of cementing stages, and the following information for each stage of cementing: volume of cement pumped, theoretical fill depth, and actual tag depth. From both the physical tag and the geophysical logs, a percent fill shall be calculated. An explanation of any deviation between actual versus theoretical fill shall be provided;
  - 4) Daily engineers report and driller's log with detailed descriptions of all drilling progress, cementing, testing, logging, and casing installation activities;
  - 5) Lithologic log with cuttings description, formation and depth encountered;
  - 6) Collection of drilling cuttings at least every 10 feet and at every formation change;
  - 7) Well development records;

**SPECIFIC CONDITIONS:**

- 8) Water quality analyses;
  - 9) Description of work and type of testing accomplished including geophysical and video logs and pumping tests;
  - 10) Description of any construction problems that developed during the reporting period and current status;
  - 11) Copies of the driller's log;
  - 12) Description of any deviation survey conducted;
  - 13) Details of any packer tests, pump tests and core analyses; and
  - 14) Details of the additions of salt or other materials to suppress well flow, including the date, depth and amount of material used.
- d. If any problem develops that may seriously hinder compliance with this permit, construction progress or good construction practice, the Department shall be notified immediately. The Department may require a detailed written report describing what problems have occurred, the remedial measures applied to assure compliance and the measures taken to prevent recurrence of the problem.
- e. Abnormal Events
- 1) In the event the permittee is temporarily unable to comply with any conditions of this permit due to breakdown of equipment, power outages, destruction by hazard of fire, wind or by other cause, the permittee shall notify the Department. Notification shall be made in person, by telephone or by electronic mail within 24 hours of breakdown or malfunction to the UIC Program staff, SED office in West Palm Beach.
  - 2) A written report of any noncompliance referenced in Specific Condition (S.C.) 4.e above shall be submitted to the SED office within five days after discovery of the occurrence. The report shall describe the nature and cause of the breakdown or malfunction, the steps being taken or planned to be taken to correct the problem and prevent its reoccurrence, emergency procedures in use pending correction of the problem, and the time when the facility will again be operating in accordance with permit conditions.
- f. An interpretation of all test results must be submitted with all submittals.
- g. Within 30 days of well completion of UFA-MW1, the permittee or the authorized representative shall submit to the Department the following information:
- 1) Certification of Monitor Well Completion, DEP Form 62-528.900(10);
- h. Upon completion of construction of the well, a complete set of as-built engineering drawings (Florida registered P.E. signed and sealed) for Monitoring Well UFA-MW1 shall be submitted to the Department's SED office in West Palm Beach and Tallahassee UIC Program.
- i. After completion of construction and testing of the well, the following requirements shall apply:
- 1) A final engineering report shall be submitted to the Department and TAC. The report shall include, but not be limited to, all information and data collected under Rules 62-528.605, 62-528.615, and 62-528.635, F.A.C., with appropriate interpretations. This report shall also be signed and sealed by a Florida licensed professional engineer and professional geologist.

**SPECIFIC CONDITIONS:**

- 2) The permittee shall contact the UIC Section of the Department of Environmental Protection in Tallahassee to arrange for the transfer, at the permittee's expense, of the following items to the State Geologist at the Florida Geological Survey, 903 West Tennessee Street, Tallahassee, Florida 32304-7707:
  - a) Cuttings obtained during well construction;
  - b) Any cores obtained during well construction when no longer needed by the permittee;
  - c) Any water samples collected during packer testing and final background water sampling;
  - d) Any geophysical logs run during well construction; and
  - e) A copy of the final report described in S.C. 4.i.1) above.
- 3) The permittee shall submit the following to the Department and TAC:
  - a) Surface equipment completion certification or certification of interim completion for the purposes of testing;
  - b) Signed and sealed record (as-built) engineering drawings of all well construction, subsurface and surface equipment, and appurtenances. The drawings shall include but not be limited to the wellhead, subsurface well components; and
  - c) All other applicable permits.
- j. The Department shall conduct an inspection of the facility to determine if the conditions of this permit have been met. FPL shall contact the Underground Injection Control Section of the Department, SED, to arrange for the site inspection. The inspection will determine if all equipment necessary for UFA-MW1 is in compliance with the permit and Department rules. During the inspection, reporting requirements shall be reviewed.
- k. A minimum of three well volumes of fluid shall be evacuated prior to sampling for water quality parameters. A State-certified laboratory shall analyze all samples. Sufficient purging shall have occurred when either of the following have occurred:
  - 1) pH, specific conductance and temperature when sampled, upon purging the third or subsequent well volume, each vary less than 5% from that sampled upon purging the previous well volume; or
  - 2) upon purging the fifth well volume.Alternative sampling methodology may be proposed for Departmental review and approval prior to actual sampling.
- l. All well system data submittals shall be clearly identified on each page with: facility name, I.D. Number, permit number, date of sampling/recording, and type of data.

**5. Surface Equipment**

- a. The integrity of the monitoring zone sampling systems shall be maintained at all times. Sampling lines shall be clearly and unambiguously identified by monitoring zone at the point at which samples are drawn. All reasonable and prudent precautions shall be taken to ensure that samples are properly identified by monitoring zone and that samples obtained are representative of those zones. Sampling lines and equipment shall be kept free of contamination with independent discharges and no interconnections with any other lines.

**SPECIFIC CONDITIONS:**

- b. The surface equipment for the injection well system shall maintain access for logging and testing, and reliability and flexibility in the event of damage to the well and piping. A regular program of exercising the valves integral to the wellhead shall be instituted. At a minimum, all valves integral to the wellhead shall be exercised at the time of each cycle change.
- c. The monitoring well surface equipment and piping shall be kept free of corrosion at all times.
- d. Spillage onto the well pad during construction activities, and any waters spilled during testing, other maintenance or repairs to the system shall be contained by an impermeable structure around the edge of the pad and disposed of via approved and permitted methods.

**6. Plugging and Abandonment and Alternate Use Plans**

- a. Permittees who are unable to operate the well to meet its intended purpose shall within 180 days of FDEP notification:
  - 1) Submit a plugging and abandonment permit application in accordance with Rules 62-528.625 and 62-528.645, F.A.C., or
  - 2) Submit an alternate use plan for the well. Alternate use may commence after the plan has been approved by the Department, including any necessary permit or permit modifications as required by the Department or any other agency, or
  - 3) Implement the plugging and abandonment plan.

**7. Signatories**

- a. All reports and other submittals required to comply with this permit shall be signed by a person authorized under Rules 62-528.340(1) or (2), F.A.C.
- b. In accordance with Rule 62-528.340(4), F.A.C., all reports shall contain the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."


**SPECIFIC CONDITIONS:**

8. Permit Extension(s) and Renewal(s)

- a. Pursuant to Rule 62-4.080(3), a permittee may request that a permit be extended as a modification of an existing permit. A request for an extension is the responsibility of the permittee and shall be submitted to the Department before the expiration of the permit. In accordance with Rule 62-4.070(4), F.A.C., a permit cannot be extended beyond the maximum 5-year statutory limit.

Issued this 16 day of June, 2008

STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION

  
\_\_\_\_\_  
Jack Long  
District Director  
Southeast District

 JL/LAB/JRM/mas

**PRIMARY & SECONDARY DRINKING WATER STANDARDS & MINIMUM CRITERIA**  
Updated February 1, 2007

Page 1 of 3

**PRIMARY DRINKING WATER STANDARDS**

**PARAMETER**

Alachlor (Polychlorinated Biphenyl or PCB)  
Aldicarb  
Aldicarb sulfoxide  
Aldicarb sulfone (Sulfone aldoxycarb)  
Alpha, Gross  
Antimony  
Arsenic  
Atrazine  
Barium  
Benzene  
Benzo(a)pyrene  
Beryllium  
Bis(2-ethylhexyl) adipate (Di(2-ethylhexyl) adipate)  
Bis(2-ethylhexyl) phthalate (Di(2-ethylhexyl) phthalate)  
Bromate  
Cadmium  
Carbofuran  
Carbon Tetrachloride (Tetrachloromethane)  
Chlordane  
Chlorine  
Chlorine Dioxide  
Chlorite  
Chlorobenzene (Monochlorobenzene)  
Chloroethylene (Vinyl Chloride)  
Chromium  
Coliforms, Total  
Cyanide  
2,4-D (2,4-Dichlorophenoxyacetic acid)  
Dalapon (2,2-Dichloropropionic acid)  
Dibromochloropropane (DBCP)  
1,2-Dibromoethane (EDB, Ethylene Dibromide)  
1,2-Dichlorobenzene (o-Dichlorobenzene)  
1,4-Dichlorobenzene (p-Dichlorobenzene or Para Dichlorobenzene)  
1,2-Dichloroethane (Ethylene dichloride)  
1,1-Dichloroethylene (Vinylidene chloride)  
1,2-Dichlorethylene (cis-1,2-Dichloroethylene or trans-1,2-Dichloroethylene)  
cis-1,2-Dichloroethylene (1,2-Dichloroethylene)  
trans-1,2-Dichloroethylene (1,2-Dichloroethylene)  
Dichloromethane (Methylene chloride)  
1,2-Dichloropropane  
Di(2-ethylhexyl) adipate (Bis(2-ethylhexyl) adipate)  
Di(2-ethylhexyl) phthalate (Bis(2-ethylhexyl) phthalate)  
Dinoseb  
Diquat  
EDB (Ethylene dibromide, 1,2-Dibromoethane)  
Endothall  
Endrin  
Ethylbenzene  
Ethylene dichloride (1,2-Dichloroethane)  
Fluoride  
Glyphosate (Roundup)  
Gross Alpha  
Haloacetic Acids (HAA5)  
Heptachlor  
Heptachlor Epoxide  
Hexachlorobenzene (HCB)  
gamma-Hexachlorocyclohexane (Lindane)  
Hexachlorocyclohexadiene  
Lead

**PRIMARY & SECONDARY DRINKING WATER STANDARDS & MINIMUM CRITERIA**  
Updated February 1, 2007

Page 2 of 3

**PRIMARY DRINKING WATER STANDARDS, CONT'D**

**PARAMETER**

Lindane (gamma-Hexachlorocyclohexane)  
Mercury  
Methoxychlor  
Methylene chloride (Dichloromethane)  
Monochlorobenzene (Chlorobenzene)  
Nickel  
Nitrate (as N)  
Nitrite (as N)  
Total Nitrate + Nitrite (as N)  
Oxamyl  
p-Dichlorobenzene or Para-Dichlorobenzene (1,4-Dichlorobenzene)  
Pentachlorophenol  
Perchloroethylene (Tetrachloroethylene)  
Picloram  
Polychlorinated biphenyl (PCB or Aroclors)  
Radium  
Roundup (Glyphosate)  
Selenium  
Silver  
Silvex (2,4,5-TP)  
Simazine  
Sodium  
Strontium-90  
Styrene (Vinyl benzene)  
Tetrachloroethylene (Perchloroethylene)  
Tetrachloromethane (Carbon Tetrachloride)  
Thallium  
Toluene  
Toxaphene  
2,4,5-TP (Silvex)  
1,2,4-Trichlorobenzene  
1,1,1-Trichloroethane  
1,1,2-Trichloroethane  
Trichloroethylene (Trichloroethene, TCE)  
Trihalomethanes, Total  
Vinyl Chloride (Chloroethylene)  
Xylenes (total)

**SECONDARY DRINKING WATER STANDARDS**

**PARAMETER**

Aluminum  
Chloride  
Color  
Copper  
Ethylbenzene  
Fluoride  
Foaming Agents (MBAS)  
Iron  
Manganese  
Odor  
pH  
Silver  
Sulfate  
Toluene  
Total Dissolved Solids (TDS)  
Xylenes  
Zinc

**PRIMARY & SECONDARY DRINKING WATER STANDARDS & MINIMUM CRITERIA**  
Updated February 1, 2007

Page 3 of 3

**MUNICIPAL WASTEWATER MINIMUM CRITERIA  
GROUND WATER MONITORING PARAMETERS**

**INORGANICS**

Ammonia  
Nitrogen (organic)  
Total Kjeldahl Nitrogen  
Total Phosphorus (phosphate)

**VOLATILE ORGANICS**

Chloroethane  
Chloroform  
para-Dichlorobenzene (1,4 Dichlorobenzene)  
1,2-Dichloroethylene (cis-1,2-Dichloroethylene or trans-1,2-Dichloroethylene)

**BASE/NEUTRAL ORGANICS**

Anthracene  
Butylbenzylphthalate  
Dimethylphthalate  
Naphthalene  
Phenanthrene

**PESTICIDES AND PCBs**

Aldrin  
Dieidrin

**ACID EXTRACTABLES**

2-chlorophenol  
Phenol  
2,4,6-trichlorophenol

**OTHER**

Specific Conductance  
Biological Oxygen Demand  
Chemical Oxygen Demand  
Temperature

**B**

# **Weekly Construction Summary Reports**



Engineering Excellence Since 1942

Employee Owned

2090 Palm Beach Lakes Blvd., Suite 600  
West Palm Beach, FL 33409  
TEL: (561)684-3375  
FAX: (561)689-8531  
[www.boyleengineering.com](http://www.boyleengineering.com)

July 8, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.1 – June 26, 2008 through July 4, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the first full week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The first full week of construction and related activities for OKF-106 (UFA-MW1) are summarized below;


- Completed Mobilization of drill rig and support equipment.
- Confirmed lateral distance of UFA Monitor Well (OKF-106) from the ASR well to be 140.5 feet (center to center) prior to the start of drilling activities.
- Drilled a nominal 8-inch diameter pilot hole from land surface to 82 feet below land surface (bls) via mud rotary method.
- Reamed the 8-inch diameter pilot hole to 23-inches in diameter using a 12 ¼ x 23 inch diameter drilling assembly from land surface to 85 feet bls via mud rotary method.
- Circulated the nominal 23-inch diameter for approximately 2 hours to condition it before installing the 18-inch diameter steel surface casing.
- Installed 84.2 feet of 18-inch diameter steel surface casing set to a depth of 82.2 feet bls.
- Cemented the 18-inch diameter in place using 3.5 cubic yards of ASTM Type II neat cement.
- Installed rotating head on 18-inch diameter steel surface casing to control potential artesian flow conditions while advancing the borehole through the intermediate confining unit and into the Floridan Aquifer.
- Drilled out cement plug at the base of the 18-inch diameter steel casing.
- No Work on Friday July 4<sup>th</sup>.

Work scheduled for next week:

Begin to drill a nominal the 17-inch diameter borehole from 82 feet bls and continue to advance the borehole to an anticipated depth of 550 feet bls.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:



Michael W. Bennett, P.G.  
Senior Hydrogeologist

Enclosures:      Engineer's Daily Field Reports  
                         Contractor's Daily Reports

Distribution to Interested Parties – Weekly Summary Report No. 1

Distribution:      Mark Silverman FDEP/WPB  
                      Joseph May, FDEP/WPB  
                      George Heuler, FDEP/TLH  
                      Ron Reese, USGS/FTL  
                      Jonathan Arthur, FGS/TLH  
                      Nancy March, USEPA/ATL  
                      Bart Bibler, FDOH/TLH  
                      Bob Verrastro, SFWMD/WPB

File



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63N Canal ASR Pilot Project	Client: SFWMD	Date: 7/1/08	Day of Week: Tuesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: UFA MW-1	FDEP Permit #: 0198641-009-UC	Starting Depth: 0'	Ending Depth: 82'	Bit Size: $7\frac{1}{8}$ "	Weather: Sunny and Warm

## **PRIMARY ACTIVITY: Pilot Hole for Pit Casing**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER:** Joe Schmidt

Recorded By: Shamus English

Date: 7/1/08



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/2/08	Day of Week: Tuesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: UFA MW-1	FDEP Permit #: 0198641-009-UC	Starting Depth: 0'	Ending Depth: 85'	Bit Size: 23"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: Pilot Hole for Pit Casing**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0830	Shamus English on site. ADE on site and drilling at time of arrival. Depth at about 55 ft bls. Kelly down will be 65 ft bls. Bit size = 23".
0847	Kelly down at 65 ft bls, circulating on bottom.
0855	ADE mixing mud
0928	Drilling resumed at 65 ft bls
1001	Kelly down at 85 ft bls, circulating on bottom
1020	ADE tripping out of hole.
1050	ADE setting up to perform casing installation. Heat number GO17564
1055	Welding centralizers on bottom 90° apart. Roy Rowland (ADE) is welder.
1110	Welding casing section 1 and 2 together. ADE performing 1 pass across connection. Talled length of casing is 84.2 ft.
1124	ADE finish welding sections 1 and 2
1134	Lowering casing
1144	Welding sections 2 and 3
1201	Finish welding section 2 and 3
1211	Lowering casing
1220	Welding sections 3 and 4
1235	Lowering casing, slight trouble lowering casing to bottom
1242	Casing set
1247	Lowering tremie tubing (2" TNC w/ API coupling)
1300	Finished lowering tremie tubing to 73 ft bls. ADE circulating fluids while waiting on cement truck
1315	SE off site
1340	SE on site
1420	ADE preparing for cementing operations, continued to circulate fluids
1515	ADE discontinued circulation, still waiting on ready mix truck
1600	Ready mix truck on site with 4 yds <sup>3</sup> of neat cement. Cement truck to pour cement into 150 gal tub then pressure grouted down hole through tremie pipe. Mud weight at 15.6 lbs/gal

1604	Pre-flush 150 gallons of water
1605	Commence pumping cement.
1610	Cementing halted. Thinning cement with approx. 150 gallons of water.
1614	Resume pumping cement, new weight is 14.7 lbs/gallon
1625	Cement at surface. Pumping displacement water
1627	Ready mix truck emptying remaining cement on ground. Approx. .5 yds <sup>3</sup> of left over cement so, Approx. 3.5 yds <sup>3</sup> of cement used on pit casing. 18 psi pressure at well head
1640	Ready mix truck off site. ADE adding Thinz-It® mud thinner
1700	Shamus English off site.

Recorded By: Shamus English

Date: 7/3/08

## Daily Drilling Report

Report No: \_\_\_\_\_

Date: 6-30-08	Project: Taylor Creek
Well Number:	Job Number:

Well Depth - Start of Shift: \_\_\_\_\_ Water Level - Start of Shift: \_\_\_\_\_  
 End of Shift: \_\_\_\_\_ End of Shift: \_\_\_\_\_

Activities	From	To
Travelled Job - Rigged up		
en route		
Rig Down	16:30	
Planned	5:30	
Logs	7:00	

Formations from:	From	To

Safety Meeting? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Weather Conditions: <input type="checkbox"/> Clear <input checked="" type="checkbox"/> Rainy
Daily Topic: <input type="text"/>	
Accident on Site? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties <input type="checkbox"/> Mud Weight (ppg) <input type="text"/> Mud Viscosity <input type="text"/>
Describe: <input type="text"/>	In <input type="text"/> Out <input type="text"/>
Driller: <input type="text"/>	Drilling Assembly: <input type="text"/>
Helpers: <input type="text"/>	
Eng. Rep: <input type="text"/>	Available WOB <input type="text"/> lbs <input type="text"/>



## *Daily Drilling Report*

Report No. \_\_\_\_\_

Date: 7-1-08	Project: taylor creek
Well Number:	Job Number:

Well Depth - Start of Shift : \_\_\_\_\_  
End of Shift : \_\_\_\_\_

Water Level - Start of Shift: \_\_\_\_\_  
End of Shift: \_\_\_\_\_

Rig On-1

## Tic 6

4:30

+.09 9.5

Safety Meeting ? Yes _____ No <u>X</u>	Weather Conditions: <u>clear / rainy</u>
Daily Topic	
Accident on Site ? Yes _____ No <u>X</u>	Drilling Mud Properties
Describe _____	Mud Weight (ppg)
Driller: <u>JF</u>	Mud Viscosity
Helpers: <u>Roy, Joff</u>	Drilling Assembly <u>7 7/8</u>
Eng. Rep.: <u>SLambs</u>	Available WOB _____ lbs

Applied  
**DRILLING**  
Engineering, Inc.

## Daily Drilling Report

Report No: \_\_\_\_\_

Date: 7-2-08	Project: Taylor Creek
Well Number:	Job Number:

Well Depth - Start of Shift: \_\_\_\_\_ Water Level - Start of Shift: \_\_\_\_\_  
 Well Depth - End of Shift: \_\_\_\_\_ Water Level - End of Shift: \_\_\_\_\_

Activities	From	To
Drilled 123' Hole from 0-85'		
(at clean up - tripped out)		
Ran 82' of 18" steel casing (BIS)		
Pumped 35 yards of cement. cleaned up		
Rig Dr-1	6:00	
P.V SVL	5:30	
	4:05	11:5

Formations from	From	To
Grey Sand - Shell	0	45
Hard lime	45	48
Shad1 - Green	48	85
Clay		

Safety Meeting? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Weather Conditions: <input type="checkbox"/> clear / <input checked="" type="checkbox"/> Rainy
Daily Topic:	
Accident on Site? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties
Describe:	Mud Weight (ppg)
Driller: <input type="checkbox"/> <input checked="" type="checkbox"/> JES	Mud Viscosity
Helpers: <input type="checkbox"/> <input checked="" type="checkbox"/> Roy Jack	In      Out
Eng. Rep: <input type="checkbox"/> <input checked="" type="checkbox"/> Shanes	<input type="checkbox"/> <input type="checkbox"/>
	Drilling Assembly <input type="checkbox"/> <input type="checkbox"/> 12 1/4 x 23"
	Available WOB <input type="checkbox"/> <input type="checkbox"/> lbs



## **Daily Drilling Report**

Report No: \_\_\_\_\_

Date: 7-3-08	Project: Taylor craft
Well Number:	Job Number:

Well Depth - Start of Shift : \_\_\_\_\_  
End of Shift : \_\_\_\_\_

Water Level - Start of Shift: \_\_\_\_\_  
End of Shift: \_\_\_\_\_

Safety Meeting ? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Weather Conditions: <input type="text" value="clear"/>
Daily Topic <input type="text" value=""/>	Drilling Mud Properties <input type="checkbox"/> In <input type="checkbox"/> Out
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Mud Weight (ppg) <input type="checkbox"/> Mud Viscosity <input type="checkbox"/>
Describe: <input type="text" value=""/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Driller: <input type="text" value="Troy"/>	Drilling Assembly <input type="text" value=""/>
Helpers: <input type="text" value="Roy, Jeff"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Eng.Rep.: <input type="text" value="None"/>	Available WOB <input type="checkbox"/> lbs

2090 Palm Beach Lakes Blvd., Suite 600  
West Palm Beach, FL 33409  
TEL: (561)684-3375  
FAX: (561)689-8531  
[www.boyleengineering.com](http://www.boyleengineering.com)

Employee Owned

July 14, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.2 – July 7, 2008 through July 13, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the second week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the second week related to OKF-106 (UFA-MW1) are summarized below;

- Began drilling a nominal 17-inch diameter borehole via the mud rotary method at a depth of 82 feet below land surface (bls).
- Continued to advance the nominal 17-inch diameter borehole via the mud rotary method from 82 to 502 feet bls.
- Ended mud rotary drilling operations for the week at a depth of 502 feet bls.
- No drilling or testing activities were conducted on Saturday July 12<sup>th</sup> or Sunday July 13<sup>th</sup>.

Work scheduled for the next report period:

The Contractor will continue to advance the nominal the 17-inch diameter borehole via the mud rotary method from 502 feet bls to an anticipated depth of 710 feet bls. This will be approximately 10 feet into the carbonate section of the Floridan aquifer. The nominal 17-inch borehole will then be geophysically logged from 0 to 710 feet bls. A casing seat justification for the 10-inch diameter PVC casing will be submitted to the Department for approval. Depending on the timeliness of completing the 17-inch diameter borehole to 710 feet bls; the Contractor may upon approval by the SFWMD begin installing the 10-inch diameter Certa-lok PVC well casing into the uppermost section of the Floridan aquifer. Once the 10-inch diameter casing is installed, it will be carefully cemented back to surface with temperature logs conducted to verify the elevation of the cement within the annulus.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:

*Michael W. Bennett*  
7/14/08

Michael W. Bennett, P.G.  
Senior Hydrogeologist

Enclosures:      Engineer's Daily Field Reports  
                         Contractor's Daily Reports  
                         Lithologic Descriptions  
                         Deviation Survey Data



Engineering Excellence Since 1942

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(772) 286-3883  
FAX (772) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/7/08	Day of Week: Monday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 85'	Ending Depth: 116.5'	Bit Size: 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: Drill Nominal 17-inch Borehole**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
1330	Shamus English on site. Site locked at time of arrival. Talked to Joe Schmidt via telephone and he informed me that they had to pick up more drill pipe and should arrive in about an hour. Shamus English off site
1430	Shamus English on site. ADE has not arrived yet. PVC Casing and Couplings on site. PVC is 20' lengths (38 sections = 780'), 9½" ID and 10½" OD, "Certainteed 10" SDR 17 Class 250 Certa-Lok Well Casing IC-1 PVC ASTM F480 NSF-wc B 05-01-08 A W1 [and B 04-30-08 A W1] Made in USA 654015". Discharge T on well head has been fabricated.
1440	ADE on site with a total of 15 sections of 20' 3½" diameter drill pipe. ADE still has to drill out plug from pit casing cement job before advancing borehole further.
1520	ADE adding drill pipe #1 to collars and setting up drilling fluid pump assembly.
1558	Hard tagged top of plug at 77 ft bls. Pit casing set at 83 ft bls and borehole was drilled to 85 ft bls, so should be about a 6-8 ft plug
1605	ADE mixing mud
1630	ADE hooking up hydraulics for pick up pump
1651	Drilling commenced at 77 ft bls
1703	Depth at 85 ft bls
1714	Kelly down at 96.5 ft bls, circulating on bottom.
1734	ADE attaching drill pipe #2 to drill string
1739	Drilling resumed at 96.5 ft bls
1751	Kelly down at 116.5 ft bls, circulating on bottom.
1810	ADE to run deviation survey in the morning
1825	Shamus English off site

Recorded By: Shamus English

Date: 7/8/08



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(772) 286-3883  
FAX (772) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/8/08	Day of Week: Tuesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 116.5'	Ending Depth: 236.5'	Bit Size: 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: Drill Nominal 17-inch Borehole**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0800	Shamus English on site. ADE on site at time of arrival and repairing leak in hydraulic line.
0840	ADE spooling wire line cable around drum on rig for deviation surveys.
0905	Finished spooling cable, setting up for deviation survey. Rubber stabilizers for deviation survey are designed for 4½" drill pipe and ADE is using 3½" drill pipe, ADE will not attach tool stabilizers for deviation surveys.
0915	ADE tripping pipe out of hole to 76 ft bbls to run deviation survey, will lower tool to bottom and raise 16 ft. Bit assembly is within pit casing.
0921	Timer set at 10 mins, lowering tool down hole.
0935	Raising tool to surface
0940	Deviation survey measured at 0.1°.
0943	Adding 2 more sections of drill pipe and taking another deviation survey at 120 ft bbls (survey actually taken at 116.5 ft bbls).
0946	Lowering tool down hole.
1005	Deviation survey measured at 0.2°.
1025	Drilling commenced at 116.5 ft bbls
1037	Kelly down at 136.5 ft bbls, circulating on bottom
1040	Mud weight at 9.0 lbs/gal going in, 9.5 lbs/gal going out of system. Viscosity measured in Marsh funnel at 57 secs for approx. 1 Liter (measuring cup not used so actual value is believed to be lower).
1122	Drilling resumed at 136.5 ft bbls.
1133	Kelly down at 156.5 ft bbls, circulating on bottom
1145	ADE removing cuttings from settling tank to cuttings holding tank.
1210	ADE attaching drill pipe #4 (20 ft)
1213	Drilling resumed at 156.5 ft bbls
1233	Kelly down at 176.5 ft bbls, circulating on bottom. Received last weeks contractor drilling logs from ADE.
1300	ADE attaching drill pipe #6 to drill string and setting up for deviation survey.
1305	Lowering deviation tool down hole
1323	Deviation survey measured at 0.2 (approx. 180 ft bbls).
1330	ADE taking lunch. Shamus English off site.

1545	Shamus English on site. Kelly down at 216.5 ft bbls at time of arrival and circulating on bottom.
1617	Drilling resumed at 216.5 ft bbls
1643	Depth at 225 ft bbls
1710	Kelly down at 236.5 ft bbls, circulating on bottom.
1728	ADE attaching drill pipe #9 to drill string and setting up for deviation survey
1733	Lowering tool down hole.
1758	Deviation survey measured at 0.8°. Variation from last survey (176.5 ft bbls) is 0.6°, notified Michael Bennett via telephone. Per Michael Bennett, variation is too high between survey measurements and another survey will need to be conducted tomorrow morning at 176.6 ft bbls for verification. Advised Joe Schmidt (ADE) of this situation and agreed to run another survey in the morning.
1810	Shamus English off site.

Recorded By: Shamus English

Date: 7/8/08



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(772) 286-3883  
FAX (772) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/9/08	Day of Week: Wednesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 236.5'	Ending Depth: 336.5'	Bit Size: 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: Drill Nominal 17-inch Borehole**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0730	Shamus English on site. ADE on site at time of arrival and leveling ground along road to grade. ADE mixing mud and setting up for today's drilling activities. Second deviation survey at 236.5 will be conducted shortly.
0810	ADE tripping pipe down hole.
0830	ADE connecting Kelly and rotating bit as they trip down hole from 176 to 236.6 ft bls to straighten hole for second deviation survey.
0920	Paul (ADE) on site. Notified Paul of the problem with drilling fluids on the ground. Paul explained that they will build a berm on the ground around the tanks or dig a lined trench to hold fluids.
0940	ADE still slowly tripping down hole rotating bit and circulating as they go down.
0955	ADE lowering deviation tool down hole.
1015	Second deviation survey at 240 ft bls (236.5 actual) measured at 0.4°.
1023	Drilling commenced at 236.5 ft bls.
1040	Mud weight at 8.8 lbs/gal. Viscosity – took 39 seconds to fill 1 Liter.
1056	Kelly down at 256.5 ft bls, circulating on bottom.
1107	Attaching drill pipe #10 to drill string
1111	Drilling resumed at 256.5, drilling slowly in dense clay
1215	Kelly down at 276.5 ft bls, circulating on bottom
1249	Attaching drill pipe #11 to drill string
1253	Drilling resumed at 276.5 ft bls
1304	Kelly down at 296.5 ft bls, circulating on bottom
1320	ADE fabricating flange cover for well head to prevent flow if well were to come alive.
1336	ADE attaching drill pipe #12 to drill string and preparing to run deviation survey
1405	Deviation survey measured at 0.5°.
1408	Drilling resumed at 296.5 ft bls
1420	Kelly down at 316.5 ft bls, circulating on bottom. Mud weight at 8.7 lbs/gal going in and 9.7 lbs/gal coming out. Viscosity at 41 seconds to fill 1 liter.
1437	Attaching drill pipe #13 to drill string

1440	Drilling resumed at 316.5 ft bls
1455	Kelly down at 336.5 ft bls, circulating on bottom
1505	Per Joe S. (ADE), air compressor for bladder pump is not working, drilling activities will be halted for the day at 336.5 ft bls
1520	Shamus English off site. ADE to trip out of hole and attach flange on well head that will prevent flow if well were to come alive.

Recorded By: Shamus English

Date: 7/9/08



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(772) 286-3883  
FAX (772) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/10/08	Day of Week: Thursday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 336.5'	Ending Depth: 476.5'	Bit Size: 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY:** Drill Nominal 17-inch Borehole

**RESIDENT OBSERVER/GEOLOGIST:** Shamus English

**DRILLER:** Joe Schmidt

Time	Activity
0800	Shamus English on site, ADE on site at time of arrival. Waiting on rental company to deliver compressor for bladder pump before drilling. 40 sections of drill pipe delivered to site last night.
0830	ADE mixing mud and performing rig and site maintenance.
0845	Compressor on site. ADE tripping pipe to bottom.
0935	Drilling commenced at 336.5 ft bbls.
1030	Mud weight at 8.9 lbs/gal going in and 9.3 lbs/gal coming out. Viscosity measured at 40 seconds for 1 liter.
1040	Kelly down at 356.5, circulating on bottom
1108	ADE attaching drill pipe # 15 and setting up for deviation survey
1125	Deviation survey measured at 0.3° at 360 ft bbls (356.5 ft actual).
1128	Drilling resumed at 356.5 ft bbls
1148	Waste Management on site to remove filled cuttings tank and replace with empty tank.
1154	Kelly down at 376.5, circulating on bottom.
1240	Drilling resumed at 376.5 ft bbls
1322	Kelly down at 396.5 ft bbls, circulating on bottom
1353	ADE mixing mud
1417	Attaching drill pipe #17 to drill string
1422	Drilling resumed at 396.5 ft bbls
1435	Mud weight at 9.1 lbs/gal going in and 9.2 lbs/gal coming out.
1439	Kelly down at 426.5 ft bbls, circulating on bottom
1502	Attaching drill pipe #18 to drill string and setting up for deviation survey
1537	Deviation survey measured at 0.2° at 420 ft bbls (416.5 ft actual).
1540	Drilling resumed at 416.5 ft bbls
1553	Kelly down at 436.5 ft bbls, circulating on bottom
1613	Attaching drill pipe #19 to drill string
1616	Drilling resumed at 436.5 ft bbls
1633	Kelly down at 456.5 ft bbls, circulating on bottom

1658	Attaching drill pipe #21 to drill string
1704	Drilling resumed at 456.5 ft bbls
1727	Kelly down at 476.5 ft bbls, circulating on bottom
1745	Attaching drill pipe #22 to drill string and setting up for deviation survey
1808	Deviation survey measured at 0.5° at 480 ft bbls (476.5 ft actual).
1810	Shamus English off site. ADE to trip pipe up to casing before securing site.

Recorded By: Shamus English

Date: 7/10/08



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(772) 286-3883  
FAX (772) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/11/08	Day of Week: Friday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 476.5'	Ending Depth: 502'	Bit Size: 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY:** Drill Nominal 17-inch Borehole  
**RESIDENT OBSERVER/GEOLOGIST:** Shamus English  
**DRILLER:** Joe Schmidt

Recorded By: Shamus English

Date: 7/11/08



## **Daily Drilling Report**

Report No. \_\_\_\_\_

Date: 7-7-08	Project: SFwD
Well Number: OSF - 106	Job Number:
Well Depth - Start of Shift: 81	Water Level - Start of Shift:
End of Shift: 116	End of Shift:

Activities	From	To
travel to site - Picked up 300' of Drill pipe		
Finished Rig up - Tugged cement inside at 77° cut site at Land surface		
Drilled into cement - Drilled 17° hole down to 116' with mud tripped up		
Rig Drill P.I. 90°	11:00 6:30 +05	7:30
Formations from	From	To
Green clay Sand + Shell	82° 90°	90° 116'

Safety Meeting ? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Weather Conditions: <input type="text" value="clear"/>	
Daily Topic: <input type="text" value=""/>		
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties <input type="checkbox"/> Mud Weight (ppg) <input type="checkbox"/> Mud Viscosity <input type="checkbox"/>	
Describe: <input type="text" value=""/>	In <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Out <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Driller: <input type="text" value="J.S."/>	Drilling Assembly <input type="text" value="12 1/4 X 17 X 17"/>	
Helpers: <input type="text" value="Jeff"/>		
Eng.Rep: <input type="text" value="Shamus"/>	Available WOB <input type="checkbox"/> lbs	



## **Daily Drilling Report**

Report No: \_\_\_\_\_

Date: 7-8-08 Project: Taylor creek  
Well Number: CEFK-106 Job Number:

Well Depth - Start of Shift : 114  
End of Shift : 236

Water Level - Start of Shift: \_\_\_\_\_  
End of Shift: \_\_\_\_\_

Activities	From	To
Drilled 17" Hole from 116 to 236' with sand - let clean up.		
Ran sonic shots at 60' - 120' + 180 - 240'		
Big Drill		
P.R. - 800 ft		
	Start 7:00	
	End 6:30	
	t.o.s 11.5	
Formations from	From	To
	116	190
Grey Sand - Shell		
Green sandy clay	190	236

Safety Meeting? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Weather Conditions: <input type="text"/> C 16 yr
Daily Topic: <input type="text"/>	
Accident on Site? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties Mud Weight (ppg) Mud Viscosity
Describe: <input type="text"/>	In <input type="text"/> 1.2 Out <input type="text"/> 5.6
Driller: <input type="text"/> T.S.	Drilling Assembly <input type="text"/> 12 1/4 x 17 x 17
Helpers: <input type="text"/> Rex, Terry	
Eng.Rep.: <input type="text"/> Shanes	Available WOB <input type="text"/> lbs

Applied  
**DRILLING**  
Engineering, Inc.

**Daily Drilling Report**

Report No:

Date: 6-9-08	Project: Taylor Creek
Well Number: OFE-106	Job Number:

Well Depth - Start of Shift: 236	Water Level - Start of Shift:
End of Shift: 336	End of Shift:

Activities	From	To
Drilled hole from 236 to 336 ft. down		
Ran sonic shots 240-300		
Reamed from 180 to 240		
Rig down	Start 7:00	
P.L. 50-1	End 6:30	
	+09 = 11.5	
Formations from	From	To
Green clay	236	336

Safety Meeting? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Weather Conditions: <input type="checkbox"/> Clear
Daily Topic:	
Accident on Site? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Drilling Mud Properties
Describe: General safety	Mud Weight (ppg)
	Mud Viscosity
Driller: TG	In
Helpers: Rex, Jeff	Out
Eng.Rep.: Shamus	8.7
	41
Drilling Assembly:	12 1/4 X 17 X 17
Available WOB:	lbs



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

Date	Depth (ft. bbls) From      To		Observer's Description
7/1/2008	0	10	Quartz Sand - Unconsolidated, dark yellowish brown (10YR 4/2) - fine to medium grained; moderately sorted; 20% porosity
7/1/2008	10	20	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	20	30	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	30	40	Shell Fragments (50%) - Unconsolidated shell fragments and pieces; Quartz Sand (40%- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	40	50	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	50	60	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	60	70	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, dark yellowish brown (10YR 4/2); Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	70	80	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10-15%) - approx. 1-2 mm , sub-rounded to sub-angular
7/1/2008	80	90	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular
7/7/2008	90	100	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	100	110	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - fine grained to approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	110	120	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	120	130	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER        17191.00

7/8/2008	130	140	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	140	150	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	150	160	Shell Fragments (55%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	160	170	Shell Fragments (55%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	170	180	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Clay (30%) pale olive (10Y 6/2) moderately to poorly cohesive; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	180	190	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	190	200	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	200	210	Clay (55%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	210	220	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	220	230	Clay (55%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5-10%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER        17191.00

7/9/2008	230	240	Clay (65%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	240	250	Clay (70%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	250	260	Clay (90%) - dusky yellow green (5GY 5/2), very to moderately cohesive; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	260	270	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	270	280	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	280	290	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	290	300	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	300	310	Clay (80%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	310	320	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	320	330	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	330	340	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	340	350	Clay (70%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	350	360	Clay (45%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/10/2008	360	370	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1 mm, sub-rounded to sub-angular
7/10/2008	370	380	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1-2 mm, sub-rounded to sub-angular
7/10/2008	380	390	Shell Fragments (45%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (10%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	390	400	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (15%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	400	410	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained
7/10/2008	410	420	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained; Silty Clay (5%) - dusky yellow green (5GY 5/2), very poor to no cohesion
7/10/2008	420	430	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	430	440	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	440	450	Silty Clay (40%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/10/2008	450	460	Silty Clay (45%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	460	470	Silty Clay (55%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	470	480	Silty Clay (55%) - pale olive (10Y 6/2), poor to moderate cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained




## Deviation Survey

South Florida Water Management District  
L63N - Okeechobee County

Well Number OKF-106  
Permit Number 0198641-009-UC  
Job Number 17191.00

Deviation Survey		
Date	Depth (feet)	Deviation (degrees)
7/8/2008	60	0.1
7/8/2008	120	0.2
7/8/2008	180	0.2
7/9/2008	240	0.4
7/9/2008	300	0.5
7/10/2008	360	0.3
7/10/2008	420	0.2
7/10/2008	480	0.5
	540	
	600	
	660	
	720	
	780	



Boyle Engineering  
2090 Palm Beach Lakes Boulevard, Suite 600, West Palm Beach, FL 33409  
T 561.684.3375 F 561.689.8531 www.boyle.aecom.com

July 21, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.3 – July 14, 2008 through July 20, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the third week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the third week related to OKF-106 (UFA-MW1) are summarized below;

- Continued to advance the nominal 17-inch diameter borehole via the mud rotary method from 502 to 597 feet bls.
- Ended mud rotary drilling operations for the week at a depth of 597 feet bls.
- No drilling or testing activities were conducted on Saturday July 19<sup>th</sup> or Sunday July 20<sup>th</sup>.


On Friday, July 17, 2008 the deviation of the borehole from center was measured at 1.7°. In an attempt to bring the borehole back to center the Contractor pulled out the nominal 17-inch diameter bit assembly and will begin to drill the remaining portion of the borehole using a nominal 12-inch diameter bit.

Work scheduled for the next report period:

The Contractor will begin advancing a nominal 12-inch diameter borehole from 597 feet bls to an anticipated depth of 710 feet bls in an attempt to bring the borehole back to center. When completed, the borehole will be geophysically logged from land surface to a depth of 710 feet. Based on the lithologic and geophysical logs, a casing seat justification for the 10-inch diameter PVC casing will be submitted to the Department for approval. In the interim, the Contractor will begin to ream the 12-inch diameter borehole to a nominal 17-inch diameter from 597 feet bls to approximately 710 feet bls via the mud rotary method. The setting depth of 710 feet will be approximately 10 feet into the carbonate section of the Floridan aquifer. Depending on the timeliness of completing the 17-inch diameter borehole to 710 feet bls; the Contractor may begin installing the 10-inch diameter Certa-lok PVC well casing. Once the 10-inch diameter casing is installed, it will be carefully cemented back to surface with the elevation of the cement within the annulus verified by physical hard tags using a collarless tremie pipe and temperature logs.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:



Michael W. Bennett, P.G.  
Senior Hydrogeologist

Enclosures:      Engineer's Daily Field Reports  
                         Contractor's Daily Reports  
                         Lithologic Descriptions  
                         Deviation Survey Data

Distribution to Interested Parties – Weekly Summary Report No. 3

Distribution:      Mark Silverman FDEP/WPB  
                      Joseph May, FDEP/WPB  
                      George Heuler, FDEP/TLH  
                      Bob Verrastro, SFWMD/WPB  
                      File



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63N	Client: SFWMD	Date: 7/14/08	Day of Week: Monday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 502'	Ending Depth: 516.5'	Bit Size: 17"	Weather: Sunny and Warm

## **PRIMARY ACTIVITY: 17" Borehole Drilling**

**RESIDENT OBSERVER/GEOLOGIST:** Shamus English

**DRILLER:** Joe Schmidt

Time	Activity
1215	Shamus English on site. ADE on site and setting up for drilling activities at time of arrival
1255	Drilling commenced for the day at 502 ft bls. Drilling through dense clay, rate of penetration is very slow
1400	Depth at about 504 ft bls
1420	Rain Storm over head, ADE continue drilling without person operating brake handle.
1440	Storm passed, light drizzle.
1500	Depth at about 505 ft bls.
1520	ADE attaching couplings to ends of PVC casing, SE numbering each section of PVC casing.
1600	Depth at about 507 ft bls. Rate of penetration picking up. PVC section labeled #6 has 1 foot cut off at the end for mule shoe (#6 is 19 ft long).
1700	Depth at about 512 ft bls.
1800	Shamus English off site. Depth at about 515 ft bls, Kelly down will be 516.5 ft bls. ADE to drill to Kelly down and trip pipe up into casing before securing site.



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63AN	Client: SFWMD	Date: 7/15/08	Day of Week: Tuesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 516.5'	Ending Depth: 536.5'	Bit Size: 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: 17" Borehole Drilling**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0845	Shamus English on site. ADE on site and drilling at time of arrival. Depth at about 525 ft bbls. Clayton McMillan (SFWMD) on site at time of arrival.
0920	Mud weight at 9.1 lbs/gal.
0928	Kelly down at 536.5 ft bbls, circulating on bottom.
0943	Attaching drill pipe #24 to drill string, and setting up to run deviation survey.
1015	Deviation survey measured at 1.2°, too high. ADE running deviation survey again.
1040	Second deviation survey at 540 ft bbls measured 1.0°, advised ADE to raise drill string about 50 ft and ream borehole as they advance back down to 536.5 ft bbls., before running a 3 <sup>rd</sup> deviation survey.
1145	Lowering tool down hole for 3 <sup>rd</sup> deviation survey.
1215	Third deviation survey measured 1.0°, notified Michael Bennett. Per Michael Bennett, advise ADE to raise drill string to 400 ft bbls and slowly advance back down to 536.5 ft bbls., while rotating bit and circulating, before running a 4 <sup>th</sup> deviation survey
1435	Waste Management on site to pick up roll off tank full of cuttings and spent fluids.
1445	While lifting roll-off tank onto truck, spent drilling fluids in tank discharged onto ground inundating area around the tank.
1515	Per Joe S. (ADE), drilling activities halted for the day so they can build a lined and bermed containment area around the roll-off tanks.
1545	Shamus English off site.

Recorded By: Shamus English

Date: 7/17/08



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63N	Client: SFWMD	Date: 7/16/08	Day of Week: Wednesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 536.5'	Ending Depth: 563'	Bit Size: 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: 17" Borehole Drilling**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0800	Shamus English on site. ADE on site at time of arrival. Circulating on bottom at 536.5 ft bls before taking 4 <sup>th</sup> deviation survey. ADE built a lined and bermed containment area around roll-off tanks west of rig.
0835	Deviation survey #4 at 540 ft bls measured at 1.1° which is still out of compliance with specs. Per Michael Bennett, advise ADE to make a decision as to how they are to remedy this problem.
0845	Per Joe S. (ADE), they are going to continue drilling and take another deviation survey at 600 ft bls, notified Michael Bennett.
0855	Per Michael Bennett, he spoke with Paul P. (ADE) and it was agreed to take deviation surveys every 20 ft until borehole is back to center.
0920	Drilling commenced at 536.5 ft bls. Clayton M. (SFWMD) on site.
1045	Paul P. (ADE) on site.
1110	Paul P. (ADE) off site. Rain storm over head.
1130	Storm passed, slight drizzle.
1215	Kelly down at 556.5 ft bls, circulating on bottom.
1226	Attaching drill pipe #25 to drill string and setting up for deviation survey.
1305	Deviation survey measured at 0.9°, borehole appears to be pulling back to center.
1315	Drilling resumed at 556.5 ft bls, Drilling with very low weight on bit in dense clay, very slow rate of penetration.
1415	Depth at about 558 ft bls.
1500	Depth at about 559 ft bls.
1600	Depth at about 560 ft bls.
1700	Depth at about 562 ft bls.
1800	Depth at about 563 ft bls.
1815	Drilling halted for the day at 563 ft bls
1830	Shamus English off site.

Recorded By: Shamus English

Date: 7/17/08



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63N	Client: SFWMD	Date: 7/16/08	Day of Week: Thursday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 563'	Ending Depth: 596.5'	Bit Size: 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: 17" Borehole Drilling**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0800	Shamus English on site. ADE on site and mixing mud for today's drilling activities at time of arrival. Paul P. (ADE) on site.
0815	Drilling commenced for the day.
0830	Depth at about 565 ft bls.
0900	Depth at about 71 ft bls, rate of penetration has increased.
0920	Kelly down at 576.5 ft bls, circulating on bottom.
0935	Attaching drill pipe #26 to drill string and running deviation survey.
1000	Deviation survey measured at 1.4°. ADE is going to rotate drill string 180° and run another deviation survey to see if possibly the collars are slightly bent causing false drift indicator readings.
1030	Second deviation survey at 576.6 ft bls measured 1.5°. ADE is going to drill down another 20 ft with high rpm's and very low weight on bit before running another deviation survey.
1040	Drilling resumed at 576.5 ft bls.
1245	Kelly down at 596.5 ft bls, circulating on bottom.
1300	Attaching drill pipe #27 to drill string and running deviation survey.
1335	Deviation survey at 596.5 ft bls measured 1.7°. ADE is going to run another survey with plastic stabilizers on tool.
1345	Shamus English off site.
1515	Shamus English on site. Second deviation survey at 596.5 ft bls measured 1.7°. ADE is going to trip pipe out of hole and replace 17" bit with a smaller diameter bit, probably 12", in an attempt to bring borehole back to center.
1530	Shamus English off site.

Recorded By: Shamus English

Date: 7/17/08

Applied  
**DRILLING**  
Engineering, Inc.

## Daily Drilling Report

Report No: \_\_\_\_\_

Date: 7-14-08	Project: Taylor Creek
Well Number: NKF-101	Job Number:

Well Depth - Start of Shift: 502 Water Level - Start of Shift:  
 End of Shift: 516 End of Shift: \_\_\_\_\_

Activities	From	To
Tripped in ~ Recamed back to bottom. Drilled 17' hole from 502 - 516 with mud.		
Rig Dr - 1	10:00	
PV Gr - 1	6:30	
	4.05	8.5
Formations from:	From	To

Safety Meeting ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Weather Conditions: <input type="checkbox"/> clear
Daily Topic: _____	
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties
Describe: _____	Mud Weight (ppg)
	Mud Viscosity
Driller: JS	In
Helpers: Ray, JAF	Out
Eng.Rep.: S Lameo	9.1
	4.8
Drilling Assembly: 12 x 17 x 17	
Available WOB: _____ lbs	

Applied  
**DRILLING**  
 Engineering, Inc.

## Daily Drilling Report

Report No: \_\_\_\_\_

Date: 7-15-08	Project: Taylor Creek
Well Number: CTF-1C6	Job Number:

Well Depth - Start of Shift: 516 Water Level - Start of Shift: \_\_\_\_\_  
 End of Shift: 536 End of Shift: \_\_\_\_\_

Activities	From	To
Drilled 17' hole with mud from 516-536 - Ran sure shot, Ran sure shot pulled in to 480 - Re Runned from 480 to 540 - Ran sure shot & tripped up to 400 - Re Drilled <del>down</del> - Very slowly from 400-500' shot + down - cleaned up mess from Dumper Works - laid down plastic - RA Ran Hay bails		
Rig Drill	1.3	4:00
P.V. Gravel	11.7	5:30
	4.05	10.00
Formations from:	From	To
6' 3"		
6' Green clay	516	536

Safety Meeting? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>	Weather Conditions: <u>clear</u>
Daily Topic	
Accident on Site? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties
Describe: <u>safely Hand tools</u>	Mud Weight (ppg)
	Mud Viscosity
Driller: <u>J.S</u>	In <u>9.1</u>
Helpers: <u>Ray, Jeff</u>	Out <u>9.1</u>
Eng.Rep.: <u>Ghamris</u>	44
Drilling Assembly	<u>12x17x17</u>
Available WOB	_____ lbs

Applied  
**DRILLING**  
Engineering, Inc.

## Daily Drilling Report

Report No: \_\_\_\_\_

Date: 7-16-08	Project: Taylor Creek
Well Number: OFF - 106	Job Number:

Well Depth - Start of Shift: 536 Water Level - Start of Shift:  
 End of Shift: 364 End of Shift:

Activities	From	To
Ran down to 540 - Run survey		
Shot 0.9 - Drill to 560 - Run survey		
0.9 - Drilled to 544 with 17" bit on mud		
R.D. 1 P.V. - S.U.	7:00 6:30 4:05	
	11:5	
Formations from:	From	To

Safety Meeting ? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Weather Conditions: Rainy
Daily Topic: _____	
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties
Describe: _____	Mud Weight (ppg)
	Mud Viscosity
Driller: J.S	In Out
Helpers: Roy, Terry	9.1 9.1
Eng.Rep.: Shamus Clayton	4.5 4.5
	Available WOB _____ lbs

Applied  
**DRILLING**  
 Engineering, Inc.

## Daily Drilling Report

Report No: \_\_\_\_\_

Date: 8-17-08	Project: Taylor Creek
Well Number: DFT - 106	Job Number:

Well Depth - Start of Shift: 564 Water Level - Start of Shift:  
 End of Shift: 591 End of Shift:

Activities	From	To
Drilled from 564 to 576 - Run		
Sur Shot - Drilled from 576 - to		
596 - Run sur shot off 1.7 tripped		
Drill pipe cut - Rained out at		
5'00'		
Ar-1	7:00	
Pr-Su	5:30	
	4.05 PMS	
Formations from:	From	To
	564	576

Safety Meeting ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Weather Conditions: Rainy
Daily Topic: _____	
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties
Describe: _____	Mud Weight (ppg)
	Mud Viscosity
Driller: J.S.	Drilling Assembly: 12 X 17 X 17
Helpers: Ray, Jeff	
Eng.Rep.: Shamus	Available WOB _____ lbs



## **Daily Drilling Report**

Report No: \_\_\_\_\_

Date: 7-18-07	Project: taylor creek
Well Number: OFF-1016	Job Number:

Well Depth - Start of Shift : \_\_\_\_\_  
End of Shift :

Water Level - Start of Shift: \_\_\_\_\_  
End of Shift: \_\_\_\_\_

Safety Meeting ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Weather Conditions: <input type="text"/> C 7641
Daily Topic <input type="text"/>	Drilling Mud Properties <input type="checkbox"/> In <input type="checkbox"/> Out
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Mud Weight (ppg) <input type="text"/>
Describe: <input type="text"/>	Mud Viscosity <input type="text"/>
Driller: <input type="text"/> J.G.	Drilling Assembly <input type="text"/>
Helpers: <input type="text"/> Ray Taff	Available WOB <input type="text"/> lbs
Eng.Rep.: <input type="text"/> N.W.C.	



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

Date	Depth (ft. bsl)		Observer's Description
	From	To	
7/1/2008	0	10	Quartz Sand - Unconsolidated, dark yellowish brown (10YR 4/2) - fine to medium grained; moderately sorted; 20% porosity
7/1/2008	10	20	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	20	30	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	30	40	Shell Fragments (50%) - Unconsolidated shell fragments and pieces; Quartz Sand (40%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	40	50	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	50	60	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	60	70	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, dark yellowish brown (10YR 4/2); Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	70	80	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10-15%) - approx. 1-2 mm , sub-rounded to sub-angular
7/1/2008	80	90	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular
7/7/2008	90	100	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	100	110	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - fine grained to approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	110	120	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	120	130	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/8/2008	130	140	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	140	150	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	150	160	<b>Shell Fragments (55%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	160	170	<b>Shell Fragments (55%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	170	180	<b>Shell Fragments (40%)</b> - Unconsolidated shell fragments and pieces; Clay (30%) pale olive (10Y 6/2) moderately to poorly cohesive; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	180	190	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	190	200	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	200	210	<b>Clay (55%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	210	220	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	220	230	<b>Clay (55%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5-10%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER      0198641-009-UC  
JOB NUMBER          17191.00

7/9/2008	230	240	Clay (65%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	240	250	Clay (70%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	250	260	Clay (90%) - dusky yellow green (5GY 5/2), very to moderately cohesive; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	260	270	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	270	280	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	280	290	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	290	300	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	300	310	Clay (80%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	310	320	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	320	330	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	330	340	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	340	350	Clay (70%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	350	360	Clay (45%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/10/2008	360	370	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1 mm, sub-rounded to sub-angular
7/10/2008	370	380	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1-2 mm, sub-rounded to sub-angular
7/10/2008	380	390	Shell Fragments (45%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (10%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	390	400	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (15%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	400	410	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained
7/10/2008	410	420	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained; Silty Clay (5%) - dusky yellow green (5GY 5/2), very poor to no cohesion
7/10/2008	420	430	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	430	440	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	440	450	Silty Clay (40%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER     0198641-009-UC  
JOB NUMBER         17191.00

7/10/2008	450	460	Silty Clay (45%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	460	470	Silty Clay (55%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	470	480	Silty Clay (55%) - pale olive (10Y 6/2), poor to moderate cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
	480	490	Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
	490	500	Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
	500	510	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
	510	520	Clay (70%) - grayish green (10GY 5/2), well to moderate cohesion; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (10%) - medium to fine grained
	520	530	Clay (75%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - medium to fine grained
	530	540	Clay (70%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - medium to fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER     0198641-009-UC  
JOB NUMBER         17191.00

	540	550	Clay (75%) - pale olive (10Y 6/2), well to moderate cohesion; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - medium to fine grained
	550	560	Clay (75%) - pale olive (10Y 6/2), well to moderate cohesion; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - medium to fine grained
	560	570	Clay (75%) - pale olive (10Y 6/2), well to moderate cohesion; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - medium to fine grained
	570	580	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - medium to fine grained
	580	590	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - medium to fine grained
	590	600	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - medium to fine grained

# **BOYLE**


*Engineering Excellence Since 1942*

## **Deviation Survey**

### **South Florida Water Management District L63N - Okeechobee County**

Well Number                   OKF-106  
Permit Number                0198641-009-UC  
Job Number                    17191.00

<b>Deviation Survey</b>		
Date	Depth (feet)	Deviation (degrees)
7/8/2008	60	0.1
7/8/2008	120	0.2
7/8/2008	180	0.2
7/9/2008	240	0.4
7/9/2008	300	0.5
7/10/2008	360	0.3
7/10/2008	420	0.2
7/10/2008	480	0.5
7/15/2008	540	1.0
7/16/2008	560	0.9
7/17/2008	580	1.4
7/17/2008	600	1.7
	660	
	720	
	780	



Boyle Engineering  
2090 Palm Beach Lakes Boulevard, Suite 600, West Palm Beach, FL 33409  
T 561.684.3375 F 561.689.8531 www.boyle.aecom.com

July 28, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.4 – July 21, 2008 through July 27, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the fourth week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the fourth week related to OKF-106 (UFA-MW1) are summarized below;

- Continued to advance the nominal 17-inch diameter borehole via the mud rotary method from 597 to 720 feet bbls.
- Ended mud rotary drilling operations for the week at a depth of 720 feet bbls.
- Completed geophysical logging in the nominal 17-inch diameter borehole from land surface to 720 feet bbls.
- No drilling or testing activities were conducted on Saturday July 26<sup>th</sup> or Sunday July 27<sup>th</sup>.


On Friday, July 25, 2008 geophysical logs were completed on the nominal 17-inch diameter borehole. Based on the lithologic and geophysical logs, a casing seat justification for the 10-inch diameter PVC casing was submitted electronically to the Department on Sunday July 27<sup>th</sup> for approval.

Work scheduled for the next report period:

Once the casing setting depth recommendation is approved by the Department, the Contractor will begin to ream the bottom 30 feet of the nominal 12-inch diameter borehole to a depth of 720 feet bbls via the mud rotary method. The proposed setting depth of 718 feet bbls for the nominal 10-inch diameter Certa-lok PVC casing will be approximately 18 feet into the carbonate section of the Floridan aquifer. On Tuesday, July 29<sup>th</sup>, the Contractor will circulate the completed nominal 17-inch diameter for 2-hours before installing the 10-inch diameter Certa-lok PVC well casing to 718 feet bbls. Once the 10-inch diameter casing is installed, it will be carefully cemented back to surface with the elevation of the cement within the annulus verified by physical hard tags using a collarless tremie pipe and temperature logs.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Since(sely):



Michael W. Bennett, P.G.  
Senior Hydrogeologist

Enclosures:      Engineer's Daily Field Reports  
                          Lithologic Descriptions  
                          Deviation Survey Data

Distribution to Interested Parties – Weekly Summary Report No. 4

Distribution:      Mark Silverman FDEP/WPB  
                      Joseph May, FDEP/WPB  
                      George Heuler, FDEP/TLH  
                      Bob Verrastro, SFWMD/WPB  
                      File



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/23/08	Day of Week: Wednesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 649'	Ending Depth: 720'	Bit Size: 12"/17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: 17" Borehole Drilling**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0730	Shamus English on site. ADE on site and drilling at time of arrival. Drilling commenced at 649 ft bbls just prior to my arrival.
0815	Depth at 660 ft bbls. Rate of Penetration has increased greatly since yesterday.
0935	Kelly down at 669 ft bbls, circulating on bottom.
0950	Lowering deviation tool down hole. Water is leaking from ASR well at about 3 gpm.
1015	Deviation survey at 669 ft bbls measured 1.3°.
1025	Drilling resumed 669 ft bbls.
1215	Drilling halted at 685 ft bbls. drilling fluid is spent, ADE is transferring spent fluids into another tank.
1305	ADE mixing new batch of mud.
1330	Drilling resumed at 685 ft bbls.
1420	Kelly down at 689 ft bbls, circulating on bottom
1435	Lowering deviation tool down hole.
1500	Deviation survey at 689 ft bbls measured 1.0°.
1505	Drilling resumed at 689 ft bbls.
1520	Depth at 693 ft bbls. rig beginning to chatter, appears drilling through limestone.
1645	Kelly down at 709 ft bbls. Difficult to determine lithology on bottom. Because of drill bit configuration cuttings retrieved at surface are from 2 separate depths that are 30 ft apart; much more clay is mixed in with cuttings than is from pilot bit. Limestone that is coming up has been pulverized by 17" reamer bit. Notified Michael Bennett, he is to talk with Paul (ADE) and get back to me.
1700	Per Michael Bennett, ADE is to drill another 11 ft to 720 and run another deviation survey.
1725	Depth at 720 ft bbls. Significantly more limestone in cuttings and also larger pieces.
1745	Lowering deviation tool down hole.
1820	Deviation survey at 610 ft bbls measured 1.4°.
1830	Shamus English off site.

Recorded By: Shamus English

Date: 7/24/08



Engineering Excellence Since 1942

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/25/08	Day of Week: Friday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: N/A	Ending Depth: N/A'	Bit Size: N/A	Weather: Sunny and Warm

#### **PRIMARY ACTIVITY: Geophysical Logging**

**RESIDENT OBSERVER/GEOLOGIST:** Shamus English

**DRILLER:** Joe Schmidt

Recorded By: Shamus English

Date: 7/28/08



## Daily Drilling Report

Report No: \_\_\_\_\_

Date: 7-21-08	Project: Taylor Creek
Well Number: CER - 106	Job Number:

Well Depth - Start of Shift: 296 Water Level - Start of Shift: \_\_\_\_\_  
End of Shift: 635 End of Shift: \_\_\_\_\_

Activities	From	To
Tapped in to 589 - mixed new mud - circulated hole from truck shop.		
Drilled to 629 - Run core start.		
Drilled to 635		
Rig down		
P.B. 30.1	10'00	
	6'30	
	+05	8'5
Formations from:	From	To
Goran Clay	596	635

Safety Meeting ? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Weather Conditions: <input type="checkbox"/> Clear
Daily Topic: _____	
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drilling Mud Properties
Describe: _____	Mud Weight (ppg)
Driller: J.S.	Mud Viscosity
Helpers: Ray, Jeff	In                  Out
Eng.Rep.: Shamus	9.2              9.1
	45              45
Drilling Assembly: 13 x 17	Available WOB: _____ lbs



## *Daily Drilling Report*

Report No. \_\_\_\_\_

Date: 7-22-08	Project: Taylor Creek
Well Number: OFK-106	Job Number:
Well Depth - Start of Shift: 633	Water Level - Start of Shift:
End of Shift: 649	End of Shift:

Safety Meeting ? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Weather Conditions: <input type="text" value="clear / Rainy"/>
Daily Topic <input type="text"/>	Drilling Mud Properties <input type="text"/> Mud Weight (ppg) <input type="text"/> Mud Viscosity <input type="text"/>
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	In <input type="text" value="9.3"/> Out <input type="text" value="9.3"/>
Describe: <input type="text"/>	<input type="text" value="48"/>
Driller: <input type="text" value="J.S."/>	Drilling Assembly <input type="text" value="12 x 17"/>
Helpers: <input type="text" value="Ray, Jeff"/>	
Eng.Rep.: <input type="text" value="Shawn S."/>	Available WOB <input type="text"/> lbs



## *Daily Drilling Report*

Report No:

Date: 7-23-08	Project: taylor creek
Well Number: OFK-#06	Job Number:

Well Depth - Start of Shift : 6 44 Water Level - Start of Shift: \_\_\_\_\_  
End of Shift : 7 20 End of Shift:

Activities	From	To
Dinner / 17: Late - From 6:49 To 7:20 - with Mr D. (Fifel) ASR - Lant Lanti		
Ran 5.16 shot at 6:49 - 6:59 - 7:20		
Rig D. 1 Piv 3v-1	7:01 7:06 7:05 - 12:06	
Formations from:	From	To
Greek clay	6:49	6:50
Lia Limestone	6:56	7:20

Safety Meeting ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Weather Conditions: <i>Cloudy / Rainy</i>
Daily Topic: _____	Drilling Mud Properties
Accident on Site ? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Mud Weight (ppg)
Describe: _____	Mud Viscosity
Driller: <i>T.S.</i>	Drilling Assembly <i>12 x 17</i>
Helpers: <i>Roy, Jeff, Brian</i>	Available WOB <input type="text"/> lbs
Eng.Rep.: <i>Shawna</i>	



## *Daily Drilling Report*

Report No. \_\_\_\_\_

Date: 7-24-08 Project: Taylor Creek  
Well Number: OFK - 106 Job Number:

Well Depth - Start of Shift : \_\_\_\_\_  
End of Shift :

Water Level - Start of Shift: \_\_\_\_\_  
End of Shift: \_\_\_\_\_

Safety Meeting ? Yes <u>  </u> No <u>  X  </u>	Weather Conditions: <u>  Clear  </u>
Daily Topic <u>  </u>	Drilling Mud Properties      In      Out
Accident on Site ? Yes <u>  </u> No <u>  X  </u>	Mud Weight (ppg) <u>  </u>
Describe: <u>  </u>	Mud Viscosity <u>  </u>
Driller: <u>  T.S.  </u>	Drilling Assembly <u>  12 x 17  </u>
Helpers: <u>  Roy, George, Jeff  </u>	Available WOB <u>  </u> lbs
Eng.Rep.: <u>  None  </u>	



## Daily Drilling Report

Report No: \_\_\_\_\_

Date: 7-29-08	Project: Taylor Creek
Well Number: OLF-1-106	Job Number:

Well Depth - Start of Shift: \_\_\_\_\_ Water Level - Start of Shift: \_\_\_\_\_  
End of Shift: \_\_\_\_\_ End of Shift: \_\_\_\_\_

Activities	From	To
Longed well - Art Benson		
Cleaned up - Secured well		
Sealed in well. For inspection		
Rig - Dr. 1	7:00	
P.L. 600	7:05	
Formations from:	From	To

Safety Meeting ? Yes _____ No _____	Weather Conditions: _____
Daily Topic _____	
Accident on Site ? Yes _____ No _____	Drilling Mud Properties
Describe: _____	Mud Weight (ppg)
	Mud Viscosity
Driller: JS	In
Helpers: Ray, Jeff, Connor	Out
Eng.Rep.: S. hamers	
Available WOB	lbs



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/21/08	Day of Week: Monday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 597'	Ending Depth: 632'	Bit Size: 12"/17"	Weather: Sunny and Warm

## **PRIMARY ACTIVITY: 17" Borehole Drilling**

**RESIDENT OBSERVER/GEOLOGIST:** Shamus English

**DRILLER:** Joe Schmidt

Recorded By: Shamus English

Date: 7/23/08



Engineering Excellence Since 1942

3560 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/22/08	Day of Week: Tuesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 632'	Ending Depth: 649'	Bit Size: 12" / 17"	Weather: Sunny and Warm

**PRIMARY ACTIVITY: 17" Borehole Drilling**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0800	Shamus English on site. ADE on site and drilling at time of arrival. Depth at 632 ft bls.
0900	Depth at 634 ft bls
1000	Depth at 636 ft bls
1100	Depth at 637 ft bls
1200	Depth at 639 ft bls
1300	Depth at 640 ft bls
1400	Depth at 642 ft bls
1500	Depth at 644 ft bls
1555	Kelly down at 649 ft bls., circulating on bottom. Rate of penetration increased at 649 ft bls.
1608	Lowering deviation tool down hole.
1635	Deviation survey measured at 1.0°.
1645	Lightning in the area, Joe S. (ADE) to decide whether or not to continue drilling.
1655	Drilling halted for the day. ADE to trip pipe up into casing before securing site. Per Joe S. (ADE), they will get an early start tomorrow in an attempt to TD by the end of the day.
1700	Shamus English off site.

Recorded By: Shamus English

Date: 7/23/08

# **BOYLE**


*Engineering Excellence Since 1942*

## **Deviation Survey**

### **South Florida Water Management District L63N - Okeechobee County**

Well Number                   OKF-106  
Permit Number                0198641-009-UC  
Job Number                    17191.00

<b>Deviation Survey</b>		
Date	Depth (feet)	Deviation (degrees)
7/8/2008	60	0.1
7/8/2008	120	0.2
7/8/2008	180	0.2
7/9/2008	240	0.4
7/9/2008	300	0.5
7/10/2008	360	0.3
7/10/2008	420	0.2
7/10/2008	480	0.5
7/15/2008	540	1.0
7/16/2008	560	0.9
7/17/2008	580	1.4
7/17/2008	600	1.7
7/21/2008	630	1.0
7/22/2008	650	1.0
7/23/2008	670	1.3
7/23/2008	690	1.0
7/23/2008	710	1.4





*Engineering Excellence Since 1942*

**12" DRILL PIPE TALLY  
w/ 17" CHASER/REAMER BIT**

**South Florida Water Management District  
L63N Site - Okeechobee County**

WELL NAME OKF-106  
PERMIT NUMBER 0198641-009-UC  
JOB NUMBER 17191.00

ITEM	PIPE #	LENGTH (ft)	STRING LENGTH (ft)	KELLY DOWN (ft lbs)	DATE
Drill Bit - 12 1/4"	B1	1.00	1.00		
Collar #1	C1	14.34	15.34		
Collar #2	C2	14.00	29.34		
Drill Bit #2 - 17"	B2	3.83	33.17		
Collar #3	C3	13.4	46.59		
Sub	S1	2.6	49.17		
Collar #4	C4	20.0	69.17		
Drill Pipe	1	20.0	89.17		
Drill Pipe	2	20.0	109.17		
Drill Pipe	3	20.0	129.17		
Drill Pipe	4	20.0	149.17		
Drill Pipe	5	20.0	169.17		
Drill Pipe	6	20.0	189.17		
Drill Pipe	7	20.0	209.17		
Drill Pipe	8	20.0	229.17		
Drill Pipe	9	20.0	249.17		
Drill Pipe	10	20.0	269.17		
Drill Pipe	11	20.0	289.17		
Drill Pipe	12	20.0	309.17		
Drill Pipe	13	20.0	329.17		
Drill Pipe	14	20.0	349.17		
Drill Pipe	15	20.0	369.17		
Drill Pipe	16	20.0	389.17		
Drill Pipe	17	20.0	409.17		
Drill Pipe	18	20.0	429.17		
Drill Pipe	19	20.0	449.17		
Drill Pipe	20	20.0	469.17		
Drill Pipe	21	20.0	489.17		
Drill Pipe	22	20.0	509.17		
Drill Pipe	23	20.0	529.17		
Drill Pipe	24	20.0	549.17		
Drill Pipe	25	20.0	569.17		
Drill Pipe	26	20.0	589.17	609.2	07/21/08
Drill Pipe	27	20.0	609.17	629.2	07/21/08
Drill Pipe	28	20.0	629.17	649.2	07/22/08
Drill Pipe	29	20.0	649.17	669.2	07/23/08
Drill Pipe	30	20.0	669.17	689.2	07/23/08
Drill Pipe	31	20.0	689.17	709.2	07/23/08
Drill Pipe	32	20.0	709.17	729.2	07/23/08



*Engineering Excellence Since 1942*

## 17" DRILL PIPE TALLY

**South Florida Water Management District  
L63N Site - Okeechobee County**

WELL NAME	OKF-106
PERMIT NUMBER	0198641-009-UC
JOB NUMBER	17191.00



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

Date	Depth (ft. bls)		Observer's Description
	From	To	
7/1/2008	0	10	Quartz Sand - Unconsolidated, dark yellowish brown (10YR 4/2) - fine to medium grained; moderately sorted; 20% porosity
7/1/2008	10	20	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	20	30	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	30	40	Shell Fragments (50%) - Unconsolidated shell fragments and pieces; Quartz Sand (40%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	40	50	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	50	60	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	60	70	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, dark yellowish brown (10YR 4/2); Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	70	80	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10-15%) - approx. 1-2 mm , sub-rounded to sub-angular
7/1/2008	80	90	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular
7/7/2008	90	100	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	100	110	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - fine grained to approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	110	120	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	120	130	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/8/2008	130	140	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	140	150	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	150	160	Shell Fragments (55%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	160	170	Shell Fragments (55%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	170	180	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Clay (30%) pale olive (10Y 6/2) moderately to poorly cohesive; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	180	190	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	190	200	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	200	210	Clay (55%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	210	220	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	220	230	Clay (55%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5-10%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER        17191.00

7/9/2008	230	240	Clay (65%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	240	250	Clay (70%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	250	260	Clay (90%) - dusky yellow green (5GY 5/2), very to moderately cohesive; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	260	270	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	270	280	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	280	290	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	290	300	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	300	310	Clay (80%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	310	320	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	320	330	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	330	340	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	340	350	Clay (70%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	350	360	Clay (45%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER        17191.00

7/10/2008	360	370	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)-Unconsolidated, mostly translucent,coarse to fine grained; Phosphate (10%) - fine grained to 1 mm, sub-rounded to sub-angular
7/10/2008	370	380	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)-Unconsolidated, mostly translucent,coarse to fine grained; Phosphate (10%) - fine grained to 1-2 mm, sub-rounded to sub-angular
7/10/2008	380	390	Shell Fragments (45%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%)- Unconsolidated, mostly translucent,coarse to fine grained; ; Phosphate (15%) fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (10%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	390	400	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%)- Unconsolidated, mostly translucent,coarse to fine grained; ; Phosphate (15%) fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (15%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	400	410	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained
7/10/2008	410	420	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained; Silty Clay (5%) - dusky yellow green (5GY 5/2), very poor to no cohesion
7/10/2008	420	430	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	430	440	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	440	450	Sandy Clay (40%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME      OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER      17191.00

7/10/2008	450	460	Sandy Clay (45%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	460	470	Sandy Clay (55%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	470	480	Sandy Clay (55%) - pale olive (10Y 6/2), poor to moderate cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	480	490	Sandy Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	490	500	Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	500	510	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	510	520	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/15/2008	520	530	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained

# **BOYLE**

*Engineering Excellence Since 1942*

## **Lithologic Descriptions**

### **South Florida Water Management District L63N Site - Okeechobee County**

**WELL NAME**      OKF-106  
**PERMIT NUMBER**    0198641-009-LC  
**JOB NUMBER**      17191.00

7/15/2008	530	540	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	540	550	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	550	560	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	560	570	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	570	580	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	580	590	Clay (75%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/17/2008	590	600	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	600	610	Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	610	620	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained

# **BOYLE**

*Engineering Excellence Since 1942*

## **Lithologic Descriptions**

### **South Florida Water Management District L63N Site - Okeechobee County**

**WELL NAME**      **OKF-106**  
**PERMIT NUMBER**    **0198641-009-UC**  
**JOB NUMBER**       **17191.00**

7/21/2008	620	630	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	630	640	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	640	650	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/23/2008	650	660	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (10%) - medium to fine grained
7/23/2008	660	670	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (35%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	670	680	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (25%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	680	690	*Limestone (55%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (30%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (15%) - fine grained to 3mm
7/23/2008	690	700	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm
7/23/2008	700	710	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm
7/23/2008	710	720	*Limestone - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky.
	720	730	
	730	740	
	740	750	
	750	760	



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER        17191.00

760	770	
770	780	
780	790	

\*Due to drill bit configuration, lithologic sample collected may not be completely representative of noted depth interval.

ft. bsl = feet below land surface

Boyle Engineering  
2090 Palm Beach Lakes Boulevard, Suite 600, West Palm Beach, FL 33409  
1 561.684.3375 F 561.689.8531 [www.boyle.aecom.com](http://www.boyle.aecom.com)

August 4, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.5 – July 28, 2008 through August 3, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the fifth week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the fifth week related to OKF-106 (UFA-MW1) are summarized below;


- Reamed the bottom 30 feet of the nominal 12-inch diameter borehole to a depth of 720 feet bls via the mud rotary method.
- Installed the 10-inch diameter Certa-lok PVC well casing to 717 feet bls.
- Cemented the 10-inch diameter Certa-lok PVC well casing to surface in three stages.
- Set up for reverse air drilling
- No drilling or testing activities were conducted on Saturday August 2<sup>nd</sup> or Sunday August 3<sup>rd</sup>.

Work scheduled for the next report period:

The Contractor will continue to set up for reverse air drilling. This will include trenching and piping a formation water discharge line from the well head to the on site retention pond. The Contractor will then drill out the cement plug located at the bottom of the 10-inch diameter Certa-lok PVC well casing to 720 ft bls via reverse air drilling. Close attention to the drill cuttings will then be taken, as the nominal 8-inch borehole is further advanced, to select a competent rock interval to obtain the full diameter core which is currently proposed at 730 to 740 ft bls. Once the full diameter core is retrieved, the nominal 8-inch borehole will be advanced to the total well depth of approximately 770 ft bls. To achieve the desired artesian flow of 150 to 200 gpm, borehole advancement to a maximum depth of 800 ft bls may be required.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:



Michael W. Bennett, P.G.  
Senior Hydrogeologist

Enclosures:      Engineer's Daily Field Reports  
                          Lithologic Descriptions  
                          Deviation Survey Data  
                          Casing Run Summary

Distribution to Interested Parties – Weekly Summary Report No. 5

Distribution:    Mark Silverman FDEP/WPB  
                  Joseph May, FDEP/WPB  
                  George Heuler, FDEP/TLH  
                  Bob Verrastro, SFWMD/WPB  
                  File



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/29/08	Day of Week: Tuesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: N/A	Ending Depth: N/A'	Bit Size: N/A	Weather: Sunny and Warm

**PRIMARY ACTIVITY: Set PVC Casing and First Lift of Cementing**

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER: Joe Schmidt**

Time	Activity
0915	Shamus English on site. ADE onsite and tripping drill pipe out of hole at time of arrival. Circulated on bottom for one hour last night and one hour this morning.
0949	Lowering first section of PVC down hole. See casing summary report for details of PVC casing run.
0951	Slip plate slightly too small. ADE to enlarge slip plate slightly.
1001	Slip plate corrected, casing run resumed.
1057	Activities temporarily halted for minor rig maintenance.
1109	Casing run continued.
1203	Attaching header flange. ADE used the one foot section they cut off bottom PVC section and glued flange on it so the header flange could be attached to casing the same way each casing section is connected.
1245	Casing set with approximately three feet of stick up so casing seating depth is approximately 617 feet bbls. Shamus English off site
1345	Shamus English on site. ADE tripping down hole with two inch high pressure cement tubing for first cement lift.
1415	ADE mixing approximately 425 gallons (2yds <sup>3</sup> ) of bentonite slurry to mix with neat cement (4-6% by weight not volume).
1507	Cement tubing set at 693 feet bbls. Begin circulating drilling fluids.
1515	Cemex ready-mix cement truck on site with 8 yds <sup>3</sup> neat cement.
1520	Pumping Bentonite slurry mix directly into barrel of cement truck to mix with neat cement.
1525	Filling 500 gallon tank with water to be used during flush. Transferring drilling fluids from circulation tank into another roll-off tank to allow for displaced fluids during cementing operations.
1536	Pre-flush with 200 gallons of water and begin pumping cement.
1540	Cement density at 12.5 lbs/gal.
1543	Pressure at well head is 8 psi.
1546	Cement density at 13.8 lbs/gal
1548	Pressure at well is 29 psi
1544	Finished pumping cement, density at 14.0 lbs/gal. 180 gallons of water used as displacement.
1547	Finished displacement, closing valve on well head, pressure at 52 psi.
1605	ADE cleaning up. ADE to come back to site in approx. four hours to release pressure and circulate on top of plug.

1615	Shamus English off site.

Recorded By: Shamus English

Date: 7/31/08



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/30/08	Day of Week: Wednesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: N/A	Ending Depth: N/A'	Bit Size: N/A	Weather: Sunny and Warm

**PRIMARY ACTIVITY:** Second Lift of Cementing  
**RESIDENT OBSERVER/GEOLOGIST:** Shamus English  
**DRILLER:** Joe Schmidt



*Engineering Excellence Since 1942*

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 7/31/08	Day of Week: Thursday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: N/A	Ending Depth: N/A'	Bit Size: N/A	Weather: Sunny and Warm

## **PRIMARY ACTIVITY: Third Lift of Cementing**

## **RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER:** Joe Schmidt



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER       0198641-009-UC  
JOB NUMBER          17191.00

Date	Depth (ft. bbls) From      To		Observer's Description
7/1/2008	0	10	<b>Quartz Sand</b> - Unconsolidated, dark yellowish brown (10YR 4/2) - fine to medium grained; moderately sorted; 20% porosity
7/1/2008	10	20	<b>Quartz Sand</b> - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	20	30	<b>Quartz Sand</b> - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	30	40	<b>Shell Fragments (50%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (40%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	40	50	<b>Shell Fragments (65%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	50	60	<b>Shell Fragments (65%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	60	70	<b>Shell Fragments (65%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, dark yellowish brown (10YR 4/2); Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	70	80	<b>Shell Fragments (65%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10-15%) - approx. 1-2 mm , sub-rounded to sub-angular
7/1/2008	80	90	<b>Shell Fragments (70%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular
7/7/2008	90	100	<b>Shell Fragments (70%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	100	110	<b>Shell Fragments (70%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - fine grained to approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	110	120	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	120	130	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

Date	Depth (ft. bls)		Observer's Description
	From	To	
7/8/2008	130	140	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	140	150	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	150	160	<b>Shell Fragments (55%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	160	170	<b>Shell Fragments (55%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	170	180	<b>Shell Fragments (40%)</b> - Unconsolidated shell fragments and pieces; Clay (30%) pale olive (10Y 6/2) moderately to poorly cohesive; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	180	190	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	190	200	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	200	210	<b>Clay (55%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	210	220	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	220	230	<b>Clay (55%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5-10%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

Date	Depth (ft. bbls)		Observer's Description
	From	To	
7/9/2008	230	240	Clay (65%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	240	250	Clay (70%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	250	260	Clay (90%) - dusky yellow green (5GY 5/2), very to moderately cohesive; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	260	270	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	270	280	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	280	290	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	290	300	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	300	310	Clay (80%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	310	320	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	320	330	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	330	340	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	340	350	Clay (70%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

**WELL NAME** OKF-106  
**PERMIT NUMBER** 0198641-009-UC  
**JOB NUMBER** 17191.00

Date	Depth (ft. bgs)		Observer's Description
	From	To	
7/10/2008	350	360	Clay (45%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/10/2008	360	370	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1 mm, sub-rounded to sub-angular
7/10/2008	370	380	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1-2 mm, sub-rounded to sub-angular
7/10/2008	380	390	Shell Fragments (45%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (10%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	390	400	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (15%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	400	410	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained
7/10/2008	410	420	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained; Silty Clay (5%) - dusky yellow green (5GY 5/2), very poor to no cohesion
7/10/2008	420	430	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	430	440	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

Date	Depth (ft. bbls) From      To		Observer's Description
7/10/2008	440	450	Sandy Clay (40%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	450	460	Sandy Clay (45%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	460	470	Sandy Clay (55%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	470	480	Sandy Clay (55%) - pale olive (10Y 6/2), poor to moderate cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	480	490	Sandy Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)-unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	490	500	Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	500	510	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

Date	Depth (ft. bsl) From      To		Observer's Description
7/14/2008	510	520	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/15/2008	520	530	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/15/2008	530	540	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	540	550	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	550	560	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	560	570	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	570	580	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	580	590	Clay (75%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/17/2008	590	600	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

**WELL NAME** OKF-106  
**PERMIT NUMBER** 0198641-009-UC  
**JOB NUMBER** 17191.00

Date	Depth (ft. b.s.)		Observer's Description
	From	To	
7/21/2008	600	610	Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	610	620	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	620	630	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	630	640	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	640	650	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/23/2008	650	660	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (10%) - medium to fine grained
7/23/2008	660	670	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (35%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	670	680	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (25%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	680	690	*Limestone (55%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (30%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (15%) - fine grained to 3mm
7/23/2008	690	700	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

Date	Depth (ft. bbls)		Observer's Description
	From	To	
7/23/2008	700	710	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm
7/23/2008	710	720	*Limestone - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky.
	720	730	
	730	740	
	740	750	
	750	760	
	760	770	
	770	780	
	780	790	

\*Due to drill bit configuration, lithologic sample collected may not be completely representative of noted depth interval.

ft. bbls = feet below land surface

# **BOYLE**


*Engineering Excellence Since 1942*

## **Deviation Survey**

### **South Florida Water Management District L63N - Okeechobee County**

Well Number                   OKF-106  
Permit Number                0198641-009-UC  
Job Number                    17191.00

<b>Deviation Survey</b>		
<b>Date</b>	<b>Depth (feet)</b>	<b>Deviation (degrees)</b>
7/8/2008	60	0.1
7/8/2008	120	0.2
7/8/2008	180	0.2
7/9/2008	240	0.4
7/9/2008	300	0.5
7/10/2008	360	0.3
7/10/2008	420	0.2
7/10/2008	480	0.5
7/15/2008	540	1.0
7/16/2008	560	0.9
7/17/2008	580	1.4
7/17/2008	600	1.7
7/21/2008	630	1.0
7/22/2008	650	1.0
7/23/2008	670	1.3
7/23/2008	690	1.0
7/23/2008	710	1.4





Engineering Excellence Since 1942

## Casing Summary

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME      OKF-106  
 PERMIT NUMBER    0198641-009-UC  
 JOB NUMBER      17191.00

18-inch Diameter Steel Outer Casing					
Date Installed	Time Installed	Joint #	Batch #	Length of Joint*	Cumulative Length
7/2/2008		1	GO17564	21.10	21.10
7/2/2008		2	GO17564	21.00	42.10
7/2/2008		3	GO17564	21.00	63.10
7/2/2008		4	GO17564	21.10	84.20
10-inch Diameter PVC Inner Casing					
Date Installed	Time Installed	Joint #	Batch #	Length of Joint*	Cumulative Length
7/29/2008	949	1>	** 654015	20.00	20.00
7/29/2008	1005	2>	** 654015	20.00	39.00
7/29/2008	1009	3	** 654015	20.00	59.00
7/29/2008	1012	4	** 654015	20.00	79.00
7/29/2008	1015	5>	** 654015	20.00	99.00
7/29/2008	1018	6	** 654015	20.00	119.00
7/29/2008	1020	7	** 654015	20.00	139.00
7/29/2008	1022	8	** 654015	20.00	159.00
7/29/2008	1025	9	** 654015	20.00	179.00
7/29/2008	1028	10	** 654015	20.00	199.00
7/29/2008	1032	11>	** 654015	20.00	219.00
7/29/2008	1036	12	** 654015	20.00	239.00
7/29/2008	1038	13	** 654015	20.00	259.00
7/29/2008	1041	14	** 654015	20.00	279.00
7/29/2008	1044	15	** 654015	20.00	299.00
7/29/2008	1047	16	** 654015	20.00	319.00
7/29/2008	1049	17>	** 654015	20.00	339.00
7/29/2008	1054	18	** 654015	20.00	359.00
7/29/2008	1056	19	** 654015	20.00	379.00
7/29/2008	1109	20	** 654015	20.00	399.00
7/29/2008	1111	21	** 654015	20.00	419.00
7/29/2008	1114	22>	** 654015	20.00	439.00
7/29/2008	1118	23	** 654015	20.00	459.00
7/29/2008	1120	24	** 654015	20.00	479.00
7/29/2008	1123	25	** 654015	20.00	499.00
7/29/2008	1127	26	** 654015	20.00	519.00
7/29/2008	1130	27>	** 654015	20.00	539.00
7/29/2008	1134	28	** 654015	20.00	559.00
7/29/2008	1137	29	** 654015	20.00	579.00
7/29/2008	1139	30	** 654015	20.00	599.00
7/29/2008	1142	31	** 654015	20.00	619.00
7/29/2008	1146	32>	** 654015	20.00	639.00
7/29/2008	1149	33	** 654015	20.00	659.00
7/29/2008	1152	34	** 654015	20.00	679.00
7/29/2008	1154	35	** 654015	20.00	699.00
7/29/2008	1200	36>	** 654015	20.00	719.00
7/29/2008	1203	Header Flange	** 654015	1.00	720.00

Subtract 3 feet from cumulative length for stick up

**PVC Casing set to 717 feet bbls**

\* - All lengths measured in feet.

\*\* - Certainteed 10" SDR17 Class 250 Cert-lok Well Casing IC-1 PVC ASTM F480 Batch #654015

> = Centralizer

Boyle Engineering  
2090 Palm Beach Lakes Boulevard, Suite 600, West Palm Beach, FL 33409  
T 561.684.3375 F 561.689.8631 www.boyle.aecom.com

August 11, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.6 – August 3, 2008 through August 10, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the sixth week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the sixth week related to OKF-106 (UFA-MW1) are summarized below;

- Continued to set up for reverse air drilling
- Drilled out the cement plug located at the bottom of the 10-inch diameter Certa-lok PVC well casing to 720 ft bbls via reverse air drilling
- Advanced the nominal 8-inch borehole from 720 ft bbls to the proposed depth of 730 ft bbls in preparation for coring activities.
- No drilling or testing activities were conducted on Friday August 8<sup>th</sup>, Saturday August 9<sup>th</sup> or Sunday August 10<sup>th</sup>.

Work scheduled for the next report period:

Obtain the full diameter core from 730 to 740 ft bbls with at least 50% recovery. Once the full diameter core is retrieved, the nominal 8-inch borehole will be advanced to the total well depth of approximately 770 ft bbls. To achieve the desired artesian flow of 150 to 200 gpm, borehole advancement to a maximum depth of 800 ft bbls may be required. Upon reaching the total depth, the well will be conditioned and geophysical logging will be performed.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:



Michael W. Bennett, P.G.  
Senior Hydrogeologist

Enclosures:      Engineer's Daily Field Reports  
                         Lithologic Descriptions  
                         Casing Run Summary

Distribution to Interested Parties – Weekly Summary Report No. 6

Distribution:   Mark Silverman FDEP/WPB  
                 Joseph May, FDEP/WPB  
                 George Heuler, FDEP/TLH  
                 Bob Verrastro, SFWMD/WPB  
                 File



Engineering Excellence Since 1942

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63A	Client: SFWMD	Date: 8/7/08	Day of Week: Thursday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 720'	Ending Depth: 730'	Bit Size: 8"	Weather: Sunny and Warm

**PRIMARY ACTIVITY:** Advance Borehole to 730 ft bls

**RESIDENT OBSERVER/GEOLOGIST: Shamus English**

**DRILLER:** Joe Schmidt

Recorded By: Shamus English

Date: 8/8/08



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME OKF-106  
PERMIT NUMBER 0198641-009-UC  
JOB NUMBER 17191.00

Date	Depth (ft. bds)		Observer's Description
	From	To	
7/1/2008	0	10	Quartz Sand - Unconsolidated, dark yellowish brown (10YR 4/2) - fine to medium grained; moderately sorted; 20% porosity
7/1/2008	10	20	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	20	30	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	30	40	Shell Fragments (50%) - Unconsolidated shell fragments and pieces; Quartz Sand (40%- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	40	50	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	50	60	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	60	70	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, dark yellowish brown (10YR 4/2); Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	70	80	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10-15%) - approx. 1-2 mm , sub-rounded to sub-angular
7/1/2008	80	90	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular
7/7/2008	90	100	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	100	110	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - fine grained to approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	110	120	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	120	130	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/8/2008	130	140	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	140	150	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	150	160	Shell Fragments (55%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	160	170	Shell Fragments (55%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	170	180	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Clay (30%) pale olive (10Y 6/2) moderately to poorly cohesive; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	180	190	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	190	200	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	200	210	Clay (55%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	210	220	Clay (50%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	220	230	Clay (55%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5-10%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER        17191.00

7/9/2008	230	240	Clay (65%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	240	250	Clay (70%) - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	250	260	Clay (90%) - dusky yellow green (5GY 5/2), very to moderately cohesive; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	260	270	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	270	280	Clay (85%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	280	290	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	290	300	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	300	310	Clay (80%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	310	320	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	320	330	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	330	340	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	340	350	Clay (70%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	350	360	Clay (45%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/10/2008	360	370	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)-Unconsolidated, mostly translucent,coarse to fine grained; Phosphate (10%) - fine grained to 1 mm, sub-rounded to sub-angular
7/10/2008	370	380	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)-Unconsolidated, mostly translucent,coarse to fine grained; Phosphate (10%) - fine grained to 1-2 mm, sub-rounded to sub-angular
7/10/2008	380	390	Shell Fragments (45%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%)- Unconsolidated, mostly translucent,coarse to fine grained; ; Phosphate (15%) fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (10%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	390	400	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%)- Unconsolidated, mostly translucent,coarse to fine grained; ; Phosphate (15%) fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (15%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	400	410	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained
7/10/2008	410	420	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained; Silty Clay (5%) - dusky yellow green (5GY 5/2), very poor to no cohesion
7/10/2008	420	430	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	430	440	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%)- Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	440	450	Sandy Clay (40%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/10/2008	450	460	Sandy Clay (45%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	460	470	Sandy Clay (55%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	470	480	Sandy Clay (55%) - pale olive (10Y 6/2), poor to moderate cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	480	490	Sandy Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	490	500	Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	500	510	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	510	520	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/15/2008	520	530	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER     0198641-009-UC  
JOB NUMBER         17191.00

7/15/2008	530	540	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	540	550	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	550	560	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	560	570	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	570	580	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	580	590	Clay (75%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/17/2008	590	600	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	600	610	Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	610	620	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER         17191.00

7/21/2008	620	630	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	630	640	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	640	650	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/23/2008	650	660	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (10%) - medium to fine grained
7/23/2008	660	670	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (35%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	670	680	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (25%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	680	690	*Limestone (55%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (30%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (15%) - fine grained to 3mm
7/23/2008	690	700	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm
7/23/2008	700	710	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm
7/23/2008	710	720	*Limestone - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky.
8/7/2008	720	730	Limestone - Very pale orange (10 YR 8/2), calcarenite, moderately indurated, low intergranular macroporosity, lepidocyclina sp. present, turritella and other fossil shells evident
	730	740	
	740	750	

# **BOYLE**

*Engineering Excellence Since 1942*

## **Lithologic Descriptions**

### **South Florida Water Management District L63N Site - Okeechobee County**

**WELL NAME**      OKF-106  
**PERMIT NUMBER**    0198641-009-UC  
**JOB NUMBER**       17191.00

750	760	
760	770	
770	780	
780	790	

\*Due to drill bit configuration, lithologic sample collected may not be completely representative of noted depth interval.

ft. bsl = feet below land surface



Engineering Excellence Since 1942

## Casing Summary

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME OKF-106  
PERMIT NUMBER 0198641-009-UC  
JOB NUMBER 17191.00

18-inch Diameter Steel Outer Casing					
Date Installed	Time Installed	Joint #	Heat #	Length of Joint*	Cumulative Length
7/2/2008		1	GO17564	21.10	21.10
7/2/2008		2	GO17564	21.00	42.10
7/2/2008		3	GO17564	21.00	63.10
7/2/2008		4	GO17564	21.10	84.20
10-inch Diameter PVC Inner Casing					
Date Installed	Time Installed	Joint #	Batch #	Length of Joint*	Cumulative Length
7/29/2008	949	1>	** 654015	20.00	20.00
7/29/2008	1005	2>	** 654015	20.00	39.00
7/29/2008	1009	3	** 654015	20.00	59.00
7/29/2008	1012	4	** 654015	20.00	79.00
7/29/2008	1015	5>	** 654015	20.00	99.00
7/29/2008	1018	6	** 654015	20.00	119.00
7/29/2008	1020	7	** 654015	20.00	139.00
7/29/2008	1022	8	** 654015	20.00	159.00
7/29/2008	1025	9	** 654015	20.00	179.00
7/29/2008	1028	10	** 654015	20.00	199.00
7/29/2008	1032	11>	** 654015	20.00	219.00
7/29/2008	1036	12	** 654015	20.00	239.00
7/29/2008	1038	13	** 654015	20.00	259.00
7/29/2008	1041	14	** 654015	20.00	279.00
7/29/2008	1044	15	** 654015	20.00	299.00
7/29/2008	1047	16	** 654015	20.00	319.00
7/29/2008	1049	17>	** 654015	20.00	339.00
7/29/2008	1054	18	** 654015	20.00	359.00
7/29/2008	1056	19	** 654015	20.00	379.00
7/29/2008	1109	20	** 654015	20.00	399.00
7/29/2008	1111	21	** 654015	20.00	419.00
7/29/2008	1114	22>	** 654015	20.00	439.00
7/29/2008	1118	23	** 654015	20.00	459.00
7/29/2008	1120	24	** 654015	20.00	479.00
7/29/2008	1123	25	** 654015	20.00	499.00
7/29/2008	1127	26	** 654015	20.00	519.00
7/29/2008	1130	27>	** 654015	20.00	539.00
7/29/2008	1134	28	** 654015	20.00	559.00
7/29/2008	1137	29	** 654015	20.00	579.00
7/29/2008	1139	30	** 654015	20.00	599.00
7/29/2008	1142	31	** 654015	20.00	619.00
7/29/2008	1146	32>	** 654015	20.00	639.00
7/29/2008	1149	33	** 654015	20.00	659.00
7/29/2008	1152	34	** 654015	20.00	679.00
7/29/2008	1154	35	** 654015	20.00	699.00
7/29/2008	1200	36>	** 654015	20.00	719.00
7/29/2008	1203	Header Flange	** 654015	1.00	720.00

Subtract 3 feet from cumulative length for slick up

**PVC Casing set to 717 feet bbls**

\* - All lengths measured in feet.

\*\* - Certainteed 10" SDR17 Class 250 Cert-Lok Well Casing IC-1 PVC ASTM F480 Batch #654015

> = Centralizer

Boyle Engineering  
2000 Palm Beach Lakes Boulevard, Suite 600, West Palm Beach, FL 33409  
T 561.684.3375 F 561.689.8531 [www.boyle.aecom.com](http://www.boyle.aecom.com)

August 19, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.7 -- August 11, 2008 through August 17, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the seventh week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the seventh week related to OKF-106 (UFA-MW1) are summarized below;


- Obtained the full diameter core from 730 to 740 ft bls with 80% recovery
- Advanced a nominal 8-inch borehole to the total well depth of 800 ft bls.
- Cleaned up site for demobilization.
- No drilling or testing activities were conducted on Saturday August 16<sup>th</sup> or Sunday August 17<sup>th</sup>.

Work scheduled for the next report period:

Due to tropical storm event, activities may be postponed until later in the week. The Contractors will continue to clean up site and restore to conditions prior to drilling activities, begin to construct the well head, and conduct pump test with flow rates to be determined.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:



Michael W. Bennett, P.G.  
Senior Hydrogeologist

Enclosures:      Engineer's Daily Field Reports  
                      Lithologic Descriptions  
                      Core Description  
                      Core Pipe Tally  
                      8", 12", and 17" Pipe Tally's  
                      Water Quality with Depth  
                      Deviation Survey Data

Distribution to Interested Parties – Weekly Summary Report No. 7

Distribution:     Mark Silverman FDEP/WPB  
                  Joseph May, FDEP/WPB  
                  George Hculer, FDEP/TLH  
                  Bob Verrastro, SFWMD/WPB  
                  File



Engineering Excellence Since 1942

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63N	Client: SFWMD	Date: 8/12/08	Day of Week: Tuesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: N/A	Ending Depth: N/A	Bit Size: N/A	Weather: Sunny and Warm

**PRIMARY ACTIVITY:** Core Interval 730-740 ft bls  
**RESIDENT OBSERVER/GEOLOGIST:** Shamus English  
**DRILLER:** Joe Schmidt

Recorded By: Shamus English

Date: 8/15/08



Engineering Excellence Since 1942

3550 S.W. Corporate Parkway  
Palm City, Florida 34990  
(561) 286-3883  
FAX (561) 286-3925

## DAILY REPORT OF CONSTRUCTION

Project Number: 17191.00	Project Name: L63N	Client: SFWMD	Date: 8/13/08	Day of Week: Wednesday	Contractor: Applied Drilling Engineering (ADE)
Well Name: OKF-106	FDEP Permit #: 0198641-009-UC	Starting Depth: 730'	Ending Depth: 800'	Bit Size: 8"	Weather: Sunny and Warm

**PRIMARY ACTIVITY:** Advance Borehole to 800 ft bsl

**RESIDENT OBSERVER/GEOLOGIST:** Shamus English

**DRILLER:** Joe Schmidt

Recorded By: Shamus English

Date: 8/15/08



Engineering Excellence Since 1942

## Lithologic Descriptions

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME      OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER      17191.00

Date	Depth (ft. bsl) From                  To		Observer's Description
7/1/2008	0	10	Quartz Sand - Unconsolidated, dark yellowish brown (10YR 4/2) - fine to medium grained; moderately sorted; 20% porosity
7/1/2008	10	20	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	20	30	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	30	40	Shell Fragments (50%) - Unconsolidated shell fragments and pieces; Quartz Sand (40%- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	40	50	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	50	60	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	60	70	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, dark yellowish brown (10YR 4/2); Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	70	80	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10-15%) - approx. 1-2 mm , sub-rounded to sub-angular
7/1/2008	80	90	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular
7/7/2008	90	100	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	100	110	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - fine grained to approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	110	120	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	120	130	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular

Date	Depth (ft. bts) From To		Observer's Description
7/8/2008	130	140	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	140	150	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	150	160	<b>Shell Fragments (55%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	160	170	<b>Shell Fragments (55%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	170	180	<b>Shell Fragments (40%)</b> - Unconsolidated shell fragments and pieces; Clay (30%) pale olive (10Y 6/2) moderately to poorly cohesive; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	180	190	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	190	200	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	200	210	<b>Clay (55%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	210	220	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	220	230	<b>Clay (55%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5-10%) - fine grained
7/9/2008	230	240	<b>Clay (65%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	240	250	<b>Clay (70%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	250	260	<b>Clay (90%)</b> - dusky yellow green (5GY 5/2), very to moderately cohesive; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	260	270	<b>Clay (85%)</b> - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	270	280	<b>Clay (85%)</b> - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained

Date	Depth (ft. bsl) From To		Observer's Description
7/9/2008	280	290	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	290	300	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	300	310	Clay (80%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	310	320	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	320	330	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	330	340	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	340	350	Clay (70%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	350	360	Clay (45%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/10/2008	360	370	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1 mm, sub-rounded to sub-angular
7/10/2008	370	380	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1-2 mm, sub-rounded to sub-angular
7/10/2008	380	390	Shell Fragments (45%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (10%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	390	400	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (15%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	400	410	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained
7/10/2008	410	420	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained; Silty Clay (5%) - dusky yellow green (5GY 5/2), very poor to no cohesion
7/10/2008	420	430	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	430	440	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained

Date	Depth (ft. Dis)		Observer's Description
	From	To	
7/10/2008	440	450	Sandy Clay (40%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	450	460	Sandy Clay (45%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	460	470	Sandy Clay (55%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	470	480	Sandy Clay (55%) - pale olive (10Y 6/2), poor to moderate cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	480	490	Sandy Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	490	500	Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	500	510	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	510	520	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/15/2008	520	530	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/15/2008	530	540	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	540	550	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	550	560	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained

Date	Depth (ft. b.s)		Observer's Description
	From	To	
7/17/2008	560	570	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	570	580	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	580	590	Clay (75%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/17/2008	590	600	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	600	610	Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	610	620	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	620	630	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	630	640	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	640	650	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/23/2008	650	660	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (10%) - medium to fine grained
7/23/2008	660	670	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (35%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	670	680	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (25%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	680	690	*Limestone (55%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (30%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (15%) - fine grained to 3mm
7/23/2008	690	700	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm
7/23/2008	700	710	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm

Date	Depth (ft. bds)		Observer's Description
	From	To	
7/23/2008	710	720	*Limestone - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky.
8/7/2008	720	730	Limestone - Very pale orange (10 YR 8/2), moderately indurated, calcarenitic, low intergranular macroporosity, <i>lepidocyclina sp.</i> present, turritella and other shells pieces and fragments evident
8/13/2008	730	740	Limestone - Very pale orange (10 YR 8/2) to light gray (N8), moderately to poorly indurated, calcarenitic, moderate macroporosity (mostly moldic and intergranular), <i>lepidocyclina sp.</i> present, abundant shell pieces and fragments
8/13/2008	740	750	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	750	760	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	760	770	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	770	780	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	780	790	Limestone - Very pale orange (10 YR 8/2), moderately to poorly indurated, calcarenitic, moderately friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	790	800	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.

\*Due to drill bit configuration, lithologic sample collected may not be completely representative of noted depth interval.

ft. bds = feet below land surface



Engineering Excellence Since 1942

## CORE DESCRIPTION

### South Florida Water Management District L63N-Okeechobee County

**DATE** 8-12-08  
**WELL NUMBER** OKF-106  
**PERMIT NUMBER** 0198641-009-UC  
**JOB NUMBER** 17191.00

**CORE NUMBER** 1  
**DIAMETER** 4 inch  
**CORED INTERVAL** 730 – 740 ft  
**LENGTH OF SAMPLE** 8 ft  
**PERCENT RECOVERED** 80%

DEPTH (ft bbls)	INTERVAL (ft)	DESCRIPTION
730 – 732.75	0 - 2.75	Limestone: very pale orange 10 YR 8/2, biomicrite; moderately indurated, calcarenitic, slightly friable, vuggy, good macroporosity (mostly moldic and intergranular), <i>lepidocyclina</i> sp. present, abundant shell pieces and fragments.
732.75 – 737.5	2.75 – 7.5	Limestone: very pale orange 10 YR 8/2 to light gray N8, biomicrite; moderately to poorly indurated, calcarenitic, moderately friable, vuggy, good to moderate macroporosity (mostly moldic and intergranular), <i>lepidocyclina</i> sp. present, abundant shell pieces and fragments.
737.5 – 8.0	7.5 – 8.0	Limestone: very pale orange 10 YR 8/2, biomicrite; moderately to poorly indurated, calcarenitic, moderately friable, slightly vuggy, moderate to poor macroporosity (mostly intergranular), <i>lepidocyclina</i> sp. present, shell pieces and fragments evident.



Engineering Excellence Since 1942

## CORE PIPE TALLY

### South Florida Water Management District L63N Site - Okeechobee County

DATE: 8/12/2008  
WELL NAME: OKF-106  
PERMIT NUMBER: 0198641-009-UC  
JOB NUMBER: 17191.000000  
  
OPERATION: 4-INCH CORE  
CORE INTERVAL: 730 - 740 FT BLS  
BIT TYPE: CHRISTIANSON SAW BIT

ITEM	PIPE #	LENGTH	STRING LENGTH	KELLY DOWN	DATE
Core bit assembly		13.25			
Drill Pipe	1	20.00	33.25		
Drill Pipe	2	20.00	53.25		
Drill Pipe	3	20.00	73.25		
Drill Pipe	4	20.00	93.25		
Drill Pipe	5	20.00	113.25		
Drill Pipe	6	20.00	133.25		
Drill Pipe	7	20.00	153.25		
Drill Pipe	8	20.00	173.25		
Drill Pipe	9	20.00	193.25		
Drill Pipe	10	20.00	213.25		
Drill Pipe	11	20.00	233.25		
Drill Pipe	12	20.00	253.25		
Drill Pipe	13	20.00	273.25		
Drill Pipe	14	20.00	293.25		
Drill Pipe	15	20.00	313.25		
Drill Pipe	16	20.00	333.25		
Drill Pipe	17	20.00	353.25		
Drill Pipe	18	20.00	373.25		
Drill Pipe	19	20.00	393.25		
Drill Pipe	20	20.00	413.25		
Drill Pipe	21	20.00	433.25		
Drill Pipe	22	20.00	453.25		
Drill Pipe	23	20.00	473.25		
Drill Pipe	24	20.00	493.25		
Drill Pipe	25	20.00	513.25		
Drill Pipe	26	20.00	533.25		
Drill Pipe	27	20.00	553.25		
Drill Pipe	28	20.00	573.25		
Drill Pipe	29	20.00	593.25		
Drill Pipe	30	20.00	613.25		
Drill Pipe	31	20.00	633.25		

ITEM	PIPE #	LENGTH	STRING LENGTH	KELLY DOWN	DATE
Drill Pipe	32	20.00	653.25		
Drill Pipe	33	20.00	673.25		
Drill Pipe	34	20.00	693.25		
Drill Pipe	35	20.00	713.25		
Drill Pipe	36	20.00	733.25	753	



Engineering Excellence Since 1942

## 17" DRILL PIPE TALLY

**South Florida Water Management District  
L63N Site - Okeechobee County**

WELL NAME OKF-106  
PERMIT NUMBER 0198641-009-UC  
JOB NUMBER 17191.00



*Engineering Excellence Since 1942*

**12" DRILL PIPE TALLY  
w/ 17" CHASER/REAMER BIT**

**South Florida Water Management District  
L63N Site - Okeechobee County**

WELL NAME OKF-106  
PERMIT NUMBER 0198641-009-UC  
JOB NUMBER 17191.00

ITEM	PIPE #	LENGTH (ft)	STRING LENGTH (ft)	KELLY DOWN (ft lbs)	DATE
Drill Bit - 12 1/4"	B1	1.00	1.00		
Collar #1	C1	14.34	15.34		
Collar #2	C2	14.00	29.34		
Drill Bit #2 - 17"	B2	3.83	33.17		
Collar #3	C3	13.4	46.59		
Sub	S1	2.6	49.17		
Collar #4	C4	20.0	69.17		
Drill Pipe	1	20.0	89.17		
Drill Pipe	2	20.0	109.17		
Drill Pipe	3	20.0	129.17		
Drill Pipe	4	20.0	149.17		
Drill Pipe	5	20.0	169.17		
Drill Pipe	6	20.0	189.17		
Drill Pipe	7	20.0	209.17		
Drill Pipe	8	20.0	229.17		
Drill Pipe	9	20.0	249.17		
Drill Pipe	10	20.0	269.17		
Drill Pipe	11	20.0	289.17		
Drill Pipe	12	20.0	309.17		
Drill Pipe	13	20.0	329.17		
Drill Pipe	14	20.0	349.17		
Drill Pipe	15	20.0	369.17		
Drill Pipe	16	20.0	389.17		
Drill Pipe	17	20.0	409.17		
Drill Pipe	18	20.0	429.17		
Drill Pipe	19	20.0	449.17		
Drill Pipe	20	20.0	469.17		
Drill Pipe	21	20.0	489.17		
Drill Pipe	22	20.0	509.17		
Drill Pipe	23	20.0	529.17		
Drill Pipe	24	20.0	549.17		
Drill Pipe	25	20.0	569.17		
Drill Pipe	26	20.0	589.17	609.2	07/21/08
Drill Pipe	27	20.0	609.17	629.2	07/21/08
Drill Pipe	28	20.0	629.17	649.2	07/22/08
Drill Pipe	29	20.0	649.17	669.2	07/23/08
Drill Pipe	30	20.0	669.17	689.2	07/23/08
Drill Pipe	31	20.0	689.17	709.2	07/23/08
Drill Pipe	32	20.0	709.17	729.2	07/23/08
Used 8" drill bit to TD, see 8" pipe tally					



Engineering Excellence Since 1942

## 8" DRILL PIPE TALLY

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME OKF-106  
PERMIT NUMBER 0198641-009-UC  
JOB NUMBER 17191.00

ITEM	PIPE #	LENGTH (ft)	STRING LENGTH (ft)	KELLY DOWN (ft lbs)	DATE
8" Drill Bit w/Sub	B1	2.00	2.00		
6" Collar	C1	20.0	22.00		
Drill Pipe	1	20.0	42.00		
Drill Pipe	2	20.0	62.00		
Drill Pipe	3	20.0	82.00		
Drill Pipe	4	20.0	102.00		
Drill Pipe	5	20.0	122.00		
Drill Pipe	6	20.0	142.00		
Drill Pipe	7	20.0	162.00		
Drill Pipe	8	20.0	182.00		
Drill Pipe	9	20.0	202.00		
Drill Pipe	10	20.0	222.00		
Drill Pipe	11	20.0	242.00		
Drill Pipe	12	20.0	262.00		
Drill Pipe	13	20.0	282.00		
Drill Pipe	14	20.0	302.00		
Drill Pipe	15	20.0	322.00		
Drill Pipe	16	20.0	342.00		
Drill Pipe	17	20.0	362.00		
Drill Pipe	18	20.0	382.00		
Drill Pipe	19	20.0	402.00		
Drill Pipe	20	20.0	422.00		
Drill Pipe	21	20.0	442.00		
Drill Pipe	22	20.0	462.00		
Drill Pipe	23	20.0	482.00		
Drill Pipe	24	20.0	502.00		
Drill Pipe	25	20.0	522.00		
Drill Pipe	26	20.0	542.00		
Drill Pipe	27	20.0	562.00		
Drill Pipe	28	20.0	582.00		
Drill Pipe	29	20.0	602.00		
Drill Pipe	30	20.0	622.00		
Drill Pipe	31	20.0	642.00		
Drill Pipe	32	20.0	662.00		
Drill Pipe	33	20.0	682.00		
Drill Pipe	34	20.0	702.00		
Drill Pipe	35	20.0	722.00	742.0	08/13/08
Drill Pipe	36	20.0	742.00	762.0	08/13/08
Drill Pipe	37	20.0	762.00	782.0	08/13/08
Drill Pipe	38	20.0	782.00	802.0	08/13/08

# BOYLE

Engineering Excellence Since 1942


## Water Quality with Depth

### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME OKF-106  
PERMIT NUMBER 0198641-009-UC  
JOB NUMBER 17191.00

Depth (ft bsl)	Temperature (°C)	pH (S.U.)	Specific Conductance ( $\mu$ S/cm)	Total Dissolved Solids (ppm)	Comments
730	28.6	7.63	2,590	1,290	
740	30.1	7.69	2,680	1,340	
760	28.7	8.15	2,700	1,350	
770	27.1	7.62	2,710	1,360	
780	27.1	8.07	2,720	1,360	
800	27.0	8.16	2,700	1,360	

### Water Quality with Depth



# **BOYLE**


Engineering Excellence Since 1942

## Deviation Survey

### South Florida Water Management District L63N - Okeechobee County

Well Number OKF-106  
Permit Number 0198641-009-UC  
Job Number 17191.00

Deviation Survey		
Date	Depth (feet)	Deviation (degrees)
7/8/2008	60	0.1
7/8/2008	120	0.2
7/8/2008	180	0.2
7/9/2008	240	0.4
7/9/2008	300	0.5
7/10/2008	360	0.3
7/10/2008	420	0.2
7/10/2008	480	0.5
7/15/2008	540	1.0
7/16/2008	560	0.9
7/17/2008	580	1.4
7/17/2008	600	1.7
7/21/2008	630	1.0
7/22/2008	650	1.0
7/23/2008	670	1.3
7/23/2008	690	1.0
7/23/2008	710	1.4
7/28/2008	720	1.5
8/13/2008	800	1.1



Boyle Engineering  
2090 Palm Beach Lakes Boulevard, Suite 600, West Palm Beach, FL 33409  
1 561.684.3375 F 561.689.8531 [www.boyle.aecom.com](http://www.boyle.aecom.com)

August 25, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.8 – August 18, 2008 through August 24, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the eighth week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the eighth week related to OKF-106 (UFA-MW1) are summarized below;

- Completed well head, well pad, & surface facilities and met substantial completion component of the contract with the SFWMD on Thursday, August 21, 2008.
- Continued demobilization and site restoration.
- No drilling or testing activities were conducted on Monday August 18<sup>th</sup>, Tuesday August 19<sup>th</sup>, Saturday August 23<sup>rd</sup> or Sunday August 24<sup>th</sup>.

Work scheduled for the next report period:

The Contractors will develop the well while monitoring the sand content via a Rosem Sand Tester. Upon reaching the desired sand content of less than 5 mg/L after a hour period, the Contractor will set up for and conduct step test (4 steps) and an 8-hour drawdown test. Water quality samples will be collected for major cation and anion analysis along with primary and secondary drinking water criteria analysis. The Contractor will also continue to perform demobilization and site restoration.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:



Michael W. Bennett, P.G.  
Senior Hydrogeologist  
Boyle/AECOM

Distribution to Interested Parties -- Weekly Summary Report No. 8

Distribution: Mark Silverman FDEP/WPB  
Joseph May, FDEP/WPB  
George Heuler, FDEP/TLH  
Bob Verrastro, SFWMD/WPB  
File

Boyle Engineering  
2090 Palm Beach Lakes Boulevard, Suite 300, West Palm Beach, FL 33409  
T 561.684.3375 F 561.839.8531 www.boyle.aecom.com

September 11, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.9 – August 25, 2008 through August 31, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the ninth week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the ninth week related to OKF-106 (UFA-MW1) are summarized below;

- Completed well development.
- Conducted step test at 173 gpm, 307 gpm, and 400 gpm.
- Conducted 8-Hour drawdown test at 414 gpm.
- Collected water samples for major cation/anion and primary/secondary drinking water standard laboratory analysis
- No drilling or testing activities were conducted Saturday August 30<sup>th</sup> or Sunday August 31<sup>st</sup>.

Work scheduled for the next report period:

The Contractor will arrange for a geophysical logging company to perform a video survey and geophysical logging as specified in the technical plans and specifications. The Contractor will also continue to perform demobilization and site restoration.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:

*Michael W. Bennett*  
9/11/08


Michael W. Bennett, P.G.  
Senior Hydrogeologist  
Boyle Engineering

Enclosures: 8-Hour Drawdown and Step Test Graphs


Distribution to Interested Parties – Weekly Summary Report No. 9

Distribution: Mark Silverman FDEP/WPB  
Joseph May, FDEP/WPB  
George Heuler, FDEP/TIH  
Bob Verrastro, SFWMD/WPB  
File


**L63N (OKF-106) Step 1@173gpm, Step 2@307 gpm, Step 3@400gpm**




### L63N (OKF-106) Step Test Recovery



### L63N (OKF-106) 8-Hour Drawdown Test @ 414gpm



### L63N (OKF-106) 8-Hour Drawdown Recovery



Boyle Engineering  
2090 Palm Beach Lakes Boulevard, Suite 600, West Palm Beach, FL 33406  
T 561.684.0373 F 561.689.8531 www.boyle.aecom.com

September 11, 2008

Dear Interested Parties:

**SUBJECT:** Weekly Summary Report No.10 – September 1, 2008 through September 7, 2008  
South Florida Water Management District, Upper Floridan Aquifer Monitor Well  
OKF-106 (UFA-MW1)  
FDEP UIC Well Construction Permit Number 0198641-009-UC

The purpose of this letter is to inform the Florida Department of Environmental Protection (Department) of events that transpired during the tenth week of construction on the upper Floridan aquifer monitor well identified as OKF-106 (UFA-MW1) and those activities anticipated for the next report period.

The construction and related activities that transpired during the tenth week related to OKF-106 (UFA-MW1) are summarized below;

- Conducted geophysical logging. However, an obstruction was observed just below the bottom of the casing and the video tool could not travel to bottom of borehole.
- Mobilized drill rig to site and drilled out obstruction in borehole observed during geophysical logging activities.
- No drilling or testing activities were conducted Saturday September 6<sup>th</sup> or Sunday September 7<sup>th</sup>.

Work scheduled for the next report period:

The Contractor will arrange for a geophysical logging company to finish the video survey and geophysical logging as specified in the technical plans and specifications. The Contractor will also continue to perform demobilization and site restoration.

If you have any questions or concerns based on the information provided above, please contact the undersigned at 561-684-3375.

Sincerely:



Michael W. Bennett, P.G.  
Senior Hydrogeologist  
Boyle Engineering

Enclosures: Laboratory analytical data for major cation/anion

Distribution to Interested Parties – Weekly Summary Report No. 10

Distribution: Mark Silverman FDEP/WPB  
Joseph May, FDEP/WPB  
George Heuler, FDEP/TLH  
Bob Verrastro, SFWMD/WPB  
File

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

Date issued: September 9, 2008

To: Shamus English  
Boyle Engineering  
3550 SW Corporate Parkway  
Palm City, FL 34990

---

Client: Boyle Engineering

Workorder ID: L63N Cation/Anion

[2031953]

Received: 8/27/08 16:30

---

Dear Shamus English;


Analytical results presented in this report have been reviewed for compliance with the HBEL, Inc. Quality Systems Manual and have been determined to meet applicable Method guidelines and Standards referenced in the July 2003 National Environmental Laboratory Accreditation Program (NELAP) Quality Manual unless otherwise noted. The Analytical Results within these report pages reflect the values obtained from tests performed on Samples As Received by the laboratory unless indicated differently.

FDOH Safe Drinking Water Act, Clean Water Act and RCRA Certification #'s:

E96080, E83509

Questions regarding this report should be directed to the Report Signatory at (772) 465-8584 referencing the HBEL Workorder ID [Number].

Respectfully submitted,



Eric Charest  
HBEL, Inc. Laboratory Manager

Note: This report is not to be copied, except in full, without the expressed written consent of HBEL, Inc.

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

# **HBEL, Inc.**

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

## **Quality Control Summary**

**Client:** Boyle Engineering  
**Workorder ID:** L63N Cation/Anion  
**Received:** 8/27/08 16:30

[2031953]

MB=Method Blank LCS=Laboratory Control Sample LCSD=Laboratory Control Sample Duplicate MS=Matrix Spike MSD=Matrix Spike Duplicate DUP=Sample Duplicate

### HBEL Sample

### *Method Narratives (If Applicable)*

<u>Number</u>	<u>Sample ID</u>	<u>Analytical Method</u>	<u>Description</u>
---------------	------------------	--------------------------	--------------------

### *Quality Control Summary*

<u>Method</u>	<u>HBEL Batch</u>	<u>Analyte</u>	<u>Analytical Issue</u>
---------------	-------------------	----------------	-------------------------

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
 Phone: (772) 465-8584 Fax: (772) 467-1584

## CERTIFICATE OF ANALYSIS

[2031953]

Client: Boyle Engineering

Workorder ID: L63N Cation/Anion

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
<b>Laboratory ID: 2031953001</b>										
<b>Sample ID: OKF-106 Major Cation/Anion #1</b>										
Total Dissolved Solids		1500	mg/L	32	EPA 160.1	WCGE29882		08/31/08 16:00	SP	E96080
✓ Calcium		55	mg/L	0.10	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
✓ Magnesium		56	mg/L	0.050	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
✓ Potassium		16	mg/L	0.20	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
✓ Sodium		430	mg/L	0.50	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
✓ Strontium		23	mg/L	0.0010	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
✓ Bromide		2.3	mg/L	0.027	EPA 300.0	IC7784		08/28/08 23:08	JL	E96080
✓ Chloride		670	mg/L	5.0	EPA 300.0	IC7785		08/29/08 14:30	JL	E96080
✓ Fluoride		0.77	mg/L	0.022	EPA 300.0	IC7783		08/28/08 17:58	JL	E96080
✓ Sulfate		250	mg/L	1.4	EPA 300.0	IC7785		08/29/08 14:30	JL	E96080
Silica (as SiO <sub>2</sub> )		16	mg/L	1.0	EPA 370.1	WCGE29895		09/3/08 12:40	SP	E96080
✓ Alkalinity		100	mg/L CaCO <sub>3</sub>	2.2	SM2320 B	WCGE29878		08/30/08 15:52	GS	E96080
Alkalinity, Carbonate		0.80 U	mg/L CaCO <sub>3</sub>	0.80	SM2320 B	CALC5553		09/3/08 9:35	DH	E96080
Alkalinity, Phenolphthalein		0.8 U	mg/L CaCO <sub>3</sub>	0.8	SM2320 B	WCGE29878		08/30/08 15:52	GS	E96080
<b>Laboratory ID: 2031953002</b>										
<b>Sample ID: OKF-106 Major Cation/Anion #2</b>										
Total Dissolved Solids		1500	mg/L	32	EPA 160.1	WCGE29882		08/31/08 16:00	SP	E96080
✓ Calcium		56	mg/L	0.10	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
✓ Magnesium		57	mg/L	0.050	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
✓ Potassium		16	mg/L	0.20	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
✓ Sodium		430	mg/L	0.50	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
✓ Strontium		23	mg/L	0.0010	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
✓ Bromide		2.3	mg/L	0.027	EPA 300.0	IC7784		08/28/08 23:43	JL	E96080
✓ Chloride		670	mg/L	5.0	EPA 300.0	IC7785		08/29/08 14:40	JL	E96080
✓ Fluoride		0.76	mg/L	0.022	EPA 300.0	IC7783		08/28/08 18:16	JL	E96080
✓ Sulfate		250	mg/L	1.4	EPA 300.0	IC7785		08/29/08 14:40	JL	E96080
Silica (as SiO <sub>2</sub> )		16	mg/L	1.0	EPA 370.1	WCGE29895		09/3/08 12:40	SP	E96080
✓ Alkalinity		110	mg/L CaCO <sub>3</sub>	2.2	SM2320 B	WCGE29878		08/30/08 15:52	GS	E96080
Alkalinity, Carbonate		0.80 U	mg/L CaCO <sub>3</sub>	0.80	SM2320 B	CALC5553		09/3/08 9:35	DH	E96080
Alkalinity, Phenolphthalein		0.8 U	mg/L CaCO <sub>3</sub>	0.8	SM2320 B	WCGE29878		08/30/08 15:52	GS	E96080

<sup>1</sup>Result Qualifiers: U = Not Detected I = Analyte detected between the Laboratory Method Detection Limit and Laboratory Reporting Limit  
 Applicable Florida Department of Environmental Protection Qualifiers defined below. Statement of Estimated Uncertainty available upon request.



**HARBOR BRANCH  
ENVIRONMENTAL  
LABORATORIES, INC.**

# Chain-of-Custody and *Agreement to Perform Services*

Company: Boyle Engineering Corp. Method(s) of  
Shipment: \_\_\_\_\_

Phone: 722-631-3832 Fax: 561-689-8531

Client Contact: Shamus Esq.133

Project Name: L63n

Sampled By: Shamus English

Method(s) of Shipment: \_\_\_\_\_  
\_\_\_\_\_  
e-mail: \_\_\_\_\_ Standard Laboratory Turn Around Time  
\_\_\_\_\_ Or  
Rush in \_\_\_\_\_ Business Days  
*Requires Laboratory Approval*

USE BALL POINT PEN  
PRESS HARD  
COMPLETELY FILL OUT  
ALL NON GREYED AREAS  
PRINT LEGIBLY

*Laboratory not responsible for omitted information*

<u>      </u> FDOH # E96080	<u>      </u> FDOH # E85370
5600 U.S. 1 North	307 Coolidge Avenue
Fort Pierce, FL 34946	Lehigh Acres, FL 33937

FDOH # E83509             FDOH # E84418  
4155 St. Johns Pkwy.      16331 Cortez Blvd.  
Suite 1300      Brooksville, FL 34601  
Sanford, FL 32771

2/7		For Lab Use Only			
Temperature Checked <b>(Y)</b>	N	Custody Seals Intact <b>(N)</b>	N	pH Checked <b>(Y)</b>	N
<b>LAB #:</b> <u>2031953</u>					
<b>PRESERVATIVE</b>					
<b>ANALYSES REQUESTED</b>					
<b>A/B</b> See Attached Bottle Custody Form		<b>pH (5w)</b>	<b>Cond (55m)</b>	<b>Temp (°C)</b>	
		6.6	21.3 <sup>0</sup>	26.2	
<b>COMMENTS</b>					

\* Sample Type: G=Grab C=Composite

\*\* Matrix: S=Solid SL=Sludge DW=Drinking Water GW=Ground Water SW=Surface Water WW=Wastewater M=Marine

RELINQUISHED BY	RELINQUISHED BY	RELINQUISHED BY
DATE/TIME	DATE/TIME	DATE/TIME
RECEIVED BY	RECEIVED BY	RECEIVED FOR HBEL CUSTODY BY
DATE/TIME	DATE/TIME	DATE/TIME

HBEL Sample: 2031953001 OKF-106#1

## Anion/Cation Balance

Referenced in The NALCO WATER HANDOOK (second edition)

Cations (from HBEL report)		Calcium Carbonate Equivalent Multiplier	
Alkalinity	100 mg/L as CaCO <sub>3</sub>	1.00	100
Silica	16 mg/L as SiO <sub>2</sub>	0.83	13.28
Chloride	670 mg/L	1.41	944.7
Sulfate	250 mg/L	1.04	260

Anions (from HBEL Report)		Calcium Carbonate Equivalent Multiplier	
Sodium	430 mg/L	2.18	937.4
Potassium	16 mg/L	1.28	20.48
Magnesium	56 mg/L	4.1	229.6
Calcium	55 mg/L	2.5	137.5
Iron	0 mg/L	1.79	0

\*Assuming Iron is in solution as Fe+2 (Ferrous)

Anion Total 1317.98 Cation Total 1324.98

Percent Difference: 0.374561

HBEL Sample: 2031953002 OKF-106#2

## Anion/Cation Balance

Referenced in The NALCO WATER HANDOOK (second edition)

Cations (from HBEL report)		Calcium Carbonate Equivalent Multiplier	
Alkalinity	110 mg/L as CaCO <sub>3</sub>	1.00	110
Silica	16 mg/L as SiO <sub>2</sub>	0.83	13.28
Chloride	670 mg/L	1.41	944.7
Sulfate	250 mg/L	1.04	260

Anions (from HBEL Report)		Calcium Carbonate Equivalent Multiplier	
Sodium	430 mg/L	2.18	937.4
Potassium	16 mg/L	1.28	20.48
Magnesium	57 mg/L	4.1	233.7
Calcium	56 mg/L	2.5	140
Iron	0 mg/L	1.79	0

\*Assuming Iron is in solution as Fe+2 (Ferrous)

Anion Total 1327.98 Cation Total 1331.58

Percent Difference: 0.191429

C

# Lithologic Log of Well Samples



## Lithologic Descriptions

### South Florida Water Management District

### 1.63N Site - Okeechobee County

WELL NAME           OKF-106  
PERMIT NUMBER    0198641-009-UC  
JOB NUMBER        17191.00

Date	Depth (ft. bgs)		Observer's Description
	From	To	
7/1/2008	0	10	Quartz Sand - Unconsolidated, dark yellowish brown (10YR 4/2) - fine to medium grained; moderately sorted; 20% porosity
7/1/2008	10	20	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	20	30	Quartz Sand - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; moderately sorted; 20% porosity
7/1/2008	30	40	Shell Fragments (50%) - Unconsolidated shell fragments and pieces; Quartz Sand (40%) - Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	40	50	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	50	60	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, grayish orange (10YR 7/4)- fine to medium grained; Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	60	70	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, dark yellowish brown (10YR 4/2); Phosphate (5-10%) - approx. 1 mm , sub-rounded to sub-angular
7/1/2008	70	80	Shell Fragments (65%) - Unconsolidated shell fragments and pieces; Quartz Sand (20%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10-15%) - approx. 1-2 mm , sub-rounded to sub-angular
7/1/2008	80	90	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular
7/7/2008	90	100	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	100	110	Shell Fragments (70%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Phosphate (5%) - fine grained to approx. 1-2 mm , sub-rounded to sub-angular; Cement pieces evident in sample
7/7/2008	110	120	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	120	130	Shell Fragments (60%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%)- Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular

Date	Depth (ft. b.s.)		Observer's Description
	From	To	
7/8/2008	130	140	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (5%) - fine grained to approx. 1 mm , sub-rounded to sub-angular
7/8/2008	140	150	<b>Shell Fragments (60%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	150	160	<b>Shell Fragments (55%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	160	170	<b>Shell Fragments (55%)</b> - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, light gray (7)- fine to medium grained; Silt (10%); Phosphate (10%) - fine grained
7/8/2008	170	180	<b>Shell Fragments (40%)</b> - Unconsolidated shell fragments and pieces; Clay (30%) pale olive (10Y 6/2), moderately to poorly cohesive; Quartz Sand (20%) - Unconsolidated, light gray (7)- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	180	190	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	190	200	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	200	210	<b>Clay (55%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	210	220	<b>Clay (50%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (10%) - fine grained
7/9/2008	220	230	<b>Clay (55%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5-10%) - fine grained
7/9/2008	230	240	<b>Clay (65%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	240	250	<b>Clay (70%)</b> - pale olive (10Y 6/2), moderately to poorly cohesive; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%) - Unconsolidated, greenish gray 5G 6/1- fine to medium grained; Phosphate (5%) - fine grained
7/9/2008	250	260	<b>Clay (90%)</b> - dusky yellow green (5GY 5/2), very to moderately cohesive; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	260	270	<b>Clay (85%)</b> - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	270	280	<b>Clay (85%)</b> - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (10-15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained

Date	Depth (ft. bds) From To		Observer's Description
7/9/2008	280	290	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	290	300	Clay (80%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	300	310	Clay (86%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (15%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	310	320	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	320	330	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/9/2008	330	340	Clay (85%) - grayish olive green (5GY 3/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	340	350	Clay (70%) - dusky yellow green (5GY 5/2), moderately cohesive; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - fine grained
7/10/2008	350	360	Clay (45%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/10/2008	360	370	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1 mm, sub-rounded to sub-angular
7/10/2008	370	380	Clay (40%) - dusky yellow green (5GY 5/2), poor to moderate cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (25%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (10%) - fine grained to 1-2 mm, sub-rounded to sub-angular
7/10/2008	380	390	Shell Fragments (45%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (10%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	390	400	Shell Fragments (40%) - Unconsolidated shell fragments and pieces; Quartz Sand (30%) - Unconsolidated, mostly translucent, coarse to fine grained; Phosphate (15%) - fine grained to 1-2 mm, sub-rounded to sub-angular; Silty Clay (15%) - dusky yellow green (5GY 5/2), very poor cohesion
7/10/2008	400	410	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained
7/10/2008	410	420	Carbonate Sand (40%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (10%) - medium to fine grained; Silty Clay (5%) - dusky yellow green (5GY 5/2), very poor to no cohesion
7/10/2008	420	430	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained
7/10/2008	430	440	Carbonate Sand (45%) - Unconsolidated, grayish orange pink (5YR 7/2), medium grain size; Shell Fragments (35%) - Unconsolidated shell fragments and pieces; Quartz Sand (15%) - Unconsolidated, mostly translucent, medium to fine grained; Phosphate (5%) - medium to fine grained

Date	Depth (ft. bsl) From To		Observer's Description
7/10/2008	440	450	Sandy Clay (40%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (30%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	450	460	Sandy Clay (45%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (25%) - Unconsolidated shell fragments and pieces; Carbonate Sand (20%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	460	470	Sandy Clay (55%) - pale olive (10Y 6/2), poor cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/10/2008	470	480	Sandy Clay (55%) - pale olive (10Y 6/2), poor to moderate cohesion; Shell Fragments (20%) - Unconsolidated shell fragments and pieces; Carbonate Sand (15%) - Unconsolidated, grayish orange pink (5YR 7/2), medium to fine grain size; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	480	490	Sandy Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Shell Fragments (10%) - Unconsolidated shell fragments and pieces; Quartz Sand (10%)- unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/11/2008	490	500	Clay (75%) - grayish green (10GY 5/2), moderately cohesive; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	500	510	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Quartz Sand (5%)- Unconsolidated, mostly translucent,medium to fine grained; Phosphate (5%) - fine grained
7/14/2008	510	520	Clay (75%) - grayish green (10GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/15/2008	520	530	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/15/2008	530	540	Clay (80%) - dusky yellow green (5GY 5/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	540	550	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/16/2008	550	560	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained

Date	Depth (ft. bsl)		Observer's Description
	From	To	
7/17/2008	560	570	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	570	580	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/17/2008	580	590	Clay (75%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (10%) - medium to fine grained
7/17/2008	590	600	Clay (80%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (10%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	600	610	Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	610	620	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/21/2008	620	630	Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	630	640	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/22/2008	640	650	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (20%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Shell Fragments (5%) - Unconsolidated shell fragments and pieces; Phosphate (5%) - medium to fine grained
7/23/2008	650	660	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (30%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (10%) - medium to fine grained
7/23/2008	660	670	*Clay (60%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (35%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	670	680	*Clay (70%) - pale olive (10Y 6/2), well to moderate cohesion; Limestone (25%) - white (N9) to very pale orange (10 YR 8/2), moderately to poorly indurated; Phosphate (5%) - medium to fine grained
7/23/2008	680	690	*Limestone (55%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (30%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (15%) - fine grained to 3mm
7/23/2008	690	700	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm
7/23/2008	700	710	*Limestone (70%) - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky; Clay (20%) - yellowish gray (5Y 7/2), well to moderate cohesion; Phosphate (10%) - fine grained to 3mm

Date	Depth (ft. bbls)		Observer's Description
	From	To	
7/23/2008	710	720	*Limestone - white (N9) to very pale orange (10 YR 8/2), poorly indurated, chalky.
8/7/2008	720	730	Limestone - Very pale orange (10 YR 8/2), moderately indurated, calcarenitic, low intergranular macroporosity, <i>lepidocyclina sp.</i> present, turritella and other shells pieces and fragments evident
8/13/2008	730	740	Limestone - Very pale orange (10 YR 8/2) to light gray (N8), moderately to poorly indurated, calcarenitic, moderate macroporosity (mostly moldic and intergranular), <i>lepidocyclina sp.</i> present, abundant shell pieces and fragments
8/13/2008	740	750	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	750	760	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	760	770	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	770	780	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	780	790	Limestone - Very pale orange (10 YR 8/2), moderately to poorly indurated, calcarenitic, moderately friable, abundant <i>lepidocyclina sp.</i> present.
8/13/2008	790	800	Limestone - Very pale orange (10 YR 8/2), poorly indurated, calcarenitic, highly friable, abundant <i>lepidocyclina sp.</i> present.

\*Due to drill bit configuration, lithologic sample collected may not be completely representative of noted depth interval.

ft. bbls = feet below land surface

**D**

# Casing Summary



Engineering Excellence Since 1942

### Casing Summary

#### South Florida Water Management District L63N Site - Okeechobee County

WELL NAME      OKF-106  
PERMIT NUMBER    0195641-009-UC  
JOB NUMBER      17191.00

18-inch Diameter Steel Outer Casing					
Date Installed	Time Installed	Joint #	Heat #	Length of Joint*	Cumulative Length
7/2/2008		1	GO17564	21.10	21.10
7/2/2008		2	GO17564	21.00	42.10
7/2/2008		3	GO17564	21.00	63.10
7/2/2008		4	GO17564	21.10	84.20
10-inch Diameter PVC Inner Casing					
Date Installed	Time Installed	Joint #	Batch #	Length of Joint*	Cumulative Length
7/29/2008	949	1>	" 654015	19.00	19.00
7/29/2008	1005	2>	" 654015	20.00	39.00
7/29/2008	1009	3	" 654015	20.00	59.00
7/29/2008	1012	4	" 654015	20.00	79.00
7/29/2008	1015	5>	" 654015	20.00	99.00
7/29/2008	1018	6	" 654015	20.00	119.00
7/29/2008	1020	7	" 654015	20.00	139.00
7/29/2008	1022	8	" 654015	20.00	159.00
7/29/2008	1025	9	" 654015	20.00	179.00
7/29/2008	1028	10	" 654015	20.00	199.00
7/29/2008	1032	11>	" 654015	20.00	219.00
7/29/2008	1036	12	" 654015	20.00	239.00
7/29/2008	1038	13	" 654015	20.00	259.00
7/29/2008	1041	14	" 654015	20.00	279.00
7/29/2008	1044	15	" 654015	20.00	299.00
7/29/2008	1047	16	" 654015	20.00	319.00
7/29/2008	1049	17>	" 654015	20.00	339.00
7/29/2008	1054	18	" 654015	20.00	359.00
7/29/2008	1056	19	" 654015	20.00	379.00
7/29/2008	1109	20	" 654015	20.00	399.00
7/29/2008	1111	21	" 654015	20.00	419.00
7/29/2008	1114	22>	" 654015	20.00	439.00
7/29/2008	1118	23	" 654015	20.00	459.00
7/29/2008	1120	24	" 654015	20.00	479.00
7/29/2008	1123	25	" 654015	20.00	499.00
7/29/2008	1127	26	" 654015	20.00	519.00
7/29/2008	1130	27>	" 654015	20.00	539.00
7/29/2008	1134	28	" 654015	20.00	559.00
7/29/2008	1137	29	" 654015	20.00	579.00
7/29/2008	1139	30	" 654015	20.00	599.00
7/29/2008	1142	31	" 654015	20.00	619.00
7/29/2008	1146	32>	" 654015	20.00	639.00
7/29/2008	1149	33	" 654015	20.00	659.00
7/29/2008	1152	34	" 654015	20.00	679.00
7/29/2008	1154	35	" 654015	20.00	699.00
7/29/2008	1200	36>	" 654015	20.00	719.00
7/29/2008	1203	Header Flange	" 654015	1.00	720.00

Subtract 3 feet from cumulative length for stick up

PVC Casing set to 717 feet bbl

\* - All lengths measured in feet.

\*\* - Certainteed 10" SDR17 Class 250 Cert-Lok Well Casing IC-1 PVC ASTM F480 Batch #654015

> = Centralizer

**E**

**18-Inch Steel Casing  
Mill Certificate**




F

# CertainTeed PVC Casing Specifications

# CERTA-LOK™ PVC WELL CASING

U.S. PATENT NUMBER 6,086,297



ISO 9002




DNV Classification, Inc.  
REGISTERED FIRM

CertainTeed  
PVC Well Products

# DIMENSIONS, WEIGHTS & PERFORMANCE DATA

D.O. SIZE	X	W	MIN.	MAX.	P	BELL DEPTH
<b>INTEGRAL BELL JOINT</b>						
4.500"	1.313	.375	.125	.130	.25	3.00
4.950"	1.313	.375	.125	.130	.25	3.00
5.563"	1.313	.375	.125	.130	.25	3.00
6.625"	1.313	.375	.125	.130	.25	3.00
6.900"	1.313	.375	.125	.130	.25	3.00
8.625"	3.163	.500	.135	.140	.66	5.00



D.O. SIZE	X	W	MIN.	MAX.	P	L	COUPLING B.O.D.
<b>COUPLED JOINT</b>							
10.750"	3.500	.500	.205	.215	.66	12.00	12,438
12.750"	3.500	.500	.205	.215	.66	12.00	14,000
14.000"	3.500	.500	.205	.215	.66	12.00	15,300
16.000"	3.500	.500	.205	.215	.66	12.00	17,400
17.400"	3.500	.500	.205	.215	.66	12.00	18,701

NOMINAL SIZE DESIGNATION	O.D. SIZE	CLASS	T MIN. WALL	I.D. MIN.	I.D. MAX.	BELL D.O.	R.H.C.P. (PSI)	MAX. TENSILE PULL (LBS.)	MAX. INTERNAL PRESSURE (PSI)	APPROX. WEIGHT LBS./FT.	PART NO.
<b>INTEGRAL BELL JOINT</b>											
4"	4.500"	SCH40	.237	3.968	4.026	5.06	158	4,900	100	2.06	65300
4 1/2"	4.950"	SCH40	.248	4.379	4.454	5.55	134	4,700	135	2.37	65302
		SDR17	.291	4.288	4.368	5.56	224	6,300	145	2.75	65301
5"	5.563"	SDR21 <sup>1</sup>	.265	4.941	5.033	6.20	115	6,300	115	2.86	65303
		SDR17	.327	4.810	4.909	6.25	224	8,500	180	3.49	65304
6"	6.625"	SCH40	.280	5.961	6.065	7.33	79	8,500	120	3.63	65307
		SDR21	.316	5.885	5.993	7.30	115	8,800	145	4.06	65305
		SDR17	.390	5.728	5.845	7.45	224	10,000	220	4.95	65306
6 1/2" O.D.	6.900"	SDR21	.329	6.128	6.242	7.61	115	7,400	130	4.47	65320
		SDR17	.406	5.964	6.088	7.71	224	9,400	190	5.22	65308
8"	8.625"	SDR17	.508	7.458	7.609	9.75	224	17,000	185	8.18	65309

## COUPLED JOINT (INCLUDES CASING AND COUPLING)

10"	10.750"	SDR17	.632	9.310	9.486	224	26,000	300	13.27	65405
12"	12.750"	SDR17	.750	11.040	11.250	224	30,800	150	18.89	65705
14"	14.000"	SDR17	.823	12.105	12.354	224	36,440	150	22.55	65715
16"	16.000"	SDR26	.616	14.544	14.768	59	35,200	150	20.48	65285
		SDR21	.762	14.235	14.476	115	35,200	150	24.59	65485
		SDR17	.941	13.855	14.118	224	35,200	150	31.66	65475
17.4" O.D.	17.400"	SDR17	1.024	15.079	15.352	224	37,000	125	34.43	65725

Equivalent to SCH40

R.H.C.P. = Resistance to Hydraulic Collapse Pressure (predicted failure point at room temperature - no safety factor included) See brochure on the Selection of PVC Well Casing Based on Hydraulic Collapse Considerations, Literature Code 40-37-02, for additional details.

Notes: Dimensions in all tables are in inches. All dimensions and weights are subject to manufacturing tolerances.

Standard laying length = 20'. Short-term pressure ratings shown apply to well casing installation only.

Max. tensile pull values include a minimum 1.5:1 safety factor.


O.D. SIZE	CLASS	FEET PER FAST-PAK	FAST-PAKS PER T/L	FEET PER T/L	LBS. PER T/L
4.500"	SCH40	580	28	16240	33454
4.950"	SCH40	520	24	12480	29578
	SDR17	520	24	12480	34320
5.563"	SDR21/SCH40	460	24	11040	31574
	SDR17	460	24	11040	38530
6.625"	SCH40	400	20	8000	29040
	SDR21	400	20	8000	32560
	SDR17	400	20	8000	39680
6.900"	SDR21	340	20	6800	29512
	SDR17	340	20	6800	35972
8.625"	SDR17	280	16	4480	39245
10.750"	SDR17	80	32	2560	33971
12.750"	SDR17	80	28	2240	42314
14.000"	SDR17	120	12	1440	32472
16.000"	SDR26	120	12	1440	29491
	SDR21	120	12	1440	35410
	SDR17	120	12	1440	45590
17.400"	SDR17	60/40	10/10	1000	24430

**COUPLING**

INCLUDES GASKETS AND SPLINES

O.D. SIZE	PART NUMBER	L	B.O.D.
4.500"	70703	6.00	4.950
4.950"	70704	6.00	5.563
5.563"	70705	6.00	6.180
6.625"	70706	6.00	7.600
6.900"	70727	6.00	7.840
6.900" x 6.625"	70728	6.00	7.840
8.625"	70708	10.00	9.854
10.750"	70712	12.00	12.438
12.750"	70709	12.00	14.000
14.000"	70710	12.00	15.300
16.000"	70711	12.00	17.400
17.400"	70719	12.00	18.700

Reducing

**COUPLING**

CERTA-LOK BELL BY SOLVENT WELD BELL


INCLUDES GASKET AND SPLINE

O.D. SIZE	SOLVENT O.D. SIZE	PART NUMBER	L	B.O.D.
4.500"	4.500"	71703	6.00	4.950
4.950"	4.950"	71704	6.00	5.563
5.563"	5.563"	71705	6.13	6.180
6.625"	6.625"	71706	6.63	7.600
6.900"	6.900"	71713	6.63	7.840
6.900"	6.625"	71714	6.63	7.840
8.625"	8.625"	71707	10.00	9.854
10.750"	10.750"	71710	12.00	12.438
12.750"	12.750"	71711	12.00	14.000


Reducing

**REDUCER BUSHING**CERTA-LOK SPIGOT BY CERTA-LOK BELL  
INCLUDES GASKET AND SPLINE

O.D. SIZE	PART NUMBER	L	B.O.D.
8.625" x 6.625"	71225	8.25	8.625
8.625" x 6.900"	71220	8.25	8.625
10.750" x 8.625"	71227	10.00	10.750
12.750" x 10.750"	71229	12.00	12.750
14.000" x 12.750"	71230	12.00	14.000
16.000" x 14.000"	71232	12.00	16.000
17.400" x 16.000"	71231	12.00	17.400

**THREAD ADAPTER**CERTA-LOK FEMALE X FIPT  
INCLUDES GASKET AND SPLINE

O.D. SIZE	FEMALE THREAD SIZE	PART NUMBER	L	B.O.D.
4.500"	4"	81077	7.00	5.470
4.950"	4"	81078	6.00	5.563
5.563"	5"	81079	6.13	6.180
6.625"	6"	81080	6.63	7.600
6.900"	6"	81086	6.63	7.840
8.625"	8"	81082	10.00	9.854
10.750"	10"	81084	12.00	12.438
12.750"	12"	81085	12.00	14.000

**SPLINE****O-RING  
(GASKET)**

O.D. SIZE	PART NUMBER	LENGTH	SIZE	PART NUMBER	C/S	COLOR
4.500"	86479	18.4	.250 <sup>1</sup> / <sub>2</sub>	86123	.210	Brown
4.950"	86479	18.4	.250 <sup>1</sup> / <sub>2</sub>	86128	.210	Brown
5.563"	86479	18.4	.250 <sup>1</sup> / <sub>2</sub>	86124	.210	Brown
6.625"	86463	24	.250 <sup>1</sup> / <sub>2</sub>	86125	.210	Brown
6.900"	86463	24	.250 <sup>1</sup> / <sub>2</sub>	86179	.210	Brown
8.625"	86464	32	.313 <sup>1</sup> / <sub>2</sub>	86271	.375	Blue
10.750"	86465	39	.375 <sup>1</sup> / <sub>2</sub>	86196	.375	Green
12.750"	86466	46	.375 <sup>1</sup> / <sub>2</sub>	86178	.375	Green
14.000"	86490	48	.375 <sup>1</sup> / <sub>2</sub>	86171	.375	Green
16.000"	86491	53	.375 <sup>1</sup> / <sub>2</sub>	86172	.375	Green
17.400"	86492	60	.375 <sup>1</sup> / <sub>2</sub>	86173	.407	Green


1 Round Spline Extruded

C/S = Ring Cross-Section Diameter

2 Square Spline Extruded

Material: 4.5" - 6.9" NBR  
8.625" & up Poly Isoprene**CASING & SCREEN CAP**CERTA-LOK BELL  
INCLUDES SPLINE

O.D. SIZE	PART NUMBER	L	B.O.D.
4.500"	81061	4.00	4.950
4.950"	81062	4.00	5.563
5.563"	81063	4.25	6.180
6.625"	81064	4.25	7.600
6.900"	81060	4.25	7.600
8.625"	81066	4.50	9.854
10.750"	81068	5.00	11.600
12.750"	81069	5.00	14.000
14.000"	81070	5.00	15.300
16.000"	81071	5.25	17.400
17.400"	81072	5.50	18.700



G

# Core Description

**BOYLE****CORE DESCRIPTION****South Florida Water Management District  
L63N-Okeechobee County**

**DATE** 8-12-08  
**WELL NUMBER** OKF-106  
**PERMIT NUMBER** 0198641-009-UC  
**JOB NUMBER** 17191.00

**CORE NUMBER** 1  
**DIAMETER** 4 inch  
**CORED INTERVAL** 730 – 740 ft  
**LENGTH OF SAMPLE** 8 ft  
**PERCENT RECOVERED** 80%

<b>DEPTH (ft bls)</b>	<b>INTERVAL (ft)</b>	<b>DESCRIPTION</b>
730 – 732.75	0 – 2.75	Limestone: very pale orange 10 YR 8/2, biomicrite; moderately indurated, calcarenitic, slightly friable, vuggy, good macroporosity (mostly moldic and intergranular), <i>lepidocyclina</i> sp. present, abundant shell pieces and fragments.
732.75 – 737.5	2.75 – 7.5	Limestone: very pale orange 10 YR 8/2 to light gray N8, biomicrite; moderately to poorly indurated, calcarenitic, moderately friable, vuggy, good to moderate macroporosity (mostly moldic and intergranular), <i>lepidocyclina</i> sp. present, abundant shell pieces and fragments.
737.5 – 8.0	7.5 – 8.0	Limestone: very pale orange 10 YR 8/2, biomicrite; moderately to poorly indurated, calcarenitic, moderately friable, slightly vuggy, moderate to poor macroporosity (mostly intergranular), <i>lepidocyclina</i> sp. present, shell pieces and fragments evident.

# H


## Report of Core Sample Analysis

# ***Core Description and Petrographic Analysis of a Conventional Core from:***

***South Florida Water  
Management District***

***L63N Core***

***Okeechobee Co., Florida***





**Petroleum Services Division**  
Reservoir Geology  
Houston Advanced Technology Center  
6316 Windfern Road  
Houston, Texas 77040  
713-328-2170

**November 21, 2008**  
**HOU #080879**

**South Florida Water Management District  
3301 Gun Club Road  
West Palm Beach, Florida 33406**

**Attention: Mr. Clayton McMillan**

**Subject:**

**Core Description and Petrography (Thin Section Description and X-Ray Diffraction) of Conventional Core from:**

**South Florida Water Management District**

**L63N Canal Core  
Okeechobee Co., Florida**


**Objectives:**

- 1) Provide a macroscopic description of the core.**
- 2) Describe the petrographic characteristics (fabric, texture, composition, types and distribution of porosity) of the rock.**

## ***Introduction***

An approximately 7-inch long piece of conventional core was submitted to Core Laboratories - Reservoir Geology for description and petrographic analysis (thin section description and x-ray diffraction). The client indicated the core was from the Middle Eocene, Ocala Formation. The core section was slabbed, photographed and described. A single thin section (1.5" X 3", blue epoxy impregnated, dual carbonate stain) was made from near the top part of the core and a sample was taken adjacent to the thin section sample for XRD analysis.

## ***Core Description***



**Figure 1. Core Photo**

The rock is predominantly friable, light beige to tan, highly porous limestone. The figure shown above (also enlarged in Plate 1) illustrates the general character of the core. Left of the red line (indicated by 'G') the rock is predominantly a grainstone. Right of the red line (indicated by 'P') the rock is primarily a packstone. The large feature indicated by 'E' is interpreted to be a matrix-filled mold of an echinoid (sea urchin). The macropores seen at this scale are predominantly interparticle and moldic (shapes of most of the moldic pores indicate they are likely pores created by the dissolution of mollusk (bivalve) and other shell fragments. Large orbitoid foraminifers (*Lepidocyclusina* sp. - e.g. Figure 2) are most abundant and are typically about 10 millimeters in diameter. Other macrofossils (gastropods, bivalves - e.g. Figure 3, bryozoans) are much less common.



**Figure 2. *Lepidocyclus* sp.**  
**(diameter of test is 7 millimeters)**



**Figure 3. Bivalve**  
**(long dimension of shell is 7 millimeters)**

### Petrography

Samples chosen for thin section and XRD analysis were taken from near the top of the core section (left side of Figure 1, grainstone portion of the rock). XRD data (Table 1) indicates the rock is 100% calcite. Petrographic data indicates this part of the

**Table 1.**

Sample Information		Whole Rock Mineralogy (Weight %)								Relative Clay Abundance (Normalized to 100%)				
Sample #	Depth	Quartz	K-Feldspar	Plagioclase	Calcite	Dolomite	Siderite	Pyrite	Total Clay	Smectite	Illite / Smectite	Illite & Mica	Kaolinite	Chlorite
1	Unknown	Tr	0	0	100	0	0	0	0	0	0	0	0	0

Tr=Trace (<0.5%)

rock is a bioclastic grainstone (Plate 2, Photo A). The allochems are intraclasts and various types of bioclasts. The larger bioclasts seen in the thin sections include pieces of gastropods, mollusk shell fragments (typically bored, e.g. Plate 2, Photo B), and orbitoid foraminifera tests (e.g. Plate 1, Photo A). The smaller grains include pieces of mollusk shells, echinoid spines, bryozoans, coralline algae, codiacean algae, and several kinds of foraminifera (biserial, miliolids, orbitoid fragments). Non-skeletal clasts are predominantly intraclasts (e.g. Plate 2, Photo A). The typical size of the smaller grains (bioclasts and non-skeletal) is about 0.209 millimeter (fine sand size on Wentworth scale). Almost all of the grains have a micrite rim and a subsequent coating


of isopachous/fringing cement (e.g. Plate 3, Photo A). The isopachous/fringing cement coats the exterior surface of the grains and also chambers and voids in bioclasts such as miliolid foraminifer tests (e.g. Plate 3, Photo C). Small amounts of sparry calcite cement occur throughout the thin section. It typically occurs as an interparticle cement, often attached to larger bioclasts (e.g. Plate 2, Photos B and C). The sparry calcite cement also occurs as cement filling chambers in some of the foraminifer tests (e.g. Plate 3, Photo C).

Visually estimated porosity of the thin section is about 30-35%. Pore-types include moldic, intraparticle, and interparticle. The moldic pores are typically the largest pores and appear to be the result of the dissolution of mollusk shell fragments (Plate 2, Photo A). Moldic pores also result from the near-complete dissolution of grains, where only a micrite rim or isopachous cement remains to indicate the previous existence of a grain. Intraparticle porosity includes un-cemented chambers in foraminifer tests, pores in other bioclasts, and partially dissolved intraclasts (e.g. Plate 3, Photo A). Interparticle pores (e.g. Plate 3, Photo B) are the most abundant pore-type in this rock and account for about 2/3 of the total porosity.

## Reference List

Scholle, P.A., Ulmer-Scholle, D.S., 2003, **A Color Guide to the Petrography of Carbonate Rocks: Grains, textures, porosity, diagenesis;** American Association of Petroleum Geologists Memoir 77, 474p.

Thank you for this opportunity to be of service. If you have any questions, or if we can be of further assistance, please feel free to give us a call. One copy of this report was delivered to Mr. Clayton McMillan (South Florida Water Management District, West Palm Beach, Florida). The remainder of the core and the thin section were returned to returned to the client, along with the final report.



**Barry E. Wawak**  
Senior Geologist  
Reservoir Geology  
Core Laboratories

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential report is made. The interpretations or opinions expressed represent the best judgment (all errors and omissions excepted) of Core Laboratories; but Core Laboratories and its officers and employees shall not be liable for any loss or damage resulting from the furnishing of the data reported herein. And Core Laboratories makes no warranties, expressed or implied, whether of fitness for a particular purpose, merchantability or otherwise, as to the accuracy of the data reported.

## **Plate 1**

**South Florida Water Management District**

**L63N Core  
Okeechobee Co., Florida**

**XRD Data  
Bulk Mineralogy (wt. %)**

Quartz - Trace  
Calcite - 100%


### **Core Photo**

Approximately 7-inches of conventional core was available for description. The core has a light tan to beige color and is friable. The upper half of the core (above the red line) has a grainstone texture. This part of the core consists of macrofossils, broken pieces of fossil shells and clasts, with very little matrix. Macrofossils include large orbitoid foraminifera (*Lepidocyclus* sp.), gastropods, and bryozoans. A photo of a *Lepidocyclus* sp. test is shown in the inset photo. The diameter of the foraminifer test is 7 millimeters. A large clast-like feature near the base of the grainstone-interval appears to be an echinoid (sea urchin) mold that is filled with micrite. Moldic pores and interparticle pores are the dominant pore types in this part of the core. The lower half of the core (below the red line) has a packstone texture which reflects elevated amounts of micrite in this part of the core. This is indicated by a marked reduction of open macro-pores. The identifiable macrofossil content of this part of the core is similar to the upper part. Moldic pores are more abundant than interparticle pores in this part of the core.



## South Florida Water Management

L63 N Canal  
Okeechobee County, Florida



South Florida Water Management District  
L63N Canal Core  
Okeechobee Co., Florida

## **Plate 2**

**South Florida Water Management District**


**L63N Core  
Okeechobee Co., Florida**

**XRD Data  
Bulk Mineralogy (wt. %)**

Quartz - Trace  
Calcite - 100%


### **Thin Section Scan and Photomicrographs**

The thin section was made from the grainstone part of the core. The thin sections also contains scattered, small areas of microcrystalline micrite matrix (not indicated in photomicrographs). Photo A is a scan of the thin section that shows the texture of the rock and the distribution of the larger skeletal grains. Note occurrence of large orbitoid foraminifer tests (yellow arrows) and a gastropod cross section (red arrow). Note also the occurrence of moldic pores that appear to be the result of dissolution of bivalve shell fragments (green arrows). The higher magnification photos show the details of the predominant allochems, most of which have micrite coats and isopachous rim cement. The average size of these smaller grains is about 0.209 millimeters (fine sand size - Wentworth scale). The variety of grains include intraclasts, rare ooids/coated grains and numerous bioclasts. Identifiable bioclasts include fragments of coralline algae, codiacean algae (lower left corner, Photo B), echinoderm spines, mollusk shell fragments (often bored, e.g. M, Photo B), bryozoan fragments, and several different kinds of foraminifer (biserial, miliolids, as well as fragments of the much larger orbitoids). Sparry calcite cement is relatively rare, but is typically seen attached to some of the larger mollusk shell fragments (blue arrows, Photos B and C). Photo B is a good example of an area of the thin sections where the macroporosity consists predominantly of interparticle pores.




A. (PPL) Thin Section scan

B. (PPL) scale = 1.00 mm



C. (PPL) scale = 1.00 mm



South Florida Water Management District  
L63N Canal Core, Okeechobee Co., Florida

## **Plate 3**

**South Florida Water Management District**


**L63N Core  
Okeechobee Co., Florida**

### **XRD Data Bulk Mineralogy (wt. %)**


Quartz - Trace  
Calcite - 100%

### **Thin Section Photomicrographs**


These are higher magnification photomicrographs showing some of the small-scale petrographic features of the rock. Sparry calcite cement is rare in the thin section. It occurs as scattered interparticle cement ('C', Photo A) and occasionally fill voids in some of the larger bioclasts (lower right, Photo C, where the calcite cement fills chambers in a miliolid foraminifer test). Ooids/coated grains ('O', Photo B) are rare in the thin section. Most of the micrite clasts show varying degrees of dissolution that create intraparticle pore space ('Cl', Photo A). Almost all of the grains have 1) a micrite rim, probably caused by algal boring, and 2) and isopachous rim cement coating the micrite rim (e.g. yellow arrow, Photo A). Photo B shows the two predominant types of macropores; 1) intraparticle pores (IP - Photo B, uncemented chambers in a foraminifer test), and 2) interparticle pores (ItP - Photo B), occurring between the allochems/bioclasts.



A. (PPL) scale = 0.200 mm



B. (PPL) scale = 0.200 mm



C. (PPL) scale = 0.200 mm

South Florida Water Management District  
L63N Canal Core  
Okeechobee Co., Florida



# I

## Geophysical Logs and Video Survey

Note: Video Survey available on DVD.





# X-Y CALIPER GRAY


## OKF-106


COMPANY	:	APPLIED DRILLING	OTHER SERVICES: DIL
WELL	:	OKF-106	
FIELD	:		
COUNTY	:	OKEECHOBEE	
STATE	:	FLORIDA	
LOCATION	:		
SECTION	:		
TOWNSHIP	:		
RANGE	:		
API NO.	:		
UNIQUE WELL ID.	:		
PERMANENT DATUM	:	MSL	ELEVATION KB:
LOG MEASURED FROM	:	GS	ELEVATION DF:
DRL MEASURED FROM	:	GS	ELEVATION GL:
DATE	:	07.25.08	
DEPTH DRILLER	:	720	
BIT SIZE	:	17	
LOG TOP	:	3.50	
LOG BOTTOM	:	724.00	
CASING OD	:		
CASING BOTTOM	:	83	
CASING TYPE	:	STEEL	
BOREHOLE FLUID	:	MUD	
RM TEMPERATURE	:		
MUD RES	:		
MUD WEIGHT	:		
WITNESSED BY	:		
RECORDED BY	:	AFB	
REMARKS 1	:		
REMARKS 2	:		


ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS




















# X-Y CALIPER GRAY COMPLETION SUITE

## OKF-106

COMPANY	:	APPLIED DRILLING ENGINEERING	OTHER SERVICES: VIDEO COMPLE	
WELL	:	OKF-106		
FIELD	:	L63 NORTH CANAL		
COUNTY	:	OKEECHOBEE		
STATE	:			
LOCATION	:	L63 NORTH CANAL		
SECTION	:			
TOWNSHIP	:			
RANGE	:			
API NO.	:			
UNIQUE WELL ID.	:			
PERMANENT DATUM	:	MSL	ELEVATION KB:	
LOG MEASURED FROM:	PAD	ELEVATION DF:		
DRL MEASURED FROM	GS	ELEVATION GL:		
DATE	:	09.08.08		
DEPTH DRILLER	:	804		
BIT SIZE	:	7.8		
LOG TOP	:	701.22		
LOG BOTTOM	:	808.87		
CASING OD	:			
CASING BOTTOM	:	717		
CASING TYPE	:	CERTAL		
BOREHOLE FLUID	:	FOR		
RM TEMPERATURE	:			
MUD RES	:			
MUD WEIGHT	:			
WITNESSED BY	:			
RECORDED BY	:	AFB		
REMARKS 1	:			
REMARKS 2	:			

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS



**ABS**

Advanced Borehole Services





# DUAL INDUCTION-GAMMA RAY


## OKF106

COMPANY	:	APPLIED DRILLING	OTHER SERVICES: XY	
WELL	:	OKF106		
FIELD	:			
COUNTY	:	OKEECHOBEE		
STATE	:	FLORIDA		
LOCATION	:			
SECTION	:			
TOWNSHIP	:			
RANGE	:			
API NO.	:			
UNIQUE WELL ID.	:			
PERMANENT DATUM	:	MSL	ELEVATION KB:	
LOG MEASURED FROM:	GS	ELEVATION DF:		
DRL MEASURED FROM	GS	ELEVATION GL:		
DATE	:	7.25.08		
DEPTH DRILLER	:	720		
BIT SIZE	:	17		
LOG TOP	:	3.50		
LOG BOTTOM	:	724.25		
CASING OD	:			
CASING BOTTOM	:	83		
CASING TYPE	:	STEEL		
BOREHOLE FLUID	:	MUD		
RM TEMPERATURE	:			
MUD RES	:			
MUD WEIGHT	:			
WITNESSED BY	:			
RECORDED BY	:	AFB		
REMARKS 1	:			
REMARKS 2	:			


ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS









0	API-GR	200	0.2	MMHO/M	20000	OHM-M	100	
	GAMMA			COND(DI)		RES(MI)		
200	API-GR	400	0.2	MMHO/M	20000	OHM-M	100	
	GAMMA	FEET		COND(MI)		RES(DI)		







**ABS**  
Advanced Borehole Services




# DUAL INDUCTION-16/64 LSN

## OKF-106

COMPANY	:	APPLIED ENGINEERING DRILLING	OTHER SERVICES: COMPL	
WELL	:	OKF-106		
FIELD	:	OKEECHOBEE		
COUNTY	:	OKEECHOBEE		
STATE	:	FLORIDA		
LOCATION	:			
SECTION	:	NA		
TOWNSHIP	:	NA		
RANGE	:	NA		
API NO.	:			
UNIQUE WELL ID.	:			
PERMANENT DATUM	:	MSL	ELEVATION KB: NA	
LOG MEASURED FROM:	PAD	ELEVATION DF: NA		
DRL MEASURED FROM :	GS	ELEVATION GL: NA		
DATE	:	09/03/08		
DEPTH DRILLER	:	802		
BIT SIZE	:	7.8		
LOG TOP	:	687.30		
LOG BOTTOM	:	803.80		
CASING OD	:			
CASING BOTTOM	:	717		
CASING TYPE	:	CERTA-L		
BOREHOLE FLUID	:	FOR		
RM TEMPERATURE	:	0		
MUD RES	:	0		
MUD WEIGHT	:			
WITNESSED BY	:	M BEN		
RECORDED BY	:	AFB		
REMARKS 1	:	SHUTIN 16HR		
REMARKS 2	:			

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS




TOOL CALIBRATION OKF-106 09/03/08 09:16  
TOOL 8044A TM VERSION 0  
SERIAL NUMBER 768

	DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Sep29,05	23:16:32	GAMMA	Default [CPS]	Default [CPS]
	Sep29,05	20:16:32	GAMMA	Default [CPS]	Default [CPS]
2	Aug27,08	15:15:39	RES(FL)	2.900 [OHM-M ]	11352.00 [CPS]
	Aug27,08	15:15:39	RES(FL)	54.600 [OHM-M ]	40245.00 [CPS]
3	Sep29,05	20:25:53	SP	0.000 [MV ]	59802.00 [CPS]
	Sep29,05	20:25:53	SP	376.000 [MV ]	91209.00 [CPS]
4	Jul16,08	15:04:27	RES(16N)	0.000 [OHM-M ]	4160.00 [CPS]
	Jul16,08	15:04:27	RES(16N)	1998.000 [OHM-M ]	103127.00 [CPS]
5	Jul16,08	15:14:22	RES(64N)	0.000 [OHM-M ]	4200.00 [CPS]
	Jul16,08	15:14:22	RES(64N)	1990.000 [OHM-M ]	102076.00 [CPS]
6	Aug25,08	22:49:21	TEMP	88.700 [DEG F ]	59023.00 [CPS]
	Aug25,08	22:49:21	TEMP	121.000 [DEG F ]	40240.00 [CPS]
7	Sep29,05	20:26:24	RES	0.000 [OHM ]	10075.00 [CPS]
	Sep29,05	20:26:24	RES	988.000 [OHM ]	59049.00 [CPS]



# COMBINATION LOG STATIC WATER QUALITY OKF-106

COMPANY	:	APPLIED ENGINEERING DRILLING	OTHER SERVICES: COMPL	
WELL	:	OKF-106		
FIELD	:	OKEECHOBEE		
COUNTY	:	OKEECHOBEE		
STATE	:	FLORIDA		
LOCATION	:			
SECTION	:	NA		
TOWNSHIP	:	NA		
RANGE	:	NA		
API NO.	:			
UNIQUE WELL ID.	:			
PERMANENT DATUM	:	MSL	ELEVATION KB: NA	
LOG MEASURED FROM:	PAD		ELEVATION DF: NA	
DRL MEASURED FROM :	GS		ELEVATION GL: NA	
DATE	:	09/03/08		
DEPTH DRILLER	:	802		
BIT SIZE	:	7.8		
LOG TOP	:	702.50		
LOG BOTTOM	:	801.50		
CASING OD	:			
CASING BOTTOM	:	717		
CASING TYPE	:	CERTA-L		
BOREHOLE FLUID	:	FOR		
RM TEMPERATURE	:	0		
MUD RES	:	0		
MUD WEIGHT	:			
WITNESSED BY	:	M BEN		
RECORDED BY	:	AFB		
REMARKS 1	:	SHUTIN 16HR		
REMARKS 2	:			



TOOL CALIBRATION OKF-106 09/03/08 09:16

TOOL 8044A TM VERSION 0

SERIAL NUMBER 768

	DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Sep29,05	23:16:32	GAMMA	Default (CPS)	Default (CPS)
	Sep29,05	20:16:32	GAMMA	Default (CPS)	Default (CPS)
2	Aug27,08	15:15:39	RES(FL)	2.900 (OHM-M )	11352.00 (CPS)
	Aug27,08	15:15:39	RES(FL)	54.600 (OHM-M )	40245.00 (CPS)
3	Sep29,05	20:25:53	SP	0.000 (MV )	59802.00 (CPS)
	Sep29,05	20:25:53	SP	376.000 (MV )	91209.00 (CPS)
4	Jul16,08	15:04:27	RES(16N)	0.000 (OHM-M )	4160.00 (CPS)
	Jul16,08	15:04:27	RES(16N)	1998.000 (OHM-M )	103127.00 (CPS)
5	Jul16,08	15:14:22	RES(64N)	0.000 (OHM-M )	4200.00 (CPS)
	Jul16,08	15:14:22	RES(64N)	1990.000 (OHM-M )	102076.00 (CPS)
6	Aug25,08	22:49:21	TEMP	88.700 (DEG F )	59023.00 (CPS)
	Aug25,08	22:49:21	TEMP	121.000 (DEG F )	40240.00 (CPS)
7	Sep29,05	20:26:24	RES	0.000 (OHM )	10075.00 (CPS)
	Sep29,05	20:26:24	RES	988.000 (OHM )	59049.00 (CPS)



# FLOW STATIONS

## OKF-106

COMPANY	:	APPLIED ENGINEERING DRILLING	OTHER SERVICES: COMPL	
WELL	:	OKF-106		
FIELD	:	OKEECHOBEE		
COUNTY	:	OKEECHOBEE		
STATE	:	FLORIDA		
LOCATION	:			
SECTION	:	NA		
TOWNSHIP	:	NA		
RANGE	:	NA		
API NO.	:			
UNIQUE WELL ID.	:			
PERMANENT DATUM	:	MSL	ELEVATION KB: NA	
LOG MEASURED FROM:	PAD	ELEVATION DF: NA		
DRL MEASURED FROM :	GS	ELEVATION GL: NA		
DATE	:	09/03/08		
DEPTH DRILLER	:	802		
BIT SIZE	:	7.8		
LOG TOP	:	-0.08		
LOG BOTTOM	:	2.64		
CASING OD	:			
CASING BOTTOM	:	730		
CASING TYPE	:	CLOCK		
BOREHOLE FLUID	:	FOR		
RM TEMPERATURE	:	0		
MUD RES	:	0		
MUD WEIGHT	:			
WITNESSED BY	:			
RECORDED BY	:	AFB		
REMARKS 1	:	FLOW @ 150GPM		
REMARKS 2	:			

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS

## LOG PARAMETERS

MATRIX DENSITY : 2.71

NEUTRON MATRIX - Dolomite

MATRIX DELTA T : 140

MAGNETIC DECL.: 0

ELECT. CUTOFF : 10000

BITSIZE : 7.8

UFLOW

CPS

1000

MIN

0

0

1

2

0

CPS

1000

MIN

UFLOW



## LOG PARAMETERS

MATRIX DENSITY : 2.71

NEUTRON MATRIX - Dolomite

MATRIX DELTA T : 140

MAGNETIC DECL.: 0

ELECT. CUTOFF : 10000

BITSIZE : 7.8

UFLOW

CPS

1000

MIN

0

0

1

2

0

CPS

1000

MIN

UFLOW



## LOG PARAMETERS

MATRIX DENSITY : 2.71

NEUTRON MATRIX - Dolomite

MATRIX DELTA T : 140

MAGNETIC DECL.: 0

ELECT. CUTOFF : 10000

BITSIZE : 7.8

UFLOW



## LOG PARAMETERS

MATRIX DENSITY : 2.71

NEUTRON MATRIX - Dolomite


MATRIX DELTA T : 140

MAGNETIC DECL.: 0

ELECT. CUTOFF : 10000

BITSIZE : 7.8

UFLOW



**ABS**

Advanced Borehole Services




# FLOWING WATER QUALITY

**OKF-106**

COMPANY	:	APPLIED ENGINEERING DRILLING	OTHER SERVICES: COMPL	
WELL	:	OKF-106		
FIELD	:	OKEECHOBEE		
COUNTY	:	OKEECHOBEE		
STATE	:	FLORIDA		
LOCATION	:			
SECTION	:	NA		
TOWNSHIP	:	NA		
RANGE	:	NA		
API NO.	:			
UNIQUE WELL ID.	:			
PERMANENT DATUM	:	MSL	ELEVATION KB: NA	
LOG MEASURED FROM:	PAD	ELEVATION DF: NA		
DRL MEASURED FROM :	GS	ELEVATION GL: NA		
DATE	:	09/03/08		
DEPTH DRILLER	:	802		
BIT SIZE	:	7.8		
LOG TOP	:	675.00		
LOG BOTTOM	:	803.00		
CASING OD	:			
CASING BOTTOM	:	730		
CASING TYPE	:	CLOCK		
BOREHOLE FLUID	:	FOR		
RM TEMPERATURE	:	0		
MUD RES	:	0		
MUD WEIGHT	:			
WITNESSED BY	:			
RECORDED BY	:	AFB		
REMARKS 1	:	FLOWING		
REMARKS 2	:			

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS



TOOL CALIBRATION OKF-106 09/03/08 09:39

TOOL 8044A TM VERSION 0


SERIAL NUMBER 768

	DATE	TIME	SENSOR	STANDARD	RESPONSE
1	Sep29,05	23:16:32	GAMMA	Default (CPS)	Default (CPS)
	Sep29,05	20:16:32	GAMMA	Default (CPS)	Default (CPS)
2	Aug27,08	15:15:39	RES(FL)	2.900 (OHM-M )	11352.00 (CPS)
	Aug27,08	15:15:39	RES(FL)	54.600 (OHM-M )	40245.00 (CPS)
3	Sep29,05	20:25:53	SP	0.000 (MV )	59802.00 (CPS)
	Sep29,05	20:25:53	SP	376.000 (MV )	91209.00 (CPS)
4	Jul16,08	15:04:27	RES(16N)	0.000 (OHM-M )	4160.00 (CPS)
	Jul16,08	15:04:27	RES(16N)	1998.000 (OHM-M )	103127.00 (CPS)
5	Jul16,08	15:14:22	RES(64N)	0.000 (OHM-M )	4200.00 (CPS)
	Jul16,08	15:14:22	RES(64N)	1990.000 (OHM-M )	102076.00 (CPS)
6	Aug25,08	22:49:21	TEMP	88.700 (DEG F )	59023.00 (CPS)
	Aug25,08	22:49:21	TEMP	121.000 (DEG F )	40240.00 (CPS)
7	Sep29,05	20:26:24	RES	0.000 (OHM )	10075.00 (CPS)
	Sep29,05	20:26:24	RES	988.000 (OHM )	59049.00 (CPS)



## OKF-106

COMPANY	:	APPLIED ENGINEERING DRILLING	OTHER SERVICES: COMPL	
WELL	:	OKF-106		
FIELD	:	OKEECHOBEE		
COUNTY	:	OKEECHOBEE		
STATE	:	FLORIDA		
LOCATION	:			
SECTION	:	NA		
TOWNSHIP	:	NA		
RANGE	:	NA		
API NO.	:			
UNIQUE WELL ID.	:			
PERMANENT DATUM	:	MSL	ELEVATION KB: NA	
LOG MEASURED FROM:	PAD		ELEVATION DF: NA	
DRL MEASURED FROM :	GS		ELEVATION GL: NA	
DATE	:	09/03/08		
DEPTH DRILLER	:	802		
BIT SIZE	:	7.8		
LOG TOP	:	679.25		
LOG BOTTOM	:	808.87		
CASING OD	:			
CASING BOTTOM	:	730		
CASING TYPE	:	CLOCK		
BOREHOLE FLUID	:	FOR		
RM TEMPERATURE	:	0		
MUD RES	:	0		
MUD WEIGHT	:			
WITNESSED BY	:			
RECORDED BY	:	AFB		
REMARKS 1	:			
REMARKS 2	:			



SERIAL NUMBER 227


	DATE	TIME	SENSOR	STANDARD
1	Apr26,06	20:22:05	DFLOW	30.000 (FT/MIN )
2	Apr26,06	17:22:05	DFLOW	123.000 (FT/MIN )
	Oct11,06	14:15:38	UFLOW	10.000 (FT/MIN )
	Oct11,06	14:15:38	UFLOW	40.000 (FT/MIN )

J

# Lithology and Geophysical Correlations



## Appendix 3.1





# K

## Aquifer Pump Test Data

Step Test .....	K-3
Step Test Recovery.....	K-233
8-hour Drawdown Test .....	K-248
8-hour Drawdown Recovery.....	K-258



## STEP TEST

Report Date: 9/15/2008 15:50  
 Report User Name: Owner  
 Report Computer Name: OWNER-PC  
**Log File Properties**  
 Step Test 2008-08-27 07-17-  
 File Name 27.wsl  
 Create Date 8/27/2008 7:14  
**Device Properties**  
 Device Level TROLL® 700  
 Site L63N (OKF-106)  
 Device Name 134613  
 Serial Number 2.07  
 Firmware Version  
 Log Configuration  
 Log Name Step Test 2  
 Created By SEnglish  
 Computer Name USPCT1LT011  
 Application WinSitu.exe  
 Application Version 5.6.1.8  
 Create Date 8/26/2008 10:22  
 Notes Size(bytes) 4096  
 Type Step Linear  
 Overwrite when full Disabled  
 Scheduled Start Time Manual Start  
 Scheduled Stop No Stop Time  
**Steps**  
 Step: 1  
 Duration Days: 0 Hours: 05  
 Mins: 00 Secs: 00  
 Interval Days: 0 Hours: 00  
 Mins: 00 Secs: 01  
**Level Reference Settings At Log Creation**  
 Level Measurement Mode Level Depth To Water  
 Specific Gravity 0.999  
 Level Reference Mode: Set new reference  
 Level Reference Value: 0 (ft)  
 Level Reference Head  
 Pressure 46.3352 (PSI)  
 Head Pressure 46.353 (PSI)  
 Temperature 25.9195 (C)  
 Depth of Probe 107.028 (ft)  
**Log Notes:**  
 Date and Time Note  
 8/26/2008 10:26 Manual Start Command  
 8/26/2008 13:31 Manual Stop Command  
**Log Data:**  
 Record Count 11149  
 Sensor: Pres 100G SN#: 134613

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:26	0.000	26.014	46.680	-0.797
8/26/2008 10:26	1.053	26.021	46.704	-0.853
8/26/2008 10:26	2.001	26.026	46.687	-0.812
8/26/2008 10:26	3.001	26.026	46.689	-0.816
8/26/2008 10:26	4.001	26.026	46.691	-0.821
8/26/2008 10:26	5.001	26.029	46.689	-0.817
8/26/2008 10:26	6.001	26.033	46.683	-0.803
8/26/2008 10:26	7.001	26.046	46.688	-0.816
8/26/2008 10:26	8.001	26.037	46.695	-0.832
8/26/2008 10:26	9.001	26.041	46.696	-0.834
8/26/2008 10:26	10.001	26.054	46.685	-0.807
8/26/2008 10:26	11.001	26.047	46.697	-0.835
8/26/2008 10:26	12.001	26.046	46.701	-0.844
8/26/2008 10:26	13.001	26.044	46.700	-0.843
8/26/2008 10:26	14.001	26.047	46.698	-0.837
8/26/2008 10:26	15.001	26.057	46.688	-0.815
8/26/2008 10:26	16.001	26.050	46.697	-0.835
8/26/2008 10:26	17.001	26.052	46.697	-0.834
8/26/2008 10:26	18.001	26.050	46.696	-0.832
8/26/2008 10:26	19.001	26.052	46.709	-0.864
8/26/2008 10:26	20.001	26.065	46.710	-0.866
8/26/2008 10:26	21.001	26.057	46.701	-0.844
8/26/2008 10:26	22.001	26.058	46.697	-0.834
8/26/2008 10:26	23.001	26.053	46.701	-0.844
8/26/2008 10:26	24.001	26.059	46.704	-0.853
8/26/2008 10:26	25.001	26.068	46.704	-0.852
8/26/2008 10:26	26.001	26.064	46.695	-0.830
8/26/2008 10:26	27.001	26.060	46.700	-0.843
8/26/2008 10:26	28.001	26.063	46.705	-0.855
8/26/2008 10:26	29.001	26.062	46.704	-0.853
8/26/2008 10:26	30.001	26.072	46.699	-0.841
8/26/2008 10:26	31.001	26.067	46.701	-0.845
8/26/2008 10:26	32.001	26.068	46.705	-0.854
8/26/2008 10:26	33.001	26.066	46.712	-0.869
8/26/2008 10:26	34.001	26.068	46.709	-0.862
8/26/2008 10:26	35.001	26.080	46.698	-0.838
8/26/2008 10:26	36.001	26.075	46.708	-0.862
8/26/2008 10:26	37.001	26.070	46.712	-0.871
8/26/2008 10:26	38.001	26.073	46.708	-0.862
8/26/2008 10:26	39.001	26.073	46.706	-0.857
8/26/2008 10:26	40.001	26.087	46.705	-0.855
8/26/2008 10:26	41.001	26.080	46.709	-0.864
8/26/2008 10:26	42.001	26.077	46.713	-0.872
8/26/2008 10:26	43.001	26.079	46.712	-0.869
8/26/2008 10:26	44.001	26.075	46.714	-0.874
8/26/2008 10:26	45.001	26.088	46.705	-0.854
8/26/2008 10:26	46.001	26.083	46.707	-0.858
8/26/2008 10:26	47.001	26.080	46.712	-0.869
8/26/2008 10:26	48.001	26.079	46.713	-0.873

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:26	49.001	26.081	46.718	-0.883
8/26/2008 10:26	50.001	26.092	46.719	-0.886
8/26/2008 10:26	51.001	26.088	46.714	-0.874
8/26/2008 10:26	52.001	26.086	46.713	-0.871
8/26/2008 10:26	53.001	26.086	46.719	-0.886
8/26/2008 10:26	54.001	26.083	46.720	-0.888
8/26/2008 10:26	55.001	26.094	46.712	-0.869
8/26/2008 10:26	56.001	26.091	46.714	-0.876
8/26/2008 10:26	57.001	26.089	46.711	-0.868
8/26/2008 10:27	58.001	26.087	46.713	-0.871
8/26/2008 10:27	59.001	26.089	46.725	-0.901
8/26/2008 10:27	60.076	26.102	46.713	-0.872
8/26/2008 10:27	61.001	26.097	46.710	-0.867
8/26/2008 10:27	62.001	26.094	46.722	-0.892
8/26/2008 10:27	63.001	26.093	46.721	-0.891
8/26/2008 10:27	64.001	26.092	46.721	-0.890
8/26/2008 10:27	65.001	26.104	46.712	-0.870
8/26/2008 10:27	66.001	26.100	46.720	-0.889
8/26/2008 10:27	67.001	26.098	46.723	-0.895
8/26/2008 10:27	68.001	26.095	46.724	-0.897
8/26/2008 10:27	69.001	26.095	46.719	-0.887
8/26/2008 10:27	70.001	26.108	46.726	-0.903
8/26/2008 10:27	71.001	26.100	46.725	-0.899
8/26/2008 10:27	72.001	26.103	46.721	-0.890
8/26/2008 10:27	73.001	26.101	46.725	-0.901
8/26/2008 10:27	74.001	26.099	46.725	-0.900
8/26/2008 10:27	75.001	26.110	46.727	-0.905
8/26/2008 10:27	76.001	26.107	46.724	-0.898
8/26/2008 10:27	77.001	26.103	46.724	-0.898
8/26/2008 10:27	78.001	26.103	46.728	-0.908
8/26/2008 10:27	79.001	26.103	46.729	-0.908
8/26/2008 10:27	80.001	26.120	46.733	-0.919
8/26/2008 10:27	81.001	26.109	46.725	-0.901
8/26/2008 10:27	82.001	26.110	46.728	-0.907
8/26/2008 10:27	83.001	26.108	46.727	-0.905
8/26/2008 10:27	84.001	26.107	46.730	-0.913
8/26/2008 10:27	85.001	26.119	46.732	-0.917
8/26/2008 10:27	86.001	26.111	46.730	-0.911
8/26/2008 10:27	87.001	26.112	46.730	-0.911
8/26/2008 10:27	88.001	26.109	46.725	-0.900
8/26/2008 10:27	89.001	26.110	46.736	-0.926
8/26/2008 10:27	90.001	26.123	46.733	-0.919
8/26/2008 10:27	91.001	26.117	46.727	-0.906
8/26/2008 10:27	92.001	26.113	46.732	-0.916
8/26/2008 10:27	93.001	26.114	46.733	-0.918
8/26/2008 10:27	94.001	26.114	46.737	-0.927
8/26/2008 10:27	95.001	26.126	46.737	-0.927
8/26/2008 10:27	96.001	26.119	46.733	-0.919
8/26/2008 10:27	97.001	26.118	46.739	-0.933

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:27	98.001	26.117	46.735	-0.924
8/26/2008 10:27	99.001	26.117	46.738	-0.931
8/26/2008 10:27	100.001	26.128	46.738	-0.930
8/26/2008 10:27	101.001	26.122	46.737	-0.927
8/26/2008 10:27	102.001	26.121	46.733	-0.919
8/26/2008 10:27	103.001	26.118	46.738	-0.929
8/26/2008 10:27	104.001	26.117	46.736	-0.925
8/26/2008 10:27	105.001	26.129	46.743	-0.941
8/26/2008 10:27	106.001	26.128	46.733	-0.918
8/26/2008 10:27	107.001	26.122	46.740	-0.934
8/26/2008 10:27	108.001	26.122	46.736	-0.925
8/26/2008 10:27	109.001	26.123	46.742	-0.939
8/26/2008 10:27	110.001	26.135	46.744	-0.943
8/26/2008 10:27	111.001	26.126	46.735	-0.924
8/26/2008 10:27	112.001	26.126	46.732	-0.916
8/26/2008 10:27	113.001	26.127	46.737	-0.928
8/26/2008 10:27	114.001	26.124	46.742	-0.940
8/26/2008 10:27	115.001	26.138	46.745	-0.945
8/26/2008 10:27	116.001	26.131	46.737	-0.927
8/26/2008 10:27	117.001	26.129	46.742	-0.940
8/26/2008 10:28	118.001	26.128	46.739	-0.932
8/26/2008 10:28	119.001	26.129	46.738	-0.931
8/26/2008 10:28	120.075	26.139	46.736	-0.926
8/26/2008 10:28	121.001	26.135	46.748	-0.954
8/26/2008 10:28	122.001	26.130	46.739	-0.932
8/26/2008 10:28	123.001	26.129	46.747	-0.950
8/26/2008 10:28	124.001	26.131	46.747	-0.951
8/26/2008 10:28	125.001	26.142	46.737	-0.928
8/26/2008 10:28	126.001	26.136	46.752	-0.962
8/26/2008 10:28	127.001	26.137	46.746	-0.949
8/26/2008 10:28	128.001	26.135	46.748	-0.954
8/26/2008 10:28	129.001	26.133	46.748	-0.952
8/26/2008 10:28	130.001	26.144	46.737	-0.927
8/26/2008 10:28	131.001	26.142	46.740	-0.934
8/26/2008 10:28	132.001	26.140	46.748	-0.952
8/26/2008 10:28	133.001	26.138	46.745	-0.947
8/26/2008 10:28	134.001	26.137	46.747	-0.950
8/26/2008 10:28	135.001	26.149	46.754	-0.968
8/26/2008 10:28	136.001	26.139	46.744	-0.945
8/26/2008 10:28	137.001	26.138	46.752	-0.962
8/26/2008 10:28	138.001	26.139	46.753	-0.965
8/26/2008 10:28	139.001	26.140	46.749	-0.956
8/26/2008 10:28	140.001	26.150	46.751	-0.961
8/26/2008 10:28	141.001	26.147	46.744	-0.945
8/26/2008 10:28	142.001	26.140	46.751	-0.960
8/26/2008 10:28	143.001	26.139	46.746	-0.948
8/26/2008 10:28	144.001	26.140	46.747	-0.952
8/26/2008 10:28	145.001	26.153	46.754	-0.967
8/26/2008 10:28	146.001	26.146	46.749	-0.955

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:28	147.001	26.146	46.753	-0.964
8/26/2008 10:28	148.001	26.144	46.755	-0.969
8/26/2008 10:28	149.001	26.143	46.757	-0.974
8/26/2008 10:28	150.001	26.158	46.759	-0.978
8/26/2008 10:28	151.001	26.146	46.750	-0.959
8/26/2008 10:28	152.001	26.146	46.753	-0.966
8/26/2008 10:28	153.001	26.145	46.756	-0.972
8/26/2008 10:28	154.001	26.144	46.758	-0.976
8/26/2008 10:28	155.001	26.154	46.761	-0.984
8/26/2008 10:28	156.001	26.148	46.749	-0.956
8/26/2008 10:28	157.001	26.148	46.757	-0.973
8/26/2008 10:28	158.001	26.147	46.764	-0.990
8/26/2008 10:28	159.001	26.147	46.754	-0.966
8/26/2008 10:28	160.001	26.155	46.761	-0.983
8/26/2008 10:28	161.001	26.147	46.753	-0.965
8/26/2008 10:28	162.001	26.148	46.756	-0.972
8/26/2008 10:28	163.001	26.149	46.754	-0.968
8/26/2008 10:28	164.001	26.148	46.756	-0.971
8/26/2008 10:28	165.001	26.158	46.753	-0.964
8/26/2008 10:28	166.001	26.152	46.759	-0.978
8/26/2008 10:28	167.001	26.150	46.757	-0.974
8/26/2008 10:28	168.001	26.149	46.762	-0.985
8/26/2008 10:28	169.001	26.149	46.752	-0.963
8/26/2008 10:28	170.001	26.160	46.753	-0.964
8/26/2008 10:28	171.001	26.154	46.747	-0.951
8/26/2008 10:28	172.001	26.153	46.757	-0.974
8/26/2008 10:28	173.001	26.154	46.764	-0.989
8/26/2008 10:28	174.001	26.151	46.760	-0.982
8/26/2008 10:28	175.001	26.161	46.767	-0.997
8/26/2008 10:28	176.001	26.154	46.761	-0.983
8/26/2008 10:28	177.001	26.155	46.763	-0.989
8/26/2008 10:29	178.001	26.154	46.758	-0.977
8/26/2008 10:29	179.001	26.152	46.758	-0.977
8/26/2008 10:29	180.073	26.163	46.752	-0.962
8/26/2008 10:29	181.001	26.157	46.772	-1.009
8/26/2008 10:29	182.001	26.153	46.759	-0.978
8/26/2008 10:29	183.001	26.153	46.766	-0.995
8/26/2008 10:29	184.001	26.153	46.766	-0.995
8/26/2008 10:29	185.001	26.168	46.760	-0.982
8/26/2008 10:29	186.001	26.159	46.763	-0.987
8/26/2008 10:29	187.001	26.159	46.761	-0.983
8/26/2008 10:29	188.001	26.157	46.767	-0.998
8/26/2008 10:29	189.001	26.156	46.764	-0.990
8/26/2008 10:29	190.001	26.169	46.759	-0.979
8/26/2008 10:29	191.001	26.161	46.768	-1.000
8/26/2008 10:29	192.001	26.157	46.765	-0.993
8/26/2008 10:29	193.001	26.158	46.766	-0.994
8/26/2008 10:29	194.001	26.156	46.769	-1.001
8/26/2008 10:29	195.001	26.168	46.759	-0.979

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:29	196.001	26.163	46.768	-0.998
8/26/2008 10:29	197.001	26.163	46.763	-0.988
8/26/2008 10:29	198.001	26.158	46.768	-0.999
8/26/2008 10:29	199.001	26.158	46.774	-1.014
8/26/2008 10:29	200.001	26.170	46.763	-0.987
8/26/2008 10:29	201.001	26.163	46.765	-0.993
8/26/2008 10:29	202.001	26.160	46.769	-1.002
8/26/2008 10:29	203.001	26.163	46.769	-1.003
8/26/2008 10:29	204.001	26.159	46.766	-0.995
8/26/2008 10:29	205.001	26.169	46.771	-1.007
8/26/2008 10:29	206.001	26.165	46.772	-1.009
8/26/2008 10:29	207.001	26.161	46.769	-1.001
8/26/2008 10:29	208.001	26.160	46.770	-1.004
8/26/2008 10:29	209.001	26.159	46.774	-1.013
8/26/2008 10:29	210.001	26.176	46.779	-1.025
8/26/2008 10:29	211.001	26.167	46.764	-0.989
8/26/2008 10:29	212.001	26.162	46.772	-1.009
8/26/2008 10:29	213.001	26.164	46.778	-1.022
8/26/2008 10:29	214.001	26.162	46.771	-1.006
8/26/2008 10:29	215.001	26.175	46.772	-1.008
8/26/2008 10:29	216.001	26.167	46.768	-0.999
8/26/2008 10:29	217.001	26.163	46.772	-1.008
8/26/2008 10:29	218.001	26.164	46.771	-1.007
8/26/2008 10:29	219.001	26.165	46.774	-1.014
8/26/2008 10:29	220.001	26.175	46.783	-1.035
8/26/2008 10:29	221.001	26.171	46.769	-1.002
8/26/2008 10:29	222.001	26.167	46.770	-1.005
8/26/2008 10:29	223.001	26.164	46.771	-1.007
8/26/2008 10:29	224.001	26.166	46.778	-1.023
8/26/2008 10:29	225.001	26.174	46.783	-1.033
8/26/2008 10:29	226.001	26.169	46.775	-1.017
8/26/2008 10:29	227.001	26.168	46.776	-1.017
8/26/2008 10:29	228.001	26.167	46.773	-1.011
8/26/2008 10:29	229.001	26.166	46.777	-1.021
8/26/2008 10:29	230.001	26.177	46.783	-1.034
8/26/2008 10:29	231.001	26.169	46.773	-1.010
8/26/2008 10:29	232.001	26.168	46.776	-1.017
8/26/2008 10:29	233.001	26.163	46.774	-1.013
8/26/2008 10:29	234.001	26.166	46.775	-1.017
8/26/2008 10:29	235.001	26.176	46.767	-0.997
8/26/2008 10:29	236.001	26.172	46.772	-1.008
8/26/2008 10:29	237.001	26.170	46.775	-1.017
8/26/2008 10:30	238.001	26.167	46.778	-1.022
8/26/2008 10:30	239.001	26.167	46.780	-1.027
8/26/2008 10:30	240.072	26.178	46.768	-1.000
8/26/2008 10:30	241.001	26.170	46.777	-1.019
8/26/2008 10:30	242.001	26.172	46.769	-1.001
8/26/2008 10:30	243.001	26.169	46.776	-1.018
8/26/2008 10:30	244.001	26.166	46.779	-1.024

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:30	245.001	26.180	46.772	-1.009
8/26/2008 10:30	246.001	26.171	46.776	-1.019
8/26/2008 10:30	247.001	26.171	46.782	-1.032
8/26/2008 10:30	248.001	26.169	46.781	-1.028
8/26/2008 10:30	249.001	26.170	46.781	-1.028
8/26/2008 10:30	250.001	26.179	46.773	-1.012
8/26/2008 10:30	251.001	26.174	46.783	-1.035
8/26/2008 10:30	252.001	26.170	46.785	-1.038
8/26/2008 10:30	253.001	26.172	46.780	-1.027
8/26/2008 10:30	254.001	26.170	46.785	-1.039
8/26/2008 10:30	255.001	26.179	46.779	-1.024
8/26/2008 10:30	256.001	26.172	46.776	-1.017
8/26/2008 10:30	257.001	26.175	46.780	-1.027
8/26/2008 10:30	258.001	26.170	46.786	-1.041
8/26/2008 10:30	259.001	26.170	46.791	-1.052
8/26/2008 10:30	260.001	26.184	46.776	-1.018
8/26/2008 10:30	261.001	26.173	46.786	-1.040
8/26/2008 10:30	262.001	26.171	46.786	-1.041
8/26/2008 10:30	263.001	26.173	46.787	-1.043
8/26/2008 10:30	264.001	26.171	46.780	-1.027
8/26/2008 10:30	265.001	26.185	46.788	-1.045
8/26/2008 10:30	266.001	26.177	46.781	-1.030
8/26/2008 10:30	267.001	26.175	46.788	-1.045
8/26/2008 10:30	268.001	26.172	46.788	-1.046
8/26/2008 10:30	269.001	26.175	46.787	-1.044
8/26/2008 10:30	270.001	26.182	46.775	-1.016
8/26/2008 10:30	271.001	26.178	46.784	-1.036
8/26/2008 10:30	272.001	26.175	46.790	-1.049
8/26/2008 10:30	273.001	26.173	46.787	-1.044
8/26/2008 10:30	274.001	26.172	46.789	-1.047
8/26/2008 10:30	275.001	26.186	46.776	-1.017
8/26/2008 10:30	276.001	26.176	46.784	-1.037
8/26/2008 10:30	277.001	26.175	46.786	-1.040
8/26/2008 10:30	278.001	26.174	46.784	-1.037
8/26/2008 10:30	279.001	26.177	46.790	-1.050
8/26/2008 10:30	280.001	26.184	46.791	-1.052
8/26/2008 10:30	281.001	26.177	46.783	-1.034
8/26/2008 10:30	282.001	26.175	46.783	-1.033
8/26/2008 10:30	283.001	26.176	46.789	-1.049
8/26/2008 10:30	284.001	26.174	46.792	-1.056
8/26/2008 10:30	285.001	26.186	46.772	-1.008
8/26/2008 10:30	286.001	26.180	46.787	-1.042
8/26/2008 10:30	287.001	26.173	46.792	-1.056
8/26/2008 10:30	288.001	26.176	46.790	-1.051
8/26/2008 10:30	289.001	26.173	46.789	-1.048
8/26/2008 10:30	290.001	26.187	46.781	-1.029
8/26/2008 10:30	291.001	26.177	46.788	-1.046
8/26/2008 10:30	292.001	26.177	46.788	-1.046
8/26/2008 10:30	293.001	26.176	46.785	-1.039

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:30	294.001	26.173	46.792	-1.055
8/26/2008 10:30	295.001	26.186	46.789	-1.049
8/26/2008 10:30	296.001	26.181	46.789	-1.047
8/26/2008 10:30	297.001	26.178	46.794	-1.060
8/26/2008 10:31	298.001	26.178	46.791	-1.052
8/26/2008 10:31	299.001	26.179	46.794	-1.060
8/26/2008 10:31	300.071	26.184	46.795	-1.062
8/26/2008 10:31	301.001	26.178	46.791	-1.053
8/26/2008 10:31	302.001	26.181	46.791	-1.052
8/26/2008 10:31	303.001	26.177	46.799	-1.071
8/26/2008 10:31	304.001	26.177	46.799	-1.070
8/26/2008 10:31	305.001	26.185	46.784	-1.037
8/26/2008 10:31	306.001	26.182	46.790	-1.049
8/26/2008 10:31	307.001	26.180	46.790	-1.050
8/26/2008 10:31	308.001	26.179	46.791	-1.052
8/26/2008 10:31	309.001	26.177	46.791	-1.053
8/26/2008 10:31	310.001	26.187	46.785	-1.038
8/26/2008 10:31	311.001	26.182	46.783	-1.035
8/26/2008 10:31	312.001	26.177	46.791	-1.053
8/26/2008 10:31	313.001	26.177	46.799	-1.071
8/26/2008 10:31	314.001	26.177	46.778	-1.023
8/26/2008 10:31	315.001	26.189	46.636	-0.694
8/26/2008 10:31	316.001	26.181	46.709	-0.862
8/26/2008 10:31	317.001	26.180	45.046	2.977
8/26/2008 10:31	318.001	26.179	45.365	2.240
8/26/2008 10:31	319.001	26.178	44.380	4.514
8/26/2008 10:31	320.001	26.186	35.623	24.733
8/26/2008 10:31	321.001	26.185	41.237	11.771
8/26/2008 10:31	322.001	26.180	39.811	15.064
8/26/2008 10:31	323.001	26.180	39.959	14.721
8/26/2008 10:31	324.001	26.177	39.890	14.881
8/26/2008 10:31	325.001	26.189	39.873	14.921
8/26/2008 10:31	326.001	26.183	39.796	15.099
8/26/2008 10:31	327.001	26.180	39.757	15.189
8/26/2008 10:31	328.001	26.179	39.650	15.436
8/26/2008 10:31	329.001	26.180	39.635	15.470
8/26/2008 10:31	330.001	26.191	39.578	15.603
8/26/2008 10:31	331.001	26.179	39.627	15.488
8/26/2008 10:31	332.001	26.179	39.397	16.020
8/26/2008 10:31	333.001	26.179	39.534	15.703
8/26/2008 10:31	334.001	26.180	39.455	15.886
8/26/2008 10:31	335.001	26.188	39.475	15.839
8/26/2008 10:31	336.001	26.180	39.546	15.675
8/26/2008 10:31	337.001	26.178	39.589	15.576
8/26/2008 10:31	338.001	26.177	39.451	15.896
8/26/2008 10:31	339.001	26.176	39.362	16.101
8/26/2008 10:31	340.001	26.189	39.347	16.136
8/26/2008 10:31	341.001	26.180	39.320	16.198
8/26/2008 10:31	342.001	26.180	39.298	16.248

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:31	343.001	26.178	39.459	15.876
8/26/2008 10:31	344.001	26.175	39.268	16.318
8/26/2008 10:31	345.001	26.188	39.234	16.397
8/26/2008 10:31	346.001	26.179	39.192	16.493
8/26/2008 10:31	347.001	26.174	39.291	16.265
8/26/2008 10:31	348.001	26.176	39.365	16.095
8/26/2008 10:31	349.001	26.175	39.150	16.590
8/26/2008 10:31	350.001	26.187	39.143	16.606
8/26/2008 10:31	351.001	26.176	39.295	16.256
8/26/2008 10:31	352.001	26.177	39.166	16.553
8/26/2008 10:31	353.001	26.176	39.035	16.856
8/26/2008 10:31	354.001	26.175	39.074	16.766
8/26/2008 10:31	355.001	26.184	39.130	16.637
8/26/2008 10:31	356.001	26.177	38.924	17.113
8/26/2008 10:31	357.001	26.175	38.978	16.988
8/26/2008 10:32	358.001	26.176	39.055	16.810
8/26/2008 10:32	359.001	26.169	39.015	16.901
8/26/2008 10:32	360.071	26.182	38.964	17.019
8/26/2008 10:32	361.001	26.176	38.899	17.171
8/26/2008 10:32	362.001	26.175	38.892	17.186
8/26/2008 10:32	363.001	26.172	38.833	17.322
8/26/2008 10:32	364.001	26.171	38.837	17.314
8/26/2008 10:32	365.001	26.182	38.869	17.240
8/26/2008 10:32	366.001	26.174	38.768	17.472
8/26/2008 10:32	367.001	26.171	38.736	17.547
8/26/2008 10:32	368.001	26.171	38.770	17.468
8/26/2008 10:32	369.001	26.167	38.835	17.318
8/26/2008 10:32	370.001	26.180	38.786	17.431
8/26/2008 10:32	371.001	26.172	38.850	17.283
8/26/2008 10:32	372.001	26.169	38.631	17.789
8/26/2008 10:32	373.001	26.170	38.775	17.455
8/26/2008 10:32	374.001	26.165	38.634	17.782
8/26/2008 10:32	375.001	26.176	38.625	17.802
8/26/2008 10:32	376.001	26.169	38.712	17.603
8/26/2008 10:32	377.001	26.166	38.764	17.482
8/26/2008 10:32	378.001	26.164	38.556	17.961
8/26/2008 10:32	379.001	26.164	38.675	17.688
8/26/2008 10:32	380.001	26.175	38.461	18.182
8/26/2008 10:32	381.001	26.166	38.512	18.064
8/26/2008 10:32	382.001	26.163	38.532	18.016
8/26/2008 10:32	383.001	26.160	38.509	18.071
8/26/2008 10:32	384.001	26.162	38.542	17.993
8/26/2008 10:32	385.001	26.171	38.574	17.920
8/26/2008 10:32	386.001	26.162	38.415	18.287
8/26/2008 10:32	387.001	26.159	38.544	17.990
8/26/2008 10:32	388.001	26.157	38.550	17.976
8/26/2008 10:32	389.001	26.156	38.473	18.154
8/26/2008 10:32	390.001	26.165	38.465	18.171
8/26/2008 10:32	391.001	26.158	38.521	18.042

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:32	392.001	26.155	38.523	18.037
8/26/2008 10:32	393.001	26.152	38.429	18.255
8/26/2008 10:32	394.001	26.153	38.527	18.029
8/26/2008 10:32	395.001	26.163	38.432	18.247
8/26/2008 10:32	396.001	26.157	38.341	18.459
8/26/2008 10:32	397.001	26.156	38.355	18.426
8/26/2008 10:32	398.001	26.149	38.419	18.278
8/26/2008 10:32	399.001	26.151	38.332	18.480
8/26/2008 10:32	400.001	26.160	38.346	18.447
8/26/2008 10:32	401.001	26.156	38.340	18.460
8/26/2008 10:32	402.001	26.150	38.186	18.816
8/26/2008 10:32	403.001	26.148	38.229	18.717
8/26/2008 10:32	404.001	26.148	38.434	18.243
8/26/2008 10:32	405.001	26.157	38.250	18.669
8/26/2008 10:32	406.001	26.149	38.242	18.686
8/26/2008 10:32	407.001	26.149	38.279	18.601
8/26/2008 10:32	408.001	26.147	38.244	18.682
8/26/2008 10:32	409.001	26.144	38.203	18.776
8/26/2008 10:32	410.001	26.155	38.338	18.464
8/26/2008 10:32	411.001	26.147	38.163	18.868
8/26/2008 10:32	412.001	26.145	38.251	18.665
8/26/2008 10:32	413.001	26.145	38.260	18.645
8/26/2008 10:32	414.001	26.143	38.212	18.756
8/26/2008 10:32	415.001	26.150	38.179	18.833
8/26/2008 10:32	416.001	26.144	38.246	18.678
8/26/2008 10:32	417.001	26.140	38.153	18.893
8/26/2008 10:33	418.001	26.138	38.137	18.930
8/26/2008 10:33	419.001	26.137	38.183	18.824
8/26/2008 10:33	420.070	26.147	38.153	18.892
8/26/2008 10:33	421.001	26.144	38.253	18.662
8/26/2008 10:33	422.001	26.140	38.248	18.673
8/26/2008 10:33	423.001	26.139	38.048	19.134
8/26/2008 10:33	424.001	26.137	37.987	19.275
8/26/2008 10:33	425.001	26.146	38.073	19.077
8/26/2008 10:33	426.001	26.139	38.142	18.918
8/26/2008 10:33	427.001	26.134	38.034	19.167
8/26/2008 10:33	428.001	26.132	38.078	19.065
8/26/2008 10:33	429.001	26.132	38.041	19.151
8/26/2008 10:33	430.001	26.141	38.061	19.104
8/26/2008 10:33	431.001	26.134	38.052	19.125
8/26/2008 10:33	432.001	26.130	38.150	18.900
8/26/2008 10:33	433.001	26.129	38.074	19.076
8/26/2008 10:33	434.001	26.125	37.964	19.328
8/26/2008 10:33	435.001	26.136	38.040	19.153
8/26/2008 10:33	436.001	26.130	38.017	19.207
8/26/2008 10:33	437.001	26.125	38.021	19.197
8/26/2008 10:33	438.001	26.124	37.893	19.494
8/26/2008 10:33	439.001	26.122	37.898	19.481
8/26/2008 10:33	440.001	26.133	38.020	19.200

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:33	441.001	26.122	37.827	19.645
8/26/2008 10:33	442.001	26.123	37.800	19.707
8/26/2008 10:33	443.001	26.121	37.993	19.261
8/26/2008 10:33	444.001	26.118	37.978	19.296
8/26/2008 10:33	445.001	26.128	37.871	19.543
8/26/2008 10:33	446.001	26.121	38.030	19.177
8/26/2008 10:33	447.001	26.118	37.894	19.491
8/26/2008 10:33	448.001	26.114	37.788	19.735
8/26/2008 10:33	449.001	26.116	37.941	19.381
8/26/2008 10:33	450.001	26.124	37.879	19.524
8/26/2008 10:33	451.001	26.115	37.834	19.629
8/26/2008 10:33	452.001	26.113	37.919	19.433
8/26/2008 10:33	453.001	26.112	37.840	19.614
8/26/2008 10:33	454.001	26.112	37.783	19.747
8/26/2008 10:33	455.001	26.122	37.765	19.789
8/26/2008 10:33	456.001	26.114	37.806	19.693
8/26/2008 10:33	457.001	26.109	38.058	19.112
8/26/2008 10:33	458.001	26.110	37.860	19.568
8/26/2008 10:33	459.001	26.106	37.793	19.724
8/26/2008 10:33	460.001	26.120	37.900	19.477
8/26/2008 10:33	461.001	26.109	37.792	19.725
8/26/2008 10:33	462.001	26.107	37.817	19.668
8/26/2008 10:33	463.001	26.104	37.756	19.809
8/26/2008 10:33	464.001	26.103	37.887	19.507
8/26/2008 10:33	465.001	26.112	37.756	19.809
8/26/2008 10:33	466.001	26.108	37.823	19.655
8/26/2008 10:33	467.001	26.105	37.776	19.763
8/26/2008 10:33	468.001	26.103	37.712	19.910
8/26/2008 10:33	469.001	26.100	37.692	19.957
8/26/2008 10:33	470.001	26.112	37.871	19.544
8/26/2008 10:33	471.001	26.105	37.775	19.764
8/26/2008 10:33	472.001	26.102	37.768	19.782
8/26/2008 10:33	473.001	26.098	37.663	20.024
8/26/2008 10:33	474.001	26.095	37.705	19.926
8/26/2008 10:33	475.001	26.110	37.748	19.828
8/26/2008 10:33	476.001	26.100	37.718	19.896
8/26/2008 10:33	477.001	26.096	37.758	19.805
8/26/2008 10:34	478.001	26.097	37.739	19.848
8/26/2008 10:34	479.001	26.093	37.821	19.659
8/26/2008 10:34	480.069	26.103	37.800	19.706
8/26/2008 10:34	481.001	26.098	37.727	19.875
8/26/2008 10:34	482.001	26.094	37.692	19.957
8/26/2008 10:34	483.001	26.093	37.711	19.913
8/26/2008 10:34	484.001	26.093	37.613	20.140
8/26/2008 10:34	485.001	26.101	37.668	20.013
8/26/2008 10:34	486.001	26.093	37.726	19.878
8/26/2008 10:34	487.001	26.091	37.679	19.987
8/26/2008 10:34	488.001	26.092	37.631	20.097
8/26/2008 10:34	489.001	26.088	37.626	20.109

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:34	490.001	26.099	37.692	19.956
8/26/2008 10:34	491.001	26.095	37.631	20.097
8/26/2008 10:34	492.001	26.089	37.656	20.040
8/26/2008 10:34	493.001	26.087	37.709	19.918
8/26/2008 10:34	494.001	26.087	37.624	20.113
8/26/2008 10:34	495.001	26.098	37.643	20.070
8/26/2008 10:34	496.001	26.090	37.671	20.006
8/26/2008 10:34	497.001	26.087	37.661	20.028
8/26/2008 10:34	498.001	26.086	37.565	20.251
8/26/2008 10:34	499.001	26.083	37.560	20.261
8/26/2008 10:34	500.001	26.097	37.428	20.566
8/26/2008 10:34	501.001	26.089	37.544	20.299
8/26/2008 10:34	502.001	26.083	37.433	20.555
8/26/2008 10:34	503.001	26.082	37.404	20.621
8/26/2008 10:34	504.001	26.083	37.385	20.665
8/26/2008 10:34	505.001	26.092	37.325	20.804
8/26/2008 10:34	506.001	26.085	37.301	20.860
8/26/2008 10:34	507.001	26.081	37.115	21.289
8/26/2008 10:34	508.001	26.080	37.252	20.972
8/26/2008 10:34	509.001	26.080	37.469	20.472
8/26/2008 10:34	510.001	26.088	37.231	21.021
8/26/2008 10:34	511.001	26.083	37.225	21.034
8/26/2008 10:34	512.001	26.078	37.256	20.964
8/26/2008 10:34	513.001	26.077	37.198	21.097
8/26/2008 10:34	514.001	26.075	37.299	20.864
8/26/2008 10:34	515.001	26.085	37.161	21.182
8/26/2008 10:34	516.001	26.080	37.175	21.149
8/26/2008 10:34	517.001	26.075	37.290	20.884
8/26/2008 10:34	518.001	26.072	37.172	21.158
8/26/2008 10:34	519.001	26.074	37.153	21.202
8/26/2008 10:34	520.001	26.083	37.128	21.258
8/26/2008 10:34	521.001	26.075	37.149	21.211
8/26/2008 10:34	522.001	26.074	37.096	21.334
8/26/2008 10:34	523.001	26.073	37.067	21.400
8/26/2008 10:34	524.001	26.070	37.123	21.270
8/26/2008 10:34	525.001	26.080	37.139	21.233
8/26/2008 10:34	526.001	26.077	37.209	21.072
8/26/2008 10:34	527.001	26.073	37.168	21.167
8/26/2008 10:34	528.001	26.070	37.097	21.330
8/26/2008 10:34	529.001	26.066	37.184	21.130
8/26/2008 10:34	530.001	26.080	37.141	21.229
8/26/2008 10:34	531.001	26.072	37.014	21.521
8/26/2008 10:34	532.001	26.070	36.844	21.914
8/26/2008 10:34	533.001	26.070	37.078	21.375
8/26/2008 10:34	534.001	26.066	37.186	21.126
8/26/2008 10:34	535.001	26.077	37.082	21.364
8/26/2008 10:34	536.001	26.072	37.145	21.219
8/26/2008 10:34	537.001	26.068	37.080	21.370
8/26/2008 10:35	538.001	26.067	37.049	21.441

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:35	539.001	26.065	37.130	21.254
8/26/2008 10:35	540.069	26.073	37.121	21.276
8/26/2008 10:35	541.001	26.069	37.114	21.291
8/26/2008 10:35	542.001	26.067	36.896	21.794
8/26/2008 10:35	543.001	26.062	37.032	21.482
8/26/2008 10:35	544.001	26.060	36.952	21.666
8/26/2008 10:35	545.001	26.075	37.027	21.493
8/26/2008 10:35	546.001	26.063	36.976	21.611
8/26/2008 10:35	547.001	26.060	37.036	21.471
8/26/2008 10:35	548.001	26.058	36.968	21.628
8/26/2008 10:35	549.001	26.054	36.916	21.749
8/26/2008 10:35	550.001	26.068	36.912	21.757
8/26/2008 10:35	551.001	26.059	36.984	21.590
8/26/2008 10:35	552.001	26.060	37.028	21.489
8/26/2008 10:35	553.001	26.054	37.009	21.533
8/26/2008 10:35	554.001	26.055	36.972	21.619
8/26/2008 10:35	555.001	26.070	36.977	21.607
8/26/2008 10:35	556.001	26.059	36.949	21.671
8/26/2008 10:35	557.001	26.055	37.084	21.360
8/26/2008 10:35	558.001	26.055	37.148	21.213
8/26/2008 10:35	559.001	26.051	36.829	21.950
8/26/2008 10:35	560.001	26.065	37.041	21.461
8/26/2008 10:35	561.001	26.054	37.023	21.502
8/26/2008 10:35	562.001	26.053	36.913	21.755
8/26/2008 10:35	563.001	26.052	36.796	22.026
8/26/2008 10:35	564.001	26.052	36.854	21.891
8/26/2008 10:35	565.001	26.063	36.944	21.684
8/26/2008 10:35	566.001	26.054	36.952	21.665
8/26/2008 10:35	567.001	26.050	36.882	21.828
8/26/2008 10:35	568.001	26.050	37.011	21.530
8/26/2008 10:35	569.001	26.049	36.956	21.656
8/26/2008 10:35	570.001	26.058	36.909	21.765
8/26/2008 10:35	571.001	26.050	36.892	21.805
8/26/2008 10:35	572.001	26.048	37.017	21.515
8/26/2008 10:35	573.001	26.048	36.852	21.897
8/26/2008 10:35	574.001	26.047	36.914	21.754
8/26/2008 10:35	575.001	26.057	36.985	21.590
8/26/2008 10:35	576.001	26.049	36.934	21.707
8/26/2008 10:35	577.001	26.047	36.898	21.791
8/26/2008 10:35	578.001	26.044	36.862	21.873
8/26/2008 10:35	579.001	26.044	36.806	22.003
8/26/2008 10:35	580.001	26.054	36.888	21.814
8/26/2008 10:35	581.001	26.044	36.906	21.773
8/26/2008 10:35	582.001	26.046	36.920	21.739
8/26/2008 10:35	583.001	26.043	36.852	21.896
8/26/2008 10:35	584.001	26.039	36.778	22.067
8/26/2008 10:35	585.001	26.052	36.837	21.932
8/26/2008 10:35	586.001	26.044	36.881	21.829
8/26/2008 10:35	587.001	26.041	36.864	21.868

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:35	588.001	26.042	36.870	21.854
8/26/2008 10:35	589.001	26.037	36.902	21.781
8/26/2008 10:35	590.001	26.049	36.858	21.883
8/26/2008 10:35	591.001	26.042	36.628	22.413
8/26/2008 10:35	592.001	26.038	36.882	21.827
8/26/2008 10:35	593.001	26.040	36.824	21.961
8/26/2008 10:35	594.001	26.035	36.756	22.118
8/26/2008 10:35	595.001	26.048	36.763	22.102
8/26/2008 10:35	596.001	26.039	36.789	22.042
8/26/2008 10:35	597.001	26.035	36.864	21.868
8/26/2008 10:36	598.001	26.036	36.880	21.832
8/26/2008 10:36	599.001	26.035	36.751	22.130
8/26/2008 10:36	600.067	26.046	36.889	21.810
8/26/2008 10:36	601.001	26.040	36.862	21.874
8/26/2008 10:36	602.001	26.034	36.719	22.203
8/26/2008 10:36	603.001	26.032	36.704	22.239
8/26/2008 10:36	604.001	26.031	36.817	21.978
8/26/2008 10:36	605.001	26.043	36.836	21.934
8/26/2008 10:36	606.001	26.037	36.752	22.128
8/26/2008 10:36	607.001	26.033	36.719	22.203
8/26/2008 10:36	608.001	26.032	36.812	21.988
8/26/2008 10:36	609.001	26.033	36.809	21.995
8/26/2008 10:36	610.001	26.043	36.768	22.090
8/26/2008 10:36	611.001	26.035	36.712	22.219
8/26/2008 10:36	612.001	26.034	36.820	21.970
8/26/2008 10:36	613.001	26.034	36.795	22.029
8/26/2008 10:36	614.001	26.034	36.710	22.225
8/26/2008 10:36	615.001	26.042	36.720	22.202
8/26/2008 10:36	616.001	26.036	36.680	22.293
8/26/2008 10:36	617.001	26.031	36.685	22.281
8/26/2008 10:36	618.001	26.032	36.702	22.244
8/26/2008 10:36	619.001	26.030	36.750	22.132
8/26/2008 10:36	620.001	26.040	36.620	22.433
8/26/2008 10:36	621.001	26.034	36.784	22.054
8/26/2008 10:36	622.001	26.032	36.845	21.914
8/26/2008 10:36	623.001	26.031	36.712	22.220
8/26/2008 10:36	624.001	26.031	36.706	22.234
8/26/2008 10:36	625.001	26.042	36.698	22.252
8/26/2008 10:36	626.001	26.032	36.706	22.233
8/26/2008 10:36	627.001	26.028	36.650	22.363
8/26/2008 10:36	628.001	26.028	36.759	22.111
8/26/2008 10:36	629.001	26.027	36.731	22.177
8/26/2008 10:36	630.001	26.041	36.802	22.012
8/26/2008 10:36	631.001	26.032	36.642	22.381
8/26/2008 10:36	632.001	26.029	36.709	22.226
8/26/2008 10:36	633.001	26.029	36.731	22.177
8/26/2008 10:36	634.001	26.026	36.704	22.239
8/26/2008 10:36	635.001	26.038	36.738	22.160
8/26/2008 10:36	636.001	26.029	36.751	22.131

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:36	637.001	26.029	36.628	22.414
8/26/2008 10:36	638.001	26.027	36.768	22.091
8/26/2008 10:36	639.001	26.026	36.713	22.217
8/26/2008 10:36	640.001	26.037	36.629	22.412
8/26/2008 10:36	641.001	26.032	36.727	22.184
8/26/2008 10:36	642.001	26.029	36.802	22.011
8/26/2008 10:36	643.001	26.025	36.607	22.461
8/26/2008 10:36	644.001	26.025	36.701	22.245
8/26/2008 10:36	645.001	26.038	36.627	22.417
8/26/2008 10:36	646.001	26.028	36.668	22.321
8/26/2008 10:36	647.001	26.026	36.750	22.132
8/26/2008 10:36	648.001	26.026	36.648	22.367
8/26/2008 10:36	649.001	26.024	36.579	22.527
8/26/2008 10:36	650.001	26.037	36.607	22.462
8/26/2008 10:36	651.001	26.028	36.703	22.240
8/26/2008 10:36	652.001	26.026	36.662	22.336
8/26/2008 10:36	653.001	26.027	36.805	22.005
8/26/2008 10:36	654.001	26.022	36.691	22.268
8/26/2008 10:36	655.001	26.035	36.613	22.449
8/26/2008 10:36	656.001	26.028	36.612	22.451
8/26/2008 10:36	657.001	26.028	36.656	22.349
8/26/2008 10:37	658.001	26.026	36.652	22.359
8/26/2008 10:37	659.001	26.025	36.577	22.530
8/26/2008 10:37	660.066	26.032	36.622	22.427
8/26/2008 10:37	661.001	26.028	36.613	22.448
8/26/2008 10:37	662.001	26.025	36.759	22.111
8/26/2008 10:37	663.001	26.026	36.665	22.328
8/26/2008 10:37	664.001	26.024	36.586	22.510
8/26/2008 10:37	665.001	26.034	36.580	22.524
8/26/2008 10:37	666.001	26.028	36.705	22.235
8/26/2008 10:37	667.001	26.025	36.564	22.561
8/26/2008 10:37	668.001	26.024	36.729	22.180
8/26/2008 10:37	669.001	26.021	36.677	22.301
8/26/2008 10:37	670.001	26.033	36.661	22.338
8/26/2008 10:37	671.001	26.029	36.584	22.515
8/26/2008 10:37	672.001	26.025	36.574	22.538
8/26/2008 10:37	673.001	26.025	36.543	22.610
8/26/2008 10:37	674.001	26.021	36.574	22.537
8/26/2008 10:37	675.001	26.034	36.577	22.532
8/26/2008 10:37	676.001	26.025	36.743	22.148
8/26/2008 10:37	677.001	26.024	36.614	22.447
8/26/2008 10:37	678.001	26.022	36.568	22.551
8/26/2008 10:37	679.001	26.023	36.633	22.401
8/26/2008 10:37	680.001	26.034	36.663	22.333
8/26/2008 10:37	681.001	26.028	36.614	22.447
8/26/2008 10:37	682.001	26.025	36.709	22.226
8/26/2008 10:37	683.001	26.021	36.546	22.602
8/26/2008 10:37	684.001	26.024	36.611	22.452
8/26/2008 10:37	685.001	26.032	36.715	22.213

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:37	686.001	26.025	36.601	22.476
8/26/2008 10:37	687.001	26.023	36.572	22.544
8/26/2008 10:37	688.001	26.022	36.745	22.143
8/26/2008 10:37	689.001	26.019	36.615	22.443
8/26/2008 10:37	690.001	26.034	36.537	22.625
8/26/2008 10:37	691.001	26.025	36.533	22.633
8/26/2008 10:37	692.001	26.022	36.617	22.438
8/26/2008 10:37	693.001	26.022	36.564	22.561
8/26/2008 10:37	694.001	26.019	36.586	22.510
8/26/2008 10:37	695.001	26.031	36.541	22.614
8/26/2008 10:37	696.001	26.027	36.634	22.399
8/26/2008 10:37	697.001	26.022	36.612	22.451
8/26/2008 10:37	698.001	26.022	36.612	22.451
8/26/2008 10:37	699.001	26.020	36.510	22.686
8/26/2008 10:37	700.001	26.031	36.498	22.714
8/26/2008 10:37	701.001	26.023	36.705	22.235
8/26/2008 10:37	702.001	26.023	36.503	22.703
8/26/2008 10:37	703.001	26.021	36.503	22.702
8/26/2008 10:37	704.001	26.019	36.652	22.357
8/26/2008 10:37	705.001	26.030	36.507	22.694
8/26/2008 10:37	706.001	26.024	36.559	22.572
8/26/2008 10:37	707.001	26.020	36.538	22.622
8/26/2008 10:37	708.001	26.019	36.560	22.570
8/26/2008 10:37	709.001	26.020	36.592	22.497
8/26/2008 10:37	710.001	26.027	36.606	22.465
8/26/2008 10:37	711.001	26.022	36.525	22.650
8/26/2008 10:37	712.001	26.021	36.591	22.499
8/26/2008 10:37	713.001	26.017	36.517	22.669
8/26/2008 10:37	714.001	26.018	36.468	22.784
8/26/2008 10:37	715.001	26.032	36.519	22.665
8/26/2008 10:37	716.001	26.023	36.730	22.178
8/26/2008 10:37	717.001	26.020	36.578	22.529
8/26/2008 10:38	718.001	26.017	36.624	22.422
8/26/2008 10:38	719.001	26.018	36.501	22.707
8/26/2008 10:38	720.063	26.028	36.570	22.548
8/26/2008 10:38	721.001	26.021	36.627	22.416
8/26/2008 10:38	722.001	26.021	36.495	22.721
8/26/2008 10:38	723.001	26.021	36.620	22.432
8/26/2008 10:38	724.001	26.019	36.446	22.834
8/26/2008 10:38	725.001	26.029	36.506	22.696
8/26/2008 10:38	726.001	26.026	36.471	22.777
8/26/2008 10:38	727.001	26.018	36.525	22.652
8/26/2008 10:38	728.001	26.020	36.560	22.572
8/26/2008 10:38	729.001	26.018	36.619	22.435
8/26/2008 10:38	730.001	26.028	36.464	22.792
8/26/2008 10:38	731.001	26.021	36.539	22.619
8/26/2008 10:38	732.001	26.019	36.532	22.635
8/26/2008 10:38	733.001	26.016	36.499	22.711
8/26/2008 10:38	734.001	26.017	36.555	22.583

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:38	735.001	26.029	36.509	22.687
8/26/2008 10:38	736.001	26.020	36.484	22.745
8/26/2008 10:38	737.001	26.019	36.604	22.469
8/26/2008 10:38	738.001	26.016	36.517	22.669
8/26/2008 10:38	739.001	26.018	36.616	22.441
8/26/2008 10:38	740.001	26.027	36.425	22.882
8/26/2008 10:38	741.001	26.020	36.501	22.707
8/26/2008 10:38	742.001	26.018	36.503	22.702
8/26/2008 10:38	743.001	26.016	36.513	22.679
8/26/2008 10:38	744.001	26.016	36.566	22.556
8/26/2008 10:38	745.001	26.016	36.531	22.638
8/26/2008 10:38	746.171	26.027	36.590	22.500
8/26/2008 10:38	747.172	26.022	36.453	22.817
8/26/2008 10:38	748.001	26.018	36.392	22.958
8/26/2008 10:38	749.001	26.015	36.541	22.614
8/26/2008 10:38	750.001	26.024	36.457	22.808
8/26/2008 10:38	751.001	26.021	36.487	22.739
8/26/2008 10:38	752.001	26.016	36.539	22.620
8/26/2008 10:38	753.001	26.016	36.525	22.652
8/26/2008 10:38	754.001	26.014	36.551	22.592
8/26/2008 10:38	755.001	26.025	36.344	23.070
8/26/2008 10:38	756.001	26.018	36.574	22.539
8/26/2008 10:38	757.001	26.014	36.473	22.772
8/26/2008 10:38	758.001	26.015	36.486	22.741
8/26/2008 10:38	759.001	26.014	36.391	22.961
8/26/2008 10:38	760.001	26.023	36.480	22.756
8/26/2008 10:38	761.001	26.017	36.579	22.526
8/26/2008 10:38	762.001	26.016	36.514	22.677
8/26/2008 10:38	763.001	26.013	36.476	22.764
8/26/2008 10:38	764.001	26.012	36.549	22.596
8/26/2008 10:38	765.001	26.024	36.476	22.765
8/26/2008 10:38	766.001	26.017	36.508	22.691
8/26/2008 10:38	767.001	26.014	36.515	22.674
8/26/2008 10:38	768.001	26.015	36.528	22.644
8/26/2008 10:38	769.001	26.014	36.437	22.853
8/26/2008 10:38	770.001	26.023	36.581	22.523
8/26/2008 10:38	771.001	26.014	36.540	22.616
8/26/2008 10:38	772.001	26.015	36.595	22.491
8/26/2008 10:38	773.001	26.013	36.468	22.784
8/26/2008 10:38	774.001	26.009	36.456	22.810
8/26/2008 10:38	775.001	26.011	36.398	22.944
8/26/2008 10:38	776.169	26.024	36.530	22.641
8/26/2008 10:38	777.001	26.018	36.494	22.723
8/26/2008 10:39	778.001	26.014	36.556	22.579
8/26/2008 10:39	779.001	26.012	36.415	22.906
8/26/2008 10:39	780.001	26.011	36.628	22.413
8/26/2008 10:39	781.001	26.020	36.548	22.599
8/26/2008 10:39	782.001	26.015	36.452	22.820
8/26/2008 10:39	783.001	26.013	36.563	22.563

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:39	784.001	26.012	36.391	22.962
8/26/2008 10:39	785.001	26.011	36.472	22.775
8/26/2008 10:39	786.169	26.025	36.429	22.874
8/26/2008 10:39	787.171	26.014	36.504	22.699
8/26/2008 10:39	788.001	26.011	36.438	22.853
8/26/2008 10:39	789.001	26.012	36.530	22.639
8/26/2008 10:39	790.001	26.021	36.522	22.657
8/26/2008 10:39	791.001	26.013	36.488	22.736
8/26/2008 10:39	792.001	26.012	36.543	22.610
8/26/2008 10:39	793.001	26.009	36.434	22.861
8/26/2008 10:39	794.001	26.010	36.367	23.016
8/26/2008 10:39	795.001	26.018	36.408	22.921
8/26/2008 10:39	796.001	26.014	36.456	22.812
8/26/2008 10:39	797.001	26.011	36.478	22.760
8/26/2008 10:39	798.001	26.009	36.508	22.690
8/26/2008 10:39	799.001	26.007	36.552	22.589
8/26/2008 10:39	800.001	26.017	36.398	22.945
8/26/2008 10:39	801.001	26.013	36.483	22.749
8/26/2008 10:39	802.001	26.010	36.476	22.765
8/26/2008 10:39	803.001	26.008	36.467	22.786
8/26/2008 10:39	804.001	26.007	36.481	22.752
8/26/2008 10:39	805.001	26.008	36.537	22.624
8/26/2008 10:39	806.001	26.018	36.496	22.718
8/26/2008 10:39	807.001	26.012	36.420	22.894
8/26/2008 10:39	808.001	26.010	36.388	22.968
8/26/2008 10:39	809.001	26.007	36.481	22.752
8/26/2008 10:39	810.001	26.021	36.426	22.880
8/26/2008 10:39	811.001	26.013	36.293	23.188
8/26/2008 10:39	812.001	26.005	36.410	22.917
8/26/2008 10:39	813.001	26.010	36.484	22.747
8/26/2008 10:39	814.001	26.006	36.511	22.684
8/26/2008 10:39	815.001	26.016	36.249	23.289
8/26/2008 10:39	816.001	26.010	36.473	22.771
8/26/2008 10:39	817.001	26.008	36.587	22.508
8/26/2008 10:39	818.001	26.006	36.420	22.895
8/26/2008 10:39	819.001	26.008	36.521	22.661
8/26/2008 10:39	820.001	26.017	36.436	22.857
8/26/2008 10:39	821.001	26.010	36.478	22.760
8/26/2008 10:39	822.001	26.008	36.377	22.992
8/26/2008 10:39	823.001	26.006	36.355	23.045
8/26/2008 10:39	824.001	26.007	36.395	22.952
8/26/2008 10:39	825.001	26.016	36.386	22.973
8/26/2008 10:39	826.001	26.009	36.435	22.859
8/26/2008 10:39	827.001	26.008	36.488	22.737
8/26/2008 10:39	828.001	26.008	36.469	22.782
8/26/2008 10:39	829.001	26.005	36.465	22.790
8/26/2008 10:39	830.001	26.003	36.475	22.767
8/26/2008 10:39	831.001	26.015	36.328	23.106
8/26/2008 10:39	832.001	26.009	36.395	22.951

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:39	833.001	26.005	36.490	22.732
8/26/2008 10:39	834.001	26.004	36.355	23.044
8/26/2008 10:39	835.001	26.014	36.534	22.630
8/26/2008 10:39	836.001	26.014	36.441	22.846
8/26/2008 10:39	837.001	26.005	36.531	22.637
8/26/2008 10:40	838.001	26.003	36.396	22.950
8/26/2008 10:40	839.001	26.004	36.324	23.115
8/26/2008 10:40	840.060	26.012	36.504	22.700
8/26/2008 10:40	841.001	26.009	36.415	22.906
8/26/2008 10:40	842.001	26.005	36.460	22.801
8/26/2008 10:40	843.001	26.005	36.435	22.859
8/26/2008 10:40	844.001	26.004	36.510	22.686
8/26/2008 10:40	845.001	26.013	36.460	22.802
8/26/2008 10:40	846.001	26.008	36.415	22.906
8/26/2008 10:40	847.001	26.006	36.336	23.088
8/26/2008 10:40	848.001	26.002	36.491	22.729
8/26/2008 10:40	849.001	26.002	36.326	23.111
8/26/2008 10:40	850.001	26.002	36.373	23.001
8/26/2008 10:40	851.001	26.015	36.376	22.995
8/26/2008 10:40	852.001	26.008	36.444	22.839
8/26/2008 10:40	853.001	26.005	36.393	22.956
8/26/2008 10:40	854.001	26.001	36.559	22.574
8/26/2008 10:40	855.001	26.013	36.531	22.638
8/26/2008 10:40	856.001	26.006	36.460	22.801
8/26/2008 10:40	857.001	26.005	36.538	22.620
8/26/2008 10:40	858.001	26.001	36.424	22.885
8/26/2008 10:40	859.001	26.002	36.320	23.124
8/26/2008 10:40	860.001	26.011	36.495	22.721
8/26/2008 10:40	861.001	26.004	36.290	23.193
8/26/2008 10:40	862.001	26.001	36.246	23.295
8/26/2008 10:40	863.001	26.003	36.340	23.079
8/26/2008 10:40	864.001	26.003	36.393	22.957
8/26/2008 10:40	865.001	26.013	36.291	23.192
8/26/2008 10:40	866.001	26.008	36.384	22.978
8/26/2008 10:40	867.001	26.006	36.535	22.628
8/26/2008 10:40	868.001	26.004	36.532	22.636
8/26/2008 10:40	869.001	26.001	36.281	23.215
8/26/2008 10:40	870.001	26.012	36.377	22.992
8/26/2008 10:40	871.001	26.006	36.274	23.232
8/26/2008 10:40	872.001	26.005	36.471	22.776
8/26/2008 10:40	873.001	26.003	36.471	22.776
8/26/2008 10:40	874.001	26.002	36.375	22.997
8/26/2008 10:40	875.001	26.012	36.544	22.608
8/26/2008 10:40	876.001	26.005	36.360	23.033
8/26/2008 10:40	877.001	26.002	36.357	23.038
8/26/2008 10:40	878.001	26.001	36.543	22.611
8/26/2008 10:40	879.001	26.000	36.321	23.122
8/26/2008 10:40	880.001	26.013	36.390	22.963
8/26/2008 10:40	881.001	26.004	36.508	22.690

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:40	882.001	26.001	36.551	22.592
8/26/2008 10:40	883.001	26.002	36.368	23.015
8/26/2008 10:40	884.001	26.004	36.480	22.755
8/26/2008 10:40	885.001	26.013	36.314	23.139
8/26/2008 10:40	886.001	26.004	36.361	23.029
8/26/2008 10:40	887.001	26.003	36.379	22.989
8/26/2008 10:40	888.001	26.002	36.401	22.937
8/26/2008 10:40	889.001	26.002	36.357	23.039
8/26/2008 10:40	890.001	26.011	36.383	22.980
8/26/2008 10:40	891.001	26.005	36.459	22.803
8/26/2008 10:40	892.001	26.002	36.372	23.005
8/26/2008 10:40	893.001	26.001	36.387	22.971
8/26/2008 10:40	894.001	26.001	36.362	23.027
8/26/2008 10:40	895.001	26.010	36.270	23.240
8/26/2008 10:40	896.001	26.007	36.390	22.963
8/26/2008 10:40	897.001	26.004	36.382	22.982
8/26/2008 10:41	898.001	26.002	36.328	23.105
8/26/2008 10:41	899.001	26.000	36.446	22.834
8/26/2008 10:41	900.001	26.011	36.331	23.098
8/26/2008 10:41	901.001	26.005	36.316	23.134
8/26/2008 10:41	902.001	26.001	36.416	22.904
8/26/2008 10:41	903.001	26.003	36.389	22.965
8/26/2008 10:41	904.001	26.002	36.388	22.968
8/26/2008 10:41	905.001	26.011	36.395	22.951
8/26/2008 10:41	906.001	26.006	36.367	23.016
8/26/2008 10:41	907.001	26.006	36.477	22.762
8/26/2008 10:41	908.001	26.004	36.389	22.965
8/26/2008 10:41	909.001	26.002	36.289	23.196
8/26/2008 10:41	910.058	26.009	36.366	23.019
8/26/2008 10:41	911.001	26.006	36.305	23.159
8/26/2008 10:41	912.001	26.004	36.478	22.759
8/26/2008 10:41	913.001	26.003	36.387	22.970
8/26/2008 10:41	914.001	26.005	36.344	23.070
8/26/2008 10:41	915.001	26.016	36.381	22.983
8/26/2008 10:41	916.001	26.011	36.364	23.022
8/26/2008 10:41	917.001	26.005	36.566	22.556
8/26/2008 10:41	918.001	26.005	36.266	23.250
8/26/2008 10:41	919.001	26.004	36.465	22.789
8/26/2008 10:41	920.001	26.018	36.460	22.802
8/26/2008 10:41	921.001	26.011	36.288	23.199
8/26/2008 10:41	922.001	26.011	36.407	22.924
8/26/2008 10:41	923.001	26.008	36.410	22.917
8/26/2008 10:41	924.001	26.009	36.309	23.150
8/26/2008 10:41	925.001	26.020	36.414	22.908
8/26/2008 10:41	926.001	26.014	36.491	22.730
8/26/2008 10:41	927.001	26.013	36.292	23.188
8/26/2008 10:41	928.001	26.015	36.434	22.860
8/26/2008 10:41	929.001	26.014	36.296	23.180
8/26/2008 10:41	930.001	26.021	36.382	22.982

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:41	931.001	26.017	36.346	23.066
8/26/2008 10:41	932.001	26.016	36.440	22.848
8/26/2008 10:41	933.001	26.017	36.372	23.004
8/26/2008 10:41	934.001	26.017	36.410	22.917
8/26/2008 10:41	935.001	26.027	36.323	23.118
8/26/2008 10:41	936.001	26.021	36.321	23.122
8/26/2008 10:41	937.001	26.021	36.310	23.148
8/26/2008 10:41	938.001	26.020	36.358	23.036
8/26/2008 10:41	939.001	26.019	36.435	22.860
8/26/2008 10:41	940.001	26.033	36.315	23.135
8/26/2008 10:41	941.001	26.027	36.376	22.997
8/26/2008 10:41	942.001	26.022	36.444	22.838
8/26/2008 10:41	943.001	26.024	36.478	22.761
8/26/2008 10:41	944.001	26.024	36.298	23.175
8/26/2008 10:41	945.001	26.036	36.332	23.097
8/26/2008 10:41	946.001	26.028	36.249	23.288
8/26/2008 10:41	947.001	26.024	36.319	23.127
8/26/2008 10:41	948.001	26.027	36.435	22.859
8/26/2008 10:41	949.001	26.029	36.276	23.227
8/26/2008 10:41	950.001	26.041	36.421	22.891
8/26/2008 10:41	951.001	26.033	36.334	23.093
8/26/2008 10:41	952.001	26.031	36.372	23.005
8/26/2008 10:41	953.001	26.029	36.384	22.976
8/26/2008 10:41	954.001	26.031	36.411	22.915
8/26/2008 10:41	955.001	26.042	36.388	22.968
8/26/2008 10:41	956.001	26.037	36.323	23.119
8/26/2008 10:41	957.001	26.035	36.352	23.051
8/26/2008 10:42	958.001	26.035	36.540	22.618
8/26/2008 10:42	959.001	26.036	36.320	23.125
8/26/2008 10:42	960.001	26.047	36.383	22.979
8/26/2008 10:42	961.001	26.041	36.257	23.271
8/26/2008 10:42	962.001	26.036	36.310	23.149
8/26/2008 10:42	963.001	26.039	36.430	22.870
8/26/2008 10:42	964.001	26.038	36.267	23.248
8/26/2008 10:42	965.001	26.050	36.568	22.551
8/26/2008 10:42	966.001	26.044	36.405	22.927
8/26/2008 10:42	967.001	26.041	36.285	23.205
8/26/2008 10:42	968.001	26.043	36.387	22.970
8/26/2008 10:42	969.001	26.042	36.456	22.810
8/26/2008 10:42	970.057	26.053	36.330	23.101
8/26/2008 10:42	971.001	26.047	36.308	23.153
8/26/2008 10:42	972.001	26.045	36.339	23.082
8/26/2008 10:42	973.001	26.045	36.524	22.655
8/26/2008 10:42	974.001	26.046	36.367	23.016
8/26/2008 10:42	975.001	26.055	36.345	23.068
8/26/2008 10:42	976.001	26.051	36.288	23.199
8/26/2008 10:42	977.001	26.050	36.290	23.195
8/26/2008 10:42	978.001	26.049	36.409	22.920
8/26/2008 10:42	979.001	26.048	36.324	23.115

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:42	980.001	26.060	36.391	22.961
8/26/2008 10:42	981.001	26.051	36.303	23.164
8/26/2008 10:42	982.001	26.052	36.336	23.089
8/26/2008 10:42	983.001	26.051	36.244	23.300
8/26/2008 10:42	984.001	26.051	36.393	22.957
8/26/2008 10:42	985.001	26.059	36.393	22.955
8/26/2008 10:42	986.001	26.058	36.293	23.186
8/26/2008 10:42	987.001	26.053	36.357	23.040
8/26/2008 10:42	988.001	26.057	36.286	23.204
8/26/2008 10:42	989.001	26.053	36.367	23.016
8/26/2008 10:42	990.001	26.065	36.334	23.091
8/26/2008 10:42	991.001	26.058	36.267	23.246
8/26/2008 10:42	992.001	26.055	36.169	23.474
8/26/2008 10:42	993.001	26.054	36.407	22.925
8/26/2008 10:42	994.001	26.057	36.287	23.200
8/26/2008 10:42	995.001	26.069	36.376	22.995
8/26/2008 10:42	996.001	26.063	36.300	23.172
8/26/2008 10:42	997.001	26.060	36.394	22.953
8/26/2008 10:42	998.001	26.058	36.206	23.389
8/26/2008 10:42	999.001	26.056	36.312	23.144
8/26/2008 10:42	1000.001	26.071	36.317	23.131
8/26/2008 10:42	1001.001	26.064	36.288	23.199
8/26/2008 10:42	1002.001	26.063	36.300	23.171
8/26/2008 10:42	1003.001	26.060	36.368	23.013
8/26/2008 10:42	1004.001	26.059	36.315	23.136
8/26/2008 10:42	1005.001	26.072	36.242	23.304
8/26/2008 10:42	1006.001	26.065	36.318	23.130
8/26/2008 10:42	1007.001	26.065	36.350	23.054
8/26/2008 10:42	1008.001	26.064	36.357	23.039
8/26/2008 10:42	1009.001	26.063	36.389	22.965
8/26/2008 10:42	1010.001	26.073	36.186	23.434
8/26/2008 10:42	1011.001	26.066	36.347	23.063
8/26/2008 10:42	1012.001	26.068	36.346	23.064
8/26/2008 10:42	1013.001	26.066	36.416	22.903
8/26/2008 10:42	1014.001	26.063	36.279	23.220
8/26/2008 10:42	1015.001	26.078	36.328	23.107
8/26/2008 10:42	1016.001	26.067	36.365	23.021
8/26/2008 10:42	1017.001	26.070	36.351	23.054
8/26/2008 10:43	1018.001	26.066	36.298	23.176
8/26/2008 10:43	1019.001	26.069	36.376	22.997
8/26/2008 10:43	1020.001	26.079	36.370	23.009
8/26/2008 10:43	1021.001	26.070	36.374	23.000
8/26/2008 10:43	1022.001	26.069	36.239	23.311
8/26/2008 10:43	1023.001	26.070	36.327	23.108
8/26/2008 10:43	1024.001	26.069	36.354	23.045
8/26/2008 10:43	1025.001	26.078	36.358	23.038
8/26/2008 10:43	1026.001	26.073	36.268	23.245
8/26/2008 10:43	1027.001	26.072	36.424	22.884
8/26/2008 10:43	1028.001	26.070	36.308	23.153

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:43	1029.001	26.069	36.442	22.844
8/26/2008 10:43	1030.056	26.078	36.359	23.034
8/26/2008 10:43	1031.001	26.074	36.231	23.331
8/26/2008 10:43	1032.001	26.071	36.513	22.679
8/26/2008 10:43	1033.001	26.074	36.328	23.105
8/26/2008 10:43	1034.001	26.072	36.407	22.925
8/26/2008 10:43	1035.001	26.082	36.220	23.356
8/26/2008 10:43	1036.001	26.074	36.250	23.286
8/26/2008 10:43	1037.001	26.074	36.313	23.141
8/26/2008 10:43	1038.001	26.073	36.403	22.933
8/26/2008 10:43	1039.001	26.069	36.237	23.316
8/26/2008 10:43	1040.001	26.082	36.277	23.225
8/26/2008 10:43	1041.001	26.079	36.374	23.000
8/26/2008 10:43	1042.001	26.074	36.335	23.090
8/26/2008 10:43	1043.001	26.073	36.295	23.184
8/26/2008 10:43	1044.001	26.072	36.259	23.266
8/26/2008 10:43	1045.001	26.083	36.207	23.386
8/26/2008 10:43	1046.001	26.077	36.303	23.164
8/26/2008 10:43	1047.001	26.075	36.363	23.026
8/26/2008 10:43	1048.001	26.076	36.337	23.085
8/26/2008 10:43	1049.001	26.074	36.409	22.919
8/26/2008 10:43	1050.001	26.084	36.289	23.196
8/26/2008 10:43	1051.001	26.076	36.252	23.282
8/26/2008 10:43	1052.001	26.076	36.260	23.263
8/26/2008 10:43	1053.001	26.075	36.359	23.034
8/26/2008 10:43	1054.001	26.075	36.351	23.052
8/26/2008 10:43	1055.001	26.084	36.380	22.987
8/26/2008 10:43	1056.001	26.078	36.138	23.545
8/26/2008 10:43	1057.001	26.071	36.278	23.222
8/26/2008 10:43	1058.001	26.072	36.416	22.902
8/26/2008 10:43	1059.001	26.073	36.399	22.943
8/26/2008 10:43	1060.001	26.084	36.251	23.283
8/26/2008 10:43	1061.001	26.078	36.351	23.053
8/26/2008 10:43	1062.001	26.074	36.300	23.170
8/26/2008 10:43	1063.001	26.075	36.285	23.205
8/26/2008 10:43	1064.001	26.072	36.423	22.886
8/26/2008 10:43	1065.001	26.084	36.374	23.000
8/26/2008 10:43	1066.001	26.075	36.240	23.310
8/26/2008 10:43	1067.001	26.074	36.281	23.214
8/26/2008 10:43	1068.001	26.074	36.271	23.238
8/26/2008 10:43	1069.001	26.072	36.194	23.417
8/26/2008 10:43	1070.001	26.083	36.310	23.147
8/26/2008 10:43	1071.001	26.077	36.296	23.181
8/26/2008 10:43	1072.001	26.075	36.259	23.266
8/26/2008 10:43	1073.001	26.072	36.286	23.202
8/26/2008 10:43	1074.001	26.073	36.331	23.100
8/26/2008 10:43	1075.001	26.081	36.176	23.456
8/26/2008 10:43	1076.001	26.076	36.279	23.219
8/26/2008 10:43	1077.001	26.075	36.454	22.815

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:44	1078.001	26.073	36.246	23.297
8/26/2008 10:44	1079.001	26.071	36.254	23.277
8/26/2008 10:44	1080.001	26.083	36.181	23.445
8/26/2008 10:44	1081.001	26.076	36.334	23.093
8/26/2008 10:44	1082.001	26.073	36.330	23.101
8/26/2008 10:44	1083.001	26.071	36.274	23.231
8/26/2008 10:44	1084.001	26.072	36.329	23.104
8/26/2008 10:44	1085.001	26.083	36.453	22.817
8/26/2008 10:44	1086.001	26.074	36.305	23.160
8/26/2008 10:44	1087.001	26.071	36.289	23.197
8/26/2008 10:44	1088.001	26.072	36.396	22.949
8/26/2008 10:44	1089.001	26.070	36.377	22.994
8/26/2008 10:44	1090.054	26.081	36.313	23.140
8/26/2008 10:44	1091.001	26.075	36.471	22.775
8/26/2008 10:44	1092.001	26.073	36.244	23.301
8/26/2008 10:44	1093.001	26.070	36.340	23.079
8/26/2008 10:44	1094.001	26.069	36.256	23.272
8/26/2008 10:44	1095.001	26.082	36.192	23.419
8/26/2008 10:44	1096.001	26.072	36.185	23.436
8/26/2008 10:44	1097.001	26.071	36.253	23.279
8/26/2008 10:44	1098.001	26.068	36.260	23.264
8/26/2008 10:44	1099.001	26.065	36.233	23.325
8/26/2008 10:44	1100.001	26.081	36.204	23.392
8/26/2008 10:44	1101.001	26.075	36.290	23.195
8/26/2008 10:44	1102.001	26.070	36.388	22.968
8/26/2008 10:44	1103.001	26.068	36.321	23.122
8/26/2008 10:44	1104.001	26.069	36.294	23.184
8/26/2008 10:44	1105.001	26.082	36.280	23.217
8/26/2008 10:44	1106.001	26.074	36.285	23.207
8/26/2008 10:44	1107.001	26.069	36.319	23.126
8/26/2008 10:44	1108.001	26.067	36.158	23.498
8/26/2008 10:44	1109.001	26.069	36.290	23.193
8/26/2008 10:44	1110.001	26.079	36.284	23.208
8/26/2008 10:44	1111.001	26.071	36.356	23.042
8/26/2008 10:44	1112.001	26.071	36.346	23.064
8/26/2008 10:44	1113.001	26.064	36.275	23.228
8/26/2008 10:44	1114.001	26.068	36.363	23.025
8/26/2008 10:44	1115.001	26.077	36.161	23.491
8/26/2008 10:44	1116.001	26.071	36.273	23.233
8/26/2008 10:44	1117.001	26.069	36.323	23.118
8/26/2008 10:44	1118.001	26.072	36.223	23.349
8/26/2008 10:44	1119.001	26.068	36.276	23.227
8/26/2008 10:44	1120.001	26.078	36.272	23.236
8/26/2008 10:44	1121.001	26.070	36.393	22.956
8/26/2008 10:44	1122.001	26.070	36.281	23.214
8/26/2008 10:44	1123.001	26.066	36.276	23.226
8/26/2008 10:44	1124.001	26.069	36.312	23.143
8/26/2008 10:44	1125.001	26.078	36.374	22.999
8/26/2008 10:44	1126.001	26.070	36.150	23.517

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:44	1127.001	26.067	36.361	23.029
8/26/2008 10:44	1128.001	26.067	36.258	23.267
8/26/2008 10:44	1129.001	26.068	36.218	23.360
8/26/2008 10:44	1130.001	26.076	36.259	23.266
8/26/2008 10:44	1131.001	26.070	36.379	22.987
8/26/2008 10:44	1132.001	26.065	36.259	23.266
8/26/2008 10:44	1133.001	26.069	36.365	23.020
8/26/2008 10:44	1134.001	26.066	36.161	23.493
8/26/2008 10:44	1135.001	26.076	36.309	23.150
8/26/2008 10:44	1136.001	26.069	36.309	23.151
8/26/2008 10:44	1137.001	26.068	36.156	23.504
8/26/2008 10:45	1138.001	26.065	36.409	22.919
8/26/2008 10:45	1139.001	26.063	36.250	23.286
8/26/2008 10:45	1140.001	26.077	36.316	23.135
8/26/2008 10:45	1141.001	26.069	36.309	23.150
8/26/2008 10:45	1142.001	26.067	36.231	23.330
8/26/2008 10:45	1143.001	26.066	36.281	23.215
8/26/2008 10:45	1144.001	26.064	36.291	23.192
8/26/2008 10:45	1145.001	26.075	36.290	23.193
8/26/2008 10:45	1146.001	26.068	36.285	23.207
8/26/2008 10:45	1147.001	26.067	36.194	23.416
8/26/2008 10:45	1148.001	26.064	36.248	23.290
8/26/2008 10:45	1149.001	26.063	36.241	23.306
8/26/2008 10:45	1150.054	26.075	36.292	23.189
8/26/2008 10:45	1151.001	26.069	36.323	23.119
8/26/2008 10:45	1152.001	26.066	36.240	23.310
8/26/2008 10:45	1153.001	26.066	36.272	23.236
8/26/2008 10:45	1154.001	26.066	36.401	22.939
8/26/2008 10:45	1155.001	26.074	36.227	23.340
8/26/2008 10:45	1156.001	26.066	36.249	23.288
8/26/2008 10:45	1157.001	26.066	36.172	23.466
8/26/2008 10:45	1158.001	26.063	36.244	23.301
8/26/2008 10:45	1159.001	26.063	36.314	23.139
8/26/2008 10:45	1160.001	26.076	36.199	23.404
8/26/2008 10:45	1161.001	26.067	36.281	23.215
8/26/2008 10:45	1162.001	26.064	36.111	23.607
8/26/2008 10:45	1163.001	26.064	36.294	23.186
8/26/2008 10:45	1164.001	26.062	36.255	23.275
8/26/2008 10:45	1165.001	26.073	36.307	23.155
8/26/2008 10:45	1166.001	26.065	36.260	23.264
8/26/2008 10:45	1167.001	26.065	36.198	23.406
8/26/2008 10:45	1168.001	26.060	36.184	23.438
8/26/2008 10:45	1169.001	26.063	36.252	23.281
8/26/2008 10:45	1170.001	26.075	36.292	23.189
8/26/2008 10:45	1171.001	26.064	36.130	23.564
8/26/2008 10:45	1172.001	26.066	36.232	23.328
8/26/2008 10:45	1173.001	26.064	36.348	23.061
8/26/2008 10:45	1174.001	26.064	36.256	23.273
8/26/2008 10:45	1175.001	26.075	36.224	23.348

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:45	1176.001	26.067	36.248	23.290
8/26/2008 10:45	1177.001	26.067	36.389	22.965
8/26/2008 10:45	1178.001	26.063	36.054	23.738
8/26/2008 10:45	1179.001	26.061	36.347	23.063
8/26/2008 10:45	1180.001	26.074	36.185	23.437
8/26/2008 10:45	1181.001	26.067	36.326	23.111
8/26/2008 10:45	1182.001	26.065	36.315	23.137
8/26/2008 10:45	1183.001	26.062	36.224	23.346
8/26/2008 10:45	1184.001	26.063	36.272	23.236
8/26/2008 10:45	1185.001	26.073	36.228	23.338
8/26/2008 10:45	1186.001	26.064	36.181	23.445
8/26/2008 10:45	1187.001	26.063	36.273	23.234
8/26/2008 10:45	1188.001	26.062	36.327	23.109
8/26/2008 10:45	1189.001	26.063	36.298	23.175
8/26/2008 10:45	1190.001	26.072	36.295	23.183
8/26/2008 10:45	1191.001	26.064	36.290	23.194
8/26/2008 10:45	1192.001	26.063	36.292	23.190
8/26/2008 10:45	1193.001	26.061	36.127	23.571
8/26/2008 10:45	1194.001	26.059	36.257	23.270
8/26/2008 10:45	1195.001	26.072	36.357	23.040
8/26/2008 10:45	1196.001	26.066	36.140	23.540
8/26/2008 10:45	1197.001	26.065	36.178	23.454
8/26/2008 10:46	1198.001	26.064	36.268	23.246
8/26/2008 10:46	1199.001	26.061	36.251	23.283
8/26/2008 10:46	1200.001	26.071	36.226	23.343
8/26/2008 10:46	1201.001	26.066	36.136	23.549
8/26/2008 10:46	1202.001	26.062	36.300	23.171
8/26/2008 10:46	1203.001	26.059	36.246	23.294
8/26/2008 10:46	1204.001	26.060	36.234	23.324
8/26/2008 10:46	1205.001	26.072	36.266	23.249
8/26/2008 10:46	1206.001	26.067	36.316	23.134
8/26/2008 10:46	1207.001	26.061	36.276	23.227
8/26/2008 10:46	1208.001	26.062	36.241	23.308
8/26/2008 10:46	1209.001	26.058	36.126	23.572
8/26/2008 10:46	1210.051	26.070	36.323	23.117
8/26/2008 10:46	1211.001	26.063	36.290	23.194
8/26/2008 10:46	1212.001	26.063	36.200	23.402
8/26/2008 10:46	1213.001	26.060	36.171	23.468
8/26/2008 10:46	1214.001	26.059	36.200	23.403
8/26/2008 10:46	1215.001	26.074	36.206	23.388
8/26/2008 10:46	1216.001	26.065	36.263	23.257
8/26/2008 10:46	1217.001	26.061	36.105	23.621
8/26/2008 10:46	1218.001	26.062	36.166	23.481
8/26/2008 10:46	1219.001	26.061	36.261	23.260
8/26/2008 10:46	1220.001	26.070	36.301	23.169
8/26/2008 10:46	1221.001	26.066	36.296	23.181
8/26/2008 10:46	1222.001	26.063	36.205	23.390
8/26/2008 10:46	1223.001	26.059	36.137	23.547
8/26/2008 10:46	1224.001	26.057	36.110	23.609

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:46	1225.001	26.072	36.340	23.078
8/26/2008 10:46	1226.001	26.064	36.234	23.323
8/26/2008 10:46	1227.001	26.062	36.168	23.475
8/26/2008 10:46	1228.001	26.060	36.192	23.420
8/26/2008 10:46	1229.001	26.056	36.159	23.497
8/26/2008 10:46	1230.001	26.071	36.202	23.398
8/26/2008 10:46	1231.001	26.066	36.342	23.075
8/26/2008 10:46	1232.001	26.064	36.224	23.346
8/26/2008 10:46	1233.001	26.061	36.329	23.105
8/26/2008 10:46	1234.001	26.059	36.264	23.253
8/26/2008 10:46	1235.001	26.071	36.180	23.447
8/26/2008 10:46	1236.001	26.063	36.279	23.220
8/26/2008 10:46	1237.001	26.061	36.224	23.346
8/26/2008 10:46	1238.001	26.059	36.213	23.371
8/26/2008 10:46	1239.001	26.061	36.212	23.374
8/26/2008 10:46	1240.001	26.071	36.096	23.642
8/26/2008 10:46	1241.001	26.064	36.105	23.621
8/26/2008 10:46	1242.001	26.061	36.123	23.580
8/26/2008 10:46	1243.001	26.060	36.159	23.497
8/26/2008 10:46	1244.001	26.059	36.234	23.324
8/26/2008 10:46	1245.001	26.071	36.152	23.512
8/26/2008 10:46	1246.001	26.064	36.248	23.291
8/26/2008 10:46	1247.001	26.061	36.031	23.793
8/26/2008 10:46	1248.001	26.057	36.192	23.420
8/26/2008 10:46	1249.001	26.061	36.251	23.285
8/26/2008 10:46	1250.001	26.069	36.115	23.598
8/26/2008 10:46	1251.001	26.061	36.101	23.631
8/26/2008 10:46	1252.001	26.061	36.092	23.650
8/26/2008 10:46	1253.001	26.058	36.213	23.372
8/26/2008 10:46	1254.001	26.060	36.142	23.536
8/26/2008 10:46	1255.001	26.070	36.043	23.765
8/26/2008 10:46	1256.001	26.063	36.182	23.442
8/26/2008 10:46	1257.001	26.062	36.154	23.508
8/26/2008 10:47	1258.001	26.059	36.152	23.512
8/26/2008 10:47	1259.001	26.059	36.125	23.574
8/26/2008 10:47	1260.001	26.070	36.138	23.544
8/26/2008 10:47	1261.001	26.064	36.194	23.415
8/26/2008 10:47	1262.001	26.062	36.215	23.367
8/26/2008 10:47	1263.001	26.059	36.214	23.370
8/26/2008 10:47	1264.001	26.059	36.210	23.378
8/26/2008 10:47	1265.001	26.073	36.109	23.613
8/26/2008 10:47	1266.001	26.066	36.129	23.565
8/26/2008 10:47	1267.001	26.060	36.172	23.466
8/26/2008 10:47	1268.001	26.060	36.133	23.557
8/26/2008 10:47	1269.001	26.059	36.097	23.640
8/26/2008 10:47	1270.050	26.072	36.145	23.529
8/26/2008 10:47	1271.001	26.062	36.174	23.462
8/26/2008 10:47	1272.001	26.062	36.174	23.462
8/26/2008 10:47	1273.001	26.059	36.172	23.466

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:47	1274.001	26.059	36.147	23.523
8/26/2008 10:47	1275.001	26.069	36.144	23.531
8/26/2008 10:47	1276.001	26.065	36.115	23.598
8/26/2008 10:47	1277.001	26.059	36.228	23.336
8/26/2008 10:47	1278.001	26.062	36.110	23.610
8/26/2008 10:47	1279.001	26.059	36.223	23.349
8/26/2008 10:47	1280.001	26.072	36.034	23.786
8/26/2008 10:47	1281.001	26.064	36.153	23.511
8/26/2008 10:47	1282.001	26.062	36.179	23.449
8/26/2008 10:47	1283.001	26.062	36.083	23.672
8/26/2008 10:47	1284.001	26.060	36.115	23.598
8/26/2008 10:47	1285.001	26.072	36.151	23.515
8/26/2008 10:47	1286.001	26.068	36.037	23.777
8/26/2008 10:47	1287.001	26.062	36.143	23.533
8/26/2008 10:47	1288.001	26.064	36.147	23.525
8/26/2008 10:47	1289.001	26.062	36.056	23.735
8/26/2008 10:47	1290.001	26.073	36.204	23.393
8/26/2008 10:47	1291.001	26.067	36.110	23.611
8/26/2008 10:47	1292.001	26.065	36.000	23.864
8/26/2008 10:47	1293.001	26.066	36.200	23.402
8/26/2008 10:47	1294.001	26.063	36.012	23.836
8/26/2008 10:47	1295.001	26.075	36.133	23.556
8/26/2008 10:47	1296.001	26.070	36.116	23.595
8/26/2008 10:47	1297.001	26.069	36.236	23.319
8/26/2008 10:47	1298.001	26.067	36.095	23.644
8/26/2008 10:47	1299.001	26.067	36.034	23.786
8/26/2008 10:47	1300.001	26.079	36.203	23.394
8/26/2008 10:47	1301.001	26.072	36.139	23.543
8/26/2008 10:47	1302.001	26.070	36.004	23.854
8/26/2008 10:47	1303.001	26.070	36.143	23.534
8/26/2008 10:47	1304.001	26.067	36.065	23.714
8/26/2008 10:47	1305.001	26.080	36.169	23.473
8/26/2008 10:47	1306.001	26.076	36.069	23.703
8/26/2008 10:47	1307.001	26.073	36.066	23.711
8/26/2008 10:47	1308.001	26.070	36.236	23.318
8/26/2008 10:47	1309.001	26.068	36.068	23.708
8/26/2008 10:47	1310.001	26.080	36.062	23.721
8/26/2008 10:47	1311.001	26.074	36.094	23.647
8/26/2008 10:47	1312.001	26.074	35.983	23.903
8/26/2008 10:47	1313.001	26.073	36.037	23.779
8/26/2008 10:47	1314.001	26.071	36.145	23.528
8/26/2008 10:47	1315.001	26.086	36.132	23.558
8/26/2008 10:47	1316.001	26.077	36.120	23.586
8/26/2008 10:47	1317.001	26.076	36.018	23.821
8/26/2008 10:48	1318.001	26.074	36.244	23.301
8/26/2008 10:48	1319.001	26.073	36.137	23.548
8/26/2008 10:48	1320.001	26.085	35.884	24.130
8/26/2008 10:48	1321.001	26.083	36.089	23.659
8/26/2008 10:48	1322.001	26.077	36.092	23.651

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:48	1323.001	26.077	36.146	23.527
8/26/2008 10:48	1324.001	26.077	35.998	23.868
8/26/2008 10:48	1325.001	26.087	36.169	23.473
8/26/2008 10:48	1326.001	26.083	36.028	23.799
8/26/2008 10:48	1327.001	26.083	36.217	23.363
8/26/2008 10:48	1328.001	26.082	36.075	23.691
8/26/2008 10:48	1329.001	26.078	36.015	23.828
8/26/2008 10:48	1330.047	26.090	36.139	23.542
8/26/2008 10:48	1331.001	26.084	35.929	24.026
8/26/2008 10:48	1332.001	26.084	36.094	23.648
8/26/2008 10:48	1333.001	26.083	36.014	23.830
8/26/2008 10:48	1334.001	26.085	36.064	23.715
8/26/2008 10:48	1335.001	26.095	36.108	23.614
8/26/2008 10:48	1336.001	26.086	36.096	23.641
8/26/2008 10:48	1337.001	26.085	36.022	23.813
8/26/2008 10:48	1338.001	26.085	36.112	23.606
8/26/2008 10:48	1339.001	26.085	36.083	23.672
8/26/2008 10:48	1340.001	26.095	36.078	23.684
8/26/2008 10:48	1341.001	26.090	36.169	23.474
8/26/2008 10:48	1342.001	26.088	36.072	23.698
8/26/2008 10:48	1343.001	26.088	36.035	23.783
8/26/2008 10:48	1344.001	26.088	35.974	23.923
8/26/2008 10:48	1345.001	26.097	36.151	23.515
8/26/2008 10:48	1346.001	26.090	36.022	23.813
8/26/2008 10:48	1347.001	26.088	36.079	23.681
8/26/2008 10:48	1348.001	26.087	36.068	23.708
8/26/2008 10:48	1349.001	26.085	35.980	23.909
8/26/2008 10:48	1350.001	26.098	36.139	23.543
8/26/2008 10:48	1351.001	26.092	36.148	23.522
8/26/2008 10:48	1352.001	26.090	36.150	23.518
8/26/2008 10:48	1353.001	26.090	36.223	23.348
8/26/2008 10:48	1354.001	26.090	36.065	23.713
8/26/2008 10:48	1355.001	26.099	35.960	23.955
8/26/2008 10:48	1356.001	26.093	36.140	23.540
8/26/2008 10:48	1357.001	26.091	36.072	23.698
8/26/2008 10:48	1358.001	26.089	36.134	23.553
8/26/2008 10:48	1359.001	26.089	36.272	23.236
8/26/2008 10:48	1360.001	26.101	36.095	23.643
8/26/2008 10:48	1361.001	26.093	35.954	23.970
8/26/2008 10:48	1362.001	26.093	36.138	23.545
8/26/2008 10:48	1363.001	26.091	36.181	23.446
8/26/2008 10:48	1364.001	26.092	36.078	23.684
8/26/2008 10:48	1365.001	26.101	36.112	23.604
8/26/2008 10:48	1366.001	26.096	36.121	23.583
8/26/2008 10:48	1367.001	26.093	36.130	23.563
8/26/2008 10:48	1368.001	26.095	36.224	23.346
8/26/2008 10:48	1369.001	26.092	36.117	23.594
8/26/2008 10:48	1370.001	26.104	35.974	23.924
8/26/2008 10:48	1371.001	26.099	36.129	23.565

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:48	1372.001	26.094	36.149	23.519
8/26/2008 10:48	1373.001	26.093	36.160	23.495
8/26/2008 10:48	1374.001	26.096	36.061	23.723
8/26/2008 10:48	1375.001	26.107	36.129	23.567
8/26/2008 10:48	1376.001	26.100	36.118	23.591
8/26/2008 10:48	1377.001	26.096	36.089	23.659
8/26/2008 10:49	1378.001	26.099	36.084	23.669
8/26/2008 10:49	1379.001	26.097	36.105	23.621
8/26/2008 10:49	1380.001	26.107	36.027	23.802
8/26/2008 10:49	1381.001	26.100	36.165	23.482
8/26/2008 10:49	1382.001	26.099	36.104	23.624
8/26/2008 10:49	1383.001	26.098	36.272	23.236
8/26/2008 10:49	1384.001	26.096	36.043	23.765
8/26/2008 10:49	1385.001	26.110	36.149	23.520
8/26/2008 10:49	1386.001	26.103	36.164	23.484
8/26/2008 10:49	1387.001	26.099	36.154	23.507
8/26/2008 10:49	1388.001	26.099	36.006	23.850
8/26/2008 10:49	1389.001	26.099	36.129	23.566
8/26/2008 10:49	1390.046	26.110	36.239	23.311
8/26/2008 10:49	1391.001	26.104	36.095	23.644
8/26/2008 10:49	1392.001	26.102	36.087	23.662
8/26/2008 10:49	1393.001	26.103	36.156	23.503
8/26/2008 10:49	1394.001	26.101	36.225	23.343
8/26/2008 10:49	1395.001	26.112	36.086	23.666
8/26/2008 10:49	1396.001	26.107	36.013	23.835
8/26/2008 10:49	1397.001	26.102	36.238	23.313
8/26/2008 10:49	1398.001	26.101	36.142	23.535
8/26/2008 10:49	1399.001	26.101	36.224	23.348
8/26/2008 10:49	1400.001	26.114	36.153	23.509
8/26/2008 10:49	1401.001	26.107	36.019	23.820
8/26/2008 10:49	1402.001	26.103	36.218	23.359
8/26/2008 10:49	1403.001	26.102	36.080	23.678
8/26/2008 10:49	1404.001	26.103	36.108	23.614
8/26/2008 10:49	1405.001	26.114	36.123	23.579
8/26/2008 10:49	1406.001	26.106	36.115	23.597
8/26/2008 10:49	1407.001	26.104	36.171	23.469
8/26/2008 10:49	1408.001	26.104	36.116	23.595
8/26/2008 10:49	1409.001	26.102	36.194	23.415
8/26/2008 10:49	1410.001	26.113	36.211	23.377
8/26/2008 10:49	1411.001	26.104	36.172	23.466
8/26/2008 10:49	1412.001	26.104	36.061	23.723
8/26/2008 10:49	1413.001	26.105	36.129	23.565
8/26/2008 10:49	1414.001	26.102	36.239	23.312
8/26/2008 10:49	1415.001	26.113	36.228	23.337
8/26/2008 10:49	1416.001	26.106	35.957	23.963
8/26/2008 10:49	1417.001	26.105	36.071	23.699
8/26/2008 10:49	1418.001	26.104	36.115	23.598
8/26/2008 10:49	1419.001	26.098	36.155	23.507
8/26/2008 10:49	1420.001	26.112	36.190	23.426

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:49	1421.001	26.103	36.061	23.723
8/26/2008 10:49	1422.001	26.102	36.087	23.662
8/26/2008 10:49	1423.001	26.099	36.244	23.299
8/26/2008 10:49	1424.001	26.099	36.024	23.808
8/26/2008 10:49	1425.001	26.112	36.132	23.559
8/26/2008 10:49	1426.001	26.102	36.122	23.582
8/26/2008 10:49	1427.001	26.100	36.166	23.481
8/26/2008 10:49	1428.001	26.098	36.207	23.385
8/26/2008 10:49	1429.001	26.098	36.140	23.540
8/26/2008 10:49	1430.001	26.111	36.099	23.635
8/26/2008 10:49	1431.001	26.106	36.155	23.506
8/26/2008 10:49	1432.001	26.101	36.144	23.531
8/26/2008 10:49	1433.001	26.101	36.101	23.630
8/26/2008 10:49	1434.001	26.100	36.071	23.700
8/26/2008 10:49	1435.001	26.109	36.141	23.537
8/26/2008 10:49	1436.001	26.103	36.157	23.500
8/26/2008 10:49	1437.001	26.103	36.162	23.489
8/26/2008 10:50	1438.001	26.100	36.073	23.695
8/26/2008 10:50	1439.001	26.101	36.155	23.507
8/26/2008 10:50	1440.001	26.110	36.234	23.323
8/26/2008 10:50	1441.001	26.105	36.225	23.344
8/26/2008 10:50	1442.001	26.102	36.096	23.642
8/26/2008 10:50	1443.001	26.103	36.213	23.372
8/26/2008 10:50	1444.001	26.103	36.132	23.560
8/26/2008 10:50	1445.001	26.113	36.098	23.637
8/26/2008 10:50	1446.001	26.106	36.212	23.373
8/26/2008 10:50	1447.001	26.106	36.154	23.507
8/26/2008 10:50	1448.001	26.102	36.195	23.414
8/26/2008 10:50	1449.001	26.101	36.084	23.670
8/26/2008 10:50	1450.044	26.110	36.108	23.614
8/26/2008 10:50	1451.001	26.108	36.151	23.515
8/26/2008 10:50	1452.001	26.105	36.105	23.621
8/26/2008 10:50	1453.001	26.103	36.160	23.494
8/26/2008 10:50	1454.001	26.103	36.116	23.596
8/26/2008 10:50	1455.001	26.115	36.176	23.456
8/26/2008 10:50	1456.001	26.108	36.157	23.501
8/26/2008 10:50	1457.001	26.107	36.131	23.561
8/26/2008 10:50	1458.001	26.107	36.136	23.550
8/26/2008 10:50	1459.001	26.106	36.077	23.685
8/26/2008 10:50	1460.001	26.115	36.215	23.368
8/26/2008 10:50	1461.001	26.108	36.149	23.520
8/26/2008 10:50	1462.001	26.108	36.147	23.524
8/26/2008 10:50	1463.001	26.104	36.264	23.253
8/26/2008 10:50	1464.001	26.108	36.125	23.575
8/26/2008 10:50	1465.001	26.114	36.094	23.648
8/26/2008 10:50	1466.001	26.110	36.220	23.356
8/26/2008 10:50	1467.001	26.108	36.170	23.471
8/26/2008 10:50	1468.001	26.109	36.084	23.669
8/26/2008 10:50	1469.001	26.108	36.172	23.466

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:50	1470.001	26.119	36.186	23.433
8/26/2008 10:50	1471.001	26.112	36.100	23.632
8/26/2008 10:50	1472.001	26.112	36.190	23.426
8/26/2008 10:50	1473.001	26.109	36.112	23.605
8/26/2008 10:50	1474.001	26.108	36.099	23.634
8/26/2008 10:50	1475.001	26.121	36.122	23.583
8/26/2008 10:50	1476.001	26.115	36.182	23.443
8/26/2008 10:50	1477.001	26.113	36.212	23.375
8/26/2008 10:50	1478.001	26.112	36.013	23.834
8/26/2008 10:50	1479.001	26.113	36.163	23.488
8/26/2008 10:50	1480.001	26.126	36.129	23.565
8/26/2008 10:50	1481.001	26.116	36.222	23.352
8/26/2008 10:50	1482.001	26.114	36.173	23.465
8/26/2008 10:50	1483.001	26.112	36.117	23.593
8/26/2008 10:50	1484.001	26.113	36.184	23.439
8/26/2008 10:50	1485.001	26.123	36.156	23.503
8/26/2008 10:50	1486.001	26.118	36.221	23.354
8/26/2008 10:50	1487.001	26.116	36.188	23.428
8/26/2008 10:50	1488.001	26.117	36.171	23.468
8/26/2008 10:50	1489.001	26.115	36.138	23.544
8/26/2008 10:50	1490.001	26.126	36.148	23.523
8/26/2008 10:50	1491.001	26.120	36.153	23.509
8/26/2008 10:50	1492.001	26.117	36.145	23.529
8/26/2008 10:50	1493.001	26.117	36.138	23.544
8/26/2008 10:50	1494.001	26.113	35.990	23.886
8/26/2008 10:50	1495.001	26.128	36.149	23.520
8/26/2008 10:50	1496.001	26.120	36.256	23.274
8/26/2008 10:50	1497.001	26.120	36.273	23.233
8/26/2008 10:51	1498.001	26.117	36.179	23.451
8/26/2008 10:51	1499.001	26.117	36.145	23.529
8/26/2008 10:51	1500.001	26.133	36.138	23.545
8/26/2008 10:51	1501.001	26.122	36.116	23.595
8/26/2008 10:51	1502.001	26.117	36.118	23.592
8/26/2008 10:51	1503.001	26.118	36.112	23.605
8/26/2008 10:51	1504.001	26.115	36.190	23.424
8/26/2008 10:51	1505.001	26.125	36.006	23.850
8/26/2008 10:51	1506.001	26.123	36.339	23.081
8/26/2008 10:51	1507.001	26.120	36.004	23.853
8/26/2008 10:51	1508.001	26.118	36.056	23.734
8/26/2008 10:51	1509.001	26.120	36.199	23.404
8/26/2008 10:51	1510.043	26.126	36.117	23.593
8/26/2008 10:51	1511.001	26.124	36.105	23.621
8/26/2008 10:51	1512.001	26.121	36.237	23.316
8/26/2008 10:51	1513.001	26.119	36.265	23.251
8/26/2008 10:51	1514.001	26.121	36.086	23.664
8/26/2008 10:51	1515.001	26.130	36.089	23.658
8/26/2008 10:51	1516.001	26.122	36.183	23.440
8/26/2008 10:51	1517.001	26.121	36.069	23.704
8/26/2008 10:51	1518.001	26.121	36.177	23.455

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:51	1519.001	26.120	36.211	23.375
8/26/2008 10:51	1520.001	26.131	36.162	23.490
8/26/2008 10:51	1521.001	26.126	36.015	23.830
8/26/2008 10:51	1522.001	26.124	36.056	23.735
8/26/2008 10:51	1523.001	26.124	36.213	23.373
8/26/2008 10:51	1524.001	26.123	36.151	23.515
8/26/2008 10:51	1525.001	26.133	36.202	23.398
8/26/2008 10:51	1526.001	26.126	36.121	23.585
8/26/2008 10:51	1527.001	26.125	36.166	23.481
8/26/2008 10:51	1528.001	26.123	36.183	23.440
8/26/2008 10:51	1529.001	26.120	36.042	23.767
8/26/2008 10:51	1530.001	26.132	36.191	23.424
8/26/2008 10:51	1531.001	26.128	36.268	23.245
8/26/2008 10:51	1532.001	26.126	36.219	23.359
8/26/2008 10:51	1533.001	26.124	36.188	23.429
8/26/2008 10:51	1534.001	26.124	36.125	23.575
8/26/2008 10:51	1535.001	26.133	36.053	23.741
8/26/2008 10:51	1536.001	26.126	36.171	23.469
8/26/2008 10:51	1537.001	26.123	36.113	23.604
8/26/2008 10:51	1538.001	26.121	36.301	23.169
8/26/2008 10:51	1539.001	26.122	36.060	23.725
8/26/2008 10:51	1540.001	26.135	36.168	23.476
8/26/2008 10:51	1541.001	26.125	36.157	23.502
8/26/2008 10:51	1542.001	26.124	36.205	23.390
8/26/2008 10:51	1543.001	26.124	35.999	23.866
8/26/2008 10:51	1544.001	26.125	36.275	23.228
8/26/2008 10:51	1545.001	26.131	36.206	23.389
8/26/2008 10:51	1546.001	26.128	36.164	23.485
8/26/2008 10:51	1547.001	26.124	36.176	23.456
8/26/2008 10:51	1548.001	26.125	36.170	23.470
8/26/2008 10:51	1549.001	26.123	36.041	23.768
8/26/2008 10:51	1550.001	26.132	36.092	23.650
8/26/2008 10:51	1551.001	26.128	36.103	23.625
8/26/2008 10:51	1552.001	26.131	36.120	23.587
8/26/2008 10:51	1553.001	26.125	36.234	23.324
8/26/2008 10:51	1554.001	26.125	36.140	23.539
8/26/2008 10:51	1555.001	26.136	36.094	23.647
8/26/2008 10:51	1556.001	26.128	36.053	23.741
8/26/2008 10:51	1557.001	26.128	36.073	23.695
8/26/2008 10:52	1558.001	26.125	36.039	23.774
8/26/2008 10:52	1559.001	26.125	36.139	23.542
8/26/2008 10:52	1560.001	26.137	36.195	23.413
8/26/2008 10:52	1561.001	26.127	36.143	23.534
8/26/2008 10:52	1562.001	26.128	36.079	23.681
8/26/2008 10:52	1563.001	26.130	36.181	23.445
8/26/2008 10:52	1564.001	26.125	36.190	23.424
8/26/2008 10:52	1565.001	26.138	36.084	23.669
8/26/2008 10:52	1566.001	26.128	36.048	23.753
8/26/2008 10:52	1567.001	26.129	36.094	23.648

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:52	1568.001	26.126	36.115	23.599
8/26/2008 10:52	1569.001	26.127	36.105	23.622
8/26/2008 10:52	1570.041	26.137	36.104	23.623
8/26/2008 10:52	1571.001	26.131	36.142	23.536
8/26/2008 10:52	1572.001	26.131	36.006	23.850
8/26/2008 10:52	1573.001	26.127	36.263	23.256
8/26/2008 10:52	1574.001	26.126	36.046	23.758
8/26/2008 10:52	1575.001	26.139	36.192	23.419
8/26/2008 10:52	1576.001	26.131	36.082	23.675
8/26/2008 10:52	1577.001	26.127	36.200	23.403
8/26/2008 10:52	1578.001	26.127	35.979	23.912
8/26/2008 10:52	1579.001	26.125	36.191	23.422
8/26/2008 10:52	1580.001	26.139	36.029	23.797
8/26/2008 10:52	1581.001	26.130	36.077	23.685
8/26/2008 10:52	1582.001	26.127	36.063	23.718
8/26/2008 10:52	1583.001	26.128	36.052	23.744
8/26/2008 10:52	1584.001	26.127	36.172	23.465
8/26/2008 10:52	1585.001	26.139	36.140	23.540
8/26/2008 10:52	1586.001	26.132	36.189	23.428
8/26/2008 10:52	1587.001	26.130	36.159	23.497
8/26/2008 10:52	1588.001	26.127	36.038	23.776
8/26/2008 10:52	1589.001	26.124	36.193	23.418
8/26/2008 10:52	1590.001	26.137	36.113	23.602
8/26/2008 10:52	1591.001	26.132	35.979	23.912
8/26/2008 10:52	1592.001	26.127	36.219	23.357
8/26/2008 10:52	1593.001	26.129	36.077	23.685
8/26/2008 10:52	1594.001	26.126	36.144	23.531
8/26/2008 10:52	1595.001	26.138	36.211	23.377
8/26/2008 10:52	1596.001	26.130	36.087	23.663
8/26/2008 10:52	1597.001	26.128	36.186	23.435
8/26/2008 10:52	1598.001	26.124	36.117	23.593
8/26/2008 10:52	1599.001	26.128	36.019	23.821
8/26/2008 10:52	1600.001	26.137	36.187	23.433
8/26/2008 10:52	1601.001	26.131	36.200	23.403
8/26/2008 10:52	1602.001	26.128	36.135	23.552
8/26/2008 10:52	1603.001	26.126	36.120	23.587
8/26/2008 10:52	1604.001	26.127	36.070	23.703
8/26/2008 10:52	1605.001	26.135	36.242	23.305
8/26/2008 10:52	1606.001	26.129	36.135	23.551
8/26/2008 10:52	1607.001	26.128	36.146	23.526
8/26/2008 10:52	1608.001	26.125	36.147	23.524
8/26/2008 10:52	1609.001	26.126	36.197	23.410
8/26/2008 10:52	1610.001	26.134	36.039	23.773
8/26/2008 10:52	1611.001	26.129	36.124	23.578
8/26/2008 10:52	1612.001	26.127	36.055	23.737
8/26/2008 10:52	1613.001	26.126	36.108	23.614
8/26/2008 10:52	1614.001	26.125	36.023	23.810
8/26/2008 10:52	1615.001	26.135	36.100	23.633
8/26/2008 10:52	1616.001	26.128	36.189	23.427

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:52	1617.001	26.125	36.181	23.445
8/26/2008 10:53	1618.001	26.122	36.162	23.490
8/26/2008 10:53	1619.001	26.125	36.103	23.627
8/26/2008 10:53	1620.001	26.132	36.219	23.357
8/26/2008 10:53	1621.001	26.125	36.218	23.361
8/26/2008 10:53	1622.001	26.126	36.049	23.750
8/26/2008 10:53	1623.001	26.122	36.099	23.635
8/26/2008 10:53	1624.001	26.122	36.063	23.718
8/26/2008 10:53	1625.001	26.130	36.140	23.540
8/26/2008 10:53	1626.001	26.127	36.185	23.437
8/26/2008 10:53	1627.001	26.127	36.145	23.529
8/26/2008 10:53	1628.001	26.122	36.107	23.615
8/26/2008 10:53	1629.001	26.123	36.248	23.290
8/26/2008 10:53	1630.039	26.131	36.022	23.812
8/26/2008 10:53	1631.001	26.125	36.139	23.543
8/26/2008 10:53	1632.001	26.124	36.173	23.465
8/26/2008 10:53	1633.001	26.121	36.205	23.390
8/26/2008 10:53	1634.001	26.122	35.984	23.901
8/26/2008 10:53	1635.001	26.134	36.128	23.567
8/26/2008 10:53	1636.001	26.127	36.121	23.585
8/26/2008 10:53	1637.001	26.124	36.032	23.789
8/26/2008 10:53	1638.001	26.121	36.110	23.609
8/26/2008 10:53	1639.001	26.121	36.158	23.499
8/26/2008 10:53	1640.001	26.134	36.029	23.796
8/26/2008 10:53	1641.001	26.128	36.129	23.565
8/26/2008 10:53	1642.001	26.125	36.128	23.569
8/26/2008 10:53	1643.001	26.122	36.054	23.739
8/26/2008 10:53	1644.001	26.122	36.133	23.557
8/26/2008 10:53	1645.001	26.133	36.186	23.433
8/26/2008 10:53	1646.001	26.125	36.045	23.759
8/26/2008 10:53	1647.001	26.124	36.090	23.656
8/26/2008 10:53	1648.001	26.123	36.147	23.524
8/26/2008 10:53	1649.001	26.121	36.105	23.622
8/26/2008 10:53	1650.001	26.134	36.166	23.479
8/26/2008 10:53	1651.001	26.124	36.107	23.617
8/26/2008 10:53	1652.001	26.124	36.100	23.632
8/26/2008 10:53	1653.001	26.123	35.998	23.869
8/26/2008 10:53	1654.001	26.123	36.217	23.363
8/26/2008 10:53	1655.001	26.134	36.122	23.583
8/26/2008 10:53	1656.001	26.127	36.084	23.669
8/26/2008 10:53	1657.001	26.124	36.149	23.519
8/26/2008 10:53	1658.001	26.125	36.078	23.684
8/26/2008 10:53	1659.001	26.126	36.123	23.580
8/26/2008 10:53	1660.001	26.122	36.139	23.542
8/26/2008 10:53	1661.001	26.137	36.150	23.517
8/26/2008 10:53	1662.001	26.127	36.047	23.754
8/26/2008 10:53	1663.001	26.125	36.153	23.509
8/26/2008 10:53	1664.001	26.125	36.159	23.496
8/26/2008 10:53	1665.001	26.134	36.032	23.790

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:53	1666.001	26.129	36.231	23.329
8/26/2008 10:53	1667.001	26.127	36.087	23.663
8/26/2008 10:53	1668.001	26.126	36.183	23.442
8/26/2008 10:53	1669.001	26.124	36.162	23.490
8/26/2008 10:53	1670.001	26.133	36.112	23.605
8/26/2008 10:53	1671.001	26.127	36.124	23.577
8/26/2008 10:53	1672.001	26.127	36.084	23.670
8/26/2008 10:53	1673.001	26.129	36.108	23.614
8/26/2008 10:53	1674.001	26.125	36.206	23.389
8/26/2008 10:53	1675.001	26.136	36.131	23.561
8/26/2008 10:53	1676.001	26.130	36.002	23.860
8/26/2008 10:53	1677.001	26.128	36.139	23.543
8/26/2008 10:54	1678.001	26.127	36.240	23.310
8/26/2008 10:54	1679.001	26.128	36.024	23.807
8/26/2008 10:54	1680.001	26.136	36.021	23.816
8/26/2008 10:54	1681.001	26.132	36.189	23.427
8/26/2008 10:54	1682.001	26.129	36.217	23.363
8/26/2008 10:54	1683.001	26.128	36.077	23.686
8/26/2008 10:54	1684.001	26.130	36.035	23.782
8/26/2008 10:54	1685.001	26.139	36.071	23.700
8/26/2008 10:54	1686.001	26.134	36.055	23.736
8/26/2008 10:54	1687.001	26.132	36.149	23.521
8/26/2008 10:54	1688.001	26.131	36.187	23.431
8/26/2008 10:54	1689.001	26.131	36.183	23.442
8/26/2008 10:54	1690.038	26.138	36.030	23.794
8/26/2008 10:54	1691.001	26.134	36.023	23.810
8/26/2008 10:54	1692.001	26.134	36.096	23.641
8/26/2008 10:54	1693.001	26.129	36.116	23.595
8/26/2008 10:54	1694.001	26.131	36.100	23.632
8/26/2008 10:54	1695.001	26.144	36.157	23.502
8/26/2008 10:54	1696.001	26.137	36.282	23.214
8/26/2008 10:54	1697.001	26.134	36.162	23.489
8/26/2008 10:54	1698.001	26.132	36.049	23.751
8/26/2008 10:54	1699.001	26.132	36.063	23.719
8/26/2008 10:54	1700.001	26.142	35.959	23.957
8/26/2008 10:54	1701.001	26.136	36.162	23.489
8/26/2008 10:54	1702.001	26.136	36.147	23.524
8/26/2008 10:54	1703.001	26.133	36.160	23.494
8/26/2008 10:54	1704.001	26.132	36.228	23.336
8/26/2008 10:54	1705.001	26.142	36.142	23.537
8/26/2008 10:54	1706.001	26.138	36.125	23.574
8/26/2008 10:54	1707.001	26.132	36.147	23.525
8/26/2008 10:54	1708.001	26.134	36.094	23.647
8/26/2008 10:54	1709.001	26.133	36.252	23.282
8/26/2008 10:54	1710.001	26.142	35.942	23.997
8/26/2008 10:54	1711.001	26.137	36.083	23.673
8/26/2008 10:54	1712.001	26.135	36.145	23.529
8/26/2008 10:54	1713.001	26.133	36.053	23.742
8/26/2008 10:54	1714.001	26.136	36.105	23.621

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:54	1715.001	26.143	36.057	23.733
8/26/2008 10:54	1716.001	26.137	36.117	23.594
8/26/2008 10:54	1717.001	26.136	36.092	23.651
8/26/2008 10:54	1718.001	26.135	35.965	23.944
8/26/2008 10:54	1719.001	26.134	36.225	23.344
8/26/2008 10:54	1720.001	26.143	36.077	23.685
8/26/2008 10:54	1721.001	26.140	36.099	23.636
8/26/2008 10:54	1722.001	26.136	36.140	23.541
8/26/2008 10:54	1723.001	26.135	36.111	23.607
8/26/2008 10:54	1724.001	26.134	36.052	23.744
8/26/2008 10:54	1725.001	26.146	36.131	23.561
8/26/2008 10:54	1726.001	26.138	36.124	23.577
8/26/2008 10:54	1727.001	26.135	35.969	23.936
8/26/2008 10:54	1728.001	26.135	36.189	23.428
8/26/2008 10:54	1729.001	26.135	36.009	23.843
8/26/2008 10:54	1730.001	26.144	36.111	23.606
8/26/2008 10:54	1731.001	26.143	36.080	23.678
8/26/2008 10:54	1732.001	26.141	36.147	23.524
8/26/2008 10:54	1733.001	26.135	36.122	23.581
8/26/2008 10:54	1734.001	26.137	36.091	23.653
8/26/2008 10:54	1735.001	26.148	36.144	23.530
8/26/2008 10:54	1736.001	26.140	36.138	23.546
8/26/2008 10:54	1737.001	26.140	36.153	23.511
8/26/2008 10:55	1738.001	26.139	36.026	23.803
8/26/2008 10:55	1739.001	26.139	36.080	23.680
8/26/2008 10:55	1740.001	26.149	36.110	23.609
8/26/2008 10:55	1741.001	26.144	36.040	23.770
8/26/2008 10:55	1742.001	26.140	36.145	23.529
8/26/2008 10:55	1743.001	26.140	36.158	23.500
8/26/2008 10:55	1744.001	26.141	36.123	23.580
8/26/2008 10:55	1745.001	26.151	36.061	23.722
8/26/2008 10:55	1746.001	26.146	36.188	23.430
8/26/2008 10:55	1747.001	26.142	36.002	23.859
8/26/2008 10:55	1748.001	26.141	36.078	23.683
8/26/2008 10:55	1749.001	26.143	36.167	23.478
8/26/2008 10:55	1750.001	26.154	36.116	23.595
8/26/2008 10:55	1751.001	26.147	36.158	23.499
8/26/2008 10:55	1752.001	26.145	36.180	23.449
8/26/2008 10:55	1753.001	26.142	36.118	23.591
8/26/2008 10:55	1754.001	26.144	36.079	23.681
8/26/2008 10:55	1755.001	26.151	36.140	23.541
8/26/2008 10:55	1756.001	26.150	36.011	23.838
8/26/2008 10:55	1757.001	26.145	36.176	23.457
8/26/2008 10:55	1758.001	26.145	36.096	23.643
8/26/2008 10:55	1759.001	26.144	36.026	23.803
8/26/2008 10:55	1760.036	26.152	36.032	23.789
8/26/2008 10:55	1761.001	26.150	35.988	23.891
8/26/2008 10:55	1762.001	26.148	36.161	23.493
8/26/2008 10:55	1763.001	26.146	36.246	23.295

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:55	1764.001	26.144	36.051	23.745
8/26/2008 10:55	1765.001	26.154	35.985	23.898
8/26/2008 10:55	1766.001	26.146	36.168	23.475
8/26/2008 10:55	1767.001	26.145	36.073	23.695
8/26/2008 10:55	1768.001	26.143	36.091	23.653
8/26/2008 10:55	1769.001	26.142	36.077	23.685
8/26/2008 10:55	1770.001	26.154	36.110	23.610
8/26/2008 10:55	1771.001	26.148	36.138	23.544
8/26/2008 10:55	1772.001	26.145	36.083	23.672
8/26/2008 10:55	1773.001	26.146	36.004	23.854
8/26/2008 10:55	1774.001	26.144	36.072	23.697
8/26/2008 10:55	1775.001	26.158	36.131	23.562
8/26/2008 10:55	1776.001	26.150	36.167	23.479
8/26/2008 10:55	1777.001	26.150	36.106	23.619
8/26/2008 10:55	1778.001	26.147	36.032	23.789
8/26/2008 10:55	1779.001	26.146	36.070	23.701
8/26/2008 10:55	1780.001	26.155	36.149	23.519
8/26/2008 10:55	1781.001	26.150	36.050	23.748
8/26/2008 10:55	1782.001	26.147	36.178	23.453
8/26/2008 10:55	1783.001	26.147	36.030	23.795
8/26/2008 10:55	1784.001	26.145	36.179	23.450
8/26/2008 10:55	1785.001	26.156	36.165	23.484
8/26/2008 10:55	1786.001	26.152	36.158	23.500
8/26/2008 10:55	1787.001	26.148	36.133	23.557
8/26/2008 10:55	1788.001	26.148	36.037	23.777
8/26/2008 10:55	1789.001	26.145	36.094	23.646
8/26/2008 10:55	1790.001	26.159	35.954	23.969
8/26/2008 10:55	1791.001	26.151	36.089	23.658
8/26/2008 10:55	1792.001	26.149	36.161	23.491
8/26/2008 10:55	1793.001	26.149	36.145	23.528
8/26/2008 10:55	1794.001	26.148	36.131	23.561
8/26/2008 10:55	1795.001	26.159	36.013	23.833
8/26/2008 10:55	1796.001	26.153	36.159	23.497
8/26/2008 10:55	1797.001	26.150	36.011	23.839
8/26/2008 10:56	1798.001	26.150	36.060	23.724
8/26/2008 10:56	1799.001	26.149	35.976	23.918
8/26/2008 10:56	1800.001	26.157	36.015	23.828
8/26/2008 10:56	1801.001	26.154	36.122	23.582
8/26/2008 10:56	1802.001	26.151	36.143	23.534
8/26/2008 10:56	1803.001	26.148	36.009	23.843
8/26/2008 10:56	1804.001	26.148	36.089	23.658
8/26/2008 10:56	1805.001	26.161	36.153	23.510
8/26/2008 10:56	1806.001	26.155	36.101	23.631
8/26/2008 10:56	1807.001	26.152	36.037	23.778
8/26/2008 10:56	1808.001	26.150	36.009	23.844
8/26/2008 10:56	1809.001	26.150	36.102	23.628
8/26/2008 10:56	1810.001	26.161	36.119	23.589
8/26/2008 10:56	1811.001	26.154	36.143	23.533
8/26/2008 10:56	1812.001	26.153	36.142	23.536

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:56	1813.001	26.152	36.110	23.610
8/26/2008 10:56	1814.001	26.152	36.209	23.382
8/26/2008 10:56	1815.001	26.161	36.177	23.454
8/26/2008 10:56	1816.001	26.154	35.993	23.879
8/26/2008 10:56	1817.001	26.153	36.111	23.606
8/26/2008 10:56	1818.001	26.152	35.967	23.940
8/26/2008 10:56	1819.001	26.149	36.159	23.497
8/26/2008 10:56	1820.034	26.161	36.093	23.648
8/26/2008 10:56	1821.001	26.154	36.086	23.665
8/26/2008 10:56	1822.001	26.153	36.158	23.499
8/26/2008 10:56	1823.001	26.154	36.192	23.421
8/26/2008 10:56	1824.001	26.150	36.057	23.731
8/26/2008 10:56	1825.001	26.160	36.029	23.796
8/26/2008 10:56	1826.001	26.157	36.142	23.537
8/26/2008 10:56	1827.001	26.154	36.049	23.750
8/26/2008 10:56	1828.001	26.153	36.069	23.705
8/26/2008 10:56	1829.001	26.155	36.089	23.659
8/26/2008 10:56	1830.001	26.164	36.080	23.678
8/26/2008 10:56	1831.001	26.156	36.153	23.510
8/26/2008 10:56	1832.001	26.156	36.072	23.697
8/26/2008 10:56	1833.001	26.152	36.084	23.669
8/26/2008 10:56	1834.001	26.156	36.047	23.756
8/26/2008 10:56	1835.001	26.165	36.101	23.630
8/26/2008 10:56	1836.001	26.160	36.178	23.452
8/26/2008 10:56	1837.001	26.160	36.110	23.610
8/26/2008 10:56	1838.001	26.157	36.026	23.804
8/26/2008 10:56	1839.001	26.156	36.100	23.634
8/26/2008 10:56	1840.001	26.170	36.098	23.638
8/26/2008 10:56	1841.001	26.166	36.022	23.813
8/26/2008 10:56	1842.001	26.163	36.036	23.780
8/26/2008 10:56	1843.001	26.161	36.085	23.668
8/26/2008 10:56	1844.001	26.160	36.160	23.494
8/26/2008 10:56	1845.001	26.169	36.111	23.607
8/26/2008 10:56	1846.001	26.166	36.102	23.628
8/26/2008 10:56	1847.001	26.161	36.124	23.578
8/26/2008 10:56	1848.001	26.164	36.110	23.611
8/26/2008 10:56	1849.001	26.163	35.972	23.929
8/26/2008 10:56	1850.001	26.174	36.053	23.740
8/26/2008 10:56	1851.001	26.168	36.054	23.740
8/26/2008 10:56	1852.001	26.166	35.956	23.965
8/26/2008 10:56	1853.001	26.162	36.170	23.471
8/26/2008 10:56	1854.001	26.161	35.986	23.896
8/26/2008 10:56	1855.001	26.178	35.992	23.881
8/26/2008 10:56	1856.001	26.169	36.101	23.630
8/26/2008 10:56	1857.001	26.170	36.038	23.777
8/26/2008 10:57	1858.001	26.169	36.122	23.581
8/26/2008 10:57	1859.001	26.167	36.025	23.805
8/26/2008 10:57	1860.001	26.178	36.200	23.402
8/26/2008 10:57	1861.001	26.172	36.071	23.700

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:57	1862.001	26.172	36.071	23.701
8/26/2008 10:57	1863.001	26.169	36.150	23.518
8/26/2008 10:57	1864.001	26.170	36.104	23.624
8/26/2008 10:57	1865.001	26.181	36.127	23.570
8/26/2008 10:57	1866.001	26.176	35.958	23.962
8/26/2008 10:57	1867.001	26.175	36.239	23.313
8/26/2008 10:57	1868.001	26.173	36.050	23.749
8/26/2008 10:57	1869.001	26.175	35.952	23.974
8/26/2008 10:57	1870.001	26.186	36.034	23.786
8/26/2008 10:57	1871.001	26.177	36.056	23.735
8/26/2008 10:57	1872.001	26.180	36.052	23.744
8/26/2008 10:57	1873.001	26.176	36.112	23.605
8/26/2008 10:57	1874.001	26.174	36.096	23.642
8/26/2008 10:57	1875.001	26.186	36.011	23.838
8/26/2008 10:57	1876.001	26.180	36.125	23.576
8/26/2008 10:57	1877.001	26.178	36.056	23.734
8/26/2008 10:57	1878.001	26.179	36.136	23.550
8/26/2008 10:57	1879.001	26.179	36.023	23.812
8/26/2008 10:57	1880.032	26.189	36.048	23.753
8/26/2008 10:57	1881.001	26.183	36.175	23.461
8/26/2008 10:57	1882.001	26.183	36.029	23.797
8/26/2008 10:57	1883.001	26.180	36.191	23.424
8/26/2008 10:57	1884.001	26.179	36.171	23.469
8/26/2008 10:57	1885.001	26.192	36.166	23.481
8/26/2008 10:57	1886.001	26.186	35.958	23.961
8/26/2008 10:57	1887.001	26.184	36.060	23.726
8/26/2008 10:57	1888.001	26.184	36.103	23.625
8/26/2008 10:57	1889.001	26.185	36.099	23.634
8/26/2008 10:57	1890.001	26.194	36.175	23.459
8/26/2008 10:57	1891.001	26.190	36.037	23.777
8/26/2008 10:57	1892.001	26.188	36.074	23.693
8/26/2008 10:57	1893.001	26.187	36.122	23.581
8/26/2008 10:57	1894.001	26.185	36.072	23.697
8/26/2008 10:57	1895.001	26.199	35.987	23.893
8/26/2008 10:57	1896.001	26.193	36.051	23.746
8/26/2008 10:57	1897.001	26.190	36.070	23.702
8/26/2008 10:57	1898.001	26.186	36.013	23.834
8/26/2008 10:57	1899.001	26.187	36.060	23.725
8/26/2008 10:57	1900.001	26.198	36.012	23.837
8/26/2008 10:57	1901.001	26.191	36.144	23.532
8/26/2008 10:57	1902.001	26.190	36.089	23.657
8/26/2008 10:57	1903.001	26.187	35.953	23.973
8/26/2008 10:57	1904.001	26.186	36.023	23.810
8/26/2008 10:57	1905.001	26.198	36.075	23.690
8/26/2008 10:57	1906.001	26.191	36.050	23.747
8/26/2008 10:57	1907.001	26.189	36.160	23.495
8/26/2008 10:57	1908.001	26.187	36.123	23.580
8/26/2008 10:57	1909.001	26.186	35.985	23.898
8/26/2008 10:57	1910.001	26.199	36.138	23.544

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:57	1911.001	26.193	36.027	23.802
8/26/2008 10:57	1912.001	26.190	36.174	23.461
8/26/2008 10:57	1913.001	26.188	36.031	23.792
8/26/2008 10:57	1914.001	26.187	36.093	23.648
8/26/2008 10:57	1915.001	26.200	36.034	23.786
8/26/2008 10:57	1916.001	26.191	36.091	23.653
8/26/2008 10:57	1917.001	26.188	36.081	23.677
8/26/2008 10:58	1918.001	26.191	35.965	23.945
8/26/2008 10:58	1919.001	26.187	36.240	23.309
8/26/2008 10:58	1920.001	26.200	36.099	23.634
8/26/2008 10:58	1921.001	26.192	36.034	23.786
8/26/2008 10:58	1922.001	26.190	35.992	23.883
8/26/2008 10:58	1923.001	26.191	36.144	23.532
8/26/2008 10:58	1924.001	26.188	36.060	23.725
8/26/2008 10:58	1925.001	26.200	36.153	23.510
8/26/2008 10:58	1926.001	26.195	36.143	23.534
8/26/2008 10:58	1927.001	26.187	36.036	23.781
8/26/2008 10:58	1928.001	26.189	36.173	23.464
8/26/2008 10:58	1929.001	26.187	36.015	23.830
8/26/2008 10:58	1930.001	26.200	36.126	23.572
8/26/2008 10:58	1931.001	26.194	36.083	23.671
8/26/2008 10:58	1932.001	26.188	36.103	23.626
8/26/2008 10:58	1933.001	26.187	36.029	23.796
8/26/2008 10:58	1934.001	26.188	36.062	23.721
8/26/2008 10:58	1935.001	26.196	36.192	23.421
8/26/2008 10:58	1936.001	26.195	35.967	23.940
8/26/2008 10:58	1937.001	26.189	36.086	23.665
8/26/2008 10:58	1938.001	26.188	36.019	23.820
8/26/2008 10:58	1939.001	26.192	36.088	23.660
8/26/2008 10:58	1940.030	26.199	36.008	23.846
8/26/2008 10:58	1941.001	26.193	36.054	23.738
8/26/2008 10:58	1942.001	26.192	36.131	23.562
8/26/2008 10:58	1943.001	26.188	36.166	23.480
8/26/2008 10:58	1944.001	26.190	36.040	23.772
8/26/2008 10:58	1945.001	26.198	36.061	23.722
8/26/2008 10:58	1946.001	26.194	36.124	23.577
8/26/2008 10:58	1947.001	26.189	35.967	23.939
8/26/2008 10:58	1948.001	26.189	36.091	23.654
8/26/2008 10:58	1949.001	26.191	35.908	24.076
8/26/2008 10:58	1950.001	26.199	36.057	23.732
8/26/2008 10:58	1951.001	26.192	35.899	24.096
8/26/2008 10:58	1952.001	26.193	36.169	23.474
8/26/2008 10:58	1953.001	26.192	36.007	23.847
8/26/2008 10:58	1954.001	26.189	36.081	23.676
8/26/2008 10:58	1955.001	26.199	35.930	24.025
8/26/2008 10:58	1956.001	26.192	35.996	23.872
8/26/2008 10:58	1957.001	26.193	36.002	23.859
8/26/2008 10:58	1958.001	26.190	36.128	23.569
8/26/2008 10:58	1959.001	26.189	36.096	23.642

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:58	1960.001	26.200	36.165	23.483
8/26/2008 10:58	1961.001	26.192	36.059	23.727
8/26/2008 10:58	1962.001	26.191	36.088	23.661
8/26/2008 10:58	1963.001	26.188	36.107	23.617
8/26/2008 10:58	1964.001	26.188	36.158	23.500
8/26/2008 10:58	1965.001	26.196	36.002	23.859
8/26/2008 10:58	1966.001	26.195	35.988	23.891
8/26/2008 10:58	1967.001	26.192	36.088	23.661
8/26/2008 10:58	1968.001	26.189	35.969	23.935
8/26/2008 10:58	1969.001	26.189	36.043	23.765
8/26/2008 10:58	1970.001	26.203	36.148	23.521
8/26/2008 10:58	1971.001	26.193	35.961	23.954
8/26/2008 10:58	1972.001	26.191	36.059	23.728
8/26/2008 10:58	1973.001	26.188	36.143	23.534
8/26/2008 10:58	1974.001	26.190	35.995	23.876
8/26/2008 10:58	1975.001	26.200	36.060	23.724
8/26/2008 10:58	1976.001	26.192	36.051	23.745
8/26/2008 10:58	1977.001	26.191	36.007	23.848
8/26/2008 10:59	1978.001	26.188	36.175	23.460
8/26/2008 10:59	1979.001	26.189	36.050	23.748
8/26/2008 10:59	1980.001	26.201	36.107	23.616
8/26/2008 10:59	1981.001	26.196	36.039	23.774
8/26/2008 10:59	1982.001	26.192	36.042	23.766
8/26/2008 10:59	1983.001	26.189	36.120	23.587
8/26/2008 10:59	1984.001	26.192	36.069	23.705
8/26/2008 10:59	1985.001	26.202	35.983	23.903
8/26/2008 10:59	1986.001	26.196	36.107	23.617
8/26/2008 10:59	1987.001	26.194	36.121	23.585
8/26/2008 10:59	1988.001	26.190	36.023	23.811
8/26/2008 10:59	1989.001	26.192	36.010	23.840
8/26/2008 10:59	1990.001	26.205	36.153	23.509
8/26/2008 10:59	1991.001	26.196	36.058	23.730
8/26/2008 10:59	1992.001	26.191	35.918	24.052
8/26/2008 10:59	1993.001	26.194	36.035	23.783
8/26/2008 10:59	1994.001	26.193	36.044	23.762
8/26/2008 10:59	1995.001	26.203	36.104	23.623
8/26/2008 10:59	1996.001	26.195	36.155	23.505
8/26/2008 10:59	1997.001	26.193	35.991	23.885
8/26/2008 10:59	1998.001	26.195	35.982	23.904
8/26/2008 10:59	1999.001	26.192	36.050	23.749
8/26/2008 10:59	2000.028	26.204	36.082	23.674
8/26/2008 10:59	2001.001	26.197	36.051	23.745
8/26/2008 10:59	2002.001	26.197	36.031	23.792
8/26/2008 10:59	2003.001	26.194	36.106	23.618
8/26/2008 10:59	2004.001	26.194	36.030	23.794
8/26/2008 10:59	2005.001	26.204	35.984	23.901
8/26/2008 10:59	2006.001	26.196	36.029	23.798
8/26/2008 10:59	2007.001	26.197	36.042	23.767
8/26/2008 10:59	2008.001	26.198	36.117	23.594

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 10:59	2009.001	26.196	35.963	23.950
8/26/2008 10:59	2010.001	26.206	36.033	23.788
8/26/2008 10:59	2011.001	26.199	36.048	23.753
8/26/2008 10:59	2012.001	26.197	36.119	23.588
8/26/2008 10:59	2013.001	26.195	36.047	23.754
8/26/2008 10:59	2014.001	26.197	36.073	23.695
8/26/2008 10:59	2015.001	26.205	36.070	23.702
8/26/2008 10:59	2016.001	26.200	35.944	23.993
8/26/2008 10:59	2017.001	26.198	35.961	23.954
8/26/2008 10:59	2018.001	26.202	35.913	24.065
8/26/2008 10:59	2019.001	26.199	35.959	23.958
8/26/2008 10:59	2020.118	26.208	35.984	23.901
8/26/2008 10:59	2021.001	26.203	35.925	24.037
8/26/2008 10:59	2022.001	26.202	36.038	23.775
8/26/2008 10:59	2023.001	26.199	36.123	23.579
8/26/2008 10:59	2024.001	26.198	36.087	23.662
8/26/2008 10:59	2025.103	26.208	35.975	23.921
8/26/2008 10:59	2026.001	26.207	35.983	23.902
8/26/2008 10:59	2027.001	26.201	36.103	23.625
8/26/2008 10:59	2028.001	26.201	36.234	23.324
8/26/2008 10:59	2029.001	26.199	36.085	23.666
8/26/2008 10:59	2030.118	26.213	36.135	23.552
8/26/2008 10:59	2031.001	26.206	36.059	23.727
8/26/2008 10:59	2032.001	26.203	35.997	23.871
8/26/2008 10:59	2033.001	26.202	36.038	23.776
8/26/2008 10:59	2034.001	26.199	36.163	23.488
8/26/2008 10:59	2035.102	26.212	36.031	23.791
8/26/2008 10:59	2036.001	26.207	36.061	23.722
8/26/2008 10:59	2037.001	26.203	36.041	23.768
8/26/2008 11:00	2038.001	26.204	36.068	23.707
8/26/2008 11:00	2039.001	26.201	36.082	23.673
8/26/2008 11:00	2040.117	26.212	36.058	23.730
8/26/2008 11:00	2041.001	26.207	36.026	23.804
8/26/2008 11:00	2042.001	26.203	35.967	23.940
8/26/2008 11:00	2043.001	26.202	36.118	23.592
8/26/2008 11:00	2044.001	26.200	36.109	23.611
8/26/2008 11:00	2045.102	26.214	35.997	23.870
8/26/2008 11:00	2046.001	26.209	36.088	23.661
8/26/2008 11:00	2047.001	26.207	35.984	23.900
8/26/2008 11:00	2048.001	26.203	36.092	23.652
8/26/2008 11:00	2049.001	26.201	36.013	23.833
8/26/2008 11:00	2050.117	26.213	36.040	23.771
8/26/2008 11:00	2051.001	26.207	36.078	23.683
8/26/2008 11:00	2052.001	26.205	35.975	23.921
8/26/2008 11:00	2053.001	26.204	36.070	23.702
8/26/2008 11:00	2054.001	26.205	36.075	23.691
8/26/2008 11:00	2055.102	26.217	36.091	23.652
8/26/2008 11:00	2056.001	26.210	36.079	23.681
8/26/2008 11:00	2057.001	26.207	35.972	23.928

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:00	2058.001	26.208	36.077	23.685
8/26/2008 11:00	2059.001	26.205	36.087	23.663
8/26/2008 11:00	2060.001	26.216	36.130	23.564
8/26/2008 11:00	2061.001	26.210	36.025	23.806
8/26/2008 11:00	2062.001	26.206	35.987	23.894
8/26/2008 11:00	2063.001	26.205	36.011	23.838
8/26/2008 11:00	2064.001	26.206	36.082	23.674
8/26/2008 11:00	2065.101	26.217	36.056	23.734
8/26/2008 11:00	2066.001	26.211	35.916	24.058
8/26/2008 11:00	2067.001	26.209	35.902	24.090
8/26/2008 11:00	2068.001	26.209	36.038	23.776
8/26/2008 11:00	2069.001	26.207	36.042	23.767
8/26/2008 11:00	2070.117	26.214	36.091	23.654
8/26/2008 11:00	2071.001	26.213	35.879	24.143
8/26/2008 11:00	2072.001	26.210	36.082	23.674
8/26/2008 11:00	2073.001	26.208	35.988	23.890
8/26/2008 11:00	2074.001	26.209	36.062	23.720
8/26/2008 11:00	2075.101	26.220	36.168	23.477
8/26/2008 11:00	2076.001	26.215	36.002	23.859
8/26/2008 11:00	2077.001	26.211	36.071	23.700
8/26/2008 11:00	2078.001	26.207	36.175	23.459
8/26/2008 11:00	2079.001	26.209	36.139	23.542
8/26/2008 11:00	2080.101	26.223	35.897	24.101
8/26/2008 11:00	2081.001	26.217	35.936	24.012
8/26/2008 11:00	2082.001	26.212	36.054	23.740
8/26/2008 11:00	2083.001	26.209	36.231	23.331
8/26/2008 11:00	2084.001	26.208	35.939	24.005
8/26/2008 11:00	2085.101	26.220	36.030	23.795
8/26/2008 11:00	2086.001	26.214	36.112	23.604
8/26/2008 11:00	2087.001	26.212	36.056	23.733
8/26/2008 11:00	2088.001	26.211	35.951	23.976
8/26/2008 11:00	2089.001	26.209	36.062	23.720
8/26/2008 11:00	2090.116	26.222	36.039	23.774
8/26/2008 11:00	2091.001	26.215	36.046	23.757
8/26/2008 11:00	2092.001	26.213	36.052	23.743
8/26/2008 11:00	2093.001	26.212	36.050	23.749
8/26/2008 11:00	2094.001	26.207	35.996	23.872
8/26/2008 11:00	2095.101	26.220	35.966	23.941
8/26/2008 11:00	2096.001	26.215	36.110	23.609
8/26/2008 11:00	2097.001	26.212	35.999	23.865
8/26/2008 11:01	2098.001	26.211	36.078	23.684
8/26/2008 11:01	2099.001	26.214	36.002	23.860
8/26/2008 11:01	2100.117	26.223	36.080	23.678
8/26/2008 11:01	2101.001	26.217	35.945	23.990
8/26/2008 11:01	2102.001	26.210	36.072	23.697
8/26/2008 11:01	2103.001	26.212	35.993	23.879
8/26/2008 11:01	2104.001	26.213	36.016	23.826
8/26/2008 11:01	2105.101	26.222	35.869	24.167
8/26/2008 11:01	2106.001	26.216	36.100	23.634

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:01	2107.001	26.216	36.109	23.612
8/26/2008 11:01	2108.001	26.212	36.061	23.723
8/26/2008 11:01	2109.001	26.212	36.049	23.751
8/26/2008 11:01	2110.116	26.221	36.031	23.792
8/26/2008 11:01	2111.001	26.216	36.050	23.748
8/26/2008 11:01	2112.001	26.214	36.008	23.845
8/26/2008 11:01	2113.001	26.213	36.135	23.553
8/26/2008 11:01	2114.001	26.213	36.098	23.638
8/26/2008 11:01	2115.101	26.220	36.118	23.590
8/26/2008 11:01	2116.001	26.217	36.121	23.584
8/26/2008 11:01	2117.001	26.214	35.972	23.928
8/26/2008 11:01	2118.001	26.212	36.149	23.519
8/26/2008 11:01	2119.001	26.214	36.036	23.781
8/26/2008 11:01	2120.001	26.222	36.016	23.826
8/26/2008 11:01	2121.001	26.218	35.975	23.921
8/26/2008 11:01	2122.001	26.212	35.947	23.986
8/26/2008 11:01	2123.001	26.214	36.082	23.675
8/26/2008 11:01	2124.001	26.214	36.074	23.693
8/26/2008 11:01	2125.100	26.224	36.055	23.737
8/26/2008 11:01	2126.001	26.218	36.031	23.792
8/26/2008 11:01	2127.001	26.214	36.020	23.817
8/26/2008 11:01	2128.001	26.216	36.023	23.810
8/26/2008 11:01	2129.001	26.213	35.966	23.942
8/26/2008 11:01	2130.116	26.224	35.974	23.923
8/26/2008 11:01	2131.001	26.218	36.070	23.703
8/26/2008 11:01	2132.001	26.215	36.061	23.723
8/26/2008 11:01	2133.001	26.217	36.062	23.720
8/26/2008 11:01	2134.001	26.215	36.015	23.828
8/26/2008 11:01	2135.100	26.224	36.102	23.628
8/26/2008 11:01	2136.001	26.217	35.971	23.931
8/26/2008 11:01	2137.001	26.216	36.079	23.681
8/26/2008 11:01	2138.001	26.216	35.955	23.968
8/26/2008 11:01	2139.001	26.215	35.999	23.865
8/26/2008 11:01	2140.116	26.225	36.008	23.845
8/26/2008 11:01	2141.001	26.218	36.171	23.469
8/26/2008 11:01	2142.001	26.215	35.947	23.987
8/26/2008 11:01	2143.001	26.213	35.962	23.950
8/26/2008 11:01	2144.001	26.212	36.020	23.818
8/26/2008 11:01	2145.100	26.225	36.063	23.718
8/26/2008 11:01	2146.001	26.221	36.117	23.594
8/26/2008 11:01	2147.001	26.217	36.140	23.541
8/26/2008 11:01	2148.001	26.214	36.041	23.770
8/26/2008 11:01	2149.001	26.211	36.053	23.740
8/26/2008 11:01	2150.115	26.224	36.071	23.700
8/26/2008 11:01	2151.001	26.220	35.954	23.971
8/26/2008 11:01	2152.001	26.217	36.053	23.741
8/26/2008 11:01	2153.001	26.216	36.029	23.797
8/26/2008 11:01	2154.001	26.212	36.064	23.716
8/26/2008 11:01	2155.099	26.223	36.046	23.756

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:01	2156.001	26.219	35.948	23.984
8/26/2008 11:01	2157.001	26.216	36.088	23.660
8/26/2008 11:02	2158.001	26.216	36.122	23.582
8/26/2008 11:02	2159.001	26.215	36.028	23.798
8/26/2008 11:02	2160.115	26.225	35.927	24.032
8/26/2008 11:02	2161.001	26.219	35.913	24.064
8/26/2008 11:02	2162.001	26.217	36.134	23.555
8/26/2008 11:02	2163.001	26.214	35.961	23.954
8/26/2008 11:02	2164.001	26.214	35.949	23.980
8/26/2008 11:02	2165.099	26.226	35.993	23.879
8/26/2008 11:02	2166.001	26.222	36.029	23.798
8/26/2008 11:02	2167.001	26.217	35.990	23.888
8/26/2008 11:02	2168.001	26.215	36.071	23.699
8/26/2008 11:02	2169.001	26.215	36.050	23.747
8/26/2008 11:02	2170.114	26.225	35.900	24.094
8/26/2008 11:02	2171.001	26.219	36.071	23.700
8/26/2008 11:02	2172.001	26.217	35.925	24.036
8/26/2008 11:02	2173.001	26.213	36.042	23.766
8/26/2008 11:02	2174.001	26.216	35.949	23.980
8/26/2008 11:02	2175.098	26.224	36.027	23.801
8/26/2008 11:02	2176.001	26.218	36.035	23.784
8/26/2008 11:02	2177.001	26.215	35.983	23.904
8/26/2008 11:02	2178.001	26.216	35.981	23.907
8/26/2008 11:02	2179.001	26.214	36.092	23.651
8/26/2008 11:02	2180.004	26.228	35.961	23.953
8/26/2008 11:02	2181.001	26.219	35.997	23.870
8/26/2008 11:02	2182.001	26.217	35.984	23.900
8/26/2008 11:02	2183.001	26.216	36.005	23.852
8/26/2008 11:02	2184.001	26.216	36.076	23.687
8/26/2008 11:02	2185.098	26.227	36.044	23.762
8/26/2008 11:02	2186.001	26.220	35.912	24.066
8/26/2008 11:02	2187.001	26.218	35.904	24.086
8/26/2008 11:02	2188.001	26.215	36.128	23.568
8/26/2008 11:02	2189.001	26.215	35.897	24.101
8/26/2008 11:02	2190.113	26.227	36.051	23.746
8/26/2008 11:02	2191.001	26.220	35.957	23.962
8/26/2008 11:02	2192.001	26.217	36.050	23.748
8/26/2008 11:02	2193.001	26.217	36.036	23.779
8/26/2008 11:02	2194.001	26.218	36.005	23.852
8/26/2008 11:02	2195.098	26.225	35.954	23.969
8/26/2008 11:02	2196.001	26.223	35.989	23.889
8/26/2008 11:02	2197.001	26.215	36.090	23.655
8/26/2008 11:02	2198.001	26.217	36.092	23.651
8/26/2008 11:02	2199.001	26.217	36.042	23.767
8/26/2008 11:02	2200.113	26.226	36.007	23.847
8/26/2008 11:02	2201.001	26.222	36.075	23.690
8/26/2008 11:02	2202.001	26.219	36.019	23.820
8/26/2008 11:02	2203.001	26.218	36.135	23.551
8/26/2008 11:02	2204.001	26.215	36.070	23.703

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:02	2205.097	26.229	36.094	23.648
8/26/2008 11:02	2206.001	26.221	36.017	23.824
8/26/2008 11:02	2207.001	26.217	36.075	23.691
8/26/2008 11:02	2208.001	26.217	36.064	23.717
8/26/2008 11:02	2209.001	26.215	36.051	23.746
8/26/2008 11:02	2210.113	26.226	36.018	23.822
8/26/2008 11:02	2211.001	26.220	35.986	23.897
8/26/2008 11:02	2212.001	26.218	36.170	23.471
8/26/2008 11:02	2213.001	26.217	36.030	23.794
8/26/2008 11:02	2214.001	26.216	36.035	23.784
8/26/2008 11:02	2215.097	26.228	36.097	23.639
8/26/2008 11:02	2216.001	26.225	35.963	23.949
8/26/2008 11:02	2217.001	26.216	36.058	23.731
8/26/2008 11:03	2218.001	26.215	36.062	23.720
8/26/2008 11:03	2219.001	26.215	35.989	23.889
8/26/2008 11:03	2220.113	26.227	36.054	23.739
8/26/2008 11:03	2221.001	26.218	35.894	24.109
8/26/2008 11:03	2222.001	26.217	35.953	23.972
8/26/2008 11:03	2223.001	26.217	35.914	24.063
8/26/2008 11:03	2224.001	26.215	36.036	23.780
8/26/2008 11:03	2225.097	26.229	36.119	23.589
8/26/2008 11:03	2226.001	26.220	36.096	23.642
8/26/2008 11:03	2227.001	26.217	36.151	23.514
8/26/2008 11:03	2228.001	26.214	36.017	23.824
8/26/2008 11:03	2229.001	26.216	35.985	23.898
8/26/2008 11:03	2230.112	26.224	36.013	23.833
8/26/2008 11:03	2231.001	26.221	35.984	23.901
8/26/2008 11:03	2232.001	26.215	36.066	23.711
8/26/2008 11:03	2233.001	26.217	36.074	23.692
8/26/2008 11:03	2234.001	26.215	36.072	23.697
8/26/2008 11:03	2235.097	26.226	35.956	23.966
8/26/2008 11:03	2236.001	26.223	35.999	23.866
8/26/2008 11:03	2237.001	26.217	35.914	24.061
8/26/2008 11:03	2238.001	26.213	36.034	23.785
8/26/2008 11:03	2239.001	26.213	36.018	23.823
8/26/2008 11:03	2240.001	26.226	36.076	23.688
8/26/2008 11:03	2241.001	26.220	36.031	23.793
8/26/2008 11:03	2242.001	26.217	36.044	23.762
8/26/2008 11:03	2243.001	26.217	36.144	23.532
8/26/2008 11:03	2244.001	26.211	36.047	23.754
8/26/2008 11:03	2245.096	26.226	36.179	23.451
8/26/2008 11:03	2246.001	26.222	36.100	23.632
8/26/2008 11:03	2247.001	26.215	36.009	23.842
8/26/2008 11:03	2248.001	26.215	36.082	23.675
8/26/2008 11:03	2249.001	26.214	36.137	23.548
8/26/2008 11:03	2250.112	26.226	35.936	24.011
8/26/2008 11:03	2251.001	26.220	36.035	23.783
8/26/2008 11:03	2252.001	26.217	36.073	23.695
8/26/2008 11:03	2253.001	26.215	35.998	23.867

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:03	2254.001	26.215	36.036	23.781
8/26/2008 11:03	2255.096	26.226	35.996	23.872
8/26/2008 11:03	2256.001	26.220	36.030	23.795
8/26/2008 11:03	2257.001	26.219	36.005	23.851
8/26/2008 11:03	2258.001	26.216	35.945	23.991
8/26/2008 11:03	2259.001	26.216	35.975	23.922
8/26/2008 11:03	2260.112	26.225	35.962	23.951
8/26/2008 11:03	2261.001	26.219	35.940	24.001
8/26/2008 11:03	2262.001	26.218	36.003	23.858
8/26/2008 11:03	2263.001	26.218	36.006	23.850
8/26/2008 11:03	2264.001	26.217	36.099	23.636
8/26/2008 11:03	2265.096	26.225	35.946	23.989
8/26/2008 11:03	2266.001	26.220	35.956	23.965
8/26/2008 11:03	2267.001	26.218	35.911	24.070
8/26/2008 11:03	2268.001	26.216	35.986	23.896
8/26/2008 11:03	2269.001	26.213	35.935	24.014
8/26/2008 11:03	2270.096	26.227	36.004	23.854
8/26/2008 11:03	2271.001	26.224	35.943	23.995
8/26/2008 11:03	2272.001	26.217	36.157	23.501
8/26/2008 11:03	2273.001	26.218	36.073	23.695
8/26/2008 11:03	2274.001	26.219	35.966	23.942
8/26/2008 11:03	2275.095	26.227	35.963	23.949
8/26/2008 11:03	2276.001	26.223	36.102	23.629
8/26/2008 11:03	2277.001	26.219	36.031	23.792
8/26/2008 11:04	2278.001	26.219	36.057	23.731
8/26/2008 11:04	2279.001	26.216	36.006	23.849
8/26/2008 11:04	2280.110	26.228	36.117	23.593
8/26/2008 11:04	2281.001	26.222	35.962	23.950
8/26/2008 11:04	2282.001	26.217	36.046	23.756
8/26/2008 11:04	2283.001	26.216	36.150	23.518
8/26/2008 11:04	2284.001	26.219	36.085	23.667
8/26/2008 11:04	2285.094	26.231	35.960	23.955
8/26/2008 11:04	2286.001	26.222	35.960	23.957
8/26/2008 11:04	2287.001	26.221	35.957	23.963
8/26/2008 11:04	2288.001	26.217	36.089	23.658
8/26/2008 11:04	2289.001	26.215	36.073	23.696
8/26/2008 11:04	2290.110	26.229	35.870	24.164
8/26/2008 11:04	2291.001	26.223	35.979	23.912
8/26/2008 11:04	2292.001	26.217	35.906	24.082
8/26/2008 11:04	2293.001	26.217	35.970	23.932
8/26/2008 11:04	2294.001	26.218	35.914	24.063
8/26/2008 11:04	2295.094	26.225	35.912	24.066
8/26/2008 11:04	2296.001	26.222	35.993	23.879
8/26/2008 11:04	2297.001	26.220	35.965	23.945
8/26/2008 11:04	2298.001	26.219	36.035	23.783
8/26/2008 11:04	2299.001	26.218	36.064	23.716
8/26/2008 11:04	2300.001	26.227	35.922	24.045
8/26/2008 11:04	2301.001	26.222	35.962	23.951
8/26/2008 11:04	2302.001	26.219	36.119	23.588

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:04	2303.001	26.219	36.116	23.596
8/26/2008 11:04	2304.001	26.217	35.916	24.057
8/26/2008 11:04	2305.094	26.230	35.975	23.921
8/26/2008 11:04	2306.001	26.224	36.176	23.458
8/26/2008 11:04	2307.001	26.221	35.942	23.997
8/26/2008 11:04	2308.001	26.219	35.997	23.871
8/26/2008 11:04	2309.001	26.218	36.080	23.679
8/26/2008 11:04	2310.109	26.231	36.012	23.837
8/26/2008 11:04	2311.001	26.225	36.074	23.692
8/26/2008 11:04	2312.001	26.220	35.980	23.911
8/26/2008 11:04	2313.001	26.220	35.857	24.193
8/26/2008 11:04	2314.001	26.220	36.056	23.734
8/26/2008 11:04	2315.094	26.232	35.999	23.865
8/26/2008 11:04	2316.001	26.225	36.089	23.658
8/26/2008 11:04	2317.001	26.221	36.039	23.773
8/26/2008 11:04	2318.001	26.222	35.936	24.012
8/26/2008 11:04	2319.001	26.220	36.046	23.758
8/26/2008 11:04	2320.109	26.235	36.104	23.625
8/26/2008 11:04	2321.001	26.227	35.982	23.905
8/26/2008 11:04	2322.001	26.221	35.971	23.930
8/26/2008 11:04	2323.001	26.218	36.038	23.777
8/26/2008 11:04	2324.001	26.222	35.968	23.938
8/26/2008 11:04	2325.093	26.232	35.944	23.992
8/26/2008 11:04	2326.001	26.228	36.002	23.860
8/26/2008 11:04	2327.001	26.224	36.083	23.673
8/26/2008 11:04	2328.001	26.223	35.938	24.008
8/26/2008 11:04	2329.001	26.221	36.003	23.858
8/26/2008 11:04	2330.093	26.232	35.947	23.987
8/26/2008 11:04	2331.001	26.227	35.989	23.888
8/26/2008 11:04	2332.001	26.226	35.954	23.970
8/26/2008 11:04	2333.001	26.223	36.034	23.786
8/26/2008 11:04	2334.001	26.225	36.003	23.856
8/26/2008 11:04	2335.093	26.233	36.146	23.528
8/26/2008 11:04	2336.001	26.230	36.021	23.816
8/26/2008 11:04	2337.001	26.226	35.882	24.135
8/26/2008 11:05	2338.001	26.223	35.967	23.939
8/26/2008 11:05	2339.001	26.225	36.035	23.782
8/26/2008 11:05	2340.109	26.232	36.071	23.700
8/26/2008 11:05	2341.001	26.230	35.941	24.001
8/26/2008 11:05	2342.001	26.226	36.032	23.790
8/26/2008 11:05	2343.001	26.227	35.932	24.022
8/26/2008 11:05	2344.001	26.224	36.136	23.549
8/26/2008 11:05	2345.092	26.236	36.060	23.726
8/26/2008 11:05	2346.001	26.230	36.120	23.587
8/26/2008 11:05	2347.001	26.230	36.057	23.733
8/26/2008 11:05	2348.001	26.226	36.096	23.641
8/26/2008 11:05	2349.001	26.224	36.071	23.699
8/26/2008 11:05	2350.108	26.238	35.951	23.977
8/26/2008 11:05	2351.001	26.234	36.010	23.840

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:05	2352.001	26.230	36.079	23.682
8/26/2008 11:05	2353.001	26.230	35.966	23.942
8/26/2008 11:05	2354.001	26.229	36.002	23.858
8/26/2008 11:05	2355.092	26.240	35.921	24.046
8/26/2008 11:05	2356.001	26.233	36.058	23.730
8/26/2008 11:05	2357.001	26.231	35.962	23.952
8/26/2008 11:05	2358.001	26.229	35.965	23.944
8/26/2008 11:05	2359.001	26.229	35.968	23.938
8/26/2008 11:05	2360.001	26.242	36.095	23.645
8/26/2008 11:05	2361.001	26.235	36.019	23.820
8/26/2008 11:05	2362.001	26.234	35.971	23.930
8/26/2008 11:05	2363.001	26.228	35.968	23.938
8/26/2008 11:05	2364.001	26.229	36.079	23.682
8/26/2008 11:05	2365.092	26.242	35.946	23.988
8/26/2008 11:05	2366.001	26.235	36.026	23.804
8/26/2008 11:05	2367.001	26.232	36.014	23.830
8/26/2008 11:05	2368.001	26.232	35.997	23.872
8/26/2008 11:05	2369.001	26.228	36.025	23.806
8/26/2008 11:05	2370.107	26.242	35.950	23.979
8/26/2008 11:05	2371.001	26.239	35.965	23.943
8/26/2008 11:05	2372.001	26.235	36.098	23.638
8/26/2008 11:05	2373.001	26.235	35.900	24.094
8/26/2008 11:05	2374.001	26.231	35.953	23.971
8/26/2008 11:05	2375.092	26.244	36.124	23.577
8/26/2008 11:05	2376.001	26.238	35.986	23.897
8/26/2008 11:05	2377.001	26.239	35.942	23.998
8/26/2008 11:05	2378.001	26.235	35.929	24.027
8/26/2008 11:05	2379.001	26.234	35.826	24.265
8/26/2008 11:05	2380.107	26.244	36.027	23.801
8/26/2008 11:05	2381.001	26.239	35.942	23.997
8/26/2008 11:05	2382.001	26.238	36.002	23.859
8/26/2008 11:05	2383.001	26.239	35.943	23.995
8/26/2008 11:05	2384.001	26.236	35.964	23.946
8/26/2008 11:05	2385.091	26.249	36.122	23.582
8/26/2008 11:05	2386.001	26.242	36.027	23.801
8/26/2008 11:05	2387.001	26.241	36.110	23.610
8/26/2008 11:05	2388.001	26.237	36.008	23.845
8/26/2008 11:05	2389.001	26.239	36.124	23.578
8/26/2008 11:05	2390.107	26.249	36.068	23.707
8/26/2008 11:05	2391.001	26.244	35.917	24.054
8/26/2008 11:05	2392.001	26.242	36.019	23.819
8/26/2008 11:05	2393.001	26.242	35.992	23.882
8/26/2008 11:05	2394.001	26.240	35.937	24.008
8/26/2008 11:05	2395.091	26.252	35.922	24.043
8/26/2008 11:05	2396.001	26.247	35.969	23.935
8/26/2008 11:05	2397.001	26.245	36.025	23.805
8/26/2008 11:06	2398.001	26.242	36.090	23.656
8/26/2008 11:06	2399.001	26.242	35.850	24.210
8/26/2008 11:06	2400.106	26.252	36.047	23.756

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:06	2401.001	26.249	35.904	24.086
8/26/2008 11:06	2402.001	26.245	36.017	23.824
8/26/2008 11:06	2403.001	26.244	36.068	23.707
8/26/2008 11:06	2404.001	26.243	36.086	23.664
8/26/2008 11:06	2405.091	26.254	35.858	24.190
8/26/2008 11:06	2406.001	26.250	35.932	24.021
8/26/2008 11:06	2407.001	26.248	35.974	23.923
8/26/2008 11:06	2408.001	26.243	36.001	23.860
8/26/2008 11:06	2409.001	26.245	35.914	24.061
8/26/2008 11:06	2410.106	26.256	35.994	23.878
8/26/2008 11:06	2411.001	26.250	35.961	23.954
8/26/2008 11:06	2412.001	26.250	36.009	23.844
8/26/2008 11:06	2413.001	26.245	36.127	23.571
8/26/2008 11:06	2414.001	26.247	36.019	23.820
8/26/2008 11:06	2415.091	26.257	35.913	24.064
8/26/2008 11:06	2416.001	26.251	36.033	23.787
8/26/2008 11:06	2417.001	26.249	36.006	23.849
8/26/2008 11:06	2418.001	26.250	35.989	23.889
8/26/2008 11:06	2419.001	26.251	35.937	24.008
8/26/2008 11:06	2420.001	26.259	35.944	23.994
8/26/2008 11:06	2421.001	26.253	36.051	23.746
8/26/2008 11:06	2422.001	26.251	36.205	23.390
8/26/2008 11:06	2423.001	26.248	35.899	24.096
8/26/2008 11:06	2424.001	26.249	36.057	23.731
8/26/2008 11:06	2425.090	26.259	35.893	24.112
8/26/2008 11:06	2426.001	26.256	36.090	23.657
8/26/2008 11:06	2427.001	26.253	36.017	23.825
8/26/2008 11:06	2428.001	26.252	36.155	23.506
8/26/2008 11:06	2429.001	26.249	35.909	24.074
8/26/2008 11:06	2430.106	26.260	36.068	23.707
8/26/2008 11:06	2431.001	26.257	36.044	23.763
8/26/2008 11:06	2432.001	26.254	36.116	23.596
8/26/2008 11:06	2433.001	26.255	35.915	24.059
8/26/2008 11:06	2434.001	26.253	36.047	23.755
8/26/2008 11:06	2435.090	26.265	35.941	23.999
8/26/2008 11:06	2436.001	26.257	36.090	23.657
8/26/2008 11:06	2437.001	26.256	36.110	23.610
8/26/2008 11:06	2438.001	26.252	35.981	23.907
8/26/2008 11:06	2439.001	26.255	36.045	23.759
8/26/2008 11:06	2440.105	26.265	35.933	24.019
8/26/2008 11:06	2441.001	26.259	35.968	23.938
8/26/2008 11:06	2442.001	26.259	35.899	24.097
8/26/2008 11:06	2443.001	26.254	35.994	23.877
8/26/2008 11:06	2444.001	26.253	35.927	24.033
8/26/2008 11:06	2445.089	26.268	36.065	23.714
8/26/2008 11:06	2446.001	26.258	36.135	23.552
8/26/2008 11:06	2447.001	26.261	35.910	24.072
8/26/2008 11:06	2448.001	26.258	36.012	23.837
8/26/2008 11:06	2449.001	26.256	35.915	24.060

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:06	2450.089	26.271	36.052	23.742
8/26/2008 11:06	2451.001	26.265	36.030	23.793
8/26/2008 11:06	2452.001	26.260	36.029	23.796
8/26/2008 11:06	2453.001	26.260	35.929	24.027
8/26/2008 11:06	2454.001	26.259	36.006	23.851
8/26/2008 11:06	2455.089	26.272	35.924	24.039
8/26/2008 11:06	2456.001	26.265	35.961	23.954
8/26/2008 11:06	2457.001	26.261	36.044	23.762
8/26/2008 11:07	2458.001	26.260	35.894	24.108
8/26/2008 11:07	2459.001	26.263	36.089	23.659
8/26/2008 11:07	2460.105	26.276	35.923	24.040
8/26/2008 11:07	2461.001	26.267	35.990	23.887
8/26/2008 11:07	2462.001	26.266	36.030	23.794
8/26/2008 11:07	2463.001	26.265	35.940	24.001
8/26/2008 11:07	2464.001	26.263	35.932	24.022
8/26/2008 11:07	2465.089	26.277	36.004	23.855
8/26/2008 11:07	2466.001	26.272	36.009	23.843
8/26/2008 11:07	2467.001	26.269	36.010	23.841
8/26/2008 11:07	2468.001	26.266	35.993	23.880
8/26/2008 11:07	2469.001	26.266	35.913	24.064
8/26/2008 11:07	2470.105	26.277	36.073	23.695
8/26/2008 11:07	2471.001	26.271	36.083	23.671
8/26/2008 11:07	2472.001	26.267	35.968	23.937
8/26/2008 11:07	2473.001	26.268	35.994	23.877
8/26/2008 11:07	2474.001	26.267	35.994	23.878
8/26/2008 11:07	2475.088	26.278	35.975	23.922
8/26/2008 11:07	2476.001	26.275	35.932	24.020
8/26/2008 11:07	2477.001	26.270	35.990	23.886
8/26/2008 11:07	2478.001	26.269	36.059	23.728
8/26/2008 11:07	2479.001	26.270	36.011	23.838
8/26/2008 11:07	2480.001	26.282	36.084	23.670
8/26/2008 11:07	2481.001	26.276	35.966	23.943
8/26/2008 11:07	2482.001	26.272	35.826	24.266
8/26/2008 11:07	2483.001	26.274	35.945	23.990
8/26/2008 11:07	2484.001	26.271	35.985	23.898
8/26/2008 11:07	2485.088	26.284	36.038	23.777
8/26/2008 11:07	2486.001	26.281	36.129	23.566
8/26/2008 11:07	2487.001	26.277	35.981	23.908
8/26/2008 11:07	2488.001	26.272	35.953	23.972
8/26/2008 11:07	2489.001	26.277	36.043	23.764
8/26/2008 11:07	2490.103	26.286	36.105	23.622
8/26/2008 11:07	2491.001	26.278	36.040	23.771
8/26/2008 11:07	2492.001	26.280	36.032	23.790
8/26/2008 11:07	2493.001	26.276	36.035	23.783
8/26/2008 11:07	2494.001	26.277	35.952	23.974
8/26/2008 11:07	2495.088	26.289	35.967	23.940
8/26/2008 11:07	2496.001	26.285	35.981	23.908
8/26/2008 11:07	2497.001	26.278	36.076	23.689
8/26/2008 11:07	2498.001	26.281	35.968	23.938

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:07	2499.001	26.279	36.007	23.848
8/26/2008 11:07	2500.103	26.291	35.985	23.899
8/26/2008 11:07	2501.001	26.285	36.096	23.642
8/26/2008 11:07	2502.001	26.283	36.137	23.548
8/26/2008 11:07	2503.001	26.282	35.902	24.089
8/26/2008 11:07	2504.001	26.285	36.038	23.776
8/26/2008 11:07	2505.088	26.291	35.824	24.271
8/26/2008 11:07	2506.001	26.288	36.001	23.862
8/26/2008 11:07	2507.001	26.286	36.022	23.812
8/26/2008 11:07	2508.001	26.286	35.960	23.957
8/26/2008 11:07	2509.001	26.284	35.895	24.107
8/26/2008 11:07	2510.103	26.295	36.014	23.831
8/26/2008 11:07	2511.001	26.288	35.970	23.933
8/26/2008 11:07	2512.001	26.285	35.999	23.865
8/26/2008 11:07	2513.001	26.286	35.875	24.153
8/26/2008 11:07	2514.001	26.287	36.108	23.615
8/26/2008 11:07	2515.087	26.298	35.996	23.872
8/26/2008 11:07	2516.001	26.293	35.891	24.115
8/26/2008 11:07	2517.001	26.290	36.020	23.817
8/26/2008 11:08	2518.001	26.288	35.950	23.979
8/26/2008 11:08	2519.001	26.290	36.044	23.762
8/26/2008 11:08	2520.103	26.297	36.042	23.767
8/26/2008 11:08	2521.001	26.295	35.933	24.019
8/26/2008 11:08	2522.001	26.292	36.083	23.671
8/26/2008 11:08	2523.001	26.288	35.878	24.146
8/26/2008 11:08	2524.001	26.289	36.038	23.776
8/26/2008 11:08	2525.087	26.301	36.055	23.736
8/26/2008 11:08	2526.001	26.295	36.007	23.848
8/26/2008 11:08	2527.001	26.293	36.062	23.720
8/26/2008 11:08	2528.001	26.292	36.068	23.707
8/26/2008 11:08	2529.001	26.291	35.877	24.148
8/26/2008 11:08	2530.103	26.304	36.035	23.782
8/26/2008 11:08	2531.001	26.298	36.027	23.801
8/26/2008 11:08	2532.001	26.297	35.984	23.901
8/26/2008 11:08	2533.001	26.291	36.034	23.785
8/26/2008 11:08	2534.001	26.295	35.992	23.883
8/26/2008 11:08	2535.087	26.304	35.961	23.953
8/26/2008 11:08	2536.001	26.300	35.947	23.987
8/26/2008 11:08	2537.001	26.295	35.997	23.871
8/26/2008 11:08	2538.001	26.292	35.930	24.025
8/26/2008 11:08	2539.001	26.298	35.934	24.016
8/26/2008 11:08	2540.001	26.305	35.893	24.110
8/26/2008 11:08	2541.001	26.297	35.864	24.177
8/26/2008 11:08	2542.001	26.297	36.053	23.740
8/26/2008 11:08	2543.001	26.296	36.015	23.828
8/26/2008 11:08	2544.001	26.297	36.047	23.754
8/26/2008 11:08	2545.086	26.307	35.903	24.088
8/26/2008 11:08	2546.001	26.302	36.006	23.849
8/26/2008 11:08	2547.001	26.301	35.894	24.107

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:08	2548.001	26.298	35.998	23.867
8/26/2008 11:08	2549.001	26.298	36.015	23.828
8/26/2008 11:08	2550.102	26.308	35.863	24.179
8/26/2008 11:08	2551.001	26.303	36.067	23.710
8/26/2008 11:08	2552.001	26.302	35.990	23.888
8/26/2008 11:08	2553.001	26.300	36.004	23.855
8/26/2008 11:08	2554.001	26.300	36.132	23.559
8/26/2008 11:08	2555.086	26.306	35.945	23.990
8/26/2008 11:08	2556.001	26.304	35.909	24.073
8/26/2008 11:08	2557.001	26.302	35.974	23.923
8/26/2008 11:08	2558.001	26.299	35.994	23.876
8/26/2008 11:08	2559.001	26.298	36.063	23.718
8/26/2008 11:08	2560.101	26.308	35.962	23.952
8/26/2008 11:08	2561.001	26.303	35.872	24.159
8/26/2008 11:08	2562.001	26.300	35.975	23.921
8/26/2008 11:08	2563.001	26.299	35.961	23.953
8/26/2008 11:08	2564.001	26.298	35.905	24.084
8/26/2008 11:08	2565.086	26.309	36.004	23.855
8/26/2008 11:08	2566.001	26.303	36.066	23.712
8/26/2008 11:08	2567.001	26.300	35.963	23.949
8/26/2008 11:08	2568.001	26.301	35.940	24.002
8/26/2008 11:08	2569.001	26.299	35.980	23.909
8/26/2008 11:08	2570.101	26.311	36.161	23.491
8/26/2008 11:08	2571.001	26.303	36.058	23.731
8/26/2008 11:08	2572.001	26.302	35.885	24.129
8/26/2008 11:08	2573.001	26.300	35.864	24.178
8/26/2008 11:08	2574.001	26.299	35.963	23.948
8/26/2008 11:08	2575.085	26.311	36.040	23.772
8/26/2008 11:08	2576.001	26.304	36.033	23.787
8/26/2008 11:08	2577.001	26.301	35.959	23.958
8/26/2008 11:09	2578.001	26.302	35.927	24.032
8/26/2008 11:09	2579.001	26.301	35.959	23.959
8/26/2008 11:09	2580.101	26.311	36.074	23.692
8/26/2008 11:09	2581.001	26.307	35.989	23.888
8/26/2008 11:09	2582.001	26.302	36.108	23.614
8/26/2008 11:09	2583.001	26.302	35.903	24.088
8/26/2008 11:09	2584.001	26.301	35.975	23.920
8/26/2008 11:09	2585.085	26.316	35.871	24.160
8/26/2008 11:09	2586.001	26.304	35.893	24.111
8/26/2008 11:09	2587.001	26.303	36.025	23.805
8/26/2008 11:09	2588.001	26.301	35.855	24.199
8/26/2008 11:09	2589.001	26.300	35.996	23.873
8/26/2008 11:09	2590.101	26.313	35.888	24.121
8/26/2008 11:09	2591.001	26.307	35.940	24.001
8/26/2008 11:09	2592.001	26.303	35.869	24.166
8/26/2008 11:09	2593.001	26.303	36.035	23.783
8/26/2008 11:09	2594.001	26.302	35.996	23.872
8/26/2008 11:09	2595.085	26.310	35.943	23.996
8/26/2008 11:09	2596.001	26.304	36.036	23.779

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:09	2597.001	26.304	36.103	23.626
8/26/2008 11:09	2598.001	26.303	36.037	23.778
8/26/2008 11:09	2599.001	26.304	35.930	24.025
8/26/2008 11:09	2600.001	26.318	35.970	23.934
8/26/2008 11:09	2601.001	26.305	35.869	24.166
8/26/2008 11:09	2602.001	26.303	36.071	23.699
8/26/2008 11:09	2603.001	26.302	35.868	24.169
8/26/2008 11:09	2604.001	26.303	35.927	24.033
8/26/2008 11:09	2605.101	26.310	35.999	23.866
8/26/2008 11:09	2606.001	26.307	35.897	24.101
8/26/2008 11:09	2607.001	26.305	36.027	23.802
8/26/2008 11:09	2608.001	26.305	35.903	24.088
8/26/2008 11:09	2609.001	26.301	36.022	23.812
8/26/2008 11:09	2610.116	26.315	36.021	23.815
8/26/2008 11:09	2611.001	26.308	36.017	23.825
8/26/2008 11:09	2612.001	26.305	35.925	24.038
8/26/2008 11:09	2613.001	26.303	35.927	24.031
8/26/2008 11:09	2614.001	26.302	35.927	24.033
8/26/2008 11:09	2615.116	26.313	36.047	23.755
8/26/2008 11:09	2616.001	26.307	35.882	24.137
8/26/2008 11:09	2617.001	26.306	35.933	24.019
8/26/2008 11:09	2618.001	26.301	35.931	24.024
8/26/2008 11:09	2619.001	26.304	36.044	23.763
8/26/2008 11:09	2620.147	26.311	35.987	23.894
8/26/2008 11:09	2621.001	26.311	36.042	23.767
8/26/2008 11:09	2622.001	26.307	35.957	23.962
8/26/2008 11:09	2623.001	26.303	36.016	23.826
8/26/2008 11:09	2624.001	26.303	35.900	24.095
8/26/2008 11:09	2625.131	26.315	35.926	24.035
8/26/2008 11:09	2626.001	26.310	35.923	24.040
8/26/2008 11:09	2627.001	26.304	36.038	23.776
8/26/2008 11:09	2628.001	26.305	35.973	23.925
8/26/2008 11:09	2629.001	26.301	35.923	24.040
8/26/2008 11:09	2630.147	26.316	35.970	23.933
8/26/2008 11:09	2631.001	26.311	36.072	23.697
8/26/2008 11:09	2632.001	26.304	35.952	23.974
8/26/2008 11:09	2633.001	26.305	35.952	23.975
8/26/2008 11:09	2634.001	26.303	36.056	23.734
8/26/2008 11:09	2635.130	26.316	36.021	23.814
8/26/2008 11:09	2636.001	26.312	35.926	24.036
8/26/2008 11:09	2637.001	26.308	35.992	23.882
8/26/2008 11:10	2638.001	26.306	35.950	23.978
8/26/2008 11:10	2639.001	26.305	35.932	24.020
8/26/2008 11:10	2640.146	26.319	35.988	23.891
8/26/2008 11:10	2641.001	26.311	35.919	24.051
8/26/2008 11:10	2642.001	26.307	36.088	23.661
8/26/2008 11:10	2643.001	26.306	35.861	24.185
8/26/2008 11:10	2644.001	26.304	35.999	23.866
8/26/2008 11:10	2645.130	26.315	35.860	24.187

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:10	2646.001	26.313	35.983	23.903
8/26/2008 11:10	2647.001	26.309	36.112	23.604
8/26/2008 11:10	2648.001	26.308	35.968	23.938
8/26/2008 11:10	2649.001	26.308	35.873	24.157
8/26/2008 11:10	2650.146	26.319	35.946	23.987
8/26/2008 11:10	2651.001	26.313	35.876	24.151
8/26/2008 11:10	2652.001	26.309	35.967	23.941
8/26/2008 11:10	2653.001	26.310	35.841	24.232
8/26/2008 11:10	2654.001	26.309	35.872	24.160
8/26/2008 11:10	2655.130	26.318	35.960	23.956
8/26/2008 11:10	2656.001	26.313	36.027	23.801
8/26/2008 11:10	2657.001	26.311	35.929	24.026
8/26/2008 11:10	2658.001	26.313	36.082	23.674
8/26/2008 11:10	2659.001	26.309	35.998	23.868
8/26/2008 11:10	2660.014	26.324	36.022	23.812
8/26/2008 11:10	2661.001	26.314	36.029	23.797
8/26/2008 11:10	2662.001	26.313	35.903	24.087
8/26/2008 11:10	2663.001	26.312	36.070	23.701
8/26/2008 11:10	2664.001	26.307	36.105	23.621
8/26/2008 11:10	2665.145	26.318	36.024	23.808
8/26/2008 11:10	2666.001	26.314	35.981	23.907
8/26/2008 11:10	2667.001	26.311	35.906	24.081
8/26/2008 11:10	2668.001	26.310	35.964	23.948
8/26/2008 11:10	2669.001	26.311	35.915	24.059
8/26/2008 11:10	2670.160	26.319	35.942	23.999
8/26/2008 11:10	2671.001	26.316	36.001	23.861
8/26/2008 11:10	2672.001	26.311	36.017	23.824
8/26/2008 11:10	2673.001	26.312	36.027	23.802
8/26/2008 11:10	2674.001	26.308	35.961	23.954
8/26/2008 11:10	2675.160	26.318	35.942	23.998
8/26/2008 11:10	2676.001	26.316	35.973	23.926
8/26/2008 11:10	2677.001	26.311	35.954	23.969
8/26/2008 11:10	2678.001	26.311	35.976	23.918
8/26/2008 11:10	2679.001	26.309	35.975	23.921
8/26/2008 11:10	2680.175	26.318	36.127	23.570
8/26/2008 11:10	2681.001	26.316	36.018	23.821
8/26/2008 11:10	2682.001	26.313	36.002	23.859
8/26/2008 11:10	2683.001	26.311	35.970	23.933
8/26/2008 11:10	2684.001	26.308	35.933	24.019
8/26/2008 11:10	2685.160	26.320	35.997	23.870
8/26/2008 11:10	2686.001	26.314	35.996	23.872
8/26/2008 11:10	2687.001	26.311	36.132	23.560
8/26/2008 11:10	2688.001	26.310	35.967	23.941
8/26/2008 11:10	2689.001	26.308	36.001	23.862
8/26/2008 11:10	2690.175	26.321	36.006	23.849
8/26/2008 11:10	2691.001	26.315	36.123	23.578
8/26/2008 11:10	2692.001	26.308	35.961	23.954
8/26/2008 11:10	2693.001	26.308	35.994	23.878
8/26/2008 11:10	2694.001	26.309	35.985	23.897

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:10	2695.159	26.319	35.944	23.992
8/26/2008 11:10	2696.001	26.315	35.900	24.094
8/26/2008 11:10	2697.001	26.308	35.975	23.922
8/26/2008 11:11	2698.001	26.308	36.026	23.802
8/26/2008 11:11	2699.001	26.307	35.979	23.912
8/26/2008 11:11	2700.175	26.318	35.931	24.024
8/26/2008 11:11	2701.001	26.317	36.071	23.700
8/26/2008 11:11	2702.001	26.311	36.046	23.756
8/26/2008 11:11	2703.001	26.307	35.913	24.065
8/26/2008 11:11	2704.001	26.306	36.066	23.711
8/26/2008 11:11	2705.159	26.316	35.995	23.875
8/26/2008 11:11	2706.001	26.313	35.910	24.071
8/26/2008 11:11	2707.001	26.307	36.072	23.698
8/26/2008 11:11	2708.001	26.310	35.882	24.135
8/26/2008 11:11	2709.001	26.304	35.967	23.940
8/26/2008 11:11	2710.174	26.315	35.969	23.936
8/26/2008 11:11	2711.001	26.312	35.958	23.961
8/26/2008 11:11	2712.001	26.308	35.936	24.011
8/26/2008 11:11	2713.001	26.307	35.854	24.201
8/26/2008 11:11	2714.001	26.307	36.111	23.606
8/26/2008 11:11	2715.159	26.317	35.908	24.077
8/26/2008 11:11	2716.001	26.315	35.979	23.912
8/26/2008 11:11	2717.001	26.309	35.913	24.064
8/26/2008 11:11	2718.001	26.309	35.976	23.920
8/26/2008 11:11	2719.001	26.306	35.848	24.213
8/26/2008 11:11	2720.001	26.319	36.030	23.794
8/26/2008 11:11	2721.049	26.309	35.992	23.882
8/26/2008 11:11	2722.001	26.307	36.040	23.770
8/26/2008 11:11	2723.001	26.306	35.968	23.937
8/26/2008 11:11	2724.001	26.308	35.996	23.872
8/26/2008 11:11	2725.158	26.315	36.002	23.859
8/26/2008 11:11	2726.001	26.314	36.076	23.688
8/26/2008 11:11	2727.001	26.309	36.048	23.753
8/26/2008 11:11	2728.001	26.310	36.065	23.714
8/26/2008 11:11	2729.001	26.309	35.979	23.912
8/26/2008 11:11	2730.173	26.319	35.987	23.893
8/26/2008 11:11	2731.001	26.312	35.964	23.946
8/26/2008 11:11	2732.001	26.312	35.954	23.970
8/26/2008 11:11	2733.001	26.308	35.911	24.070
8/26/2008 11:11	2734.001	26.308	35.909	24.073
8/26/2008 11:11	2735.157	26.321	36.036	23.780
8/26/2008 11:11	2736.001	26.313	35.953	23.971
8/26/2008 11:11	2737.001	26.309	36.085	23.666
8/26/2008 11:11	2738.001	26.309	35.901	24.093
8/26/2008 11:11	2739.001	26.310	35.965	23.945
8/26/2008 11:11	2740.172	26.319	35.928	24.030
8/26/2008 11:11	2741.001	26.317	36.101	23.630
8/26/2008 11:11	2742.001	26.312	35.979	23.911
8/26/2008 11:11	2743.001	26.313	36.049	23.751

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:11	2744.001	26.310	35.921	24.047
8/26/2008 11:11	2745.157	26.320	35.870	24.165
8/26/2008 11:11	2746.001	26.317	36.057	23.732
8/26/2008 11:11	2747.001	26.313	35.961	23.954
8/26/2008 11:11	2748.001	26.312	35.885	24.130
8/26/2008 11:11	2749.001	26.310	36.087	23.662
8/26/2008 11:11	2750.172	26.319	35.991	23.884
8/26/2008 11:11	2751.001	26.316	35.994	23.877
8/26/2008 11:11	2752.001	26.314	35.958	23.961
8/26/2008 11:11	2753.001	26.313	35.981	23.908
8/26/2008 11:11	2754.001	26.312	35.948	23.984
8/26/2008 11:11	2755.156	26.326	35.929	24.026
8/26/2008 11:11	2756.001	26.316	35.942	23.997
8/26/2008 11:11	2757.001	26.313	35.988	23.891
8/26/2008 11:12	2758.001	26.313	35.957	23.962
8/26/2008 11:12	2759.001	26.313	36.003	23.856
8/26/2008 11:12	2760.172	26.322	35.856	24.196
8/26/2008 11:12	2761.001	26.317	36.047	23.754
8/26/2008 11:12	2762.001	26.317	35.902	24.091
8/26/2008 11:12	2763.001	26.312	35.977	23.918
8/26/2008 11:12	2764.001	26.311	35.993	23.880
8/26/2008 11:12	2765.156	26.322	36.071	23.700
8/26/2008 11:12	2766.001	26.318	35.933	24.018
8/26/2008 11:12	2767.001	26.315	35.992	23.883
8/26/2008 11:12	2768.001	26.312	36.073	23.695
8/26/2008 11:12	2769.001	26.314	36.064	23.715
8/26/2008 11:12	2770.171	26.324	35.923	24.042
8/26/2008 11:12	2771.001	26.320	35.933	24.017
8/26/2008 11:12	2772.001	26.315	35.785	24.359
8/26/2008 11:12	2773.001	26.315	35.792	24.343
8/26/2008 11:12	2774.001	26.315	35.954	23.971
8/26/2008 11:12	2775.156	26.325	36.098	23.638
8/26/2008 11:12	2776.001	26.319	35.901	24.093
8/26/2008 11:12	2777.001	26.316	36.087	23.662
8/26/2008 11:12	2778.001	26.317	35.955	23.966
8/26/2008 11:12	2779.001	26.313	36.181	23.446
8/26/2008 11:12	2780.001	26.327	35.951	23.976
8/26/2008 11:12	2781.046	26.320	35.900	24.096
8/26/2008 11:12	2782.001	26.319	35.885	24.129
8/26/2008 11:12	2783.001	26.315	35.930	24.025
8/26/2008 11:12	2784.001	26.317	35.863	24.180
8/26/2008 11:12	2785.155	26.324	36.001	23.861
8/26/2008 11:12	2786.001	26.319	35.913	24.065
8/26/2008 11:12	2787.001	26.317	36.080	23.678
8/26/2008 11:12	2788.001	26.316	35.973	23.927
8/26/2008 11:12	2789.001	26.317	36.019	23.821
8/26/2008 11:12	2790.171	26.324	35.828	24.261
8/26/2008 11:12	2791.001	26.321	35.930	24.025
8/26/2008 11:12	2792.001	26.321	36.043	23.764

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:12	2793.001	26.316	35.948	23.983
8/26/2008 11:12	2794.001	26.314	35.913	24.063
8/26/2008 11:12	2795.154	26.327	35.966	23.942
8/26/2008 11:12	2796.001	26.322	36.036	23.781
8/26/2008 11:12	2797.001	26.321	35.991	23.884
8/26/2008 11:12	2798.001	26.319	35.917	24.055
8/26/2008 11:12	2799.001	26.319	36.035	23.783
8/26/2008 11:12	2800.170	26.331	35.957	23.963
8/26/2008 11:12	2801.001	26.324	36.001	23.862
8/26/2008 11:12	2802.001	26.322	36.014	23.832
8/26/2008 11:12	2803.001	26.322	35.956	23.965
8/26/2008 11:12	2804.001	26.318	36.080	23.679
8/26/2008 11:12	2805.154	26.328	35.998	23.869
8/26/2008 11:12	2806.001	26.325	36.023	23.811
8/26/2008 11:12	2807.001	26.321	35.930	24.026
8/26/2008 11:12	2808.001	26.323	36.069	23.703
8/26/2008 11:12	2809.001	26.322	35.923	24.042
8/26/2008 11:12	2810.170	26.331	35.896	24.104
8/26/2008 11:12	2811.001	26.328	35.872	24.160
8/26/2008 11:12	2812.001	26.323	35.970	23.932
8/26/2008 11:12	2813.001	26.321	35.962	23.952
8/26/2008 11:12	2814.001	26.322	36.020	23.817
8/26/2008 11:12	2815.154	26.333	35.897	24.102
8/26/2008 11:12	2816.001	26.328	35.852	24.204
8/26/2008 11:12	2817.001	26.325	35.868	24.168
8/26/2008 11:13	2818.001	26.321	36.029	23.798
8/26/2008 11:13	2819.001	26.322	35.871	24.161
8/26/2008 11:13	2820.169	26.335	35.896	24.105
8/26/2008 11:13	2821.001	26.329	36.014	23.831
8/26/2008 11:13	2822.001	26.326	36.020	23.817
8/26/2008 11:13	2823.001	26.325	35.987	23.893
8/26/2008 11:13	2824.001	26.323	35.844	24.223
8/26/2008 11:13	2825.153	26.334	35.980	23.909
8/26/2008 11:13	2826.001	26.329	35.993	23.880
8/26/2008 11:13	2827.001	26.325	35.944	23.993
8/26/2008 11:13	2828.001	26.323	35.915	24.061
8/26/2008 11:13	2829.001	26.324	35.908	24.075
8/26/2008 11:13	2830.169	26.333	35.981	23.907
8/26/2008 11:13	2831.001	26.330	36.074	23.693
8/26/2008 11:13	2832.001	26.324	36.008	23.844
8/26/2008 11:13	2833.001	26.324	36.017	23.825
8/26/2008 11:13	2834.001	26.322	35.874	24.154
8/26/2008 11:13	2835.153	26.334	35.908	24.075
8/26/2008 11:13	2836.001	26.329	35.933	24.019
8/26/2008 11:13	2837.001	26.326	35.878	24.145
8/26/2008 11:13	2838.001	26.324	36.011	23.839
8/26/2008 11:13	2839.001	26.325	35.881	24.139
8/26/2008 11:13	2840.001	26.336	35.887	24.125
8/26/2008 11:13	2841.001	26.330	35.971	23.930

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:13	2842.001	26.328	36.027	23.801
8/26/2008 11:13	2843.001	26.327	35.993	23.879
8/26/2008 11:13	2844.001	26.325	35.921	24.045
8/26/2008 11:13	2845.153	26.337	35.942	23.997
8/26/2008 11:13	2846.001	26.334	35.814	24.292
8/26/2008 11:13	2847.001	26.328	35.954	23.969
8/26/2008 11:13	2848.001	26.327	35.991	23.884
8/26/2008 11:13	2849.001	26.324	35.885	24.129
8/26/2008 11:13	2850.168	26.336	35.976	23.919
8/26/2008 11:13	2851.001	26.331	35.910	24.072
8/26/2008 11:13	2852.001	26.329	35.982	23.905
8/26/2008 11:13	2853.001	26.329	35.793	24.342
8/26/2008 11:13	2854.001	26.326	35.981	23.907
8/26/2008 11:13	2855.152	26.339	36.009	23.844
8/26/2008 11:13	2856.001	26.333	36.025	23.806
8/26/2008 11:13	2857.001	26.328	35.908	24.077
8/26/2008 11:13	2858.001	26.327	36.018	23.823
8/26/2008 11:13	2859.001	26.327	36.088	23.660
8/26/2008 11:13	2860.168	26.339	35.986	23.897
8/26/2008 11:13	2861.001	26.332	35.884	24.131
8/26/2008 11:13	2862.001	26.328	36.117	23.594
8/26/2008 11:13	2863.001	26.328	35.811	24.300
8/26/2008 11:13	2864.001	26.327	35.917	24.055
8/26/2008 11:13	2865.152	26.338	35.866	24.173
8/26/2008 11:13	2866.001	26.335	35.930	24.025
8/26/2008 11:13	2867.001	26.329	35.920	24.048
8/26/2008 11:13	2868.001	26.325	35.925	24.037
8/26/2008 11:13	2869.001	26.328	36.015	23.830
8/26/2008 11:13	2870.167	26.337	36.014	23.832
8/26/2008 11:13	2871.001	26.335	35.959	23.958
8/26/2008 11:13	2872.001	26.329	35.926	24.035
8/26/2008 11:13	2873.001	26.329	35.947	23.986
8/26/2008 11:13	2874.001	26.330	35.839	24.236
8/26/2008 11:13	2875.151	26.340	35.946	23.987
8/26/2008 11:13	2876.001	26.332	35.959	23.959
8/26/2008 11:13	2877.001	26.331	35.946	23.988
8/26/2008 11:14	2878.001	26.329	36.026	23.804
8/26/2008 11:14	2879.001	26.327	36.009	23.844
8/26/2008 11:14	2880.167	26.336	35.921	24.046
8/26/2008 11:14	2881.001	26.334	35.963	23.948
8/26/2008 11:14	2882.001	26.328	35.955	23.967
8/26/2008 11:14	2883.001	26.328	35.987	23.894
8/26/2008 11:14	2884.001	26.325	35.935	24.013
8/26/2008 11:14	2885.151	26.338	35.965	23.944
8/26/2008 11:14	2886.001	26.332	36.006	23.849
8/26/2008 11:14	2887.001	26.330	35.815	24.291
8/26/2008 11:14	2888.001	26.325	35.880	24.141
8/26/2008 11:14	2889.001	26.327	36.113	23.603
8/26/2008 11:14	2890.166	26.336	35.980	23.909

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:14	2891.001	26.335	36.006	23.851
8/26/2008 11:14	2892.001	26.328	35.850	24.209
8/26/2008 11:14	2893.001	26.329	36.064	23.715
8/26/2008 11:14	2894.001	26.327	35.977	23.916
8/26/2008 11:14	2895.150	26.337	35.918	24.053
8/26/2008 11:14	2896.001	26.332	35.859	24.189
8/26/2008 11:14	2897.001	26.329	35.974	23.923
8/26/2008 11:14	2898.001	26.325	35.956	23.966
8/26/2008 11:14	2899.001	26.329	36.023	23.811
8/26/2008 11:14	2900.001	26.336	35.863	24.179
8/26/2008 11:14	2901.001	26.331	36.033	23.789
8/26/2008 11:14	2902.001	26.328	35.880	24.141
8/26/2008 11:14	2903.001	26.323	35.919	24.050
8/26/2008 11:14	2904.001	26.327	35.861	24.185
8/26/2008 11:14	2905.150	26.335	35.976	23.919
8/26/2008 11:14	2906.001	26.331	36.028	23.800
8/26/2008 11:14	2907.001	26.330	35.944	23.993
8/26/2008 11:14	2908.001	26.328	36.049	23.752
8/26/2008 11:14	2909.001	26.324	35.898	24.100
8/26/2008 11:14	2910.166	26.338	36.060	23.726
8/26/2008 11:14	2911.001	26.331	35.915	24.061
8/26/2008 11:14	2912.001	26.328	35.944	23.992
8/26/2008 11:14	2913.001	26.327	36.133	23.555
8/26/2008 11:14	2914.001	26.326	35.816	24.288
8/26/2008 11:14	2915.150	26.338	35.845	24.221
8/26/2008 11:14	2916.001	26.329	36.048	23.753
8/26/2008 11:14	2917.001	26.327	35.962	23.952
8/26/2008 11:14	2918.001	26.326	35.942	23.997
8/26/2008 11:14	2919.001	26.326	35.927	24.033
8/26/2008 11:14	2920.166	26.338	36.005	23.852
8/26/2008 11:14	2921.001	26.329	36.012	23.835
8/26/2008 11:14	2922.001	26.329	35.966	23.943
8/26/2008 11:14	2923.001	26.326	35.937	24.009
8/26/2008 11:14	2924.001	26.326	36.050	23.747
8/26/2008 11:14	2925.149	26.334	35.901	24.091
8/26/2008 11:14	2926.001	26.328	35.920	24.048
8/26/2008 11:14	2927.001	26.328	35.964	23.946
8/26/2008 11:14	2928.001	26.325	35.899	24.097
8/26/2008 11:14	2929.001	26.324	35.951	23.977
8/26/2008 11:14	2930.165	26.335	35.951	23.976
8/26/2008 11:14	2931.001	26.331	35.882	24.135
8/26/2008 11:14	2932.001	26.327	35.929	24.027
8/26/2008 11:14	2933.001	26.323	35.944	23.994
8/26/2008 11:14	2934.001	26.324	35.905	24.084
8/26/2008 11:14	2935.149	26.337	36.021	23.815
8/26/2008 11:14	2936.001	26.329	36.020	23.817
8/26/2008 11:14	2937.001	26.325	36.036	23.780
8/26/2008 11:15	2938.001	26.328	36.029	23.797
8/26/2008 11:15	2939.001	26.320	35.928	24.029

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:15	2940.164	26.332	36.008	23.845
8/26/2008 11:15	2941.001	26.329	36.121	23.584
8/26/2008 11:15	2942.001	26.326	35.987	23.895
8/26/2008 11:15	2943.001	26.323	35.854	24.202
8/26/2008 11:15	2944.001	26.321	35.967	23.939
8/26/2008 11:15	2945.149	26.332	35.859	24.190
8/26/2008 11:15	2946.001	26.327	35.962	23.952
8/26/2008 11:15	2947.001	26.323	35.991	23.884
8/26/2008 11:15	2948.001	26.321	36.058	23.730
8/26/2008 11:15	2949.001	26.321	35.795	24.336
8/26/2008 11:15	2950.164	26.334	35.945	23.990
8/26/2008 11:15	2951.001	26.325	36.012	23.837
8/26/2008 11:15	2952.001	26.321	35.953	23.972
8/26/2008 11:15	2953.001	26.323	36.050	23.749
8/26/2008 11:15	2954.001	26.320	35.800	24.324
8/26/2008 11:15	2955.149	26.333	35.967	23.940
8/26/2008 11:15	2956.001	26.327	36.038	23.776
8/26/2008 11:15	2957.001	26.323	35.865	24.176
8/26/2008 11:15	2958.001	26.323	36.014	23.831
8/26/2008 11:15	2959.001	26.320	35.847	24.217
8/26/2008 11:15	2960.001	26.332	35.916	24.058
8/26/2008 11:15	2961.001	26.326	35.945	23.991
8/26/2008 11:15	2962.001	26.324	35.973	23.926
8/26/2008 11:15	2963.001	26.321	35.970	23.933
8/26/2008 11:15	2964.001	26.322	35.925	24.037
8/26/2008 11:15	2965.148	26.332	35.993	23.879
8/26/2008 11:15	2966.001	26.329	35.847	24.217
8/26/2008 11:15	2967.001	26.321	35.907	24.078
8/26/2008 11:15	2968.001	26.323	35.990	23.887
8/26/2008 11:15	2969.001	26.321	36.017	23.825
8/26/2008 11:15	2970.163	26.330	35.912	24.066
8/26/2008 11:15	2971.001	26.326	35.906	24.080
8/26/2008 11:15	2972.001	26.323	35.948	23.985
8/26/2008 11:15	2973.001	26.322	35.983	23.904
8/26/2008 11:15	2974.001	26.319	35.868	24.169
8/26/2008 11:15	2975.148	26.329	35.938	24.006
8/26/2008 11:15	2976.001	26.327	35.990	23.886
8/26/2008 11:15	2977.001	26.322	35.922	24.043
8/26/2008 11:15	2978.001	26.319	35.986	23.895
8/26/2008 11:15	2979.001	26.322	36.061	23.722
8/26/2008 11:15	2980.163	26.331	35.925	24.036
8/26/2008 11:15	2981.001	26.327	36.000	23.864
8/26/2008 11:15	2982.001	26.322	35.957	23.964
8/26/2008 11:15	2983.001	26.321	35.905	24.083
8/26/2008 11:15	2984.001	26.322	35.979	23.913
8/26/2008 11:15	2985.148	26.332	35.978	23.915
8/26/2008 11:15	2986.001	26.327	36.012	23.835
8/26/2008 11:15	2987.001	26.324	35.946	23.988
8/26/2008 11:15	2988.001	26.321	35.909	24.073

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:15	2989.001	26.324	36.058	23.729
8/26/2008 11:15	2990.163	26.333	35.908	24.076
8/26/2008 11:15	2991.001	26.328	35.993	23.879
8/26/2008 11:15	2992.001	26.326	35.848	24.214
8/26/2008 11:15	2993.001	26.324	35.839	24.236
8/26/2008 11:15	2994.001	26.321	35.996	23.873
8/26/2008 11:15	2995.148	26.334	35.950	23.980
8/26/2008 11:15	2996.001	26.327	35.823	24.273
8/26/2008 11:15	2997.001	26.326	35.919	24.051
8/26/2008 11:16	2998.001	26.326	35.951	23.976
8/26/2008 11:16	2999.001	26.322	36.046	23.756
8/26/2008 11:16	3000.163	26.333	35.871	24.162
8/26/2008 11:16	3001.001	26.329	35.988	23.891
8/26/2008 11:16	3002.001	26.324	36.160	23.494
8/26/2008 11:16	3003.001	26.324	35.942	23.997
8/26/2008 11:16	3004.001	26.324	35.853	24.204
8/26/2008 11:16	3005.148	26.335	35.995	23.875
8/26/2008 11:16	3006.001	26.326	35.863	24.180
8/26/2008 11:16	3007.001	26.326	36.125	23.576
8/26/2008 11:16	3008.001	26.323	35.937	24.010
8/26/2008 11:16	3009.001	26.322	35.913	24.064
8/26/2008 11:16	3010.163	26.332	36.004	23.855
8/26/2008 11:16	3011.001	26.328	35.910	24.072
8/26/2008 11:16	3012.001	26.323	35.950	23.979
8/26/2008 11:16	3013.001	26.326	35.863	24.179
8/26/2008 11:16	3014.001	26.321	35.843	24.226
8/26/2008 11:16	3015.147	26.335	35.771	24.393
8/26/2008 11:16	3016.001	26.329	35.956	23.966
8/26/2008 11:16	3017.001	26.325	35.866	24.172
8/26/2008 11:16	3018.001	26.325	35.875	24.152
8/26/2008 11:16	3019.001	26.324	35.876	24.150
8/26/2008 11:16	3020.001	26.338	36.033	23.789
8/26/2008 11:16	3021.001	26.329	36.032	23.790
8/26/2008 11:16	3022.001	26.324	35.936	24.012
8/26/2008 11:16	3023.001	26.325	35.975	23.921
8/26/2008 11:16	3024.001	26.323	35.919	24.051
8/26/2008 11:16	3025.146	26.335	35.885	24.130
8/26/2008 11:16	3026.001	26.326	35.992	23.881
8/26/2008 11:16	3027.001	26.326	36.006	23.850
8/26/2008 11:16	3028.001	26.322	35.944	23.992
8/26/2008 11:16	3029.001	26.323	35.875	24.152
8/26/2008 11:16	3030.161	26.331	35.948	23.984
8/26/2008 11:16	3031.001	26.327	36.037	23.777
8/26/2008 11:16	3032.001	26.323	35.876	24.150
8/26/2008 11:16	3033.001	26.322	35.944	23.994
8/26/2008 11:16	3034.001	26.321	35.943	23.996
8/26/2008 11:16	3035.145	26.333	35.969	23.935
8/26/2008 11:16	3036.001	26.327	36.000	23.863
8/26/2008 11:16	3037.001	26.324	35.930	24.026

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:16	3038.001	26.322	36.037	23.779
8/26/2008 11:16	3039.001	26.323	35.937	24.008
8/26/2008 11:16	3040.145	26.336	35.935	24.013
8/26/2008 11:16	3041.001	26.329	35.849	24.212
8/26/2008 11:16	3042.001	26.323	36.003	23.858
8/26/2008 11:16	3043.001	26.321	35.934	24.015
8/26/2008 11:16	3044.001	26.323	36.034	23.785
8/26/2008 11:16	3045.145	26.335	35.924	24.039
8/26/2008 11:16	3046.001	26.329	35.874	24.154
8/26/2008 11:16	3047.001	26.323	35.980	23.910
8/26/2008 11:16	3048.001	26.324	35.906	24.082
8/26/2008 11:16	3049.001	26.325	35.931	24.022
8/26/2008 11:16	3050.161	26.332	35.955	23.968
8/26/2008 11:16	3051.001	26.327	35.792	24.345
8/26/2008 11:16	3052.001	26.320	35.921	24.047
8/26/2008 11:16	3053.001	26.325	35.954	23.971
8/26/2008 11:16	3054.001	26.324	36.033	23.788
8/26/2008 11:16	3055.144	26.336	35.917	24.056
8/26/2008 11:16	3056.001	26.329	35.930	24.026
8/26/2008 11:16	3057.001	26.323	35.909	24.073
8/26/2008 11:17	3058.001	26.324	35.964	23.948
8/26/2008 11:17	3059.001	26.323	35.917	24.055
8/26/2008 11:17	3060.160	26.332	35.873	24.157
8/26/2008 11:17	3061.001	26.329	35.985	23.899
8/26/2008 11:17	3062.001	26.325	36.010	23.841
8/26/2008 11:17	3063.001	26.325	35.853	24.203
8/26/2008 11:17	3064.001	26.323	35.904	24.085
8/26/2008 11:17	3065.144	26.331	35.887	24.125
8/26/2008 11:17	3066.001	26.330	35.868	24.168
8/26/2008 11:17	3067.001	26.323	35.972	23.928
8/26/2008 11:17	3068.001	26.325	35.940	24.002
8/26/2008 11:17	3069.001	26.322	35.928	24.030
8/26/2008 11:17	3070.159	26.332	35.862	24.182
8/26/2008 11:17	3071.001	26.327	35.982	23.906
8/26/2008 11:17	3072.001	26.324	35.899	24.097
8/26/2008 11:17	3073.001	26.323	35.975	23.922
8/26/2008 11:17	3074.001	26.322	36.043	23.764
8/26/2008 11:17	3075.143	26.334	35.801	24.323
8/26/2008 11:17	3076.001	26.329	35.930	24.026
8/26/2008 11:17	3077.001	26.326	35.923	24.041
8/26/2008 11:17	3078.001	26.321	35.807	24.308
8/26/2008 11:17	3079.001	26.323	35.985	23.898
8/26/2008 11:17	3080.001	26.337	35.869	24.166
8/26/2008 11:17	3081.001	26.323	36.015	23.829
8/26/2008 11:17	3082.001	26.323	35.926	24.034
8/26/2008 11:17	3083.001	26.323	35.991	23.885
8/26/2008 11:17	3084.001	26.319	35.993	23.880
8/26/2008 11:17	3085.143	26.332	35.912	24.067
8/26/2008 11:17	3086.001	26.326	35.879	24.144

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:17	3087.001	26.323	35.912	24.066
8/26/2008 11:17	3088.001	26.317	36.078	23.683
8/26/2008 11:17	3089.001	26.324	35.934	24.015
8/26/2008 11:17	3090.159	26.331	35.966	23.942
8/26/2008 11:17	3091.001	26.325	35.929	24.027
8/26/2008 11:17	3092.001	26.321	35.878	24.146
8/26/2008 11:17	3093.001	26.323	35.949	23.981
8/26/2008 11:17	3094.001	26.321	35.942	23.999
8/26/2008 11:17	3095.143	26.330	35.920	24.048
8/26/2008 11:17	3096.001	26.327	35.954	23.970
8/26/2008 11:17	3097.001	26.320	35.942	23.998
8/26/2008 11:17	3098.001	26.319	35.954	23.970
8/26/2008 11:17	3099.001	26.317	35.923	24.040
8/26/2008 11:17	3100.158	26.331	35.984	23.900
8/26/2008 11:17	3101.001	26.324	35.899	24.096
8/26/2008 11:17	3102.001	26.322	36.011	23.838
8/26/2008 11:17	3103.001	26.319	35.868	24.168
8/26/2008 11:17	3104.001	26.319	35.897	24.101
8/26/2008 11:17	3105.142	26.327	35.989	23.889
8/26/2008 11:17	3106.001	26.323	35.889	24.121
8/26/2008 11:17	3107.001	26.320	35.834	24.246
8/26/2008 11:17	3108.001	26.318	35.979	23.912
8/26/2008 11:17	3109.001	26.317	35.861	24.184
8/26/2008 11:17	3110.157	26.327	35.986	23.896
8/26/2008 11:17	3111.001	26.325	35.898	24.098
8/26/2008 11:17	3112.001	26.320	35.819	24.282
8/26/2008 11:17	3113.001	26.318	35.859	24.189
8/26/2008 11:17	3114.001	26.318	35.933	24.019
8/26/2008 11:17	3115.141	26.329	35.958	23.961
8/26/2008 11:17	3116.001	26.321	35.861	24.186
8/26/2008 11:17	3117.001	26.320	35.964	23.948
8/26/2008 11:18	3118.001	26.319	35.918	24.053
8/26/2008 11:18	3119.001	26.317	35.852	24.205
8/26/2008 11:18	3120.157	26.329	36.030	23.794
8/26/2008 11:18	3121.001	26.321	36.006	23.850
8/26/2008 11:18	3122.001	26.319	35.896	24.104
8/26/2008 11:18	3123.001	26.318	35.929	24.027
8/26/2008 11:18	3124.001	26.317	36.015	23.828
8/26/2008 11:18	3125.140	26.325	35.980	23.910
8/26/2008 11:18	3126.001	26.322	35.957	23.963
8/26/2008 11:18	3127.001	26.319	35.847	24.218
8/26/2008 11:18	3128.001	26.315	35.820	24.280
8/26/2008 11:18	3129.001	26.315	35.900	24.095
8/26/2008 11:18	3130.156	26.324	36.053	23.742
8/26/2008 11:18	3131.001	26.320	35.824	24.270
8/26/2008 11:18	3132.001	26.317	35.929	24.027
8/26/2008 11:18	3133.001	26.317	35.940	24.003
8/26/2008 11:18	3134.001	26.317	35.939	24.005
8/26/2008 11:18	3135.140	26.324	36.017	23.824

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:18	3136.001	26.321	35.900	24.095
8/26/2008 11:18	3137.001	26.316	35.989	23.890
8/26/2008 11:18	3138.001	26.315	35.933	24.019
8/26/2008 11:18	3139.001	26.317	36.011	23.838
8/26/2008 11:18	3140.001	26.328	35.996	23.873
8/26/2008 11:18	3141.001	26.320	35.960	23.956
8/26/2008 11:18	3142.001	26.316	35.932	24.021
8/26/2008 11:18	3143.001	26.318	35.804	24.317
8/26/2008 11:18	3144.001	26.314	36.023	23.811
8/26/2008 11:18	3145.140	26.324	36.011	23.838
8/26/2008 11:18	3146.001	26.319	35.834	24.246
8/26/2008 11:18	3147.001	26.319	36.022	23.813
8/26/2008 11:18	3148.001	26.310	36.045	23.759
8/26/2008 11:18	3149.001	26.314	35.962	23.951
8/26/2008 11:18	3150.156	26.323	35.943	23.996
8/26/2008 11:18	3151.001	26.318	35.927	24.033
8/26/2008 11:18	3152.001	26.314	35.856	24.197
8/26/2008 11:18	3153.001	26.314	36.040	23.771
8/26/2008 11:18	3154.001	26.311	35.966	23.942
8/26/2008 11:18	3155.140	26.321	35.894	24.108
8/26/2008 11:18	3156.001	26.318	35.902	24.089
8/26/2008 11:18	3157.001	26.315	35.925	24.037
8/26/2008 11:18	3158.001	26.312	35.854	24.200
8/26/2008 11:18	3159.001	26.313	36.058	23.730
8/26/2008 11:18	3160.155	26.321	35.821	24.276
8/26/2008 11:18	3161.001	26.317	35.891	24.115
8/26/2008 11:18	3162.001	26.312	35.950	23.978
8/26/2008 11:18	3163.001	26.314	35.905	24.083
8/26/2008 11:18	3164.001	26.311	35.979	23.912
8/26/2008 11:18	3165.139	26.321	35.923	24.041
8/26/2008 11:18	3166.001	26.316	35.802	24.320
8/26/2008 11:18	3167.001	26.313	35.871	24.161
8/26/2008 11:18	3168.001	26.311	35.826	24.264
8/26/2008 11:18	3169.001	26.307	35.961	23.953
8/26/2008 11:18	3170.154	26.320	35.968	23.938
8/26/2008 11:18	3171.001	26.315	35.916	24.058
8/26/2008 11:18	3172.001	26.313	35.989	23.889
8/26/2008 11:18	3173.001	26.309	35.952	23.974
8/26/2008 11:18	3174.001	26.310	35.818	24.283
8/26/2008 11:18	3175.139	26.321	35.871	24.162
8/26/2008 11:18	3176.001	26.313	35.935	24.013
8/26/2008 11:18	3177.001	26.308	35.898	24.100
8/26/2008 11:19	3178.001	26.309	35.876	24.149
8/26/2008 11:19	3179.001	26.310	35.856	24.197
8/26/2008 11:19	3180.154	26.320	35.946	23.989
8/26/2008 11:19	3181.001	26.314	35.787	24.355
8/26/2008 11:19	3182.001	26.314	35.857	24.195
8/26/2008 11:19	3183.001	26.310	35.959	23.959
8/26/2008 11:19	3184.001	26.310	35.988	23.891

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:19	3185.138	26.319	35.913	24.064
8/26/2008 11:19	3186.001	26.316	35.938	24.008
8/26/2008 11:19	3187.001	26.308	35.914	24.062
8/26/2008 11:19	3188.001	26.309	35.892	24.113
8/26/2008 11:19	3189.001	26.306	35.966	23.943
8/26/2008 11:19	3190.154	26.319	36.014	23.831
8/26/2008 11:19	3191.001	26.313	35.920	24.049
8/26/2008 11:19	3192.001	26.311	36.059	23.727
8/26/2008 11:19	3193.001	26.309	35.924	24.040
8/26/2008 11:19	3194.001	26.304	35.919	24.051
8/26/2008 11:19	3195.138	26.320	35.857	24.195
8/26/2008 11:19	3196.001	26.313	36.032	23.789
8/26/2008 11:19	3197.001	26.311	35.939	24.004
8/26/2008 11:19	3198.001	26.308	35.907	24.078
8/26/2008 11:19	3199.001	26.308	36.072	23.697
8/26/2008 11:19	3200.001	26.320	35.896	24.104
8/26/2008 11:19	3201.001	26.313	35.890	24.118
8/26/2008 11:19	3202.001	26.308	35.911	24.070
8/26/2008 11:19	3203.001	26.308	35.912	24.066
8/26/2008 11:19	3204.001	26.306	35.873	24.158
8/26/2008 11:19	3205.138	26.319	36.001	23.860
8/26/2008 11:19	3206.001	26.313	35.888	24.122
8/26/2008 11:19	3207.001	26.309	35.938	24.007
8/26/2008 11:19	3208.001	26.308	35.926	24.034
8/26/2008 11:19	3209.001	26.306	35.961	23.953
8/26/2008 11:19	3210.153	26.315	35.998	23.868
8/26/2008 11:19	3211.001	26.313	35.806	24.311
8/26/2008 11:19	3212.001	26.310	35.903	24.088
8/26/2008 11:19	3213.001	26.307	35.944	23.993
8/26/2008 11:19	3214.001	26.304	36.005	23.852
8/26/2008 11:19	3215.137	26.318	35.944	23.992
8/26/2008 11:19	3216.001	26.312	36.056	23.735
8/26/2008 11:19	3217.001	26.310	35.888	24.122
8/26/2008 11:19	3218.001	26.308	35.960	23.957
8/26/2008 11:19	3219.001	26.306	35.910	24.072
8/26/2008 11:19	3220.153	26.317	35.982	23.906
8/26/2008 11:19	3221.001	26.312	35.942	23.997
8/26/2008 11:19	3222.001	26.305	35.927	24.032
8/26/2008 11:19	3223.001	26.307	35.962	23.951
8/26/2008 11:19	3224.001	26.306	35.889	24.119
8/26/2008 11:19	3225.136	26.319	35.934	24.016
8/26/2008 11:19	3226.001	26.313	35.958	23.962
8/26/2008 11:19	3227.001	26.306	35.899	24.096
8/26/2008 11:19	3228.001	26.305	36.023	23.810
8/26/2008 11:19	3229.001	26.307	35.918	24.053
8/26/2008 11:19	3230.152	26.313	35.951	23.976
8/26/2008 11:19	3231.001	26.310	35.960	23.955
8/26/2008 11:19	3232.001	26.305	35.840	24.234
8/26/2008 11:19	3233.001	26.305	35.969	23.935

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:19	3234.001	26.305	35.997	23.870
8/26/2008 11:19	3235.136	26.317	36.035	23.783
8/26/2008 11:19	3236.001	26.311	35.954	23.970
8/26/2008 11:19	3237.001	26.308	35.857	24.193
8/26/2008 11:20	3238.001	26.307	35.907	24.078
8/26/2008 11:20	3239.001	26.303	35.930	24.026
8/26/2008 11:20	3240.151	26.316	35.956	23.964
8/26/2008 11:20	3241.001	26.310	35.953	23.973
8/26/2008 11:20	3242.001	26.309	35.742	24.459
8/26/2008 11:20	3243.001	26.305	36.039	23.773
8/26/2008 11:20	3244.001	26.304	35.838	24.237
8/26/2008 11:20	3245.136	26.315	35.882	24.136
8/26/2008 11:20	3246.001	26.311	35.949	23.980
8/26/2008 11:20	3247.001	26.308	35.968	23.937
8/26/2008 11:20	3248.001	26.305	35.894	24.109
8/26/2008 11:20	3249.001	26.306	35.893	24.111
8/26/2008 11:20	3250.151	26.317	35.810	24.301
8/26/2008 11:20	3251.001	26.310	35.935	24.013
8/26/2008 11:20	3252.001	26.307	35.948	23.985
8/26/2008 11:20	3253.001	26.307	36.009	23.842
8/26/2008 11:20	3254.001	26.306	35.966	23.943
8/26/2008 11:20	3255.135	26.317	35.933	24.018
8/26/2008 11:20	3256.001	26.313	35.941	23.999
8/26/2008 11:20	3257.001	26.308	35.905	24.083
8/26/2008 11:20	3258.001	26.307	35.940	24.001
8/26/2008 11:20	3259.001	26.309	35.979	23.912
8/26/2008 11:20	3260.001	26.320	35.887	24.125
8/26/2008 11:20	3261.001	26.312	35.911	24.069
8/26/2008 11:20	3262.001	26.311	35.922	24.045
8/26/2008 11:20	3263.001	26.309	35.962	23.952
8/26/2008 11:20	3264.001	26.310	35.841	24.231
8/26/2008 11:20	3265.135	26.318	35.928	24.031
8/26/2008 11:20	3266.001	26.315	35.889	24.121
8/26/2008 11:20	3267.001	26.311	35.938	24.008
8/26/2008 11:20	3268.001	26.310	36.019	23.821
8/26/2008 11:20	3269.001	26.305	35.853	24.202
8/26/2008 11:20	3270.150	26.319	35.926	24.035
8/26/2008 11:20	3271.001	26.314	36.045	23.760
8/26/2008 11:20	3272.001	26.311	35.891	24.115
8/26/2008 11:20	3273.001	26.309	35.955	23.967
8/26/2008 11:20	3274.001	26.310	36.022	23.813
8/26/2008 11:20	3275.134	26.319	35.797	24.333
8/26/2008 11:20	3276.001	26.315	35.859	24.189
8/26/2008 11:20	3277.001	26.311	35.891	24.116
8/26/2008 11:20	3278.001	26.312	35.811	24.300
8/26/2008 11:20	3279.001	26.312	35.842	24.229
8/26/2008 11:20	3280.150	26.324	35.961	23.953
8/26/2008 11:20	3281.001	26.316	35.955	23.968
8/26/2008 11:20	3282.001	26.311	35.879	24.143

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:20	3283.001	26.311	35.918	24.053
8/26/2008 11:20	3284.001	26.309	35.795	24.336
8/26/2008 11:20	3285.134	26.324	35.924	24.038
8/26/2008 11:20	3286.001	26.316	35.999	23.866
8/26/2008 11:20	3287.001	26.314	35.942	23.997
8/26/2008 11:20	3288.001	26.312	36.105	23.621
8/26/2008 11:20	3289.001	26.312	35.910	24.072
8/26/2008 11:20	3290.149	26.322	35.859	24.189
8/26/2008 11:20	3291.001	26.319	35.810	24.303
8/26/2008 11:20	3292.001	26.317	36.019	23.820
8/26/2008 11:20	3293.001	26.314	35.856	24.195
8/26/2008 11:20	3294.001	26.316	35.969	23.935
8/26/2008 11:20	3295.134	26.323	35.898	24.098
8/26/2008 11:20	3296.001	26.320	35.841	24.231
8/26/2008 11:20	3297.001	26.316	35.972	23.929
8/26/2008 11:21	3298.001	26.315	35.921	24.046
8/26/2008 11:21	3299.001	26.318	36.040	23.771
8/26/2008 11:21	3300.149	26.326	35.971	23.930
8/26/2008 11:21	3301.001	26.319	35.825	24.269
8/26/2008 11:21	3302.001	26.318	35.892	24.114
8/26/2008 11:21	3303.001	26.316	35.958	23.961
8/26/2008 11:21	3304.001	26.317	35.875	24.153
8/26/2008 11:21	3305.133	26.327	36.065	23.714
8/26/2008 11:21	3306.001	26.322	35.843	24.225
8/26/2008 11:21	3307.001	26.319	36.000	23.863
8/26/2008 11:21	3308.001	26.317	35.945	23.990
8/26/2008 11:21	3309.001	26.319	36.078	23.683
8/26/2008 11:21	3310.149	26.326	35.966	23.942
8/26/2008 11:21	3311.001	26.321	35.875	24.151
8/26/2008 11:21	3312.001	26.321	35.888	24.122
8/26/2008 11:21	3313.001	26.319	35.950	23.978
8/26/2008 11:21	3314.001	26.318	36.002	23.858
8/26/2008 11:21	3315.133	26.327	36.017	23.824
8/26/2008 11:21	3316.001	26.323	36.059	23.727
8/26/2008 11:21	3317.001	26.319	36.030	23.793
8/26/2008 11:21	3318.001	26.320	35.889	24.119
8/26/2008 11:21	3319.001	26.317	35.919	24.050
8/26/2008 11:21	3320.001	26.331	35.934	24.017
8/26/2008 11:21	3321.001	26.322	35.808	24.308
8/26/2008 11:21	3322.001	26.320	36.001	23.861
8/26/2008 11:21	3323.001	26.322	35.865	24.176
8/26/2008 11:21	3324.001	26.318	36.075	23.690
8/26/2008 11:21	3325.133	26.328	35.912	24.067
8/26/2008 11:21	3326.001	26.326	35.986	23.897
8/26/2008 11:21	3327.001	26.322	35.962	23.951
8/26/2008 11:21	3328.001	26.321	35.929	24.028
8/26/2008 11:21	3329.001	26.319	35.961	23.953
8/26/2008 11:21	3330.148	26.329	35.926	24.034
8/26/2008 11:21	3331.001	26.325	35.936	24.011

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:21	3332.001	26.323	35.904	24.084
8/26/2008 11:21	3333.001	26.318	36.025	23.806
8/26/2008 11:21	3334.001	26.317	35.941	24.000
8/26/2008 11:21	3335.132	26.332	35.904	24.085
8/26/2008 11:21	3336.001	26.325	35.852	24.206
8/26/2008 11:21	3337.001	26.323	35.900	24.094
8/26/2008 11:21	3338.001	26.320	35.954	23.969
8/26/2008 11:21	3339.001	26.319	35.945	23.991
8/26/2008 11:21	3340.148	26.332	35.923	24.042
8/26/2008 11:21	3341.001	26.327	35.938	24.006
8/26/2008 11:21	3342.001	26.322	35.863	24.181
8/26/2008 11:21	3343.001	26.322	35.839	24.234
8/26/2008 11:21	3344.001	26.319	35.803	24.319
8/26/2008 11:21	3345.132	26.332	35.903	24.088
8/26/2008 11:21	3346.001	26.324	35.852	24.205
8/26/2008 11:21	3347.001	26.321	35.950	23.979
8/26/2008 11:21	3348.001	26.320	35.943	23.995
8/26/2008 11:21	3349.001	26.320	35.935	24.013
8/26/2008 11:21	3350.148	26.332	35.950	23.979
8/26/2008 11:21	3351.001	26.324	35.962	23.952
8/26/2008 11:21	3352.001	26.322	35.916	24.058
8/26/2008 11:21	3353.001	26.322	35.919	24.050
8/26/2008 11:21	3354.001	26.320	35.890	24.117
8/26/2008 11:21	3355.132	26.331	35.854	24.200
8/26/2008 11:21	3356.001	26.324	35.960	23.957
8/26/2008 11:21	3357.001	26.319	35.884	24.132
8/26/2008 11:22	3358.001	26.319	35.908	24.077
8/26/2008 11:22	3359.001	26.318	35.941	24.000
8/26/2008 11:22	3360.148	26.334	35.987	23.893
8/26/2008 11:22	3361.001	26.326	35.885	24.130
8/26/2008 11:22	3362.001	26.322	35.902	24.091
8/26/2008 11:22	3363.001	26.319	35.868	24.169
8/26/2008 11:22	3364.001	26.319	35.863	24.179
8/26/2008 11:22	3365.132	26.331	35.947	23.985
8/26/2008 11:22	3366.001	26.325	35.935	24.014
8/26/2008 11:22	3367.001	26.322	36.042	23.765
8/26/2008 11:22	3368.001	26.322	35.836	24.243
8/26/2008 11:22	3369.001	26.320	35.938	24.006
8/26/2008 11:22	3370.147	26.329	35.972	23.928
8/26/2008 11:22	3371.001	26.324	35.968	23.937
8/26/2008 11:22	3372.001	26.320	35.928	24.030
8/26/2008 11:22	3373.001	26.319	35.938	24.006
8/26/2008 11:22	3374.001	26.317	35.981	23.908
8/26/2008 11:22	3375.132	26.328	35.907	24.079
8/26/2008 11:22	3376.001	26.323	35.859	24.189
8/26/2008 11:22	3377.001	26.319	35.912	24.066
8/26/2008 11:22	3378.001	26.319	35.908	24.077
8/26/2008 11:22	3379.001	26.318	35.903	24.088
8/26/2008 11:22	3380.015	26.332	35.872	24.159

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:22	3381.001	26.324	35.887	24.123
8/26/2008 11:22	3382.001	26.321	35.931	24.022
8/26/2008 11:22	3383.001	26.318	36.006	23.850
8/26/2008 11:22	3384.001	26.317	35.836	24.242
8/26/2008 11:22	3385.130	26.330	35.888	24.122
8/26/2008 11:22	3386.001	26.320	35.884	24.132
8/26/2008 11:22	3387.001	26.319	36.004	23.854
8/26/2008 11:22	3388.001	26.316	35.885	24.129
8/26/2008 11:22	3389.001	26.317	35.778	24.376
8/26/2008 11:22	3390.146	26.327	35.897	24.100
8/26/2008 11:22	3391.001	26.323	35.828	24.260
8/26/2008 11:22	3392.001	26.319	36.008	23.844
8/26/2008 11:22	3393.001	26.319	36.050	23.749
8/26/2008 11:22	3394.001	26.316	35.772	24.390
8/26/2008 11:22	3395.130	26.326	35.855	24.198
8/26/2008 11:22	3396.001	26.320	36.024	23.809
8/26/2008 11:22	3397.001	26.320	35.885	24.130
8/26/2008 11:22	3398.001	26.318	35.998	23.868
8/26/2008 11:22	3399.001	26.318	35.936	24.012
8/26/2008 11:22	3400.130	26.327	35.943	23.995
8/26/2008 11:22	3401.001	26.321	35.893	24.110
8/26/2008 11:22	3402.001	26.321	35.951	23.976
8/26/2008 11:22	3403.001	26.317	36.000	23.863
8/26/2008 11:22	3404.001	26.315	35.827	24.263
8/26/2008 11:22	3405.129	26.327	35.764	24.408
8/26/2008 11:22	3406.001	26.321	35.945	23.990
8/26/2008 11:22	3407.001	26.317	35.742	24.459
8/26/2008 11:22	3408.001	26.316	35.945	23.990
8/26/2008 11:22	3409.001	26.316	35.900	24.094
8/26/2008 11:22	3410.145	26.327	35.892	24.113
8/26/2008 11:22	3411.001	26.323	35.920	24.049
8/26/2008 11:22	3412.001	26.318	35.924	24.040
8/26/2008 11:22	3413.001	26.318	35.986	23.896
8/26/2008 11:22	3414.001	26.314	35.819	24.282
8/26/2008 11:22	3415.129	26.326	35.802	24.321
8/26/2008 11:22	3416.001	26.322	35.972	23.929
8/26/2008 11:22	3417.001	26.318	35.868	24.168
8/26/2008 11:23	3418.001	26.318	35.854	24.200
8/26/2008 11:23	3419.001	26.314	35.889	24.119
8/26/2008 11:23	3420.144	26.327	35.913	24.063
8/26/2008 11:23	3421.001	26.321	35.926	24.034
8/26/2008 11:23	3422.001	26.318	36.062	23.720
8/26/2008 11:23	3423.001	26.319	35.888	24.122
8/26/2008 11:23	3424.001	26.317	35.893	24.110
8/26/2008 11:23	3425.128	26.327	35.950	23.979
8/26/2008 11:23	3426.001	26.321	35.829	24.259
8/26/2008 11:23	3427.001	26.319	35.945	23.990
8/26/2008 11:23	3428.001	26.316	35.875	24.152
8/26/2008 11:23	3429.001	26.317	36.018	23.823

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:23	3430.144	26.330	35.935	24.014
8/26/2008 11:23	3431.001	26.323	35.871	24.162
8/26/2008 11:23	3432.001	26.321	35.895	24.107
8/26/2008 11:23	3433.001	26.319	35.858	24.191
8/26/2008 11:23	3434.001	26.317	35.865	24.175
8/26/2008 11:23	3435.128	26.328	35.942	23.998
8/26/2008 11:23	3436.001	26.326	35.962	23.952
8/26/2008 11:23	3437.001	26.322	35.893	24.110
8/26/2008 11:23	3438.001	26.319	35.852	24.206
8/26/2008 11:23	3439.001	26.316	35.861	24.184
8/26/2008 11:23	3440.013	26.330	35.847	24.216
8/26/2008 11:23	3441.001	26.325	35.814	24.293
8/26/2008 11:23	3442.001	26.321	35.841	24.230
8/26/2008 11:23	3443.001	26.320	36.013	23.834
8/26/2008 11:23	3444.001	26.320	35.964	23.947
8/26/2008 11:23	3445.128	26.330	35.901	24.092
8/26/2008 11:23	3446.001	26.324	35.869	24.167
8/26/2008 11:23	3447.001	26.321	35.899	24.097
8/26/2008 11:23	3448.001	26.323	35.982	23.905
8/26/2008 11:23	3449.001	26.318	35.870	24.163
8/26/2008 11:23	3450.143	26.333	35.794	24.339
8/26/2008 11:23	3451.001	26.327	35.874	24.155
8/26/2008 11:23	3452.001	26.323	35.839	24.235
8/26/2008 11:23	3453.001	26.325	36.025	23.807
8/26/2008 11:23	3454.001	26.321	35.931	24.023
8/26/2008 11:23	3455.127	26.334	35.862	24.182
8/26/2008 11:23	3456.001	26.327	35.790	24.349
8/26/2008 11:23	3457.001	26.326	35.879	24.143
8/26/2008 11:23	3458.001	26.324	35.984	23.900
8/26/2008 11:23	3459.001	26.322	35.855	24.199
8/26/2008 11:23	3460.142	26.333	35.880	24.141
8/26/2008 11:23	3461.001	26.326	35.930	24.026
8/26/2008 11:23	3462.001	26.326	35.930	24.025
8/26/2008 11:23	3463.001	26.322	35.889	24.121
8/26/2008 11:23	3464.001	26.324	35.970	23.933
8/26/2008 11:23	3465.126	26.334	36.029	23.796
8/26/2008 11:23	3466.001	26.330	35.915	24.059
8/26/2008 11:23	3467.001	26.328	35.971	23.930
8/26/2008 11:23	3468.001	26.327	35.844	24.225
8/26/2008 11:23	3469.001	26.324	35.918	24.053
8/26/2008 11:23	3470.141	26.336	35.968	23.937
8/26/2008 11:23	3471.001	26.332	35.937	24.009
8/26/2008 11:23	3472.001	26.328	35.913	24.065
8/26/2008 11:23	3473.001	26.329	35.985	23.898
8/26/2008 11:23	3474.001	26.325	35.857	24.195
8/26/2008 11:23	3475.126	26.338	35.969	23.934
8/26/2008 11:23	3476.001	26.333	35.885	24.129
8/26/2008 11:23	3477.001	26.329	35.774	24.385
8/26/2008 11:24	3478.001	26.327	35.973	23.927

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:24	3479.001	26.330	35.871	24.162
8/26/2008 11:24	3480.140	26.337	35.827	24.264
8/26/2008 11:24	3481.001	26.334	35.973	23.926
8/26/2008 11:24	3482.001	26.332	35.885	24.130
8/26/2008 11:24	3483.001	26.331	35.866	24.172
8/26/2008 11:24	3484.001	26.325	35.893	24.111
8/26/2008 11:24	3485.125	26.343	35.894	24.109
8/26/2008 11:24	3486.001	26.335	35.948	23.984
8/26/2008 11:24	3487.001	26.332	35.881	24.139
8/26/2008 11:24	3488.001	26.330	35.781	24.369
8/26/2008 11:24	3489.001	26.328	35.986	23.896
8/26/2008 11:24	3490.140	26.340	35.846	24.220
8/26/2008 11:24	3491.001	26.334	35.957	23.962
8/26/2008 11:24	3492.001	26.333	35.865	24.176
8/26/2008 11:24	3493.001	26.334	35.833	24.248
8/26/2008 11:24	3494.001	26.334	36.034	23.785
8/26/2008 11:24	3495.125	26.344	35.918	24.052
8/26/2008 11:24	3496.001	26.338	35.900	24.094
8/26/2008 11:24	3497.001	26.336	35.972	23.929
8/26/2008 11:24	3498.001	26.335	35.973	23.926
8/26/2008 11:24	3499.001	26.333	35.938	24.007
8/26/2008 11:24	3500.010	26.348	35.776	24.381
8/26/2008 11:24	3501.001	26.340	36.065	23.714
8/26/2008 11:24	3502.001	26.337	35.879	24.142
8/26/2008 11:24	3503.001	26.336	35.888	24.122
8/26/2008 11:24	3504.001	26.337	35.895	24.107
8/26/2008 11:24	3505.125	26.346	35.804	24.315
8/26/2008 11:24	3506.001	26.339	35.864	24.177
8/26/2008 11:24	3507.001	26.337	35.939	24.005
8/26/2008 11:24	3508.001	26.337	35.814	24.294
8/26/2008 11:24	3509.001	26.335	35.969	23.936
8/26/2008 11:24	3510.140	26.346	35.986	23.896
8/26/2008 11:24	3511.001	26.339	35.876	24.149
8/26/2008 11:24	3512.001	26.339	36.000	23.863
8/26/2008 11:24	3513.001	26.337	35.814	24.294
8/26/2008 11:24	3514.001	26.335	35.924	24.038
8/26/2008 11:24	3515.124	26.347	35.976	23.919
8/26/2008 11:24	3516.001	26.344	35.933	24.019
8/26/2008 11:24	3517.001	26.340	35.981	23.907
8/26/2008 11:24	3518.001	26.339	35.987	23.893
8/26/2008 11:24	3519.001	26.337	35.838	24.237
8/26/2008 11:24	3520.139	26.350	35.831	24.253
8/26/2008 11:24	3521.001	26.343	35.902	24.090
8/26/2008 11:24	3522.001	26.344	35.977	23.917
8/26/2008 11:24	3523.001	26.338	35.960	23.957
8/26/2008 11:24	3524.001	26.339	35.876	24.151
8/26/2008 11:24	3525.124	26.350	35.898	24.099
8/26/2008 11:24	3526.001	26.342	35.939	24.005
8/26/2008 11:24	3527.001	26.339	36.024	23.809

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:24	3528.001	26.340	35.851	24.208
8/26/2008 11:24	3529.001	26.339	35.901	24.092
8/26/2008 11:24	3530.139	26.347	35.907	24.078
8/26/2008 11:24	3531.001	26.348	35.893	24.110
8/26/2008 11:24	3532.001	26.341	35.964	23.947
8/26/2008 11:24	3533.001	26.339	35.971	23.930
8/26/2008 11:24	3534.001	26.342	35.800	24.326
8/26/2008 11:24	3535.123	26.351	35.943	23.996
8/26/2008 11:24	3536.001	26.345	35.902	24.090
8/26/2008 11:24	3537.001	26.340	35.888	24.121
8/26/2008 11:25	3538.001	26.339	35.919	24.050
8/26/2008 11:25	3539.001	26.342	35.724	24.502
8/26/2008 11:25	3540.139	26.352	35.871	24.162
8/26/2008 11:25	3541.001	26.347	35.954	23.971
8/26/2008 11:25	3542.001	26.347	35.994	23.876
8/26/2008 11:25	3543.001	26.342	35.929	24.027
8/26/2008 11:25	3544.001	26.342	35.901	24.093
8/26/2008 11:25	3545.122	26.352	35.892	24.113
8/26/2008 11:25	3546.001	26.346	35.901	24.093
8/26/2008 11:25	3547.001	26.343	35.829	24.258
8/26/2008 11:25	3548.001	26.342	35.907	24.079
8/26/2008 11:25	3549.001	26.341	35.949	23.982
8/26/2008 11:25	3550.138	26.353	35.851	24.209
8/26/2008 11:25	3551.001	26.346	35.972	23.929
8/26/2008 11:25	3552.001	26.342	35.855	24.197
8/26/2008 11:25	3553.001	26.344	35.925	24.038
8/26/2008 11:25	3554.001	26.341	35.928	24.030
8/26/2008 11:25	3555.122	26.354	35.865	24.175
8/26/2008 11:25	3556.001	26.348	35.716	24.518
8/26/2008 11:25	3557.001	26.345	35.882	24.135
8/26/2008 11:25	3558.001	26.344	36.034	23.786
8/26/2008 11:25	3559.001	26.344	35.886	24.128
8/26/2008 11:25	3560.007	26.357	35.898	24.098
8/26/2008 11:25	3561.001	26.345	35.964	23.946
8/26/2008 11:25	3562.001	26.344	35.887	24.125
8/26/2008 11:25	3563.001	26.344	35.890	24.117
8/26/2008 11:25	3564.001	26.345	35.881	24.138
8/26/2008 11:25	3565.122	26.355	35.773	24.388
8/26/2008 11:25	3566.001	26.348	35.759	24.421
8/26/2008 11:25	3567.001	26.344	35.882	24.137
8/26/2008 11:25	3568.001	26.344	35.833	24.249
8/26/2008 11:25	3569.001	26.344	35.922	24.044
8/26/2008 11:25	3570.137	26.354	35.949	23.980
8/26/2008 11:25	3571.001	26.348	35.940	24.001
8/26/2008 11:25	3572.001	26.345	35.875	24.152
8/26/2008 11:25	3573.001	26.342	35.857	24.195
8/26/2008 11:25	3574.001	26.343	35.909	24.074
8/26/2008 11:25	3575.121	26.355	35.826	24.266
8/26/2008 11:25	3576.001	26.349	35.929	24.028

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:25	3577.001	26.347	35.840	24.234
8/26/2008 11:25	3578.001	26.343	35.992	23.881
8/26/2008 11:25	3579.001	26.341	35.998	23.868
8/26/2008 11:25	3580.136	26.353	35.825	24.269
8/26/2008 11:25	3581.001	26.350	35.963	23.949
8/26/2008 11:25	3582.001	26.346	35.871	24.162
8/26/2008 11:25	3583.001	26.344	35.839	24.234
8/26/2008 11:25	3584.001	26.346	35.907	24.079
8/26/2008 11:25	3585.121	26.354	35.858	24.191
8/26/2008 11:25	3586.001	26.349	35.878	24.145
8/26/2008 11:25	3587.001	26.347	35.977	23.918
8/26/2008 11:25	3588.001	26.341	35.965	23.945
8/26/2008 11:25	3589.001	26.341	35.908	24.075
8/26/2008 11:25	3590.136	26.352	35.908	24.075
8/26/2008 11:25	3591.001	26.348	35.898	24.098
8/26/2008 11:25	3592.001	26.345	35.921	24.045
8/26/2008 11:25	3593.001	26.342	35.753	24.433
8/26/2008 11:25	3594.001	26.341	36.129	23.565
8/26/2008 11:25	3595.121	26.352	35.862	24.181
8/26/2008 11:25	3596.001	26.348	35.814	24.293
8/26/2008 11:25	3597.001	26.342	35.983	23.902
8/26/2008 11:26	3598.001	26.343	35.825	24.268
8/26/2008 11:26	3599.001	26.339	35.875	24.152
8/26/2008 11:26	3600.136	26.354	35.821	24.278
8/26/2008 11:26	3601.001	26.349	35.880	24.140
8/26/2008 11:26	3602.001	26.344	35.806	24.312
8/26/2008 11:26	3603.001	26.343	36.050	23.747
8/26/2008 11:26	3604.001	26.346	35.951	23.977
8/26/2008 11:26	3605.119	26.351	35.858	24.192
8/26/2008 11:26	3606.001	26.346	35.984	23.901
8/26/2008 11:26	3607.001	26.344	35.912	24.066
8/26/2008 11:26	3608.001	26.341	35.854	24.201
8/26/2008 11:26	3609.001	26.342	35.887	24.123
8/26/2008 11:26	3610.135	26.353	35.940	24.003
8/26/2008 11:26	3611.001	26.345	35.862	24.183
8/26/2008 11:26	3612.001	26.343	35.959	23.958
8/26/2008 11:26	3613.001	26.340	35.958	23.960
8/26/2008 11:26	3614.001	26.341	35.915	24.060
8/26/2008 11:26	3615.119	26.353	35.820	24.280
8/26/2008 11:26	3616.001	26.348	36.002	23.860
8/26/2008 11:26	3617.001	26.347	35.791	24.345
8/26/2008 11:26	3618.001	26.343	35.800	24.324
8/26/2008 11:26	3619.001	26.344	35.931	24.022
8/26/2008 11:26	3620.005	26.354	35.789	24.350
8/26/2008 11:26	3621.001	26.347	35.783	24.366
8/26/2008 11:26	3622.001	26.346	35.866	24.174
8/26/2008 11:26	3623.001	26.341	35.996	23.872
8/26/2008 11:26	3624.001	26.342	35.905	24.083
8/26/2008 11:26	3625.119	26.352	35.897	24.101

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:26	3626.001	26.345	35.865	24.176
8/26/2008 11:26	3627.001	26.345	36.017	23.824
8/26/2008 11:26	3628.001	26.343	35.859	24.188
8/26/2008 11:26	3629.001	26.341	35.840	24.234
8/26/2008 11:26	3630.135	26.350	35.833	24.248
8/26/2008 11:26	3631.001	26.347	35.761	24.415
8/26/2008 11:26	3632.001	26.345	35.971	23.930
8/26/2008 11:26	3633.001	26.342	35.972	23.929
8/26/2008 11:26	3634.001	26.340	35.946	23.989
8/26/2008 11:26	3635.119	26.352	35.842	24.228
8/26/2008 11:26	3636.001	26.347	35.975	23.922
8/26/2008 11:26	3637.001	26.341	35.851	24.207
8/26/2008 11:26	3638.001	26.342	35.819	24.281
8/26/2008 11:26	3639.001	26.342	35.814	24.293
8/26/2008 11:26	3640.134	26.351	35.868	24.168
8/26/2008 11:26	3641.001	26.346	35.857	24.193
8/26/2008 11:26	3642.001	26.343	35.978	23.913
8/26/2008 11:26	3643.001	26.345	35.904	24.085
8/26/2008 11:26	3644.001	26.341	35.926	24.036
8/26/2008 11:26	3645.119	26.353	35.852	24.205
8/26/2008 11:26	3646.001	26.346	36.036	23.781
8/26/2008 11:26	3647.001	26.343	35.908	24.075
8/26/2008 11:26	3648.001	26.342	35.779	24.375
8/26/2008 11:26	3649.001	26.342	35.760	24.417
8/26/2008 11:26	3650.134	26.351	35.910	24.072
8/26/2008 11:26	3651.001	26.346	35.826	24.266
8/26/2008 11:26	3652.001	26.344	35.936	24.011
8/26/2008 11:26	3653.001	26.340	35.823	24.271
8/26/2008 11:26	3654.001	26.342	35.836	24.242
8/26/2008 11:26	3655.118	26.354	35.799	24.328
8/26/2008 11:26	3656.001	26.351	35.781	24.368
8/26/2008 11:26	3657.001	26.345	35.904	24.085
8/26/2008 11:27	3658.001	26.342	35.960	23.955
8/26/2008 11:27	3659.001	26.342	35.834	24.248
8/26/2008 11:27	3660.133	26.354	35.862	24.182
8/26/2008 11:27	3661.001	26.347	35.939	24.005
8/26/2008 11:27	3662.001	26.346	35.933	24.018
8/26/2008 11:27	3663.001	26.340	35.864	24.178
8/26/2008 11:27	3664.001	26.342	35.886	24.127
8/26/2008 11:27	3665.117	26.351	35.937	24.008
8/26/2008 11:27	3666.001	26.347	35.791	24.345
8/26/2008 11:27	3667.001	26.343	35.981	23.908
8/26/2008 11:27	3668.001	26.343	35.871	24.160
8/26/2008 11:27	3669.001	26.341	35.949	23.981
8/26/2008 11:27	3670.133	26.352	35.846	24.220
8/26/2008 11:27	3671.001	26.349	35.859	24.190
8/26/2008 11:27	3672.001	26.342	35.846	24.218
8/26/2008 11:27	3673.001	26.342	35.862	24.183
8/26/2008 11:27	3674.001	26.342	35.804	24.316

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:27	3675.117	26.351	35.801	24.322
8/26/2008 11:27	3676.001	26.346	35.849	24.212
8/26/2008 11:27	3677.001	26.345	35.846	24.219
8/26/2008 11:27	3678.001	26.343	35.996	23.873
8/26/2008 11:27	3679.001	26.338	35.819	24.283
8/26/2008 11:27	3680.002	26.355	35.910	24.072
8/26/2008 11:27	3681.001	26.347	35.859	24.190
8/26/2008 11:27	3682.001	26.343	35.802	24.321
8/26/2008 11:27	3683.001	26.339	35.951	23.977
8/26/2008 11:27	3684.001	26.340	35.918	24.054
8/26/2008 11:27	3685.117	26.349	35.837	24.240
8/26/2008 11:27	3686.001	26.346	35.927	24.033
8/26/2008 11:27	3687.001	26.344	35.902	24.091
8/26/2008 11:27	3688.001	26.341	35.973	23.926
8/26/2008 11:27	3689.001	26.339	35.926	24.036
8/26/2008 11:27	3690.132	26.350	35.811	24.300
8/26/2008 11:27	3691.001	26.345	35.887	24.125
8/26/2008 11:27	3692.001	26.341	35.924	24.039
8/26/2008 11:27	3693.001	26.343	35.946	23.988
8/26/2008 11:27	3694.001	26.339	35.849	24.213
8/26/2008 11:27	3695.116	26.349	35.862	24.182
8/26/2008 11:27	3696.001	26.345	35.839	24.234
8/26/2008 11:27	3697.001	26.344	35.923	24.042
8/26/2008 11:27	3698.001	26.339	35.821	24.276
8/26/2008 11:27	3699.001	26.338	35.832	24.251
8/26/2008 11:27	3700.116	26.350	35.900	24.095
8/26/2008 11:27	3701.001	26.343	35.860	24.187
8/26/2008 11:27	3702.001	26.341	35.783	24.364
8/26/2008 11:27	3703.001	26.341	35.887	24.123
8/26/2008 11:27	3704.001	26.337	35.917	24.056
8/26/2008 11:27	3705.117	26.353	35.821	24.277
8/26/2008 11:27	3706.001	26.344	35.922	24.044
8/26/2008 11:27	3707.001	26.341	35.836	24.242
8/26/2008 11:27	3708.001	26.342	35.982	23.906
8/26/2008 11:27	3709.001	26.340	35.898	24.099
8/26/2008 11:27	3710.132	26.349	35.915	24.060
8/26/2008 11:27	3711.001	26.345	35.897	24.100
8/26/2008 11:27	3712.001	26.344	35.910	24.071
8/26/2008 11:27	3713.001	26.339	35.879	24.144
8/26/2008 11:27	3714.001	26.341	35.809	24.305
8/26/2008 11:27	3715.116	26.350	35.963	23.949
8/26/2008 11:27	3716.001	26.346	35.985	23.899
8/26/2008 11:27	3717.001	26.344	35.885	24.130
8/26/2008 11:28	3718.001	26.342	35.883	24.134
8/26/2008 11:28	3719.001	26.341	35.797	24.332
8/26/2008 11:28	3720.132	26.352	35.873	24.158
8/26/2008 11:28	3721.001	26.349	35.828	24.261
8/26/2008 11:28	3722.001	26.344	35.900	24.094
8/26/2008 11:28	3723.001	26.340	35.907	24.078

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:28	3724.001	26.342	35.824	24.270
8/26/2008 11:28	3725.116	26.353	35.921	24.047
8/26/2008 11:28	3726.001	26.350	35.816	24.287
8/26/2008 11:28	3727.001	26.346	35.890	24.117
8/26/2008 11:28	3728.001	26.345	35.907	24.079
8/26/2008 11:28	3729.001	26.343	35.906	24.080
8/26/2008 11:28	3730.131	26.352	35.989	23.888
8/26/2008 11:28	3731.001	26.351	35.836	24.243
8/26/2008 11:28	3732.001	26.348	36.036	23.779
8/26/2008 11:28	3733.001	26.344	35.934	24.015
8/26/2008 11:28	3734.001	26.343	35.886	24.127
8/26/2008 11:28	3735.116	26.357	35.813	24.296
8/26/2008 11:28	3736.001	26.355	35.933	24.018
8/26/2008 11:28	3737.001	26.349	35.939	24.004
8/26/2008 11:28	3738.001	26.346	35.913	24.064
8/26/2008 11:28	3739.001	26.346	35.780	24.371
8/26/2008 11:28	3740.001	26.360	35.944	23.993
8/26/2008 11:28	3741.001	26.351	35.860	24.187
8/26/2008 11:28	3742.001	26.349	35.948	23.983
8/26/2008 11:28	3743.001	26.348	35.825	24.268
8/26/2008 11:28	3744.001	26.346	35.837	24.240
8/26/2008 11:28	3745.115	26.357	35.859	24.189
8/26/2008 11:28	3746.001	26.353	36.003	23.856
8/26/2008 11:28	3747.001	26.349	35.930	24.024
8/26/2008 11:28	3748.001	26.351	35.867	24.170
8/26/2008 11:28	3749.001	26.347	35.877	24.147
8/26/2008 11:28	3750.130	26.359	35.791	24.346
8/26/2008 11:28	3751.001	26.355	35.920	24.049
8/26/2008 11:28	3752.001	26.350	35.813	24.295
8/26/2008 11:28	3753.001	26.351	35.933	24.018
8/26/2008 11:28	3754.001	26.351	35.850	24.209
8/26/2008 11:28	3755.115	26.363	35.914	24.062
8/26/2008 11:28	3756.001	26.357	35.778	24.376
8/26/2008 11:28	3757.001	26.353	35.807	24.310
8/26/2008 11:28	3758.001	26.354	35.884	24.132
8/26/2008 11:28	3759.001	26.352	35.932	24.021
8/26/2008 11:28	3760.114	26.364	35.765	24.406
8/26/2008 11:28	3761.001	26.360	35.877	24.147
8/26/2008 11:28	3762.001	26.355	35.854	24.201
8/26/2008 11:28	3763.001	26.354	35.984	23.900
8/26/2008 11:28	3764.001	26.355	35.873	24.156
8/26/2008 11:28	3765.113	26.365	35.862	24.183
8/26/2008 11:28	3766.001	26.359	35.849	24.212
8/26/2008 11:28	3767.001	26.357	35.878	24.145
8/26/2008 11:28	3768.001	26.357	35.894	24.108
8/26/2008 11:28	3769.001	26.355	35.907	24.078
8/26/2008 11:28	3770.113	26.363	35.887	24.125
8/26/2008 11:28	3771.001	26.362	35.898	24.100
8/26/2008 11:28	3772.001	26.358	36.022	23.813

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:28	3773.001	26.359	35.893	24.111
8/26/2008 11:28	3774.001	26.357	35.996	23.874
8/26/2008 11:28	3775.113	26.369	35.936	24.012
8/26/2008 11:28	3776.001	26.366	35.944	23.992
8/26/2008 11:28	3777.001	26.359	35.935	24.014
8/26/2008 11:29	3778.001	26.359	36.021	23.814
8/26/2008 11:29	3779.001	26.357	35.789	24.350
8/26/2008 11:29	3780.129	26.368	35.860	24.187
8/26/2008 11:29	3781.001	26.367	35.768	24.398
8/26/2008 11:29	3782.001	26.361	35.823	24.273
8/26/2008 11:29	3783.001	26.360	35.972	23.928
8/26/2008 11:29	3784.001	26.358	35.770	24.394
8/26/2008 11:29	3785.113	26.369	35.715	24.522
8/26/2008 11:29	3786.001	26.365	35.921	24.047
8/26/2008 11:29	3787.001	26.365	35.974	23.923
8/26/2008 11:29	3788.001	26.366	35.851	24.207
8/26/2008 11:29	3789.001	26.361	35.833	24.250
8/26/2008 11:29	3790.128	26.373	35.809	24.304
8/26/2008 11:29	3791.001	26.368	35.837	24.239
8/26/2008 11:29	3792.001	26.368	35.932	24.021
8/26/2008 11:29	3793.001	26.364	35.942	23.999
8/26/2008 11:29	3794.001	26.361	35.699	24.558
8/26/2008 11:29	3795.112	26.371	35.865	24.175
8/26/2008 11:29	3796.001	26.367	36.019	23.819
8/26/2008 11:29	3797.001	26.366	35.852	24.204
8/26/2008 11:29	3798.001	26.362	35.883	24.134
8/26/2008 11:29	3799.001	26.365	35.907	24.079
8/26/2008 11:29	3800.001	26.378	35.844	24.223
8/26/2008 11:29	3801.003	26.368	35.762	24.413
8/26/2008 11:29	3802.001	26.364	35.905	24.083
8/26/2008 11:29	3803.001	26.363	35.959	23.957
8/26/2008 11:29	3804.001	26.363	35.783	24.365
8/26/2008 11:29	3805.112	26.374	35.837	24.241
8/26/2008 11:29	3806.001	26.372	35.860	24.187
8/26/2008 11:29	3807.001	26.365	35.758	24.422
8/26/2008 11:29	3808.001	26.364	35.827	24.262
8/26/2008 11:29	3809.001	26.366	35.871	24.160
8/26/2008 11:29	3810.127	26.376	35.902	24.091
8/26/2008 11:29	3811.001	26.372	35.736	24.473
8/26/2008 11:29	3812.001	26.369	35.922	24.043
8/26/2008 11:29	3813.001	26.367	35.886	24.128
8/26/2008 11:29	3814.001	26.365	35.730	24.488
8/26/2008 11:29	3815.112	26.377	35.790	24.349
8/26/2008 11:29	3816.001	26.373	35.955	23.967
8/26/2008 11:29	3817.001	26.369	35.824	24.270
8/26/2008 11:29	3818.001	26.366	35.887	24.123
8/26/2008 11:29	3819.001	26.367	35.913	24.065
8/26/2008 11:29	3820.127	26.375	35.796	24.335
8/26/2008 11:29	3821.001	26.371	35.982	23.906

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:29	3822.001	26.369	35.926	24.034
8/26/2008 11:29	3823.001	26.368	35.825	24.267
8/26/2008 11:29	3824.001	26.368	35.901	24.092
8/26/2008 11:29	3825.111	26.379	35.991	23.884
8/26/2008 11:29	3826.001	26.372	35.810	24.301
8/26/2008 11:29	3827.001	26.370	35.859	24.189
8/26/2008 11:29	3828.001	26.368	35.802	24.320
8/26/2008 11:29	3829.001	26.367	35.961	23.954
8/26/2008 11:29	3830.110	26.380	35.909	24.074
8/26/2008 11:29	3831.001	26.369	35.916	24.058
8/26/2008 11:29	3832.001	26.370	35.944	23.993
8/26/2008 11:29	3833.001	26.369	35.905	24.083
8/26/2008 11:29	3834.001	26.367	35.905	24.084
8/26/2008 11:29	3835.110	26.379	35.967	23.940
8/26/2008 11:29	3836.001	26.373	35.938	24.007
8/26/2008 11:29	3837.001	26.373	35.940	24.002
8/26/2008 11:30	3838.001	26.367	35.928	24.029
8/26/2008 11:30	3839.001	26.366	35.858	24.191
8/26/2008 11:30	3840.125	26.380	35.834	24.246
8/26/2008 11:30	3841.001	26.371	35.972	23.929
8/26/2008 11:30	3842.001	26.368	35.823	24.272
8/26/2008 11:30	3843.001	26.367	35.838	24.237
8/26/2008 11:30	3844.001	26.366	35.824	24.270
8/26/2008 11:30	3845.109	26.377	35.987	23.895
8/26/2008 11:30	3846.001	26.371	35.896	24.104
8/26/2008 11:30	3847.001	26.368	35.841	24.231
8/26/2008 11:30	3848.001	26.369	35.813	24.296
8/26/2008 11:30	3849.001	26.366	35.931	24.023
8/26/2008 11:30	3850.125	26.378	35.865	24.176
8/26/2008 11:30	3851.001	26.373	35.794	24.339
8/26/2008 11:30	3852.001	26.370	35.969	23.936
8/26/2008 11:30	3853.001	26.364	35.944	23.993
8/26/2008 11:30	3854.001	26.364	35.812	24.297
8/26/2008 11:30	3855.109	26.375	35.911	24.069
8/26/2008 11:30	3856.001	26.370	35.833	24.250
8/26/2008 11:30	3857.001	26.364	35.896	24.103
8/26/2008 11:30	3858.001	26.366	35.928	24.030
8/26/2008 11:30	3859.001	26.362	35.743	24.456
8/26/2008 11:30	3860.001	26.376	35.769	24.396
8/26/2008 11:30	3861.001	26.370	35.846	24.219
8/26/2008 11:30	3862.001	26.364	35.827	24.262
8/26/2008 11:30	3863.001	26.364	35.926	24.036
8/26/2008 11:30	3864.001	26.363	35.916	24.058
8/26/2008 11:30	3865.109	26.374	35.925	24.036
8/26/2008 11:30	3866.001	26.367	35.877	24.147
8/26/2008 11:30	3867.001	26.363	35.937	24.008
8/26/2008 11:30	3868.001	26.361	35.800	24.324
8/26/2008 11:30	3869.001	26.361	35.914	24.062
8/26/2008 11:30	3870.125	26.371	35.915	24.061

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:30	3871.001	26.365	35.914	24.062
8/26/2008 11:30	3872.001	26.363	35.896	24.104
8/26/2008 11:30	3873.001	26.357	35.784	24.363
8/26/2008 11:30	3874.001	26.355	35.932	24.020
8/26/2008 11:30	3875.109	26.368	35.880	24.141
8/26/2008 11:30	3876.001	26.360	35.888	24.122
8/26/2008 11:30	3877.001	26.357	35.827	24.264
8/26/2008 11:30	3878.001	26.356	35.919	24.049
8/26/2008 11:30	3879.001	26.355	35.947	23.986
8/26/2008 11:30	3880.108	26.365	35.833	24.249
8/26/2008 11:30	3881.001	26.358	35.916	24.059
8/26/2008 11:30	3882.001	26.355	35.935	24.013
8/26/2008 11:30	3883.001	26.354	35.766	24.404
8/26/2008 11:30	3884.001	26.353	35.746	24.450
8/26/2008 11:30	3885.108	26.364	35.906	24.080
8/26/2008 11:30	3886.001	26.355	35.882	24.135
8/26/2008 11:30	3887.001	26.352	35.868	24.168
8/26/2008 11:30	3888.001	26.352	35.832	24.252
8/26/2008 11:30	3889.001	26.352	35.887	24.124
8/26/2008 11:30	3890.123	26.360	35.967	23.940
8/26/2008 11:30	3891.001	26.355	35.911	24.070
8/26/2008 11:30	3892.001	26.351	35.865	24.176
8/26/2008 11:30	3893.001	26.349	35.808	24.306
8/26/2008 11:30	3894.001	26.349	35.860	24.187
8/26/2008 11:30	3895.107	26.360	35.920	24.048
8/26/2008 11:30	3896.001	26.353	35.799	24.328
8/26/2008 11:30	3897.001	26.350	35.896	24.103
8/26/2008 11:31	3898.001	26.344	35.897	24.101
8/26/2008 11:31	3899.001	26.344	35.429	25.183
8/26/2008 11:31	3900.122	26.353	35.427	25.186
8/26/2008 11:31	3901.001	26.349	35.053	26.050
8/26/2008 11:31	3902.001	26.346	34.971	26.239
8/26/2008 11:31	3903.001	26.346	34.593	27.112
8/26/2008 11:31	3904.001	26.341	34.506	27.313
8/26/2008 11:31	3905.107	26.355	34.416	27.521
8/26/2008 11:31	3906.001	26.347	34.321	27.739
8/26/2008 11:31	3907.001	26.342	34.203	28.012
8/26/2008 11:31	3908.001	26.344	34.137	28.165
8/26/2008 11:31	3909.001	26.340	34.131	28.179
8/26/2008 11:31	3910.122	26.352	34.112	28.224
8/26/2008 11:31	3911.001	26.348	34.005	28.470
8/26/2008 11:31	3912.001	26.343	33.986	28.513
8/26/2008 11:31	3913.001	26.338	33.855	28.817
8/26/2008 11:31	3914.001	26.339	33.912	28.684
8/26/2008 11:31	3915.107	26.350	33.855	28.816
8/26/2008 11:31	3916.001	26.346	33.758	29.040
8/26/2008 11:31	3917.001	26.341	33.770	29.012
8/26/2008 11:31	3918.001	26.339	33.834	28.864
8/26/2008 11:31	3919.001	26.337	33.742	29.077

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:31	3920.001	26.352	33.768	29.018
8/26/2008 11:31	3921.001	26.339	33.673	29.236
8/26/2008 11:31	3922.001	26.337	33.710	29.151
8/26/2008 11:31	3923.001	26.336	33.747	29.065
8/26/2008 11:31	3924.001	26.333	33.701	29.173
8/26/2008 11:31	3925.106	26.347	33.681	29.218
8/26/2008 11:31	3926.001	26.340	33.676	29.230
8/26/2008 11:31	3927.001	26.337	33.573	29.468
8/26/2008 11:31	3928.001	26.336	33.610	29.382
8/26/2008 11:31	3929.001	26.332	33.580	29.451
8/26/2008 11:31	3930.122	26.344	33.518	29.593
8/26/2008 11:31	3931.001	26.336	33.603	29.398
8/26/2008 11:31	3932.001	26.334	33.558	29.501
8/26/2008 11:31	3933.001	26.331	33.557	29.505
8/26/2008 11:31	3934.001	26.330	33.500	29.635
8/26/2008 11:31	3935.106	26.342	33.524	29.581
8/26/2008 11:31	3936.001	26.336	33.542	29.540
8/26/2008 11:31	3937.001	26.330	33.560	29.498
8/26/2008 11:31	3938.001	26.332	33.124	30.505
8/26/2008 11:31	3939.001	26.327	33.399	29.869
8/26/2008 11:31	3940.121	26.337	32.958	30.888
8/26/2008 11:31	3941.001	26.332	32.585	31.748
8/26/2008 11:31	3942.001	26.331	32.397	32.182
8/26/2008 11:31	3943.001	26.329	32.077	32.921
8/26/2008 11:31	3944.001	26.325	31.658	33.889
8/26/2008 11:31	3945.106	26.335	31.401	34.483
8/26/2008 11:31	3946.001	26.330	31.250	34.830
8/26/2008 11:31	3947.001	26.325	31.017	35.369
8/26/2008 11:31	3948.001	26.325	30.841	35.775
8/26/2008 11:31	3949.001	26.324	30.714	36.068
8/26/2008 11:31	3950.121	26.334	30.535	36.482
8/26/2008 11:31	3951.001	26.327	30.373	36.856
8/26/2008 11:31	3952.001	26.325	30.358	36.891
8/26/2008 11:31	3953.001	26.322	30.247	37.147
8/26/2008 11:31	3954.001	26.320	30.181	37.299
8/26/2008 11:31	3955.105	26.329	30.059	37.582
8/26/2008 11:31	3956.001	26.323	30.039	37.628
8/26/2008 11:31	3957.001	26.318	29.937	37.864
8/26/2008 11:32	3958.001	26.319	29.847	38.071
8/26/2008 11:32	3959.001	26.318	29.873	38.010
8/26/2008 11:32	3960.121	26.326	29.825	38.121
8/26/2008 11:32	3961.001	26.320	29.787	38.210
8/26/2008 11:32	3962.001	26.317	29.600	38.640
8/26/2008 11:32	3963.001	26.316	29.679	38.458
8/26/2008 11:32	3964.001	26.312	29.598	38.647
8/26/2008 11:32	3965.105	26.322	29.539	38.782
8/26/2008 11:32	3966.001	26.316	29.514	38.840
8/26/2008 11:32	3967.001	26.312	29.534	38.792
8/26/2008 11:32	3968.001	26.311	29.432	39.029

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:32	3969.001	26.311	29.429	39.036
8/26/2008 11:32	3970.120	26.319	29.410	39.079
8/26/2008 11:32	3971.001	26.314	29.416	39.067
8/26/2008 11:32	3972.001	26.310	29.286	39.366
8/26/2008 11:32	3973.001	26.308	29.334	39.255
8/26/2008 11:32	3974.001	26.308	29.320	39.287
8/26/2008 11:32	3975.104	26.318	29.269	39.405
8/26/2008 11:32	3976.001	26.310	29.287	39.364
8/26/2008 11:32	3977.001	26.308	29.282	39.375
8/26/2008 11:32	3978.001	26.305	29.226	39.504
8/26/2008 11:32	3979.001	26.303	29.158	39.663
8/26/2008 11:32	3980.001	26.316	29.234	39.487
8/26/2008 11:32	3981.001	26.306	29.137	39.710
8/26/2008 11:32	3982.001	26.304	29.143	39.695
8/26/2008 11:32	3983.001	26.301	29.105	39.783
8/26/2008 11:32	3984.001	26.298	29.076	39.850
8/26/2008 11:32	3985.103	26.313	29.109	39.775
8/26/2008 11:32	3986.001	26.305	29.061	39.886
8/26/2008 11:32	3987.001	26.296	29.052	39.907
8/26/2008 11:32	3988.001	26.300	29.047	39.918
8/26/2008 11:32	3989.001	26.297	29.093	39.812
8/26/2008 11:32	3990.119	26.308	29.037	39.940
8/26/2008 11:32	3991.001	26.299	28.998	40.032
8/26/2008 11:32	3992.001	26.296	28.974	40.086
8/26/2008 11:32	3993.001	26.294	29.034	39.947
8/26/2008 11:32	3994.001	26.293	28.988	40.055
8/26/2008 11:32	3995.103	26.305	28.947	40.149
8/26/2008 11:32	3996.001	26.299	28.960	40.120
8/26/2008 11:32	3997.001	26.294	28.914	40.224
8/26/2008 11:32	3998.001	26.292	28.916	40.219
8/26/2008 11:32	3999.001	26.290	28.883	40.297
8/26/2008 11:32	4000.119	26.302	28.891	40.278
8/26/2008 11:32	4001.001	26.297	28.876	40.312
8/26/2008 11:32	4002.001	26.290	28.901	40.254
8/26/2008 11:32	4003.001	26.289	28.824	40.432
8/26/2008 11:32	4004.001	26.288	28.865	40.339
8/26/2008 11:32	4005.103	26.297	28.862	40.345
8/26/2008 11:32	4006.001	26.291	28.840	40.396
8/26/2008 11:32	4007.001	26.287	28.869	40.328
8/26/2008 11:32	4008.001	26.287	28.838	40.401
8/26/2008 11:32	4009.001	26.286	28.871	40.324
8/26/2008 11:32	4010.118	26.296	28.777	40.542
8/26/2008 11:32	4011.001	26.287	28.815	40.453
8/26/2008 11:32	4012.001	26.285	28.813	40.459
8/26/2008 11:32	4013.001	26.282	28.841	40.393
8/26/2008 11:32	4014.001	26.284	28.798	40.494
8/26/2008 11:32	4015.102	26.293	28.802	40.483
8/26/2008 11:32	4016.001	26.284	28.710	40.695
8/26/2008 11:32	4017.001	26.282	28.726	40.659

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:33	4018.001	26.279	28.771	40.556
8/26/2008 11:33	4019.001	26.278	28.732	40.646
8/26/2008 11:33	4020.118	26.289	28.767	40.565
8/26/2008 11:33	4021.001	26.283	28.776	40.543
8/26/2008 11:33	4022.001	26.280	28.573	41.012
8/26/2008 11:33	4023.001	26.277	28.703	40.712
8/26/2008 11:33	4024.001	26.273	28.665	40.800
8/26/2008 11:33	4025.102	26.287	28.679	40.767
8/26/2008 11:33	4026.001	26.281	28.640	40.858
8/26/2008 11:33	4027.001	26.277	28.647	40.842
8/26/2008 11:33	4028.001	26.276	28.688	40.747
8/26/2008 11:33	4029.001	26.276	28.687	40.750
8/26/2008 11:33	4030.117	26.283	28.691	40.740
8/26/2008 11:33	4031.001	26.279	28.637	40.864
8/26/2008 11:33	4032.001	26.275	28.614	40.917
8/26/2008 11:33	4033.001	26.275	28.637	40.864
8/26/2008 11:33	4034.001	26.273	28.622	40.898
8/26/2008 11:33	4035.101	26.281	28.645	40.846
8/26/2008 11:33	4036.001	26.276	28.628	40.886
8/26/2008 11:33	4037.001	26.270	28.579	40.999
8/26/2008 11:33	4038.001	26.271	28.581	40.994
8/26/2008 11:33	4039.001	26.268	28.597	40.957
8/26/2008 11:33	4040.001	26.278	28.547	41.072
8/26/2008 11:33	4041.001	26.274	28.608	40.932
8/26/2008 11:33	4042.001	26.270	28.593	40.966
8/26/2008 11:33	4043.001	26.268	28.563	41.035
8/26/2008 11:33	4044.001	26.266	28.581	40.994
8/26/2008 11:33	4045.101	26.280	28.634	40.871
8/26/2008 11:33	4046.001	26.271	28.585	40.983
8/26/2008 11:33	4047.001	26.268	28.531	41.108
8/26/2008 11:33	4048.001	26.265	28.569	41.020
8/26/2008 11:33	4049.001	26.263	28.586	40.982
8/26/2008 11:33	4050.116	26.275	28.591	40.971
8/26/2008 11:33	4051.001	26.270	28.595	40.960
8/26/2008 11:33	4052.001	26.263	28.528	41.116
8/26/2008 11:33	4053.001	26.264	28.499	41.184
8/26/2008 11:33	4054.001	26.261	28.559	41.045
8/26/2008 11:33	4055.101	26.270	28.552	41.060
8/26/2008 11:33	4056.001	26.266	28.457	41.279
8/26/2008 11:33	4057.001	26.263	28.568	41.023
8/26/2008 11:33	4058.001	26.261	28.514	41.149
8/26/2008 11:33	4059.001	26.259	28.487	41.210
8/26/2008 11:33	4060.116	26.268	28.495	41.193
8/26/2008 11:33	4061.001	26.264	28.494	41.195
8/26/2008 11:33	4062.001	26.262	28.485	41.215
8/26/2008 11:33	4063.001	26.260	28.519	41.137
8/26/2008 11:33	4064.001	26.259	28.478	41.231
8/26/2008 11:33	4065.101	26.270	28.395	41.423
8/26/2008 11:33	4066.001	26.265	28.490	41.204

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:33	4067.001	26.257	28.442	41.316
8/26/2008 11:33	4068.001	26.257	28.443	41.312
8/26/2008 11:33	4069.001	26.257	28.405	41.400
8/26/2008 11:33	4070.116	26.267	28.430	41.342
8/26/2008 11:33	4071.001	26.262	28.431	41.339
8/26/2008 11:33	4072.001	26.257	28.428	41.348
8/26/2008 11:33	4073.001	26.255	28.309	41.621
8/26/2008 11:33	4074.001	26.251	28.487	41.212
8/26/2008 11:33	4075.101	26.263	28.422	41.362
8/26/2008 11:33	4076.001	26.260	28.382	41.454
8/26/2008 11:33	4077.001	26.256	28.408	41.394
8/26/2008 11:34	4078.001	26.253	28.436	41.328
8/26/2008 11:34	4079.001	26.252	28.406	41.399
8/26/2008 11:34	4080.116	26.262	28.411	41.387
8/26/2008 11:34	4081.001	26.258	28.363	41.497
8/26/2008 11:34	4082.001	26.253	28.359	41.507
8/26/2008 11:34	4083.001	26.252	28.461	41.271
8/26/2008 11:34	4084.001	26.251	28.392	41.430
8/26/2008 11:34	4085.101	26.261	28.414	41.380
8/26/2008 11:34	4086.001	26.255	28.340	41.551
8/26/2008 11:34	4087.001	26.251	28.331	41.570
8/26/2008 11:34	4088.001	26.251	28.431	41.341
8/26/2008 11:34	4089.001	26.247	28.367	41.489
8/26/2008 11:34	4090.116	26.259	28.302	41.637
8/26/2008 11:34	4091.001	26.255	28.328	41.577
8/26/2008 11:34	4092.001	26.250	28.355	41.515
8/26/2008 11:34	4093.001	26.250	28.329	41.576
8/26/2008 11:34	4094.001	26.246	28.342	41.545
8/26/2008 11:34	4095.100	26.260	28.360	41.505
8/26/2008 11:34	4096.001	26.251	28.366	41.491
8/26/2008 11:34	4097.001	26.250	28.333	41.566
8/26/2008 11:34	4098.001	26.248	28.341	41.549
8/26/2008 11:34	4099.001	26.245	28.286	41.675
8/26/2008 11:34	4100.001	26.259	28.333	41.567
8/26/2008 11:34	4101.001	26.250	28.315	41.609
8/26/2008 11:34	4102.001	26.245	28.342	41.546
8/26/2008 11:34	4103.001	26.244	28.314	41.610
8/26/2008 11:34	4104.001	26.244	28.278	41.694
8/26/2008 11:34	4105.100	26.255	28.317	41.605
8/26/2008 11:34	4106.001	26.248	28.283	41.681
8/26/2008 11:34	4107.001	26.248	28.258	41.740
8/26/2008 11:34	4108.001	26.243	28.347	41.534
8/26/2008 11:34	4109.001	26.245	28.300	41.642
8/26/2008 11:34	4110.115	26.255	28.261	41.732
8/26/2008 11:34	4111.001	26.248	28.231	41.801
8/26/2008 11:34	4112.001	26.244	28.301	41.640
8/26/2008 11:34	4113.001	26.245	28.324	41.586
8/26/2008 11:34	4114.001	26.245	28.249	41.759
8/26/2008 11:34	4115.098	26.251	28.281	41.688

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:34	4116.001	26.247	28.236	41.789
8/26/2008 11:34	4117.001	26.246	28.216	41.837
8/26/2008 11:34	4118.001	26.243	28.246	41.766
8/26/2008 11:34	4119.001	26.242	28.263	41.729
8/26/2008 11:34	4120.114	26.249	28.271	41.711
8/26/2008 11:34	4121.001	26.245	28.340	41.550
8/26/2008 11:34	4122.001	26.240	28.187	41.904
8/26/2008 11:34	4123.001	26.241	28.259	41.737
8/26/2008 11:34	4124.001	26.238	28.241	41.779
8/26/2008 11:34	4125.098	26.251	28.184	41.909
8/26/2008 11:34	4126.001	26.245	28.233	41.798
8/26/2008 11:34	4127.001	26.242	28.285	41.676
8/26/2008 11:34	4128.001	26.238	28.188	41.901
8/26/2008 11:34	4129.001	26.237	28.229	41.806
8/26/2008 11:34	4130.113	26.249	28.192	41.893
8/26/2008 11:34	4131.001	26.240	28.181	41.917
8/26/2008 11:34	4132.001	26.240	28.236	41.790
8/26/2008 11:34	4133.001	26.238	28.229	41.806
8/26/2008 11:34	4134.001	26.237	28.189	41.900
8/26/2008 11:34	4135.098	26.246	28.142	42.008
8/26/2008 11:34	4136.001	26.241	28.216	41.836
8/26/2008 11:34	4137.001	26.239	28.236	41.790
8/26/2008 11:35	4138.001	26.238	28.098	42.110
8/26/2008 11:35	4139.001	26.235	28.157	41.973
8/26/2008 11:35	4140.113	26.248	28.139	42.015
8/26/2008 11:35	4141.001	26.242	28.147	41.996
8/26/2008 11:35	4142.001	26.236	28.200	41.874
8/26/2008 11:35	4143.001	26.236	28.116	42.068
8/26/2008 11:35	4144.001	26.233	28.205	41.863
8/26/2008 11:35	4145.097	26.250	28.084	42.141
8/26/2008 11:35	4146.001	26.239	28.146	41.998
8/26/2008 11:35	4147.001	26.236	28.201	41.872
8/26/2008 11:35	4148.001	26.231	28.107	42.089
8/26/2008 11:35	4149.001	26.234	28.231	41.801
8/26/2008 11:35	4150.112	26.245	28.161	41.963
8/26/2008 11:35	4151.001	26.239	28.045	42.232
8/26/2008 11:35	4152.001	26.234	28.149	41.991
8/26/2008 11:35	4153.001	26.236	28.147	41.995
8/26/2008 11:35	4154.001	26.233	28.133	42.028
8/26/2008 11:35	4155.097	26.244	28.124	42.050
8/26/2008 11:35	4156.001	26.237	28.168	41.948
8/26/2008 11:35	4157.001	26.236	28.105	42.092
8/26/2008 11:35	4158.001	26.234	28.151	41.986
8/26/2008 11:35	4159.001	26.233	28.154	41.979
8/26/2008 11:35	4160.001	26.242	28.143	42.005
8/26/2008 11:35	4161.004	26.236	28.106	42.091
8/26/2008 11:35	4162.001	26.233	28.065	42.185
8/26/2008 11:35	4163.001	26.232	28.127	42.043
8/26/2008 11:35	4164.001	26.228	28.100	42.104

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:35	4165.096	26.243	28.182	41.915
8/26/2008 11:35	4166.001	26.235	28.074	42.164
8/26/2008 11:35	4167.001	26.232	28.115	42.070
8/26/2008 11:35	4168.001	26.229	28.079	42.154
8/26/2008 11:35	4169.001	26.231	28.029	42.268
8/26/2008 11:35	4170.112	26.238	28.047	42.227
8/26/2008 11:35	4171.001	26.235	28.106	42.091
8/26/2008 11:35	4172.001	26.232	28.048	42.224
8/26/2008 11:35	4173.001	26.231	28.058	42.201
8/26/2008 11:35	4174.001	26.227	28.125	42.047
8/26/2008 11:35	4175.096	26.241	28.097	42.111
8/26/2008 11:35	4176.001	26.236	28.091	42.125
8/26/2008 11:35	4177.001	26.231	28.120	42.057
8/26/2008 11:35	4178.001	26.230	27.981	42.379
8/26/2008 11:35	4179.001	26.228	28.056	42.205
8/26/2008 11:35	4180.111	26.237	28.049	42.222
8/26/2008 11:35	4181.001	26.234	28.033	42.259
8/26/2008 11:35	4182.001	26.228	28.115	42.069
8/26/2008 11:35	4183.001	26.226	28.047	42.226
8/26/2008 11:35	4184.001	26.228	28.104	42.096
8/26/2008 11:35	4185.095	26.238	28.046	42.228
8/26/2008 11:35	4186.001	26.234	27.980	42.382
8/26/2008 11:35	4187.001	26.227	28.090	42.127
8/26/2008 11:35	4188.001	26.226	28.009	42.314
8/26/2008 11:35	4189.001	26.224	28.068	42.178
8/26/2008 11:35	4190.094	26.235	27.967	42.412
8/26/2008 11:35	4191.001	26.229	28.001	42.334
8/26/2008 11:35	4192.001	26.228	28.036	42.252
8/26/2008 11:35	4193.001	26.228	28.046	42.229
8/26/2008 11:35	4194.001	26.225	27.960	42.428
8/26/2008 11:35	4195.094	26.237	28.024	42.279
8/26/2008 11:35	4196.001	26.231	27.976	42.390
8/26/2008 11:35	4197.001	26.228	28.037	42.249
8/26/2008 11:36	4198.001	26.229	28.010	42.311
8/26/2008 11:36	4199.001	26.222	28.031	42.263
8/26/2008 11:36	4200.109	26.235	28.012	42.308
8/26/2008 11:36	4201.001	26.232	27.993	42.352
8/26/2008 11:36	4202.001	26.226	28.032	42.260
8/26/2008 11:36	4203.001	26.224	28.030	42.266
8/26/2008 11:36	4204.001	26.225	27.961	42.425
8/26/2008 11:36	4205.094	26.232	28.033	42.260
8/26/2008 11:36	4206.001	26.231	27.965	42.416
8/26/2008 11:36	4207.001	26.226	27.957	42.436
8/26/2008 11:36	4208.001	26.224	27.966	42.414
8/26/2008 11:36	4209.001	26.224	28.017	42.297
8/26/2008 11:36	4210.109	26.234	27.994	42.350
8/26/2008 11:36	4211.001	26.227	28.012	42.307
8/26/2008 11:36	4212.001	26.225	28.007	42.319
8/26/2008 11:36	4213.001	26.224	27.992	42.354

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:36	4214.001	26.225	27.974	42.396
8/26/2008 11:36	4215.094	26.235	27.939	42.477
8/26/2008 11:36	4216.001	26.228	27.936	42.483
8/26/2008 11:36	4217.001	26.225	27.943	42.466
8/26/2008 11:36	4218.001	26.223	28.005	42.324
8/26/2008 11:36	4219.001	26.222	27.950	42.450
8/26/2008 11:36	4220.001	26.234	27.976	42.390
8/26/2008 11:36	4221.001	26.228	27.927	42.504
8/26/2008 11:36	4222.001	26.224	27.958	42.432
8/26/2008 11:36	4223.001	26.220	27.909	42.546
8/26/2008 11:36	4224.001	26.223	27.995	42.347
8/26/2008 11:36	4225.093	26.229	27.945	42.463
8/26/2008 11:36	4226.001	26.228	27.889	42.592
8/26/2008 11:36	4227.001	26.222	27.960	42.428
8/26/2008 11:36	4228.001	26.223	27.952	42.446
8/26/2008 11:36	4229.001	26.222	27.887	42.597
8/26/2008 11:36	4230.109	26.231	27.954	42.441
8/26/2008 11:36	4231.001	26.226	27.998	42.341
8/26/2008 11:36	4232.001	26.220	27.958	42.431
8/26/2008 11:36	4233.001	26.221	27.958	42.433
8/26/2008 11:36	4234.001	26.220	27.960	42.427
8/26/2008 11:36	4235.092	26.231	27.957	42.435
8/26/2008 11:36	4236.001	26.225	27.917	42.528
8/26/2008 11:36	4237.001	26.220	27.948	42.455
8/26/2008 11:36	4238.001	26.219	27.938	42.478
8/26/2008 11:36	4239.001	26.217	27.908	42.547
8/26/2008 11:36	4240.108	26.230	27.873	42.628
8/26/2008 11:36	4241.001	26.225	27.852	42.678
8/26/2008 11:36	4242.001	26.222	27.938	42.479
8/26/2008 11:36	4243.001	26.221	27.881	42.609
8/26/2008 11:36	4244.001	26.219	27.957	42.434
8/26/2008 11:36	4245.092	26.229	27.943	42.467
8/26/2008 11:36	4246.001	26.224	27.863	42.651
8/26/2008 11:36	4247.001	26.219	27.886	42.599
8/26/2008 11:36	4248.001	26.219	27.930	42.497
8/26/2008 11:36	4249.001	26.218	27.900	42.567
8/26/2008 11:36	4250.108	26.230	27.914	42.535
8/26/2008 11:36	4251.001	26.221	27.893	42.582
8/26/2008 11:36	4252.001	26.221	27.914	42.534
8/26/2008 11:36	4253.001	26.218	27.918	42.525
8/26/2008 11:36	4254.001	26.215	27.872	42.630
8/26/2008 11:36	4255.092	26.227	27.937	42.481
8/26/2008 11:36	4256.001	26.224	27.865	42.646
8/26/2008 11:36	4257.001	26.217	27.909	42.546
8/26/2008 11:37	4258.001	26.217	27.892	42.585
8/26/2008 11:37	4259.001	26.218	27.967	42.412
8/26/2008 11:37	4260.107	26.229	27.908	42.548
8/26/2008 11:37	4261.001	26.222	27.892	42.584
8/26/2008 11:37	4262.001	26.221	27.854	42.673

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:37	4263.001	26.221	27.850	42.682
8/26/2008 11:37	4264.001	26.215	27.869	42.639
8/26/2008 11:37	4265.091	26.228	27.960	42.428
8/26/2008 11:37	4266.001	26.224	27.893	42.582
8/26/2008 11:37	4267.001	26.220	27.864	42.650
8/26/2008 11:37	4268.001	26.217	27.867	42.641
8/26/2008 11:37	4269.001	26.217	27.850	42.681
8/26/2008 11:37	4270.107	26.230	27.893	42.583
8/26/2008 11:37	4271.001	26.225	27.855	42.670
8/26/2008 11:37	4272.001	26.218	27.831	42.725
8/26/2008 11:37	4273.001	26.219	27.895	42.579
8/26/2008 11:37	4274.001	26.217	27.909	42.546
8/26/2008 11:37	4275.091	26.227	27.855	42.669
8/26/2008 11:37	4276.001	26.222	27.855	42.669
8/26/2008 11:37	4277.001	26.217	27.870	42.637
8/26/2008 11:37	4278.001	26.215	27.817	42.758
8/26/2008 11:37	4279.001	26.216	27.803	42.790
8/26/2008 11:37	4280.001	26.228	27.879	42.614
8/26/2008 11:37	4281.001	26.220	27.884	42.602
8/26/2008 11:37	4282.001	26.217	27.854	42.673
8/26/2008 11:37	4283.001	26.214	27.909	42.546
8/26/2008 11:37	4284.001	26.216	27.830	42.727
8/26/2008 11:37	4285.091	26.225	27.844	42.695
8/26/2008 11:37	4286.001	26.222	27.803	42.790
8/26/2008 11:37	4287.001	26.215	27.926	42.507
8/26/2008 11:37	4288.001	26.216	27.781	42.841
8/26/2008 11:37	4289.001	26.215	27.858	42.664
8/26/2008 11:37	4290.106	26.225	27.854	42.673
8/26/2008 11:37	4291.001	26.221	27.816	42.760
8/26/2008 11:37	4292.001	26.217	27.813	42.767
8/26/2008 11:37	4293.001	26.212	27.851	42.678
8/26/2008 11:37	4294.001	26.217	27.748	42.918
8/26/2008 11:37	4295.090	26.225	27.792	42.815
8/26/2008 11:37	4296.001	26.218	27.813	42.768
8/26/2008 11:37	4297.001	26.216	27.867	42.643
8/26/2008 11:37	4298.001	26.215	27.794	42.811
8/26/2008 11:37	4299.001	26.214	27.761	42.886
8/26/2008 11:37	4300.106	26.225	27.812	42.770
8/26/2008 11:37	4301.001	26.219	27.762	42.884
8/26/2008 11:37	4302.001	26.216	27.777	42.849
8/26/2008 11:37	4303.001	26.215	27.813	42.768
8/26/2008 11:37	4304.001	26.212	27.839	42.708
8/26/2008 11:37	4305.089	26.225	27.894	42.581
8/26/2008 11:37	4306.001	26.222	27.861	42.657
8/26/2008 11:37	4307.001	26.214	27.829	42.730
8/26/2008 11:37	4308.001	26.214	27.809	42.775
8/26/2008 11:37	4309.001	26.214	27.823	42.745
8/26/2008 11:37	4310.105	26.226	27.803	42.789
8/26/2008 11:37	4311.001	26.221	27.801	42.794

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:37	4312.001	26.212	27.803	42.790
8/26/2008 11:37	4313.001	26.214	27.888	42.594
8/26/2008 11:37	4314.001	26.214	27.741	42.933
8/26/2008 11:37	4315.089	26.223	27.777	42.851
8/26/2008 11:37	4316.001	26.219	27.767	42.874
8/26/2008 11:37	4317.001	26.216	27.819	42.753
8/26/2008 11:38	4318.001	26.214	27.814	42.764
8/26/2008 11:38	4319.001	26.213	27.744	42.927
8/26/2008 11:38	4320.105	26.223	27.796	42.806
8/26/2008 11:38	4321.001	26.220	27.753	42.905
8/26/2008 11:38	4322.001	26.216	27.796	42.807
8/26/2008 11:38	4323.001	26.215	27.751	42.910
8/26/2008 11:38	4324.001	26.210	27.833	42.721
8/26/2008 11:38	4325.089	26.224	27.776	42.853
8/26/2008 11:38	4326.001	26.215	27.757	42.896
8/26/2008 11:38	4327.001	26.216	27.750	42.912
8/26/2008 11:38	4328.001	26.211	27.819	42.752
8/26/2008 11:38	4329.001	26.211	27.801	42.794
8/26/2008 11:38	4330.104	26.220	27.769	42.869
8/26/2008 11:38	4331.001	26.216	27.806	42.784
8/26/2008 11:38	4332.001	26.214	27.794	42.812
8/26/2008 11:38	4333.001	26.209	27.775	42.855
8/26/2008 11:38	4334.001	26.212	27.783	42.837
8/26/2008 11:38	4335.088	26.222	27.720	42.982
8/26/2008 11:38	4336.001	26.217	27.741	42.934
8/26/2008 11:38	4337.001	26.214	27.713	42.999
8/26/2008 11:38	4338.001	26.212	27.768	42.871
8/26/2008 11:38	4339.001	26.212	27.737	42.943
8/26/2008 11:38	4340.001	26.225	27.753	42.907
8/26/2008 11:38	4341.001	26.216	27.784	42.834
8/26/2008 11:38	4342.001	26.215	27.765	42.879
8/26/2008 11:38	4343.001	26.208	27.814	42.766
8/26/2008 11:38	4344.001	26.211	27.766	42.876
8/26/2008 11:38	4345.088	26.225	27.766	42.875
8/26/2008 11:38	4346.001	26.217	27.796	42.806
8/26/2008 11:38	4347.001	26.209	27.762	42.885
8/26/2008 11:38	4348.001	26.211	27.759	42.892
8/26/2008 11:38	4349.001	26.209	27.689	43.054
8/26/2008 11:38	4350.103	26.222	27.657	43.128
8/26/2008 11:38	4351.001	26.216	27.765	42.878
8/26/2008 11:38	4352.001	26.212	27.836	42.713
8/26/2008 11:38	4353.001	26.215	27.734	42.950
8/26/2008 11:38	4354.001	26.213	27.758	42.894
8/26/2008 11:38	4355.088	26.223	27.756	42.898
8/26/2008 11:38	4356.001	26.217	27.793	42.814
8/26/2008 11:38	4357.001	26.212	27.746	42.922
8/26/2008 11:38	4358.001	26.211	27.718	42.986
8/26/2008 11:38	4359.001	26.213	27.742	42.930
8/26/2008 11:38	4360.103	26.223	27.766	42.876

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:38	4361.001	26.215	27.706	43.014
8/26/2008 11:38	4362.001	26.213	27.783	42.836
8/26/2008 11:38	4363.001	26.211	27.741	42.934
8/26/2008 11:38	4364.001	26.211	27.788	42.825
8/26/2008 11:38	4365.087	26.220	27.796	42.807
8/26/2008 11:38	4366.001	26.216	27.735	42.947
8/26/2008 11:38	4367.001	26.213	27.691	43.048
8/26/2008 11:38	4368.001	26.210	27.775	42.854
8/26/2008 11:38	4369.001	26.210	27.734	42.950
8/26/2008 11:38	4370.087	26.222	27.720	42.982
8/26/2008 11:38	4371.001	26.218	27.698	43.032
8/26/2008 11:38	4372.001	26.214	27.719	42.984
8/26/2008 11:38	4373.001	26.208	27.784	42.833
8/26/2008 11:38	4374.001	26.210	27.690	43.050
8/26/2008 11:38	4375.087	26.220	27.744	42.926
8/26/2008 11:38	4376.001	26.217	27.784	42.834
8/26/2008 11:38	4377.001	26.213	27.719	42.984
8/26/2008 11:39	4378.001	26.211	27.699	43.031
8/26/2008 11:39	4379.001	26.210	27.808	42.779
8/26/2008 11:39	4380.102	26.221	27.818	42.756
8/26/2008 11:39	4381.001	26.214	27.762	42.885
8/26/2008 11:39	4382.001	26.211	27.734	42.951
8/26/2008 11:39	4383.001	26.209	27.687	43.057
8/26/2008 11:39	4384.001	26.210	27.711	43.002
8/26/2008 11:39	4385.087	26.222	27.746	42.921
8/26/2008 11:39	4386.001	26.215	27.764	42.881
8/26/2008 11:39	4387.001	26.211	27.720	42.981
8/26/2008 11:39	4388.001	26.208	27.694	43.042
8/26/2008 11:39	4389.001	26.213	27.767	42.874
8/26/2008 11:39	4390.102	26.220	27.663	43.114
8/26/2008 11:39	4391.001	26.217	27.648	43.148
8/26/2008 11:39	4392.001	26.211	27.837	42.711
8/26/2008 11:39	4393.001	26.213	27.704	43.020
8/26/2008 11:39	4394.001	26.210	27.639	43.169
8/26/2008 11:39	4395.086	26.219	27.715	42.993
8/26/2008 11:39	4396.001	26.218	27.718	42.987
8/26/2008 11:39	4397.001	26.212	27.723	42.976
8/26/2008 11:39	4398.001	26.210	27.722	42.978
8/26/2008 11:39	4399.001	26.211	27.731	42.955
8/26/2008 11:39	4400.001	26.225	27.715	42.992
8/26/2008 11:39	4401.001	26.214	27.673	43.090
8/26/2008 11:39	4402.001	26.215	27.728	42.963
8/26/2008 11:39	4403.001	26.211	27.673	43.091
8/26/2008 11:39	4404.001	26.208	27.749	42.915
8/26/2008 11:39	4405.086	26.224	27.695	43.041
8/26/2008 11:39	4406.001	26.216	27.745	42.924
8/26/2008 11:39	4407.001	26.209	27.715	42.993
8/26/2008 11:39	4408.001	26.209	27.724	42.973
8/26/2008 11:39	4409.001	26.207	27.671	43.096

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:39	4410.101	26.222	27.690	43.052
8/26/2008 11:39	4411.001	26.215	27.712	43.001
8/26/2008 11:39	4412.001	26.213	27.673	43.090
8/26/2008 11:39	4413.001	26.211	27.692	43.047
8/26/2008 11:39	4414.001	26.210	27.722	42.977
8/26/2008 11:39	4415.085	26.222	27.730	42.959
8/26/2008 11:39	4416.001	26.215	27.683	43.067
8/26/2008 11:39	4417.001	26.211	27.698	43.034
8/26/2008 11:39	4418.001	26.211	27.725	42.971
8/26/2008 11:39	4419.001	26.209	27.710	43.006
8/26/2008 11:39	4420.101	26.219	27.741	42.934
8/26/2008 11:39	4421.001	26.216	27.778	42.847
8/26/2008 11:39	4422.001	26.210	27.745	42.924
8/26/2008 11:39	4423.001	26.210	27.721	42.979
8/26/2008 11:39	4424.001	26.210	27.648	43.147
8/26/2008 11:39	4425.085	26.220	27.717	42.988
8/26/2008 11:39	4426.001	26.214	27.715	42.994
8/26/2008 11:39	4427.001	26.215	27.754	42.903
8/26/2008 11:39	4428.001	26.209	27.691	43.049
8/26/2008 11:39	4429.001	26.210	27.673	43.091
8/26/2008 11:39	4430.101	26.221	27.719	42.984
8/26/2008 11:39	4431.001	26.213	27.676	43.084
8/26/2008 11:39	4432.001	26.215	27.727	42.965
8/26/2008 11:39	4433.001	26.210	27.691	43.049
8/26/2008 11:39	4434.001	26.209	27.745	42.924
8/26/2008 11:39	4435.085	26.221	27.717	42.988
8/26/2008 11:39	4436.001	26.213	27.660	43.119
8/26/2008 11:39	4437.001	26.212	27.708	43.011
8/26/2008 11:40	4438.001	26.208	27.693	43.044
8/26/2008 11:40	4439.001	26.210	27.685	43.062
8/26/2008 11:40	4440.101	26.221	27.646	43.152
8/26/2008 11:40	4441.001	26.217	27.669	43.100
8/26/2008 11:40	4442.001	26.211	27.655	43.132
8/26/2008 11:40	4443.001	26.211	27.668	43.102
8/26/2008 11:40	4444.001	26.210	27.713	42.999
8/26/2008 11:40	4445.085	26.220	27.753	42.906
8/26/2008 11:40	4446.001	26.216	27.705	43.016
8/26/2008 11:40	4447.001	26.211	27.744	42.926
8/26/2008 11:40	4448.001	26.211	27.635	43.179
8/26/2008 11:40	4449.001	26.212	27.673	43.090
8/26/2008 11:40	4450.100	26.221	27.744	42.927
8/26/2008 11:40	4451.001	26.215	27.635	43.179
8/26/2008 11:40	4452.001	26.208	27.697	43.035
8/26/2008 11:40	4453.001	26.208	27.561	43.349
8/26/2008 11:40	4454.001	26.210	27.714	42.997
8/26/2008 11:40	4455.085	26.220	27.639	43.168
8/26/2008 11:40	4456.001	26.216	27.716	42.991
8/26/2008 11:40	4457.001	26.213	27.643	43.160
8/26/2008 11:40	4458.001	26.209	27.667	43.104

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:40	4459.001	26.208	27.652	43.140
8/26/2008 11:40	4460.001	26.222	27.674	43.088
8/26/2008 11:40	4461.001	26.215	27.641	43.163
8/26/2008 11:40	4462.001	26.211	27.669	43.099
8/26/2008 11:40	4463.001	26.211	27.658	43.124
8/26/2008 11:40	4464.001	26.209	27.644	43.157
8/26/2008 11:40	4465.084	26.222	27.695	43.039
8/26/2008 11:40	4466.001	26.217	27.675	43.087
8/26/2008 11:40	4467.001	26.214	27.673	43.089
8/26/2008 11:40	4468.001	26.210	27.722	42.977
8/26/2008 11:40	4469.001	26.210	27.637	43.174
8/26/2008 11:40	4470.099	26.223	27.634	43.181
8/26/2008 11:40	4471.001	26.217	27.704	43.018
8/26/2008 11:40	4472.001	26.212	27.684	43.066
8/26/2008 11:40	4473.001	26.213	27.727	42.965
8/26/2008 11:40	4474.001	26.210	27.609	43.237
8/26/2008 11:40	4475.083	26.221	27.692	43.046
8/26/2008 11:40	4476.001	26.215	27.644	43.158
8/26/2008 11:40	4477.001	26.213	27.671	43.094
8/26/2008 11:40	4478.001	26.212	27.718	42.987
8/26/2008 11:40	4479.001	26.209	27.636	43.176
8/26/2008 11:40	4480.098	26.221	27.644	43.156
8/26/2008 11:40	4481.001	26.214	27.657	43.127
8/26/2008 11:40	4482.001	26.211	27.662	43.116
8/26/2008 11:40	4483.001	26.210	27.690	43.051
8/26/2008 11:40	4484.001	26.210	27.704	43.020
8/26/2008 11:40	4485.083	26.218	27.724	42.973
8/26/2008 11:40	4486.001	26.215	27.633	43.184
8/26/2008 11:40	4487.001	26.208	27.668	43.101
8/26/2008 11:40	4488.001	26.208	27.597	43.267
8/26/2008 11:40	4489.001	26.208	27.663	43.113
8/26/2008 11:40	4490.098	26.222	27.692	43.047
8/26/2008 11:40	4491.001	26.214	27.655	43.131
8/26/2008 11:40	4492.001	26.213	27.627	43.198
8/26/2008 11:40	4493.001	26.210	27.640	43.166
8/26/2008 11:40	4494.001	26.209	27.671	43.095
8/26/2008 11:40	4495.082	26.223	27.648	43.148
8/26/2008 11:40	4496.001	26.214	27.677	43.080
8/26/2008 11:40	4497.001	26.209	27.600	43.260
8/26/2008 11:41	4498.001	26.209	27.624	43.204
8/26/2008 11:41	4499.001	26.210	27.683	43.068
8/26/2008 11:41	4500.098	26.222	27.643	43.161
8/26/2008 11:41	4501.001	26.216	27.669	43.100
8/26/2008 11:41	4502.001	26.212	27.663	43.114
8/26/2008 11:41	4503.001	26.210	27.638	43.171
8/26/2008 11:41	4504.001	26.209	27.674	43.088
8/26/2008 11:41	4505.082	26.219	27.645	43.155
8/26/2008 11:41	4506.001	26.213	27.613	43.230
8/26/2008 11:41	4507.001	26.213	27.633	43.183

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:41	4508.001	26.209	27.656	43.129
8/26/2008 11:41	4509.001	26.209	27.624	43.202
8/26/2008 11:41	4510.097	26.221	27.688	43.055
8/26/2008 11:41	4511.001	26.214	27.598	43.263
8/26/2008 11:41	4512.001	26.213	27.661	43.118
8/26/2008 11:41	4513.001	26.209	27.647	43.150
8/26/2008 11:41	4514.001	26.210	27.609	43.237
8/26/2008 11:41	4515.081	26.223	27.590	43.282
8/26/2008 11:41	4516.001	26.217	27.617	43.220
8/26/2008 11:41	4517.001	26.213	27.693	43.044
8/26/2008 11:41	4518.001	26.209	27.607	43.244
8/26/2008 11:41	4519.001	26.210	27.644	43.157
8/26/2008 11:41	4520.001	26.220	27.617	43.220
8/26/2008 11:41	4521.001	26.213	27.655	43.132
8/26/2008 11:41	4522.001	26.209	27.592	43.277
8/26/2008 11:41	4523.001	26.211	27.608	43.241
8/26/2008 11:41	4524.001	26.209	27.688	43.056
8/26/2008 11:41	4525.080	26.219	27.658	43.124
8/26/2008 11:41	4526.001	26.215	27.704	43.020
8/26/2008 11:41	4527.001	26.209	27.638	43.172
8/26/2008 11:41	4528.001	26.209	27.607	43.242
8/26/2008 11:41	4529.001	26.211	27.626	43.199
8/26/2008 11:41	4530.096	26.218	27.641	43.164
8/26/2008 11:41	4531.001	26.216	27.602	43.253
8/26/2008 11:41	4532.001	26.210	27.605	43.247
8/26/2008 11:41	4533.001	26.210	27.662	43.117
8/26/2008 11:41	4534.001	26.210	27.596	43.268
8/26/2008 11:41	4535.081	26.221	27.613	43.228
8/26/2008 11:41	4536.001	26.215	27.623	43.206
8/26/2008 11:41	4537.001	26.210	27.590	43.283
8/26/2008 11:41	4538.001	26.210	27.628	43.193
8/26/2008 11:41	4539.001	26.213	27.680	43.074
8/26/2008 11:41	4540.096	26.222	27.602	43.255
8/26/2008 11:41	4541.001	26.214	27.664	43.112
8/26/2008 11:41	4542.001	26.212	27.618	43.218
8/26/2008 11:41	4543.001	26.211	27.606	43.245
8/26/2008 11:41	4544.001	26.208	27.631	43.187
8/26/2008 11:41	4545.079	26.224	27.601	43.257
8/26/2008 11:41	4546.001	26.216	27.708	43.009
8/26/2008 11:41	4547.001	26.214	27.581	43.303
8/26/2008 11:41	4548.001	26.213	27.693	43.045
8/26/2008 11:41	4549.001	26.212	27.553	43.368
8/26/2008 11:41	4550.079	26.220	27.574	43.320
8/26/2008 11:41	4551.001	26.215	27.575	43.316
8/26/2008 11:41	4552.001	26.212	27.623	43.206
8/26/2008 11:41	4553.001	26.210	27.635	43.178
8/26/2008 11:41	4554.001	26.212	27.622	43.209
8/26/2008 11:41	4555.078	26.221	27.593	43.276
8/26/2008 11:41	4556.001	26.215	27.618	43.217

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:41	4557.001	26.214	27.707	43.013
8/26/2008 11:42	4558.001	26.211	27.593	43.274
8/26/2008 11:42	4559.001	26.211	27.654	43.133
8/26/2008 11:42	4560.094	26.222	27.592	43.276
8/26/2008 11:42	4561.001	26.215	27.614	43.227
8/26/2008 11:42	4562.001	26.210	27.659	43.122
8/26/2008 11:42	4563.001	26.210	27.533	43.414
8/26/2008 11:42	4564.001	26.210	27.641	43.163
8/26/2008 11:42	4565.078	26.221	27.560	43.352
8/26/2008 11:42	4566.001	26.214	27.560	43.350
8/26/2008 11:42	4567.001	26.211	27.604	43.249
8/26/2008 11:42	4568.001	26.209	27.635	43.177
8/26/2008 11:42	4569.001	26.209	27.570	43.328
8/26/2008 11:42	4570.094	26.221	27.578	43.310
8/26/2008 11:42	4571.001	26.215	27.586	43.291
8/26/2008 11:42	4572.001	26.212	27.640	43.167
8/26/2008 11:42	4573.001	26.210	27.653	43.136
8/26/2008 11:42	4574.001	26.210	27.549	43.377
8/26/2008 11:42	4575.078	26.220	27.613	43.228
8/26/2008 11:42	4576.001	26.216	27.680	43.074
8/26/2008 11:42	4577.001	26.209	27.560	43.352
8/26/2008 11:42	4578.001	26.213	27.608	43.239
8/26/2008 11:42	4579.001	26.210	27.630	43.189
8/26/2008 11:42	4580.001	26.224	27.663	43.113
8/26/2008 11:42	4581.001	26.213	27.575	43.316
8/26/2008 11:42	4582.001	26.211	27.645	43.155
8/26/2008 11:42	4583.001	26.209	27.590	43.281
8/26/2008 11:42	4584.001	26.209	27.585	43.294
8/26/2008 11:42	4585.078	26.221	27.634	43.180
8/26/2008 11:42	4586.001	26.215	27.612	43.230
8/26/2008 11:42	4587.001	26.213	27.512	43.462
8/26/2008 11:42	4588.001	26.210	27.620	43.213
8/26/2008 11:42	4589.001	26.210	27.594	43.273
8/26/2008 11:42	4590.093	26.219	27.628	43.194
8/26/2008 11:42	4591.001	26.214	27.576	43.315
8/26/2008 11:42	4592.001	26.211	27.603	43.252
8/26/2008 11:42	4593.001	26.209	27.588	43.286
8/26/2008 11:42	4594.001	26.208	27.608	43.239
8/26/2008 11:42	4595.077	26.217	27.634	43.180
8/26/2008 11:42	4596.001	26.215	27.627	43.196
8/26/2008 11:42	4597.001	26.210	27.543	43.391
8/26/2008 11:42	4598.001	26.208	27.569	43.331
8/26/2008 11:42	4599.001	26.209	27.606	43.245
8/26/2008 11:42	4600.092	26.219	27.627	43.197
8/26/2008 11:42	4601.001	26.212	27.584	43.297
8/26/2008 11:42	4602.001	26.210	27.592	43.277
8/26/2008 11:42	4603.001	26.209	27.537	43.404
8/26/2008 11:42	4604.001	26.208	27.675	43.087
8/26/2008 11:42	4605.077	26.217	27.601	43.256

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:42	4606.001	26.211	27.614	43.226
8/26/2008 11:42	4607.001	26.212	27.584	43.297
8/26/2008 11:42	4608.001	26.209	27.622	43.207
8/26/2008 11:42	4609.001	26.204	27.588	43.286
8/26/2008 11:42	4610.092	26.219	27.619	43.216
8/26/2008 11:42	4611.001	26.214	27.632	43.185
8/26/2008 11:42	4612.001	26.209	27.619	43.216
8/26/2008 11:42	4613.001	26.208	27.639	43.168
8/26/2008 11:42	4614.001	26.206	27.588	43.287
8/26/2008 11:42	4615.076	26.220	27.656	43.130
8/26/2008 11:42	4616.001	26.212	27.627	43.198
8/26/2008 11:42	4617.001	26.212	27.554	43.366
8/26/2008 11:43	4618.001	26.210	27.582	43.299
8/26/2008 11:43	4619.001	26.206	27.558	43.357
8/26/2008 11:43	4620.092	26.220	27.660	43.121
8/26/2008 11:43	4621.001	26.212	27.624	43.202
8/26/2008 11:43	4622.001	26.209	27.614	43.226
8/26/2008 11:43	4623.001	26.206	27.611	43.235
8/26/2008 11:43	4624.001	26.207	27.587	43.288
8/26/2008 11:43	4625.076	26.219	27.556	43.359
8/26/2008 11:43	4626.001	26.212	27.539	43.400
8/26/2008 11:43	4627.001	26.211	27.538	43.401
8/26/2008 11:43	4628.001	26.207	27.603	43.252
8/26/2008 11:43	4629.001	26.206	27.520	43.443
8/26/2008 11:43	4630.091	26.218	27.597	43.265
8/26/2008 11:43	4631.001	26.211	27.601	43.257
8/26/2008 11:43	4632.001	26.209	27.637	43.174
8/26/2008 11:43	4633.001	26.207	27.574	43.318
8/26/2008 11:43	4634.001	26.205	27.533	43.415
8/26/2008 11:43	4635.075	26.218	27.599	43.261
8/26/2008 11:43	4636.001	26.212	27.582	43.301
8/26/2008 11:43	4637.001	26.210	27.507	43.473
8/26/2008 11:43	4638.001	26.208	27.627	43.198
8/26/2008 11:43	4639.001	26.209	27.637	43.173
8/26/2008 11:43	4640.001	26.217	27.615	43.225
8/26/2008 11:43	4641.001	26.212	27.575	43.317
8/26/2008 11:43	4642.001	26.208	27.587	43.288
8/26/2008 11:43	4643.001	26.209	27.543	43.391
8/26/2008 11:43	4644.001	26.208	27.647	43.151
8/26/2008 11:43	4645.075	26.218	27.583	43.298
8/26/2008 11:43	4646.001	26.211	27.619	43.215
8/26/2008 11:43	4647.001	26.209	27.538	43.403
8/26/2008 11:43	4648.001	26.209	27.573	43.321
8/26/2008 11:43	4649.001	26.204	27.590	43.282
8/26/2008 11:43	4650.090	26.216	27.557	43.358
8/26/2008 11:43	4651.001	26.211	27.571	43.327
8/26/2008 11:43	4652.001	26.211	27.544	43.389
8/26/2008 11:43	4653.001	26.207	27.556	43.359
8/26/2008 11:43	4654.001	26.208	27.555	43.362

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:43	4655.075	26.218	27.544	43.388
8/26/2008 11:43	4656.001	26.212	27.653	43.136
8/26/2008 11:43	4657.001	26.208	27.527	43.428
8/26/2008 11:43	4658.001	26.205	27.603	43.253
8/26/2008 11:43	4659.001	26.206	27.542	43.392
8/26/2008 11:43	4660.090	26.217	27.543	43.390
8/26/2008 11:43	4661.001	26.208	27.587	43.289
8/26/2008 11:43	4662.001	26.208	27.596	43.269
8/26/2008 11:43	4663.001	26.207	27.519	43.446
8/26/2008 11:43	4664.001	26.207	27.623	43.207
8/26/2008 11:43	4665.074	26.216	27.592	43.278
8/26/2008 11:43	4666.001	26.211	27.562	43.347
8/26/2008 11:43	4667.001	26.207	27.582	43.300
8/26/2008 11:43	4668.001	26.205	27.565	43.339
8/26/2008 11:43	4669.001	26.205	27.597	43.265
8/26/2008 11:43	4670.089	26.216	27.566	43.337
8/26/2008 11:43	4671.001	26.211	27.527	43.429
8/26/2008 11:43	4672.001	26.207	27.587	43.288
8/26/2008 11:43	4673.001	26.205	27.566	43.338
8/26/2008 11:43	4674.001	26.206	27.593	43.275
8/26/2008 11:43	4675.074	26.217	27.531	43.418
8/26/2008 11:43	4676.001	26.210	27.613	43.228
8/26/2008 11:43	4677.001	26.206	27.577	43.313
8/26/2008 11:44	4678.001	26.206	27.510	43.468
8/26/2008 11:44	4679.001	26.204	27.608	43.240
8/26/2008 11:44	4680.089	26.216	27.504	43.480
8/26/2008 11:44	4681.001	26.214	27.505	43.479
8/26/2008 11:44	4682.001	26.209	27.579	43.308
8/26/2008 11:44	4683.001	26.206	27.588	43.285
8/26/2008 11:44	4684.001	26.205	27.596	43.268
8/26/2008 11:44	4685.073	26.219	27.528	43.425
8/26/2008 11:44	4686.001	26.211	27.618	43.218
8/26/2008 11:44	4687.001	26.210	27.568	43.333
8/26/2008 11:44	4688.001	26.208	27.603	43.253
8/26/2008 11:44	4689.001	26.206	27.527	43.427
8/26/2008 11:44	4690.088	26.220	27.554	43.365
8/26/2008 11:44	4691.001	26.210	27.582	43.299
8/26/2008 11:44	4692.001	26.206	27.604	43.249
8/26/2008 11:44	4693.001	26.208	27.503	43.483
8/26/2008 11:44	4694.001	26.208	27.564	43.342
8/26/2008 11:44	4695.073	26.217	27.587	43.288
8/26/2008 11:44	4696.001	26.211	27.523	43.437
8/26/2008 11:44	4697.001	26.208	27.634	43.179
8/26/2008 11:44	4698.001	26.208	27.575	43.316
8/26/2008 11:44	4699.001	26.206	27.517	43.451
8/26/2008 11:44	4700.001	26.219	27.648	43.147
8/26/2008 11:44	4701.001	26.211	27.600	43.259
8/26/2008 11:44	4702.001	26.209	27.498	43.494
8/26/2008 11:44	4703.001	26.209	27.658	43.126

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:44	4704.001	26.205	27.478	43.540
8/26/2008 11:44	4705.072	26.218	27.557	43.358
8/26/2008 11:44	4706.001	26.211	27.477	43.542
8/26/2008 11:44	4707.001	26.210	27.543	43.391
8/26/2008 11:44	4708.001	26.210	27.538	43.402
8/26/2008 11:44	4709.001	26.206	27.562	43.346
8/26/2008 11:44	4710.088	26.217	27.556	43.360
8/26/2008 11:44	4711.001	26.210	27.607	43.242
8/26/2008 11:44	4712.001	26.208	27.572	43.323
8/26/2008 11:44	4713.001	26.207	27.606	43.246
8/26/2008 11:44	4714.001	26.205	27.542	43.392
8/26/2008 11:44	4715.072	26.219	27.556	43.360
8/26/2008 11:44	4716.001	26.210	27.563	43.344
8/26/2008 11:44	4717.001	26.209	27.538	43.403
8/26/2008 11:44	4718.001	26.210	27.547	43.381
8/26/2008 11:44	4719.001	26.207	27.549	43.376
8/26/2008 11:44	4720.088	26.217	27.536	43.406
8/26/2008 11:44	4721.001	26.209	27.487	43.521
8/26/2008 11:44	4722.001	26.207	27.523	43.436
8/26/2008 11:44	4723.001	26.207	27.606	43.245
8/26/2008 11:44	4724.001	26.207	27.503	43.482
8/26/2008 11:44	4725.072	26.220	27.538	43.401
8/26/2008 11:44	4726.001	26.212	27.591	43.279
8/26/2008 11:44	4727.001	26.209	27.551	43.373
8/26/2008 11:44	4728.001	26.208	27.551	43.372
8/26/2008 11:44	4729.001	26.205	27.507	43.474
8/26/2008 11:44	4730.071	26.217	27.501	43.488
8/26/2008 11:44	4731.001	26.211	27.487	43.521
8/26/2008 11:44	4732.001	26.209	27.549	43.377
8/26/2008 11:44	4733.001	26.208	27.584	43.297
8/26/2008 11:44	4734.001	26.206	27.482	43.532
8/26/2008 11:44	4735.071	26.217	27.542	43.393
8/26/2008 11:44	4736.001	26.212	27.537	43.404
8/26/2008 11:44	4737.001	26.210	27.563	43.344
8/26/2008 11:45	4738.001	26.207	27.570	43.328
8/26/2008 11:45	4739.001	26.206	27.558	43.357
8/26/2008 11:45	4740.087	26.218	27.580	43.305
8/26/2008 11:45	4741.001	26.211	27.436	43.637
8/26/2008 11:45	4742.001	26.206	27.558	43.357
8/26/2008 11:45	4743.001	26.207	27.536	43.407
8/26/2008 11:45	4744.001	26.206	27.471	43.558
8/26/2008 11:45	4745.070	26.219	27.541	43.395
8/26/2008 11:45	4746.001	26.212	27.520	43.444
8/26/2008 11:45	4747.001	26.208	27.522	43.439
8/26/2008 11:45	4748.001	26.205	27.504	43.480
8/26/2008 11:45	4749.001	26.208	27.593	43.274
8/26/2008 11:45	4750.086	26.218	27.589	43.284
8/26/2008 11:45	4751.001	26.212	27.544	43.388
8/26/2008 11:45	4752.001	26.209	27.588	43.287

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:45	4753.001	26.208	27.581	43.304
8/26/2008 11:45	4754.001	26.208	27.476	43.545
8/26/2008 11:45	4755.071	26.221	27.486	43.521
8/26/2008 11:45	4756.001	26.214	27.541	43.394
8/26/2008 11:45	4757.001	26.211	27.583	43.297
8/26/2008 11:45	4758.001	26.209	27.422	43.670
8/26/2008 11:45	4759.001	26.206	27.502	43.485
8/26/2008 11:45	4760.001	26.220	27.595	43.270
8/26/2008 11:45	4761.001	26.210	27.561	43.348
8/26/2008 11:45	4762.001	26.208	27.521	43.441
8/26/2008 11:45	4763.001	26.205	27.537	43.405
8/26/2008 11:45	4764.001	26.207	27.497	43.496
8/26/2008 11:45	4765.070	26.217	27.537	43.404
8/26/2008 11:45	4766.001	26.216	27.575	43.316
8/26/2008 11:45	4767.001	26.211	27.543	43.391
8/26/2008 11:45	4768.001	26.207	27.529	43.423
8/26/2008 11:45	4769.001	26.208	27.514	43.458
8/26/2008 11:45	4770.085	26.221	27.525	43.431
8/26/2008 11:45	4771.001	26.215	27.557	43.358
8/26/2008 11:45	4772.001	26.212	27.495	43.502
8/26/2008 11:45	4773.001	26.211	27.539	43.401
8/26/2008 11:45	4774.001	26.210	27.489	43.516
8/26/2008 11:45	4775.069	26.219	27.506	43.477
8/26/2008 11:45	4776.001	26.213	27.551	43.372
8/26/2008 11:45	4777.001	26.214	27.534	43.412
8/26/2008 11:45	4778.001	26.212	27.559	43.354
8/26/2008 11:45	4779.001	26.209	27.544	43.388
8/26/2008 11:45	4780.085	26.222	27.536	43.407
8/26/2008 11:45	4781.001	26.217	27.469	43.562
8/26/2008 11:45	4782.001	26.211	27.504	43.481
8/26/2008 11:45	4783.001	26.211	27.527	43.427
8/26/2008 11:45	4784.001	26.212	27.557	43.357
8/26/2008 11:45	4785.070	26.222	27.533	43.414
8/26/2008 11:45	4786.001	26.217	27.476	43.545
8/26/2008 11:45	4787.001	26.214	27.564	43.342
8/26/2008 11:45	4788.001	26.212	27.564	43.343
8/26/2008 11:45	4789.001	26.215	27.555	43.364
8/26/2008 11:45	4790.085	26.223	27.554	43.366
8/26/2008 11:45	4791.001	26.217	27.570	43.328
8/26/2008 11:45	4792.001	26.213	27.548	43.378
8/26/2008 11:45	4793.001	26.213	27.459	43.586
8/26/2008 11:45	4794.001	26.213	27.479	43.538
8/26/2008 11:45	4795.069	26.226	27.450	43.606
8/26/2008 11:45	4796.001	26.218	27.505	43.477
8/26/2008 11:45	4797.001	26.215	27.466	43.569
8/26/2008 11:46	4798.001	26.216	27.516	43.452
8/26/2008 11:46	4799.001	26.213	27.490	43.513
8/26/2008 11:46	4800.085	26.223	27.479	43.538
8/26/2008 11:46	4801.001	26.220	27.530	43.421

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:46	4802.001	26.213	27.571	43.326
8/26/2008 11:46	4803.001	26.214	27.534	43.410
8/26/2008 11:46	4804.001	26.216	27.449	43.607
8/26/2008 11:46	4805.070	26.227	27.504	43.480
8/26/2008 11:46	4806.001	26.221	27.486	43.522
8/26/2008 11:46	4807.001	26.217	27.540	43.398
8/26/2008 11:46	4808.001	26.217	27.511	43.466
8/26/2008 11:46	4809.001	26.215	27.510	43.466
8/26/2008 11:46	4810.085	26.225	27.511	43.466
8/26/2008 11:46	4811.001	26.219	27.538	43.402
8/26/2008 11:46	4812.001	26.218	27.581	43.303
8/26/2008 11:46	4813.001	26.218	27.493	43.506
8/26/2008 11:46	4814.001	26.218	27.553	43.369
8/26/2008 11:46	4815.069	26.228	27.521	43.441
8/26/2008 11:46	4816.001	26.222	27.550	43.374
8/26/2008 11:46	4817.001	26.220	27.442	43.623
8/26/2008 11:46	4818.001	26.218	27.512	43.462
8/26/2008 11:46	4819.001	26.219	27.521	43.442
8/26/2008 11:46	4820.210	26.225	27.529	43.424
8/26/2008 11:46	4821.001	26.225	27.540	43.397
8/26/2008 11:46	4822.001	26.222	27.523	43.437
8/26/2008 11:46	4823.001	26.220	27.487	43.520
8/26/2008 11:46	4824.001	26.215	27.556	43.360
8/26/2008 11:46	4825.068	26.230	27.534	43.411
8/26/2008 11:46	4826.001	26.224	27.546	43.383
8/26/2008 11:46	4827.001	26.220	27.539	43.400
8/26/2008 11:46	4828.001	26.220	27.504	43.479
8/26/2008 11:46	4829.001	26.219	27.516	43.453
8/26/2008 11:46	4830.083	26.233	27.532	43.417
8/26/2008 11:46	4831.001	26.226	27.487	43.520
8/26/2008 11:46	4832.001	26.222	27.509	43.468
8/26/2008 11:46	4833.001	26.223	27.482	43.532
8/26/2008 11:46	4834.001	26.221	27.551	43.372
8/26/2008 11:46	4835.067	26.234	27.504	43.481
8/26/2008 11:46	4836.001	26.229	27.489	43.516
8/26/2008 11:46	4837.001	26.224	27.475	43.547
8/26/2008 11:46	4838.001	26.224	27.508	43.472
8/26/2008 11:46	4839.001	26.220	27.511	43.466
8/26/2008 11:46	4840.067	26.235	27.494	43.504
8/26/2008 11:46	4841.001	26.227	27.488	43.517
8/26/2008 11:46	4842.001	26.226	27.536	43.406
8/26/2008 11:46	4843.001	26.224	27.507	43.474
8/26/2008 11:46	4844.001	26.223	27.490	43.514
8/26/2008 11:46	4845.067	26.236	27.497	43.497
8/26/2008 11:46	4846.001	26.231	27.490	43.512
8/26/2008 11:46	4847.001	26.228	27.575	43.317
8/26/2008 11:46	4848.001	26.227	27.492	43.508
8/26/2008 11:46	4849.001	26.224	27.523	43.437
8/26/2008 11:46	4850.093	26.237	27.495	43.502

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:46	4851.001	26.230	27.514	43.456
8/26/2008 11:46	4852.001	26.230	27.545	43.385
8/26/2008 11:46	4853.001	26.225	27.491	43.511
8/26/2008 11:46	4854.001	26.223	27.528	43.425
8/26/2008 11:46	4855.066	26.238	27.575	43.316
8/26/2008 11:46	4856.001	26.232	27.559	43.354
8/26/2008 11:46	4857.001	26.230	27.524	43.434
8/26/2008 11:47	4858.001	26.228	27.456	43.591
8/26/2008 11:47	4859.001	26.228	27.502	43.484
8/26/2008 11:47	4860.082	26.240	27.500	43.491
8/26/2008 11:47	4861.001	26.233	27.493	43.505
8/26/2008 11:47	4862.001	26.232	27.510	43.467
8/26/2008 11:47	4863.001	26.229	27.525	43.432
8/26/2008 11:47	4864.001	26.231	27.469	43.561
8/26/2008 11:47	4865.066	26.240	27.480	43.537
8/26/2008 11:47	4866.001	26.233	27.473	43.551
8/26/2008 11:47	4867.001	26.230	27.538	43.403
8/26/2008 11:47	4868.001	26.230	27.489	43.516
8/26/2008 11:47	4869.001	26.230	27.530	43.421
8/26/2008 11:47	4870.081	26.242	27.504	43.480
8/26/2008 11:47	4871.001	26.238	27.556	43.361
8/26/2008 11:47	4872.001	26.234	27.448	43.611
8/26/2008 11:47	4873.001	26.231	27.554	43.365
8/26/2008 11:47	4874.001	26.231	27.462	43.578
8/26/2008 11:47	4875.065	26.243	27.515	43.455
8/26/2008 11:47	4876.001	26.237	27.504	43.481
8/26/2008 11:47	4877.001	26.234	27.466	43.568
8/26/2008 11:47	4878.001	26.232	27.545	43.386
8/26/2008 11:47	4879.001	26.232	27.448	43.610
8/26/2008 11:47	4880.206	26.243	27.541	43.395
8/26/2008 11:47	4881.001	26.237	27.424	43.664
8/26/2008 11:47	4882.001	26.235	27.554	43.366
8/26/2008 11:47	4883.001	26.233	27.475	43.548
8/26/2008 11:47	4884.001	26.230	27.556	43.360
8/26/2008 11:47	4885.065	26.243	27.446	43.614
8/26/2008 11:47	4886.001	26.240	27.567	43.334
8/26/2008 11:47	4887.001	26.235	27.482	43.531
8/26/2008 11:47	4888.001	26.233	27.434	43.643
8/26/2008 11:47	4889.001	26.233	27.529	43.423
8/26/2008 11:47	4890.080	26.245	27.597	43.265
8/26/2008 11:47	4891.001	26.235	27.474	43.549
8/26/2008 11:47	4892.001	26.237	27.495	43.501
8/26/2008 11:47	4893.001	26.236	27.603	43.253
8/26/2008 11:47	4894.001	26.237	27.447	43.612
8/26/2008 11:47	4895.064	26.247	27.490	43.514
8/26/2008 11:47	4896.001	26.237	27.517	43.451
8/26/2008 11:47	4897.001	26.237	27.510	43.466
8/26/2008 11:47	4898.001	26.237	27.446	43.614
8/26/2008 11:47	4899.001	26.236	27.513	43.460

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:47	4900.079	26.246	27.505	43.477
8/26/2008 11:47	4901.001	26.242	27.475	43.548
8/26/2008 11:47	4902.001	26.239	27.529	43.422
8/26/2008 11:47	4903.001	26.237	27.484	43.526
8/26/2008 11:47	4904.001	26.235	27.548	43.380
8/26/2008 11:47	4905.064	26.249	27.539	43.400
8/26/2008 11:47	4906.001	26.240	27.487	43.520
8/26/2008 11:47	4907.001	26.239	27.499	43.493
8/26/2008 11:47	4908.001	26.240	27.497	43.496
8/26/2008 11:47	4909.001	26.236	27.421	43.673
8/26/2008 11:47	4910.078	26.249	27.470	43.560
8/26/2008 11:47	4911.001	26.244	27.483	43.528
8/26/2008 11:47	4912.001	26.242	27.441	43.626
8/26/2008 11:47	4913.001	26.240	27.448	43.610
8/26/2008 11:47	4914.001	26.237	27.542	43.394
8/26/2008 11:47	4915.063	26.249	27.504	43.480
8/26/2008 11:47	4916.001	26.244	27.477	43.542
8/26/2008 11:47	4917.001	26.236	27.500	43.491
8/26/2008 11:48	4918.001	26.240	27.460	43.581
8/26/2008 11:48	4919.001	26.238	27.441	43.626
8/26/2008 11:48	4920.078	26.249	27.469	43.562
8/26/2008 11:48	4921.001	26.245	27.451	43.602
8/26/2008 11:48	4922.001	26.242	27.489	43.515
8/26/2008 11:48	4923.001	26.238	27.552	43.369
8/26/2008 11:48	4924.001	26.239	27.457	43.590
8/26/2008 11:48	4925.062	26.247	27.476	43.545
8/26/2008 11:48	4926.001	26.241	27.465	43.570
8/26/2008 11:48	4927.001	26.238	27.472	43.554
8/26/2008 11:48	4928.001	26.241	27.438	43.633
8/26/2008 11:48	4929.001	26.237	27.507	43.474
8/26/2008 11:48	4930.078	26.249	27.512	43.463
8/26/2008 11:48	4931.001	26.244	27.543	43.391
8/26/2008 11:48	4932.001	26.241	27.444	43.618
8/26/2008 11:48	4933.001	26.238	27.509	43.468
8/26/2008 11:48	4934.001	26.237	27.411	43.695
8/26/2008 11:48	4935.062	26.250	27.448	43.610
8/26/2008 11:48	4936.001	26.245	27.492	43.508
8/26/2008 11:48	4937.001	26.240	27.531	43.419
8/26/2008 11:48	4938.001	26.239	27.464	43.572
8/26/2008 11:48	4939.001	26.239	27.472	43.554
8/26/2008 11:48	4940.203	26.248	27.467	43.567
8/26/2008 11:48	4941.001	26.244	27.478	43.541
8/26/2008 11:48	4942.001	26.242	27.488	43.518
8/26/2008 11:48	4943.001	26.240	27.531	43.418
8/26/2008 11:48	4944.001	26.238	27.473	43.552
8/26/2008 11:48	4945.062	26.249	27.500	43.491
8/26/2008 11:48	4946.001	26.245	27.458	43.586
8/26/2008 11:48	4947.001	26.241	27.504	43.480
8/26/2008 11:48	4948.001	26.242	27.472	43.554

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:48	4949.001	26.241	27.449	43.608
8/26/2008 11:48	4950.077	26.250	27.460	43.582
8/26/2008 11:48	4951.001	26.244	27.504	43.481
8/26/2008 11:48	4952.001	26.241	27.454	43.597
8/26/2008 11:48	4953.001	26.239	27.504	43.481
8/26/2008 11:48	4954.001	26.240	27.444	43.620
8/26/2008 11:48	4955.061	26.255	27.501	43.488
8/26/2008 11:48	4956.001	26.244	27.449	43.608
8/26/2008 11:48	4957.001	26.240	27.455	43.593
8/26/2008 11:48	4958.001	26.238	27.521	43.442
8/26/2008 11:48	4959.001	26.239	27.463	43.574
8/26/2008 11:48	4960.061	26.250	27.499	43.492
8/26/2008 11:48	4961.001	26.248	27.451	43.602
8/26/2008 11:48	4962.001	26.242	27.433	43.645
8/26/2008 11:48	4963.001	26.240	27.473	43.553
8/26/2008 11:48	4964.001	26.238	27.491	43.510
8/26/2008 11:48	4965.061	26.255	27.428	43.656
8/26/2008 11:48	4966.001	26.245	27.449	43.609
8/26/2008 11:48	4967.001	26.241	27.430	43.650
8/26/2008 11:48	4968.001	26.240	27.444	43.620
8/26/2008 11:48	4969.001	26.240	27.454	43.597
8/26/2008 11:48	4970.076	26.253	27.450	43.606
8/26/2008 11:48	4971.001	26.243	27.487	43.519
8/26/2008 11:48	4972.001	26.240	27.449	43.609
8/26/2008 11:48	4973.001	26.240	27.502	43.485
8/26/2008 11:48	4974.001	26.243	27.492	43.508
8/26/2008 11:48	4975.060	26.252	27.410	43.697
8/26/2008 11:48	4976.001	26.244	27.450	43.606
8/26/2008 11:48	4977.001	26.243	27.406	43.706
8/26/2008 11:49	4978.001	26.241	27.503	43.484
8/26/2008 11:49	4979.001	26.241	27.516	43.452
8/26/2008 11:49	4980.076	26.253	27.485	43.524
8/26/2008 11:49	4981.001	26.246	27.472	43.553
8/26/2008 11:49	4982.001	26.241	27.470	43.558
8/26/2008 11:49	4983.001	26.241	27.483	43.528
8/26/2008 11:49	4984.001	26.239	27.481	43.534
8/26/2008 11:49	4985.060	26.253	27.521	43.442
8/26/2008 11:49	4986.001	26.246	27.519	43.445
8/26/2008 11:49	4987.001	26.245	27.478	43.541
8/26/2008 11:49	4988.001	26.241	27.449	43.607
8/26/2008 11:49	4989.001	26.241	27.534	43.410
8/26/2008 11:49	4990.075	26.251	27.470	43.559
8/26/2008 11:49	4991.001	26.245	27.454	43.595
8/26/2008 11:49	4992.001	26.244	27.459	43.584
8/26/2008 11:49	4993.001	26.241	27.436	43.638
8/26/2008 11:49	4994.001	26.241	27.457	43.589
8/26/2008 11:49	4995.059	26.251	27.477	43.542
8/26/2008 11:49	4996.001	26.245	27.464	43.573
8/26/2008 11:49	4997.001	26.244	27.453	43.598

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:49	4998.001	26.243	27.483	43.530
8/26/2008 11:49	4999.001	26.241	27.487	43.521
8/26/2008 11:49	5000.200	26.249	27.562	43.347
8/26/2008 11:49	5001.001	26.249	27.437	43.634
8/26/2008 11:49	5002.001	26.243	27.446	43.613
8/26/2008 11:49	5003.001	26.243	27.486	43.523
8/26/2008 11:49	5004.001	26.238	27.477	43.542
8/26/2008 11:49	5005.059	26.253	27.478	43.540
8/26/2008 11:49	5006.001	26.246	27.427	43.658
8/26/2008 11:49	5007.001	26.242	27.479	43.539
8/26/2008 11:49	5008.001	26.241	27.544	43.387
8/26/2008 11:49	5009.001	26.240	27.498	43.495
8/26/2008 11:49	5010.075	26.252	27.514	43.456
8/26/2008 11:49	5011.001	26.244	27.446	43.613
8/26/2008 11:49	5012.001	26.240	27.446	43.613
8/26/2008 11:49	5013.001	26.242	27.436	43.638
8/26/2008 11:49	5014.001	26.240	27.456	43.591
8/26/2008 11:49	5015.059	26.249	27.487	43.519
8/26/2008 11:49	5016.001	26.244	27.500	43.490
8/26/2008 11:49	5017.001	26.244	27.473	43.552
8/26/2008 11:49	5018.001	26.242	27.430	43.652
8/26/2008 11:49	5019.001	26.242	27.554	43.364
8/26/2008 11:49	5020.074	26.250	27.476	43.546
8/26/2008 11:49	5021.001	26.246	27.448	43.611
8/26/2008 11:49	5022.001	26.245	27.484	43.527
8/26/2008 11:49	5023.001	26.242	27.471	43.556
8/26/2008 11:49	5024.001	26.243	27.417	43.681
8/26/2008 11:49	5025.058	26.253	27.420	43.674
8/26/2008 11:49	5026.001	26.248	27.495	43.502
8/26/2008 11:49	5027.001	26.243	27.456	43.592
8/26/2008 11:49	5028.001	26.241	27.432	43.647
8/26/2008 11:49	5029.001	26.240	27.479	43.538
8/26/2008 11:49	5030.074	26.252	27.423	43.667
8/26/2008 11:49	5031.001	26.247	27.477	43.542
8/26/2008 11:49	5032.001	26.242	27.446	43.613
8/26/2008 11:49	5033.001	26.241	27.444	43.619
8/26/2008 11:49	5034.001	26.243	27.461	43.579
8/26/2008 11:49	5035.058	26.252	27.481	43.533
8/26/2008 11:49	5036.001	26.247	27.467	43.566
8/26/2008 11:49	5037.001	26.244	27.474	43.551
8/26/2008 11:50	5038.001	26.241	27.417	43.680
8/26/2008 11:50	5039.001	26.239	27.471	43.558
8/26/2008 11:50	5040.073	26.250	27.437	43.634
8/26/2008 11:50	5041.001	26.246	27.501	43.487
8/26/2008 11:50	5042.001	26.243	27.420	43.674
8/26/2008 11:50	5043.001	26.244	27.492	43.509
8/26/2008 11:50	5044.001	26.243	27.447	43.612
8/26/2008 11:50	5045.058	26.254	27.458	43.586
8/26/2008 11:50	5046.001	26.248	27.404	43.711

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:50	5047.001	26.244	27.539	43.401
8/26/2008 11:50	5048.001	26.242	27.513	43.460
8/26/2008 11:50	5049.001	26.242	27.477	43.542
8/26/2008 11:50	5050.073	26.254	27.465	43.570
8/26/2008 11:50	5051.001	26.247	27.483	43.528
8/26/2008 11:50	5052.001	26.242	27.434	43.642
8/26/2008 11:50	5053.001	26.245	27.468	43.563
8/26/2008 11:50	5054.001	26.242	27.456	43.591
8/26/2008 11:50	5055.057	26.253	27.433	43.644
8/26/2008 11:50	5056.001	26.248	27.456	43.591
8/26/2008 11:50	5057.001	26.245	27.469	43.561
8/26/2008 11:50	5058.001	26.243	27.506	43.476
8/26/2008 11:50	5059.001	26.240	27.384	43.758
8/26/2008 11:50	5060.197	26.250	27.436	43.637
8/26/2008 11:50	5061.001	26.245	27.463	43.575
8/26/2008 11:50	5062.001	26.244	27.497	43.497
8/26/2008 11:50	5063.001	26.242	27.375	43.779
8/26/2008 11:50	5064.001	26.242	27.482	43.531
8/26/2008 11:50	5065.057	26.251	27.429	43.654
8/26/2008 11:50	5066.001	26.246	27.445	43.617
8/26/2008 11:50	5067.001	26.243	27.449	43.609
8/26/2008 11:50	5068.001	26.241	27.394	43.735
8/26/2008 11:50	5069.001	26.242	27.480	43.536
8/26/2008 11:50	5070.072	26.251	27.486	43.522
8/26/2008 11:50	5071.001	26.245	27.477	43.542
8/26/2008 11:50	5072.001	26.243	27.397	43.728
8/26/2008 11:50	5073.001	26.241	27.430	43.652
8/26/2008 11:50	5074.001	26.243	27.466	43.567
8/26/2008 11:50	5075.056	26.252	27.469	43.561
8/26/2008 11:50	5076.001	26.246	27.418	43.680
8/26/2008 11:50	5077.001	26.242	27.488	43.518
8/26/2008 11:50	5078.001	26.244	27.436	43.638
8/26/2008 11:50	5079.001	26.241	27.420	43.675
8/26/2008 11:50	5080.072	26.251	27.416	43.684
8/26/2008 11:50	5081.001	26.245	27.513	43.459
8/26/2008 11:50	5082.001	26.242	27.423	43.668
8/26/2008 11:50	5083.001	26.240	27.443	43.621
8/26/2008 11:50	5084.001	26.240	27.442	43.623
8/26/2008 11:50	5085.056	26.252	27.394	43.735
8/26/2008 11:50	5086.001	26.247	27.439	43.630
8/26/2008 11:50	5087.001	26.244	27.480	43.536
8/26/2008 11:50	5088.001	26.240	27.415	43.685
8/26/2008 11:50	5089.001	26.241	27.472	43.554
8/26/2008 11:50	5090.071	26.251	27.448	43.610
8/26/2008 11:50	5091.001	26.246	27.406	43.707
8/26/2008 11:50	5092.001	26.242	27.456	43.591
8/26/2008 11:50	5093.001	26.241	27.436	43.637
8/26/2008 11:50	5094.001	26.241	27.395	43.733
8/26/2008 11:50	5095.056	26.251	27.456	43.592

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:50	5096.001	26.247	27.511	43.465
8/26/2008 11:50	5097.001	26.241	27.431	43.650
8/26/2008 11:51	5098.001	26.240	27.416	43.684
8/26/2008 11:51	5099.001	26.240	27.474	43.550
8/26/2008 11:51	5100.071	26.252	27.454	43.596
8/26/2008 11:51	5101.001	26.245	27.448	43.610
8/26/2008 11:51	5102.001	26.244	27.440	43.627
8/26/2008 11:51	5103.001	26.241	27.517	43.451
8/26/2008 11:51	5104.001	26.242	27.389	43.746
8/26/2008 11:51	5105.055	26.253	27.465	43.571
8/26/2008 11:51	5106.001	26.246	27.432	43.647
8/26/2008 11:51	5107.001	26.241	27.420	43.674
8/26/2008 11:51	5108.001	26.240	27.416	43.685
8/26/2008 11:51	5109.001	26.242	27.506	43.476
8/26/2008 11:51	5110.070	26.254	27.382	43.762
8/26/2008 11:51	5111.001	26.249	27.446	43.614
8/26/2008 11:51	5112.001	26.245	27.450	43.604
8/26/2008 11:51	5113.001	26.241	27.471	43.557
8/26/2008 11:51	5114.001	26.241	27.396	43.730
8/26/2008 11:51	5115.055	26.251	27.484	43.527
8/26/2008 11:51	5116.001	26.246	27.432	43.648
8/26/2008 11:51	5117.001	26.242	27.466	43.567
8/26/2008 11:51	5118.001	26.244	27.380	43.768
8/26/2008 11:51	5119.001	26.242	27.465	43.571
8/26/2008 11:51	5120.195	26.250	27.382	43.761
8/26/2008 11:51	5121.001	26.248	27.395	43.732
8/26/2008 11:51	5122.001	26.245	27.456	43.592
8/26/2008 11:51	5123.001	26.243	27.369	43.793
8/26/2008 11:51	5124.001	26.244	27.426	43.660
8/26/2008 11:51	5125.054	26.255	27.437	43.636
8/26/2008 11:51	5126.001	26.246	27.480	43.536
8/26/2008 11:51	5127.001	26.244	27.491	43.510
8/26/2008 11:51	5128.001	26.241	27.474	43.550
8/26/2008 11:51	5129.001	26.244	27.399	43.724
8/26/2008 11:51	5130.070	26.257	27.373	43.783
8/26/2008 11:51	5131.001	26.248	27.410	43.698
8/26/2008 11:51	5132.001	26.247	27.416	43.684
8/26/2008 11:51	5133.001	26.246	27.448	43.610
8/26/2008 11:51	5134.001	26.243	27.500	43.491
8/26/2008 11:51	5135.054	26.252	27.341	43.858
8/26/2008 11:51	5136.001	26.248	27.321	43.904
8/26/2008 11:51	5137.001	26.246	27.360	43.813
8/26/2008 11:51	5138.001	26.243	27.444	43.619
8/26/2008 11:51	5139.001	26.243	27.453	43.598
8/26/2008 11:51	5140.069	26.255	27.431	43.649
8/26/2008 11:51	5141.001	26.247	27.465	43.570
8/26/2008 11:51	5142.001	26.245	27.402	43.715
8/26/2008 11:51	5143.001	26.246	27.422	43.670
8/26/2008 11:51	5144.001	26.246	27.469	43.561

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:51	5145.054	26.258	27.416	43.683
8/26/2008 11:51	5146.001	26.249	27.437	43.636
8/26/2008 11:51	5147.001	26.248	27.468	43.564
8/26/2008 11:51	5148.001	26.244	27.413	43.690
8/26/2008 11:51	5149.001	26.243	27.445	43.616
8/26/2008 11:51	5150.069	26.258	27.455	43.595
8/26/2008 11:51	5151.001	26.250	27.429	43.655
8/26/2008 11:51	5152.001	26.249	27.368	43.795
8/26/2008 11:51	5153.001	26.247	27.452	43.601
8/26/2008 11:51	5154.001	26.246	27.457	43.589
8/26/2008 11:51	5155.053	26.255	27.427	43.658
8/26/2008 11:51	5156.001	26.251	27.474	43.550
8/26/2008 11:51	5157.001	26.246	27.397	43.728
8/26/2008 11:52	5158.001	26.249	27.477	43.543
8/26/2008 11:52	5159.001	26.244	27.403	43.713
8/26/2008 11:52	5160.069	26.259	27.341	43.856
8/26/2008 11:52	5161.001	26.248	27.428	43.655
8/26/2008 11:52	5162.001	26.250	27.446	43.614
8/26/2008 11:52	5163.001	26.250	27.425	43.662
8/26/2008 11:52	5164.001	26.248	27.409	43.701
8/26/2008 11:52	5165.053	26.258	27.404	43.711
8/26/2008 11:52	5166.001	26.251	27.476	43.545
8/26/2008 11:52	5167.001	26.248	27.404	43.712
8/26/2008 11:52	5168.001	26.245	27.430	43.651
8/26/2008 11:52	5169.001	26.248	27.374	43.780
8/26/2008 11:52	5170.069	26.259	27.435	43.640
8/26/2008 11:52	5171.001	26.251	27.411	43.695
8/26/2008 11:52	5172.001	26.249	27.419	43.677
8/26/2008 11:52	5173.001	26.247	27.419	43.676
8/26/2008 11:52	5174.001	26.249	27.437	43.634
8/26/2008 11:52	5175.052	26.259	27.379	43.770
8/26/2008 11:52	5176.001	26.251	27.391	43.742
8/26/2008 11:52	5177.001	26.249	27.453	43.598
8/26/2008 11:52	5178.001	26.247	27.377	43.774
8/26/2008 11:52	5179.001	26.250	27.523	43.438
8/26/2008 11:52	5180.193	26.258	27.443	43.622
8/26/2008 11:52	5181.001	26.255	27.457	43.589
8/26/2008 11:52	5182.001	26.250	27.384	43.757
8/26/2008 11:52	5183.001	26.247	27.416	43.685
8/26/2008 11:52	5184.001	26.248	27.424	43.665
8/26/2008 11:52	5185.052	26.260	27.420	43.674
8/26/2008 11:52	5186.001	26.251	27.467	43.566
8/26/2008 11:52	5187.001	26.248	27.402	43.717
8/26/2008 11:52	5188.001	26.248	27.449	43.608
8/26/2008 11:52	5189.001	26.248	27.467	43.567
8/26/2008 11:52	5190.067	26.259	27.405	43.710
8/26/2008 11:52	5191.001	26.252	27.450	43.605
8/26/2008 11:52	5192.001	26.252	27.453	43.598
8/26/2008 11:52	5193.001	26.250	27.406	43.706

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:52	5194.001	26.249	27.445	43.617
8/26/2008 11:52	5195.051	26.260	27.416	43.684
8/26/2008 11:52	5196.001	26.253	27.430	43.651
8/26/2008 11:52	5197.001	26.251	27.407	43.705
8/26/2008 11:52	5198.001	26.251	27.419	43.677
8/26/2008 11:52	5199.001	26.249	27.383	43.759
8/26/2008 11:52	5200.067	26.259	27.471	43.556
8/26/2008 11:52	5201.001	26.254	27.389	43.747
8/26/2008 11:52	5202.001	26.251	27.462	43.578
8/26/2008 11:52	5203.001	26.248	27.442	43.623
8/26/2008 11:52	5204.001	26.249	27.358	43.819
8/26/2008 11:52	5205.051	26.259	27.418	43.680
8/26/2008 11:52	5206.001	26.253	27.398	43.725
8/26/2008 11:52	5207.001	26.250	27.541	43.396
8/26/2008 11:52	5208.001	26.247	27.349	43.839
8/26/2008 11:52	5209.001	26.249	27.425	43.662
8/26/2008 11:52	5210.066	26.262	27.433	43.646
8/26/2008 11:52	5211.001	26.251	27.390	43.744
8/26/2008 11:52	5212.001	26.248	27.447	43.612
8/26/2008 11:52	5213.001	26.250	27.421	43.673
8/26/2008 11:52	5214.001	26.248	27.401	43.718
8/26/2008 11:52	5215.050	26.258	27.480	43.537
8/26/2008 11:52	5216.001	26.252	27.421	43.673
8/26/2008 11:52	5217.001	26.249	27.361	43.811
8/26/2008 11:53	5218.001	26.250	27.435	43.640
8/26/2008 11:53	5219.001	26.250	27.441	43.626
8/26/2008 11:53	5220.066	26.258	27.407	43.706
8/26/2008 11:53	5221.001	26.251	27.418	43.680
8/26/2008 11:53	5222.001	26.246	27.378	43.772
8/26/2008 11:53	5223.001	26.250	27.424	43.665
8/26/2008 11:53	5224.001	26.247	27.484	43.527
8/26/2008 11:53	5225.050	26.256	27.454	43.596
8/26/2008 11:53	5226.001	26.253	27.430	43.652
8/26/2008 11:53	5227.001	26.252	27.360	43.813
8/26/2008 11:53	5228.001	26.250	27.436	43.637
8/26/2008 11:53	5229.001	26.248	27.440	43.629
8/26/2008 11:53	5230.066	26.257	27.360	43.813
8/26/2008 11:53	5231.001	26.252	27.364	43.803
8/26/2008 11:53	5232.001	26.250	27.417	43.681
8/26/2008 11:53	5233.001	26.249	27.408	43.701
8/26/2008 11:53	5234.001	26.248	27.425	43.662
8/26/2008 11:53	5235.049	26.261	27.372	43.786
8/26/2008 11:53	5236.001	26.249	27.425	43.662
8/26/2008 11:53	5237.001	26.250	27.359	43.815
8/26/2008 11:53	5238.001	26.248	27.427	43.659
8/26/2008 11:53	5239.001	26.247	27.364	43.805
8/26/2008 11:53	5240.190	26.256	27.419	43.676
8/26/2008 11:53	5241.001	26.255	27.386	43.753
8/26/2008 11:53	5242.001	26.251	27.420	43.675

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:53	5243.001	26.249	27.427	43.658
8/26/2008 11:53	5244.001	26.247	27.462	43.578
8/26/2008 11:53	5245.049	26.258	27.430	43.651
8/26/2008 11:53	5246.001	26.253	27.387	43.751
8/26/2008 11:53	5247.001	26.252	27.449	43.609
8/26/2008 11:53	5248.001	26.250	27.392	43.738
8/26/2008 11:53	5249.001	26.249	27.428	43.657
8/26/2008 11:53	5250.064	26.260	27.350	43.837
8/26/2008 11:53	5251.001	26.251	27.422	43.669
8/26/2008 11:53	5252.001	26.249	27.376	43.775
8/26/2008 11:53	5253.001	26.246	27.401	43.719
8/26/2008 11:53	5254.001	26.250	27.401	43.718
8/26/2008 11:53	5255.048	26.260	27.321	43.903
8/26/2008 11:53	5256.001	26.252	27.461	43.579
8/26/2008 11:53	5257.001	26.247	27.418	43.679
8/26/2008 11:53	5258.001	26.248	27.476	43.546
8/26/2008 11:53	5259.001	26.245	27.342	43.854
8/26/2008 11:53	5260.063	26.259	27.370	43.791
8/26/2008 11:53	5261.001	26.249	27.396	43.730
8/26/2008 11:53	5262.001	26.252	27.377	43.773
8/26/2008 11:53	5263.001	26.248	27.393	43.737
8/26/2008 11:53	5264.001	26.248	27.430	43.651
8/26/2008 11:53	5265.047	26.261	27.376	43.776
8/26/2008 11:53	5266.001	26.252	27.430	43.651
8/26/2008 11:53	5267.001	26.248	27.403	43.714
8/26/2008 11:53	5268.001	26.247	27.449	43.609
8/26/2008 11:53	5269.001	26.248	27.421	43.671
8/26/2008 11:53	5270.063	26.258	27.443	43.622
8/26/2008 11:53	5271.001	26.250	27.424	43.666
8/26/2008 11:53	5272.001	26.249	27.396	43.729
8/26/2008 11:53	5273.001	26.248	27.436	43.637
8/26/2008 11:53	5274.001	26.249	27.422	43.671
8/26/2008 11:53	5275.047	26.259	27.391	43.742
8/26/2008 11:53	5276.001	26.251	27.430	43.652
8/26/2008 11:53	5277.001	26.250	27.372	43.786
8/26/2008 11:54	5278.001	26.246	27.372	43.784
8/26/2008 11:54	5279.001	26.250	27.454	43.597
8/26/2008 11:54	5280.062	26.258	27.433	43.644
8/26/2008 11:54	5281.001	26.255	27.445	43.616
8/26/2008 11:54	5282.001	26.250	27.346	43.845
8/26/2008 11:54	5283.001	26.248	27.397	43.727
8/26/2008 11:54	5284.001	26.249	27.374	43.782
8/26/2008 11:54	5285.047	26.260	27.379	43.769
8/26/2008 11:54	5286.001	26.256	27.382	43.762
8/26/2008 11:54	5287.001	26.249	27.364	43.804
8/26/2008 11:54	5288.001	26.251	27.477	43.543
8/26/2008 11:54	5289.001	26.251	27.342	43.855
8/26/2008 11:54	5290.062	26.262	27.451	43.604
8/26/2008 11:54	5291.001	26.253	27.417	43.682

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:54	5292.001	26.252	27.413	43.692
8/26/2008 11:54	5293.001	26.252	27.418	43.679
8/26/2008 11:54	5294.001	26.249	27.417	43.682
8/26/2008 11:54	5295.046	26.262	27.408	43.703
8/26/2008 11:54	5296.001	26.256	27.407	43.704
8/26/2008 11:54	5297.001	26.254	27.461	43.580
8/26/2008 11:54	5298.001	26.254	27.416	43.685
8/26/2008 11:54	5299.001	26.254	27.409	43.700
8/26/2008 11:54	5300.187	26.263	27.364	43.803
8/26/2008 11:54	5301.001	26.259	27.346	43.845
8/26/2008 11:54	5302.001	26.253	27.440	43.628
8/26/2008 11:54	5303.001	26.252	27.404	43.710
8/26/2008 11:54	5304.001	26.253	27.406	43.706
8/26/2008 11:54	5305.046	26.262	27.410	43.698
8/26/2008 11:54	5306.001	26.258	27.390	43.743
8/26/2008 11:54	5307.001	26.257	27.385	43.755
8/26/2008 11:54	5308.001	26.253	27.422	43.670
8/26/2008 11:54	5309.001	26.253	27.397	43.729
8/26/2008 11:54	5310.061	26.263	27.320	43.906
8/26/2008 11:54	5311.001	26.258	27.407	43.704
8/26/2008 11:54	5312.001	26.255	27.370	43.790
8/26/2008 11:54	5313.001	26.254	27.413	43.690
8/26/2008 11:54	5314.001	26.250	27.407	43.705
8/26/2008 11:54	5315.045	26.264	27.373	43.784
8/26/2008 11:54	5316.001	26.258	27.429	43.654
8/26/2008 11:54	5317.001	26.255	27.366	43.800
8/26/2008 11:54	5318.001	26.254	27.409	43.700
8/26/2008 11:54	5319.001	26.251	27.390	43.744
8/26/2008 11:54	5320.061	26.263	27.426	43.661
8/26/2008 11:54	5321.001	26.260	27.407	43.705
8/26/2008 11:54	5322.001	26.256	27.420	43.675
8/26/2008 11:54	5323.001	26.256	27.396	43.731
8/26/2008 11:54	5324.001	26.255	27.400	43.722
8/26/2008 11:54	5325.045	26.267	27.397	43.729
8/26/2008 11:54	5326.001	26.258	27.454	43.595
8/26/2008 11:54	5327.001	26.256	27.352	43.832
8/26/2008 11:54	5328.001	26.256	27.434	43.641
8/26/2008 11:54	5329.001	26.256	27.418	43.679
8/26/2008 11:54	5330.060	26.264	27.325	43.893
8/26/2008 11:54	5331.001	26.261	27.361	43.811
8/26/2008 11:54	5332.001	26.259	27.374	43.781
8/26/2008 11:54	5333.001	26.259	27.425	43.662
8/26/2008 11:54	5334.001	26.256	27.335	43.871
8/26/2008 11:54	5335.045	26.268	27.418	43.678
8/26/2008 11:54	5336.001	26.259	27.361	43.811
8/26/2008 11:54	5337.001	26.261	27.386	43.752
8/26/2008 11:55	5338.001	26.258	27.361	43.810
8/26/2008 11:55	5339.001	26.257	27.432	43.646
8/26/2008 11:55	5340.060	26.272	27.413	43.691

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:55	5341.001	26.262	27.391	43.741
8/26/2008 11:55	5342.001	26.262	27.354	43.827
8/26/2008 11:55	5343.001	26.261	27.371	43.787
8/26/2008 11:55	5344.001	26.259	27.376	43.776
8/26/2008 11:55	5345.044	26.270	27.393	43.736
8/26/2008 11:55	5346.001	26.264	27.431	43.649
8/26/2008 11:55	5347.001	26.262	27.435	43.639
8/26/2008 11:55	5348.001	26.261	27.411	43.695
8/26/2008 11:55	5349.001	26.258	27.425	43.663
8/26/2008 11:55	5350.059	26.273	27.420	43.673
8/26/2008 11:55	5351.001	26.265	27.353	43.829
8/26/2008 11:55	5352.001	26.263	27.358	43.818
8/26/2008 11:55	5353.001	26.263	27.397	43.728
8/26/2008 11:55	5354.001	26.260	27.366	43.799
8/26/2008 11:55	5355.044	26.273	27.431	43.649
8/26/2008 11:55	5356.001	26.265	27.398	43.726
8/26/2008 11:55	5357.001	26.264	27.354	43.826
8/26/2008 11:55	5358.001	26.262	27.373	43.783
8/26/2008 11:55	5359.001	26.257	27.408	43.702
8/26/2008 11:55	5360.184	26.269	27.402	43.715
8/26/2008 11:55	5361.001	26.266	27.353	43.830
8/26/2008 11:55	5362.001	26.264	27.404	43.711
8/26/2008 11:55	5363.001	26.263	27.392	43.738
8/26/2008 11:55	5364.001	26.260	27.434	43.641
8/26/2008 11:55	5365.043	26.273	27.446	43.615
8/26/2008 11:55	5366.001	26.265	27.405	43.709
8/26/2008 11:55	5367.001	26.262	27.361	43.812
8/26/2008 11:55	5368.001	26.261	27.380	43.767
8/26/2008 11:55	5369.001	26.260	27.386	43.753
8/26/2008 11:55	5370.058	26.271	27.369	43.792
8/26/2008 11:55	5371.001	26.267	27.446	43.613
8/26/2008 11:55	5372.001	26.261	27.428	43.657
8/26/2008 11:55	5373.001	26.261	27.341	43.857
8/26/2008 11:55	5374.001	26.258	27.419	43.677
8/26/2008 11:55	5375.043	26.269	27.398	43.725
8/26/2008 11:55	5376.001	26.262	27.374	43.781
8/26/2008 11:55	5377.001	26.260	27.382	43.762
8/26/2008 11:55	5378.001	26.256	27.412	43.692
8/26/2008 11:55	5379.001	26.255	27.323	43.899
8/26/2008 11:55	5380.058	26.266	27.408	43.702
8/26/2008 11:55	5381.001	26.261	27.349	43.839
8/26/2008 11:55	5382.001	26.260	27.338	43.865
8/26/2008 11:55	5383.001	26.257	27.395	43.732
8/26/2008 11:55	5384.001	26.257	27.380	43.767
8/26/2008 11:55	5385.043	26.268	27.382	43.763
8/26/2008 11:55	5386.001	26.263	27.327	43.888
8/26/2008 11:55	5387.001	26.259	27.384	43.757
8/26/2008 11:55	5388.001	26.260	27.367	43.796
8/26/2008 11:55	5389.001	26.255	27.391	43.742

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:55	5390.058	26.263	27.349	43.838
8/26/2008 11:55	5391.001	26.261	27.412	43.693
8/26/2008 11:55	5392.001	26.258	27.399	43.723
8/26/2008 11:55	5393.001	26.252	27.335	43.872
8/26/2008 11:55	5394.001	26.255	27.383	43.760
8/26/2008 11:55	5395.042	26.265	27.402	43.717
8/26/2008 11:55	5396.001	26.258	27.354	43.827
8/26/2008 11:55	5397.001	26.256	27.401	43.718
8/26/2008 11:56	5398.001	26.253	27.282	43.993
8/26/2008 11:56	5399.001	26.252	27.360	43.813
8/26/2008 11:56	5400.057	26.266	27.356	43.823
8/26/2008 11:56	5401.001	26.256	27.358	43.819
8/26/2008 11:56	5402.001	26.254	27.344	43.851
8/26/2008 11:56	5403.001	26.254	27.357	43.819
8/26/2008 11:56	5404.001	26.254	27.372	43.785
8/26/2008 11:56	5405.041	26.263	27.354	43.828
8/26/2008 11:56	5406.001	26.256	27.396	43.730
8/26/2008 11:56	5407.001	26.254	27.363	43.805
8/26/2008 11:56	5408.001	26.251	27.443	43.621
8/26/2008 11:56	5409.001	26.249	27.387	43.751
8/26/2008 11:56	5410.057	26.263	27.345	43.848
8/26/2008 11:56	5411.001	26.257	27.317	43.911
8/26/2008 11:56	5412.001	26.252	27.382	43.763
8/26/2008 11:56	5413.001	26.251	27.366	43.799
8/26/2008 11:56	5414.001	26.251	27.400	43.721
8/26/2008 11:56	5415.041	26.261	27.361	43.810
8/26/2008 11:56	5416.001	26.256	27.393	43.737
8/26/2008 11:56	5417.001	26.251	27.367	43.796
8/26/2008 11:56	5418.001	26.249	27.380	43.767
8/26/2008 11:56	5419.001	26.248	27.402	43.716
8/26/2008 11:56	5420.182	26.254	27.353	43.830
8/26/2008 11:56	5421.001	26.255	27.385	43.755
8/26/2008 11:56	5422.001	26.250	27.337	43.867
8/26/2008 11:56	5423.001	26.248	27.374	43.780
8/26/2008 11:56	5424.001	26.250	27.406	43.707
8/26/2008 11:56	5425.040	26.259	27.349	43.839
8/26/2008 11:56	5426.001	26.251	27.391	43.741
8/26/2008 11:56	5427.001	26.252	27.320	43.906
8/26/2008 11:56	5428.001	26.248	27.343	43.853
8/26/2008 11:56	5429.001	26.247	27.420	43.674
8/26/2008 11:56	5430.056	26.258	27.344	43.851
8/26/2008 11:56	5431.001	26.252	27.385	43.756
8/26/2008 11:56	5432.001	26.250	27.350	43.837
8/26/2008 11:56	5433.001	26.245	27.424	43.665
8/26/2008 11:56	5434.001	26.248	27.407	43.705
8/26/2008 11:56	5435.041	26.259	27.328	43.888
8/26/2008 11:56	5436.001	26.253	27.411	43.696
8/26/2008 11:56	5437.001	26.247	27.356	43.822
8/26/2008 11:56	5438.001	26.249	27.365	43.801

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:56	5439.001	26.248	27.350	43.836
8/26/2008 11:56	5440.056	26.257	27.414	43.689
8/26/2008 11:56	5441.001	26.252	27.366	43.800
8/26/2008 11:56	5442.001	26.248	27.423	43.667
8/26/2008 11:56	5443.001	26.246	27.372	43.784
8/26/2008 11:56	5444.001	26.245	27.372	43.785
8/26/2008 11:56	5445.040	26.258	27.424	43.666
8/26/2008 11:56	5446.001	26.251	27.374	43.780
8/26/2008 11:56	5447.001	26.246	27.364	43.805
8/26/2008 11:56	5448.001	26.248	27.356	43.822
8/26/2008 11:56	5449.001	26.246	27.377	43.774
8/26/2008 11:56	5450.055	26.255	27.405	43.708
8/26/2008 11:56	5451.001	26.252	27.373	43.784
8/26/2008 11:56	5452.001	26.247	27.397	43.728
8/26/2008 11:56	5453.001	26.245	27.302	43.947
8/26/2008 11:56	5454.001	26.246	27.398	43.725
8/26/2008 11:56	5455.040	26.256	27.337	43.866
8/26/2008 11:56	5456.001	26.250	27.368	43.795
8/26/2008 11:56	5457.001	26.249	27.401	43.719
8/26/2008 11:57	5458.001	26.245	27.373	43.783
8/26/2008 11:57	5459.001	26.245	27.362	43.808
8/26/2008 11:57	5460.055	26.257	27.410	43.698
8/26/2008 11:57	5461.001	26.251	27.328	43.888
8/26/2008 11:57	5462.001	26.247	27.318	43.911
8/26/2008 11:57	5463.001	26.243	27.417	43.682
8/26/2008 11:57	5464.001	26.246	27.292	43.970
8/26/2008 11:57	5465.039	26.258	27.384	43.758
8/26/2008 11:57	5466.001	26.249	27.229	44.116
8/26/2008 11:57	5467.001	26.248	27.470	43.558
8/26/2008 11:57	5468.001	26.244	27.341	43.857
8/26/2008 11:57	5469.001	26.242	27.377	43.774
8/26/2008 11:57	5470.055	26.255	27.376	43.777
8/26/2008 11:57	5471.001	26.250	27.347	43.842
8/26/2008 11:57	5472.001	26.247	27.375	43.778
8/26/2008 11:57	5473.001	26.247	27.329	43.885
8/26/2008 11:57	5474.001	26.247	27.411	43.695
8/26/2008 11:57	5475.038	26.260	27.377	43.774
8/26/2008 11:57	5476.001	26.252	27.381	43.764
8/26/2008 11:57	5477.001	26.248	27.423	43.668
8/26/2008 11:57	5478.001	26.248	27.368	43.795
8/26/2008 11:57	5479.001	26.246	27.352	43.831
8/26/2008 11:57	5480.179	26.257	27.382	43.763
8/26/2008 11:57	5481.001	26.253	27.373	43.783
8/26/2008 11:57	5482.001	26.251	27.385	43.756
8/26/2008 11:57	5483.001	26.248	27.309	43.930
8/26/2008 11:57	5484.001	26.249	27.381	43.764
8/26/2008 11:57	5485.038	26.258	27.401	43.718
8/26/2008 11:57	5486.001	26.252	27.463	43.575
8/26/2008 11:57	5487.001	26.250	27.333	43.875

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:57	5488.001	26.246	27.357	43.820
8/26/2008 11:57	5489.001	26.245	27.381	43.764
8/26/2008 11:57	5490.054	26.259	27.305	43.941
8/26/2008 11:57	5491.001	26.253	27.335	43.870
8/26/2008 11:57	5492.001	26.250	27.332	43.879
8/26/2008 11:57	5493.001	26.251	27.377	43.775
8/26/2008 11:57	5494.001	26.250	27.338	43.863
8/26/2008 11:57	5495.038	26.256	27.329	43.885
8/26/2008 11:57	5496.001	26.250	27.329	43.885
8/26/2008 11:57	5497.001	26.250	27.402	43.716
8/26/2008 11:57	5498.001	26.249	27.309	43.930
8/26/2008 11:57	5499.001	26.251	27.388	43.749
8/26/2008 11:57	5500.054	26.262	27.316	43.916
8/26/2008 11:57	5501.001	26.253	27.392	43.740
8/26/2008 11:57	5502.001	26.248	27.328	43.887
8/26/2008 11:57	5503.001	26.250	27.361	43.811
8/26/2008 11:57	5504.001	26.249	27.365	43.801
8/26/2008 11:57	5505.038	26.260	27.350	43.836
8/26/2008 11:57	5506.001	26.251	27.382	43.763
8/26/2008 11:57	5507.001	26.251	27.348	43.841
8/26/2008 11:57	5508.001	26.250	27.353	43.830
8/26/2008 11:57	5509.001	26.251	27.389	43.747
8/26/2008 11:57	5510.054	26.259	27.302	43.948
8/26/2008 11:57	5511.001	26.255	27.324	43.896
8/26/2008 11:57	5512.001	26.251	27.446	43.615
8/26/2008 11:57	5513.001	26.249	27.305	43.941
8/26/2008 11:57	5514.001	26.252	27.345	43.847
8/26/2008 11:57	5515.038	26.261	27.347	43.842
8/26/2008 11:57	5516.001	26.253	27.329	43.885
8/26/2008 11:57	5517.001	26.251	27.389	43.746
8/26/2008 11:58	5518.001	26.252	27.287	43.982
8/26/2008 11:58	5519.001	26.249	27.396	43.731
8/26/2008 11:58	5520.053	26.263	27.383	43.761
8/26/2008 11:58	5521.001	26.256	27.369	43.792
8/26/2008 11:58	5522.001	26.253	27.387	43.752
8/26/2008 11:58	5523.001	26.250	27.317	43.913
8/26/2008 11:58	5524.001	26.251	27.420	43.674
8/26/2008 11:58	5525.037	26.261	27.314	43.920
8/26/2008 11:58	5526.001	26.255	27.322	43.900
8/26/2008 11:58	5527.001	26.252	27.370	43.791
8/26/2008 11:58	5528.001	26.252	27.348	43.841
8/26/2008 11:58	5529.001	26.250	27.356	43.823
8/26/2008 11:58	5530.052	26.263	27.312	43.925
8/26/2008 11:58	5531.001	26.257	27.343	43.853
8/26/2008 11:58	5532.001	26.253	27.345	43.847
8/26/2008 11:58	5533.001	26.253	27.369	43.792
8/26/2008 11:58	5534.001	26.251	27.318	43.909
8/26/2008 11:58	5535.036	26.263	27.442	43.623
8/26/2008 11:58	5536.001	26.258	27.427	43.658

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:58	5537.001	26.253	27.384	43.757
8/26/2008 11:58	5538.001	26.253	27.356	43.823
8/26/2008 11:58	5539.001	26.251	27.305	43.939
8/26/2008 11:58	5540.177	26.259	27.398	43.724
8/26/2008 11:58	5541.001	26.259	27.344	43.849
8/26/2008 11:58	5542.001	26.253	27.351	43.833
8/26/2008 11:58	5543.001	26.251	27.365	43.801
8/26/2008 11:58	5544.001	26.250	27.373	43.783
8/26/2008 11:58	5545.035	26.265	27.396	43.731
8/26/2008 11:58	5546.001	26.259	27.307	43.936
8/26/2008 11:58	5547.001	26.251	27.387	43.751
8/26/2008 11:58	5548.001	26.251	27.363	43.805
8/26/2008 11:58	5549.001	26.250	27.303	43.945
8/26/2008 11:58	5550.051	26.264	27.374	43.780
8/26/2008 11:58	5551.001	26.257	27.293	43.969
8/26/2008 11:58	5552.001	26.253	27.389	43.746
8/26/2008 11:58	5553.001	26.252	27.379	43.768
8/26/2008 11:58	5554.001	26.252	27.348	43.841
8/26/2008 11:58	5555.035	26.265	27.321	43.902
8/26/2008 11:58	5556.001	26.256	27.364	43.804
8/26/2008 11:58	5557.001	26.256	27.375	43.778
8/26/2008 11:58	5558.001	26.254	27.344	43.851
8/26/2008 11:58	5559.001	26.256	27.367	43.796
8/26/2008 11:58	5560.050	26.261	27.306	43.938
8/26/2008 11:58	5561.001	26.256	27.309	43.931
8/26/2008 11:58	5562.001	26.254	27.339	43.862
8/26/2008 11:58	5563.001	26.254	27.369	43.792
8/26/2008 11:58	5564.001	26.252	27.386	43.753
8/26/2008 11:58	5565.035	26.264	27.271	44.019
8/26/2008 11:58	5566.001	26.256	27.309	43.931
8/26/2008 11:58	5567.001	26.252	27.358	43.818
8/26/2008 11:58	5568.001	26.253	27.331	43.880
8/26/2008 11:58	5569.001	26.255	27.415	43.687
8/26/2008 11:58	5570.050	26.264	27.352	43.830
8/26/2008 11:58	5571.001	26.258	27.401	43.718
8/26/2008 11:58	5572.001	26.254	27.346	43.846
8/26/2008 11:58	5573.001	26.251	27.355	43.825
8/26/2008 11:58	5574.001	26.252	27.373	43.782
8/26/2008 11:58	5575.034	26.264	27.287	43.981
8/26/2008 11:58	5576.001	26.255	27.398	43.726
8/26/2008 11:58	5577.001	26.253	27.326	43.891
8/26/2008 11:59	5578.001	26.256	27.333	43.875
8/26/2008 11:59	5579.001	26.253	27.278	44.002
8/26/2008 11:59	5580.050	26.263	27.364	43.803
8/26/2008 11:59	5581.001	26.255	27.359	43.815
8/26/2008 11:59	5582.001	26.255	27.356	43.821
8/26/2008 11:59	5583.001	26.252	27.430	43.652
8/26/2008 11:59	5584.001	26.253	27.254	44.058
8/26/2008 11:59	5585.034	26.267	27.344	43.850

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:59	5586.001	26.258	27.373	43.783
8/26/2008 11:59	5587.001	26.257	27.330	43.882
8/26/2008 11:59	5588.001	26.257	27.350	43.836
8/26/2008 11:59	5589.001	26.252	27.372	43.785
8/26/2008 11:59	5590.049	26.264	27.343	43.853
8/26/2008 11:59	5591.001	26.260	27.369	43.792
8/26/2008 11:59	5592.001	26.254	27.355	43.824
8/26/2008 11:59	5593.001	26.251	27.371	43.788
8/26/2008 11:59	5594.001	26.253	27.310	43.929
8/26/2008 11:59	5595.034	26.263	27.300	43.951
8/26/2008 11:59	5596.001	26.260	27.324	43.895
8/26/2008 11:59	5597.001	26.255	27.329	43.884
8/26/2008 11:59	5598.001	26.254	27.354	43.827
8/26/2008 11:59	5599.001	26.253	27.376	43.777
8/26/2008 11:59	5600.174	26.259	27.338	43.863
8/26/2008 11:59	5601.001	26.263	27.328	43.887
8/26/2008 11:59	5602.001	26.256	27.279	44.001
8/26/2008 11:59	5603.001	26.254	27.390	43.744
8/26/2008 11:59	5604.001	26.254	27.276	44.008
8/26/2008 11:59	5605.032	26.266	27.367	43.797
8/26/2008 11:59	5606.001	26.259	27.411	43.696
8/26/2008 11:59	5607.001	26.255	27.302	43.947
8/26/2008 11:59	5608.001	26.255	27.374	43.781
8/26/2008 11:59	5609.001	26.256	27.270	44.022
8/26/2008 11:59	5610.047	26.264	27.401	43.719
8/26/2008 11:59	5611.001	26.255	27.324	43.895
8/26/2008 11:59	5612.001	26.257	27.317	43.913
8/26/2008 11:59	5613.001	26.255	27.427	43.659
8/26/2008 11:59	5614.001	26.254	27.312	43.925
8/26/2008 11:59	5615.032	26.265	27.323	43.898
8/26/2008 11:59	5616.001	26.257	27.288	43.979
8/26/2008 11:59	5617.001	26.255	27.314	43.920
8/26/2008 11:59	5618.001	26.258	27.322	43.901
8/26/2008 11:59	5619.001	26.255	27.313	43.922
8/26/2008 11:59	5620.001	26.270	27.348	43.841
8/26/2008 11:59	5621.001	26.258	27.299	43.954
8/26/2008 11:59	5622.001	26.255	27.345	43.848
8/26/2008 11:59	5623.001	26.253	27.313	43.921
8/26/2008 11:59	5624.001	26.254	27.339	43.862
8/26/2008 11:59	5625.001	26.269	27.277	44.005
8/26/2008 11:59	5626.001	26.261	27.343	43.851
8/26/2008 11:59	5627.001	26.255	27.336	43.869
8/26/2008 11:59	5628.001	26.253	27.343	43.852
8/26/2008 11:59	5629.001	26.251	27.333	43.876
8/26/2008 11:59	5630.001	26.270	27.317	43.912
8/26/2008 11:59	5631.001	26.261	27.345	43.847
8/26/2008 11:59	5632.001	26.255	27.370	43.791
8/26/2008 11:59	5633.001	26.257	27.294	43.966
8/26/2008 11:59	5634.001	26.256	27.357	43.821

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 11:59	5635.001	26.274	27.310	43.928
8/26/2008 11:59	5636.001	26.260	27.324	43.895
8/26/2008 11:59	5637.001	26.260	27.297	43.959
8/26/2008 12:00	5638.001	26.259	27.340	43.860
8/26/2008 12:00	5639.001	26.256	27.281	43.996
8/26/2008 12:00	5640.001	26.275	27.307	43.936
8/26/2008 12:00	5641.001	26.263	27.360	43.813
8/26/2008 12:00	5642.001	26.259	27.291	43.973
8/26/2008 12:00	5643.001	26.258	27.307	43.934
8/26/2008 12:00	5644.001	26.258	27.297	43.959
8/26/2008 12:00	5645.001	26.277	27.345	43.848
8/26/2008 12:00	5646.001	26.266	27.265	44.032
8/26/2008 12:00	5647.001	26.261	27.353	43.830
8/26/2008 12:00	5648.001	26.258	27.364	43.804
8/26/2008 12:00	5649.001	26.260	27.312	43.923
8/26/2008 12:00	5650.001	26.278	27.346	43.846
8/26/2008 12:00	5651.001	26.267	27.329	43.886
8/26/2008 12:00	5652.001	26.261	27.303	43.944
8/26/2008 12:00	5653.001	26.263	27.294	43.965
8/26/2008 12:00	5654.001	26.264	27.325	43.893
8/26/2008 12:00	5655.001	26.279	27.379	43.770
8/26/2008 12:00	5656.001	26.264	27.357	43.821
8/26/2008 12:00	5657.001	26.265	27.326	43.892
8/26/2008 12:00	5658.001	26.263	27.362	43.808
8/26/2008 12:00	5659.001	26.261	27.282	43.994
8/26/2008 12:00	5660.001	26.278	27.375	43.779
8/26/2008 12:00	5661.136	26.266	27.397	43.727
8/26/2008 12:00	5662.001	26.268	27.328	43.886
8/26/2008 12:00	5663.001	26.264	27.339	43.861
8/26/2008 12:00	5664.001	26.263	27.363	43.806
8/26/2008 12:00	5665.001	26.283	27.318	43.910
8/26/2008 12:00	5666.001	26.273	27.284	43.989
8/26/2008 12:00	5667.001	26.267	27.337	43.866
8/26/2008 12:00	5668.001	26.267	27.333	43.875
8/26/2008 12:00	5669.001	26.265	27.284	43.989
8/26/2008 12:00	5670.001	26.283	27.380	43.767
8/26/2008 12:00	5671.001	26.271	27.304	43.943
8/26/2008 12:00	5672.001	26.269	27.390	43.744
8/26/2008 12:00	5673.001	26.270	27.391	43.742
8/26/2008 12:00	5674.001	26.266	27.338	43.863
8/26/2008 12:00	5675.001	26.283	27.279	44.001
8/26/2008 12:00	5676.001	26.273	27.402	43.716
8/26/2008 12:00	5677.001	26.270	27.301	43.950
8/26/2008 12:00	5678.001	26.269	27.381	43.766
8/26/2008 12:00	5679.001	26.268	27.321	43.902
8/26/2008 12:00	5680.001	26.283	27.346	43.845
8/26/2008 12:00	5681.001	26.272	27.352	43.830
8/26/2008 12:00	5682.001	26.272	27.380	43.766
8/26/2008 12:00	5683.001	26.273	27.326	43.890

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:00	5684.001	26.268	27.354	43.826
8/26/2008 12:00	5685.001	26.285	27.354	43.826
8/26/2008 12:00	5686.001	26.277	27.313	43.921
8/26/2008 12:00	5687.001	26.271	27.327	43.888
8/26/2008 12:00	5688.001	26.270	27.313	43.921
8/26/2008 12:00	5689.001	26.273	27.347	43.844
8/26/2008 12:00	5690.001	26.288	27.350	43.837
8/26/2008 12:00	5691.001	26.277	27.272	44.015
8/26/2008 12:00	5692.001	26.274	27.318	43.909
8/26/2008 12:00	5693.001	26.274	27.321	43.903
8/26/2008 12:00	5694.001	26.272	27.418	43.679
8/26/2008 12:00	5695.001	26.291	27.266	44.031
8/26/2008 12:00	5696.001	26.278	27.308	43.933
8/26/2008 12:00	5697.001	26.274	27.300	43.950
8/26/2008 12:01	5698.001	26.275	27.303	43.945
8/26/2008 12:01	5699.001	26.275	27.373	43.783
8/26/2008 12:01	5700.001	26.290	27.251	44.064
8/26/2008 12:01	5701.001	26.280	27.334	43.872
8/26/2008 12:01	5702.001	26.275	27.308	43.933
8/26/2008 12:01	5703.001	26.272	27.300	43.951
8/26/2008 12:01	5704.001	26.272	27.340	43.860
8/26/2008 12:01	5705.001	26.291	27.373	43.784
8/26/2008 12:01	5706.001	26.283	27.312	43.923
8/26/2008 12:01	5707.001	26.277	27.308	43.933
8/26/2008 12:01	5708.001	26.277	27.350	43.835
8/26/2008 12:01	5709.001	26.276	27.321	43.903
8/26/2008 12:01	5710.001	26.294	27.344	43.850
8/26/2008 12:01	5711.001	26.280	27.342	43.854
8/26/2008 12:01	5712.001	26.278	27.315	43.918
8/26/2008 12:01	5713.001	26.275	27.313	43.921
8/26/2008 12:01	5714.001	26.277	27.339	43.861
8/26/2008 12:01	5715.001	26.291	27.275	44.010
8/26/2008 12:01	5716.001	26.284	27.313	43.922
8/26/2008 12:01	5717.001	26.280	27.323	43.900
8/26/2008 12:01	5718.001	26.278	27.326	43.891
8/26/2008 12:01	5719.001	26.278	27.247	44.074
8/26/2008 12:01	5720.001	26.295	27.397	43.727
8/26/2008 12:01	5721.133	26.284	27.293	43.967
8/26/2008 12:01	5722.001	26.285	27.357	43.820
8/26/2008 12:01	5723.001	26.281	27.369	43.793
8/26/2008 12:01	5724.001	26.280	27.298	43.957
8/26/2008 12:01	5725.001	26.296	27.362	43.809
8/26/2008 12:01	5726.001	26.286	27.298	43.957
8/26/2008 12:01	5727.001	26.285	27.282	43.994
8/26/2008 12:01	5728.001	26.282	27.298	43.955
8/26/2008 12:01	5729.001	26.281	27.341	43.856
8/26/2008 12:01	5730.001	26.296	27.332	43.878
8/26/2008 12:01	5731.001	26.288	27.354	43.826
8/26/2008 12:01	5732.001	26.285	27.339	43.862

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:01	5733.001	26.284	27.309	43.930
8/26/2008 12:01	5734.001	26.283	27.325	43.895
8/26/2008 12:01	5735.001	26.297	27.324	43.897
8/26/2008 12:01	5736.001	26.290	27.309	43.932
8/26/2008 12:01	5737.001	26.284	27.303	43.944
8/26/2008 12:01	5738.001	26.283	27.383	43.759
8/26/2008 12:01	5739.001	26.285	27.296	43.960
8/26/2008 12:01	5740.001	26.301	27.368	43.793
8/26/2008 12:01	5741.001	26.290	27.300	43.952
8/26/2008 12:01	5742.001	26.287	27.332	43.878
8/26/2008 12:01	5743.001	26.283	27.325	43.895
8/26/2008 12:01	5744.001	26.288	27.279	43.999
8/26/2008 12:01	5745.001	26.302	27.342	43.854
8/26/2008 12:01	5746.001	26.294	27.299	43.953
8/26/2008 12:01	5747.001	26.289	27.332	43.878
8/26/2008 12:01	5748.001	26.287	27.302	43.947
8/26/2008 12:01	5749.001	26.287	27.338	43.864
8/26/2008 12:01	5750.001	26.304	27.297	43.960
8/26/2008 12:01	5751.001	26.292	27.346	43.846
8/26/2008 12:01	5752.001	26.287	27.342	43.855
8/26/2008 12:01	5753.001	26.287	27.308	43.934
8/26/2008 12:01	5754.001	26.288	27.303	43.945
8/26/2008 12:01	5755.001	26.302	27.374	43.781
8/26/2008 12:01	5756.001	26.290	27.286	43.983
8/26/2008 12:01	5757.001	26.289	27.325	43.895
8/26/2008 12:02	5758.001	26.289	27.242	44.084
8/26/2008 12:02	5759.001	26.286	27.316	43.914
8/26/2008 12:02	5760.001	26.302	27.318	43.909
8/26/2008 12:02	5761.001	26.295	27.238	44.094
8/26/2008 12:02	5762.001	26.287	27.355	43.826
8/26/2008 12:02	5763.001	26.289	27.323	43.900
8/26/2008 12:02	5764.001	26.288	27.250	44.068
8/26/2008 12:02	5765.001	26.306	27.336	43.868
8/26/2008 12:02	5766.001	26.295	27.334	43.873
8/26/2008 12:02	5767.001	26.291	27.284	43.988
8/26/2008 12:02	5768.001	26.291	27.357	43.819
8/26/2008 12:02	5769.001	26.288	27.288	43.979
8/26/2008 12:02	5770.001	26.307	27.334	43.874
8/26/2008 12:02	5771.001	26.294	27.356	43.822
8/26/2008 12:02	5772.001	26.293	27.269	44.023
8/26/2008 12:02	5773.001	26.290	27.279	44.000
8/26/2008 12:02	5774.001	26.290	27.294	43.966
8/26/2008 12:02	5775.001	26.305	27.316	43.915
8/26/2008 12:02	5776.001	26.297	27.364	43.803
8/26/2008 12:02	5777.001	26.290	27.281	43.995
8/26/2008 12:02	5778.001	26.291	27.271	44.018
8/26/2008 12:02	5779.001	26.289	27.322	43.902
8/26/2008 12:02	5780.001	26.306	27.291	43.972
8/26/2008 12:02	5781.131	26.294	27.277	44.005

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:02	5782.001	26.289	27.348	43.841
8/26/2008 12:02	5783.001	26.290	27.313	43.923
8/26/2008 12:02	5784.001	26.290	27.235	44.102
8/26/2008 12:02	5785.001	26.308	27.322	43.901
8/26/2008 12:02	5786.001	26.294	27.351	43.834
8/26/2008 12:02	5787.001	26.292	27.290	43.975
8/26/2008 12:02	5788.001	26.291	27.344	43.850
8/26/2008 12:02	5789.001	26.290	27.253	44.059
8/26/2008 12:02	5790.001	26.308	27.323	43.900
8/26/2008 12:02	5791.001	26.295	27.340	43.860
8/26/2008 12:02	5792.015	26.290	27.353	43.829
8/26/2008 12:02	5793.001	26.293	27.343	43.853
8/26/2008 12:02	5794.001	26.291	27.258	44.047
8/26/2008 12:02	5795.001	26.306	27.335	43.870
8/26/2008 12:02	5796.001	26.297	27.265	44.034
8/26/2008 12:02	5797.001	26.292	27.310	43.928
8/26/2008 12:02	5798.001	26.292	27.320	43.904
8/26/2008 12:02	5799.001	26.290	27.288	43.979
8/26/2008 12:02	5800.001	26.307	27.375	43.779
8/26/2008 12:02	5801.001	26.296	27.259	44.047
8/26/2008 12:02	5802.001	26.293	27.354	43.828
8/26/2008 12:02	5803.001	26.292	27.312	43.924
8/26/2008 12:02	5804.015	26.290	27.358	43.818
8/26/2008 12:02	5805.001	26.304	27.273	44.014
8/26/2008 12:02	5806.001	26.298	27.274	44.011
8/26/2008 12:02	5807.001	26.295	27.345	43.847
8/26/2008 12:02	5808.001	26.290	27.327	43.889
8/26/2008 12:02	5809.001	26.291	27.286	43.985
8/26/2008 12:02	5810.001	26.309	27.273	44.013
8/26/2008 12:02	5811.004	26.295	27.333	43.875
8/26/2008 12:02	5812.001	26.293	27.284	43.987
8/26/2008 12:02	5813.001	26.292	27.280	43.998
8/26/2008 12:02	5814.001	26.289	27.352	43.832
8/26/2008 12:02	5815.001	26.307	27.315	43.916
8/26/2008 12:02	5816.001	26.295	27.257	44.051
8/26/2008 12:02	5817.001	26.293	27.305	43.939
8/26/2008 12:03	5818.001	26.293	27.316	43.914
8/26/2008 12:03	5819.001	26.289	27.283	43.991
8/26/2008 12:03	5820.004	26.308	27.300	43.952
8/26/2008 12:03	5821.004	26.299	27.282	43.992
8/26/2008 12:03	5822.001	26.295	27.376	43.776
8/26/2008 12:03	5823.001	26.295	27.330	43.883
8/26/2008 12:03	5824.001	26.292	27.222	44.132
8/26/2008 12:03	5825.004	26.306	27.336	43.868
8/26/2008 12:03	5826.001	26.297	27.356	43.822
8/26/2008 12:03	5827.001	26.294	27.363	43.805
8/26/2008 12:03	5828.014	26.292	27.233	44.106
8/26/2008 12:03	5829.001	26.291	27.344	43.851
8/26/2008 12:03	5830.003	26.310	27.372	43.785

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:03	5831.004	26.300	27.213	44.152
8/26/2008 12:03	5832.001	26.294	27.280	43.998
8/26/2008 12:03	5833.001	26.293	27.230	44.114
8/26/2008 12:03	5834.001	26.294	27.324	43.897
8/26/2008 12:03	5835.002	26.307	27.245	44.079
8/26/2008 12:03	5836.001	26.298	27.293	43.967
8/26/2008 12:03	5837.001	26.296	27.293	43.967
8/26/2008 12:03	5838.001	26.293	27.333	43.876
8/26/2008 12:03	5839.001	26.291	27.371	43.787
8/26/2008 12:03	5840.002	26.309	27.307	43.935
8/26/2008 12:03	5841.128	26.299	27.312	43.923
8/26/2008 12:03	5842.001	26.297	27.314	43.920
8/26/2008 12:03	5843.001	26.294	27.275	44.010
8/26/2008 12:03	5844.001	26.291	27.375	43.778
8/26/2008 12:03	5845.002	26.308	27.278	44.002
8/26/2008 12:03	5846.001	26.298	27.320	43.906
8/26/2008 12:03	5847.001	26.295	27.228	44.117
8/26/2008 12:03	5848.001	26.290	27.257	44.050
8/26/2008 12:03	5849.001	26.294	27.292	43.971
8/26/2008 12:03	5850.011	26.307	27.205	44.170
8/26/2008 12:03	5851.001	26.300	27.328	43.887
8/26/2008 12:03	5852.012	26.295	27.321	43.903
8/26/2008 12:03	5853.001	26.294	27.276	44.008
8/26/2008 12:03	5854.001	26.295	27.332	43.878
8/26/2008 12:03	5855.001	26.312	27.233	44.107
8/26/2008 12:03	5856.003	26.301	27.333	43.876
8/26/2008 12:03	5857.001	26.295	27.244	44.082
8/26/2008 12:03	5858.001	26.293	27.368	43.795
8/26/2008 12:03	5859.001	26.293	27.256	44.054
8/26/2008 12:03	5860.001	26.308	27.281	43.995
8/26/2008 12:03	5861.002	26.301	27.290	43.975
8/26/2008 12:03	5862.001	26.296	27.297	43.958
8/26/2008 12:03	5863.001	26.294	27.341	43.857
8/26/2008 12:03	5864.012	26.296	27.257	44.052
8/26/2008 12:03	5865.001	26.311	27.290	43.974
8/26/2008 12:03	5866.012	26.299	27.283	43.992
8/26/2008 12:03	5867.001	26.297	27.266	44.031
8/26/2008 12:03	5868.001	26.296	27.295	43.962
8/26/2008 12:03	5869.001	26.295	27.279	44.001
8/26/2008 12:03	5870.001	26.311	27.269	44.024
8/26/2008 12:03	5871.001	26.298	27.365	43.801
8/26/2008 12:03	5872.001	26.297	27.296	43.961
8/26/2008 12:03	5873.001	26.292	27.320	43.905
8/26/2008 12:03	5874.001	26.295	27.279	43.999
8/26/2008 12:03	5875.001	26.312	27.301	43.950
8/26/2008 12:03	5876.001	26.300	27.279	44.000
8/26/2008 12:03	5877.001	26.297	27.292	43.971
8/26/2008 12:04	5878.001	26.297	27.271	44.020
8/26/2008 12:04	5879.001	26.295	27.288	43.979

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:04	5880.001	26.313	27.288	43.979
8/26/2008 12:04	5881.001	26.299	27.294	43.964
8/26/2008 12:04	5882.001	26.299	27.273	44.014
8/26/2008 12:04	5883.001	26.295	27.327	43.890
8/26/2008 12:04	5884.001	26.295	27.325	43.894
8/26/2008 12:04	5885.001	26.311	27.287	43.982
8/26/2008 12:04	5886.001	26.300	27.285	43.987
8/26/2008 12:04	5887.001	26.296	27.279	43.999
8/26/2008 12:04	5888.011	26.295	27.368	43.795
8/26/2008 12:04	5889.001	26.295	27.359	43.815
8/26/2008 12:04	5890.001	26.313	27.261	44.042
8/26/2008 12:04	5891.001	26.302	27.301	43.949
8/26/2008 12:04	5892.001	26.299	27.271	44.019
8/26/2008 12:04	5893.001	26.299	27.370	43.791
8/26/2008 12:04	5894.001	26.299	27.266	44.029
8/26/2008 12:04	5895.001	26.313	27.289	43.978
8/26/2008 12:04	5896.001	26.304	27.298	43.955
8/26/2008 12:04	5897.001	26.297	27.299	43.955
8/26/2008 12:04	5898.001	26.298	27.338	43.864
8/26/2008 12:04	5899.001	26.294	27.279	44.000
8/26/2008 12:04	5900.001	26.312	27.266	44.030
8/26/2008 12:04	5901.001	26.303	27.329	43.884
8/26/2008 12:04	5902.001	26.301	27.264	44.034
8/26/2008 12:04	5903.001	26.297	27.351	43.833
8/26/2008 12:04	5904.001	26.294	27.301	43.949
8/26/2008 12:04	5905.001	26.312	27.236	44.099
8/26/2008 12:04	5906.001	26.299	27.285	43.986
8/26/2008 12:04	5907.001	26.300	27.325	43.894
8/26/2008 12:04	5908.001	26.295	27.250	44.068
8/26/2008 12:04	5909.001	26.296	27.299	43.953
8/26/2008 12:04	5910.013	26.314	27.215	44.148
8/26/2008 12:04	5911.001	26.299	27.330	43.883
8/26/2008 12:04	5912.010	26.296	27.294	43.964
8/26/2008 12:04	5913.001	26.295	27.234	44.105
8/26/2008 12:04	5914.001	26.293	27.259	44.046
8/26/2008 12:04	5915.028	26.310	27.348	43.840
8/26/2008 12:04	5916.001	26.302	27.268	44.025
8/26/2008 12:04	5917.001	26.296	27.344	43.849
8/26/2008 12:04	5918.001	26.296	27.264	44.034
8/26/2008 12:04	5919.001	26.295	27.306	43.938
8/26/2008 12:04	5920.028	26.311	27.285	43.987
8/26/2008 12:04	5921.001	26.302	27.289	43.978
8/26/2008 12:04	5922.001	26.297	27.269	44.024
8/26/2008 12:04	5923.001	26.294	27.291	43.972
8/26/2008 12:04	5924.009	26.292	27.306	43.938
8/26/2008 12:04	5925.027	26.311	27.277	44.006
8/26/2008 12:04	5926.001	26.300	27.329	43.886
8/26/2008 12:04	5927.001	26.295	27.279	43.999
8/26/2008 12:04	5928.001	26.296	27.303	43.945

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:04	5929.001	26.295	27.314	43.919
8/26/2008 12:04	5930.027	26.312	27.326	43.892
8/26/2008 12:04	5931.001	26.303	27.293	43.969
8/26/2008 12:04	5932.001	26.295	27.252	44.062
8/26/2008 12:04	5933.001	26.297	27.289	43.978
8/26/2008 12:04	5934.001	26.295	27.296	43.961
8/26/2008 12:04	5935.027	26.312	27.287	43.983
8/26/2008 12:04	5936.008	26.298	27.311	43.926
8/26/2008 12:04	5937.001	26.296	27.258	44.047
8/26/2008 12:05	5938.001	26.294	27.294	43.965
8/26/2008 12:05	5939.001	26.296	27.317	43.912
8/26/2008 12:05	5940.027	26.312	27.221	44.134
8/26/2008 12:05	5941.001	26.301	27.295	43.964
8/26/2008 12:05	5942.001	26.296	27.274	44.012
8/26/2008 12:05	5943.001	26.293	27.359	43.815
8/26/2008 12:05	5944.001	26.294	27.288	43.980
8/26/2008 12:05	5945.026	26.311	27.318	43.910
8/26/2008 12:05	5946.001	26.302	27.268	44.026
8/26/2008 12:05	5947.001	26.296	27.234	44.104
8/26/2008 12:05	5948.008	26.293	27.285	43.986
8/26/2008 12:05	5949.001	26.294	27.245	44.080
8/26/2008 12:05	5950.026	26.310	27.318	43.911
8/26/2008 12:05	5951.001	26.300	27.268	44.026
8/26/2008 12:05	5952.001	26.297	27.256	44.054
8/26/2008 12:05	5953.001	26.293	27.246	44.075
8/26/2008 12:05	5954.001	26.293	27.267	44.027
8/26/2008 12:05	5955.026	26.309	27.357	43.820
8/26/2008 12:05	5956.001	26.301	27.245	44.079
8/26/2008 12:05	5957.001	26.296	27.317	43.912
8/26/2008 12:05	5958.001	26.292	27.266	44.030
8/26/2008 12:05	5959.001	26.294	27.308	43.933
8/26/2008 12:05	5960.026	26.308	27.314	43.919
8/26/2008 12:05	5961.001	26.299	27.255	44.055
8/26/2008 12:05	5962.001	26.295	27.276	44.008
8/26/2008 12:05	5963.001	26.293	27.320	43.905
8/26/2008 12:05	5964.001	26.294	27.274	44.011
8/26/2008 12:05	5965.026	26.309	27.258	44.049
8/26/2008 12:05	5966.001	26.297	27.288	43.979
8/26/2008 12:05	5967.001	26.295	27.283	43.991
8/26/2008 12:05	5968.001	26.294	27.319	43.908
8/26/2008 12:05	5969.001	26.292	27.239	44.092
8/26/2008 12:05	5970.025	26.307	27.268	44.025
8/26/2008 12:05	5971.001	26.300	27.270	44.022
8/26/2008 12:05	5972.007	26.296	27.242	44.086
8/26/2008 12:05	5973.001	26.290	27.332	43.878
8/26/2008 12:05	5974.001	26.292	27.253	44.060
8/26/2008 12:05	5975.025	26.305	27.364	43.804
8/26/2008 12:05	5976.001	26.298	27.294	43.966
8/26/2008 12:05	5977.001	26.295	27.280	43.998

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:05	5978.001	26.290	27.292	43.969
8/26/2008 12:05	5979.001	26.289	27.228	44.118
8/26/2008 12:05	5980.025	26.307	27.341	43.858
8/26/2008 12:05	5981.001	26.296	27.304	43.942
8/26/2008 12:05	5982.001	26.294	27.295	43.962
8/26/2008 12:05	5983.001	26.290	27.274	44.012
8/26/2008 12:05	5984.006	26.289	27.276	44.007
8/26/2008 12:05	5985.025	26.304	27.311	43.927
8/26/2008 12:05	5986.001	26.295	27.269	44.023
8/26/2008 12:05	5987.001	26.294	27.284	43.988
8/26/2008 12:05	5988.001	26.291	27.293	43.967
8/26/2008 12:05	5989.001	26.290	27.263	44.037
8/26/2008 12:05	5990.025	26.308	27.287	43.981
8/26/2008 12:05	5991.001	26.296	27.240	44.091
8/26/2008 12:05	5992.001	26.291	27.282	43.992
8/26/2008 12:05	5993.001	26.291	27.244	44.082
8/26/2008 12:05	5994.001	26.290	27.239	44.093
8/26/2008 12:05	5995.025	26.306	27.280	43.998
8/26/2008 12:05	5996.006	26.295	27.280	43.997
8/26/2008 12:05	5997.001	26.293	27.292	43.969
8/26/2008 12:06	5998.001	26.289	27.270	44.022
8/26/2008 12:06	5999.001	26.292	27.262	44.039
8/26/2008 12:06	6000.024	26.306	27.252	44.062
8/26/2008 12:06	6001.001	26.294	27.243	44.083
8/26/2008 12:06	6002.001	26.292	27.265	44.032
8/26/2008 12:06	6003.001	26.291	27.300	43.952
8/26/2008 12:06	6004.001	26.287	27.282	43.993
8/26/2008 12:06	6005.024	26.305	27.248	44.072
8/26/2008 12:06	6006.001	26.294	27.226	44.121
8/26/2008 12:06	6007.001	26.291	27.304	43.941
8/26/2008 12:06	6008.005	26.289	27.342	43.854
8/26/2008 12:06	6009.001	26.286	27.224	44.127
8/26/2008 12:06	6010.024	26.304	27.261	44.041
8/26/2008 12:06	6011.001	26.295	27.239	44.093
8/26/2008 12:06	6012.001	26.292	27.298	43.956
8/26/2008 12:06	6013.001	26.291	27.300	43.951
8/26/2008 12:06	6014.001	26.288	27.324	43.897
8/26/2008 12:06	6015.024	26.307	27.298	43.955
8/26/2008 12:06	6016.001	26.297	27.310	43.929
8/26/2008 12:06	6017.001	26.292	27.277	44.005
8/26/2008 12:06	6018.001	26.288	27.339	43.862
8/26/2008 12:06	6019.001	26.288	27.286	43.985
8/26/2008 12:06	6020.024	26.305	27.226	44.123
8/26/2008 12:06	6021.166	26.294	27.270	44.020
8/26/2008 12:06	6022.001	26.291	27.299	43.953
8/26/2008 12:06	6023.001	26.290	27.321	43.903
8/26/2008 12:06	6024.001	26.287	27.308	43.934
8/26/2008 12:06	6025.023	26.303	27.276	44.008
8/26/2008 12:06	6026.001	26.292	27.291	43.972

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:06	6027.001	26.290	27.251	44.064
8/26/2008 12:06	6028.001	26.286	27.219	44.138
8/26/2008 12:06	6029.001	26.287	27.242	44.086
8/26/2008 12:06	6030.023	26.304	27.247	44.075
8/26/2008 12:06	6031.001	26.293	27.342	43.855
8/26/2008 12:06	6032.001	26.290	27.209	44.163
8/26/2008 12:06	6033.001	26.289	27.254	44.057
8/26/2008 12:06	6034.001	26.288	27.259	44.047
8/26/2008 12:06	6035.023	26.304	27.241	44.089
8/26/2008 12:06	6036.001	26.293	27.268	44.026
8/26/2008 12:06	6037.001	26.287	27.216	44.145
8/26/2008 12:06	6038.001	26.287	27.299	43.954
8/26/2008 12:06	6039.001	26.289	27.295	43.964
8/26/2008 12:06	6040.023	26.305	27.254	44.057
8/26/2008 12:06	6041.001	26.293	27.234	44.104
8/26/2008 12:06	6042.001	26.290	27.328	43.886
8/26/2008 12:06	6043.001	26.287	27.286	43.984
8/26/2008 12:06	6044.001	26.282	27.293	43.968
8/26/2008 12:06	6045.029	26.316	27.232	44.109
8/26/2008 12:06	6046.001	26.293	27.298	43.956
8/26/2008 12:06	6047.001	26.289	27.292	43.969
8/26/2008 12:06	6048.001	26.287	27.253	44.060
8/26/2008 12:06	6049.001	26.287	27.313	43.923
8/26/2008 12:06	6050.022	26.299	27.278	44.001
8/26/2008 12:06	6051.001	26.292	27.263	44.036
8/26/2008 12:06	6052.001	26.288	27.317	43.912
8/26/2008 12:06	6053.001	26.288	27.225	44.125
8/26/2008 12:06	6054.001	26.286	27.277	44.005
8/26/2008 12:06	6055.023	26.304	27.266	44.030
8/26/2008 12:06	6056.024	26.293	27.315	43.916
8/26/2008 12:06	6057.001	26.288	27.294	43.965
8/26/2008 12:07	6058.001	26.287	27.229	44.115
8/26/2008 12:07	6059.001	26.286	27.302	43.948
8/26/2008 12:07	6060.022	26.305	27.288	43.978
8/26/2008 12:07	6061.001	26.293	27.269	44.024
8/26/2008 12:07	6062.001	26.289	27.286	43.984
8/26/2008 12:07	6063.001	26.285	27.296	43.961
8/26/2008 12:07	6064.001	26.286	27.303	43.946
8/26/2008 12:07	6065.022	26.300	27.303	43.946
8/26/2008 12:07	6066.024	26.291	27.243	44.083
8/26/2008 12:07	6067.001	26.287	27.255	44.055
8/26/2008 12:07	6068.001	26.287	27.270	44.021
8/26/2008 12:07	6069.001	26.285	27.223	44.128
8/26/2008 12:07	6070.022	26.303	27.249	44.070
8/26/2008 12:07	6071.001	26.293	27.183	44.221
8/26/2008 12:07	6072.001	26.289	27.298	43.955
8/26/2008 12:07	6073.001	26.288	27.311	43.926
8/26/2008 12:07	6074.001	26.286	27.265	44.033
8/26/2008 12:07	6075.022	26.303	27.206	44.168

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:07	6076.023	26.293	27.243	44.083
8/26/2008 12:07	6077.001	26.290	27.285	43.986
8/26/2008 12:07	6078.001	26.286	27.295	43.962
8/26/2008 12:07	6079.001	26.287	27.166	44.260
8/26/2008 12:07	6080.022	26.302	27.271	44.019
8/26/2008 12:07	6081.163	26.290	27.246	44.076
8/26/2008 12:07	6082.001	26.288	27.266	44.031
8/26/2008 12:07	6083.001	26.286	27.245	44.078
8/26/2008 12:07	6084.001	26.289	27.261	44.041
8/26/2008 12:07	6085.021	26.301	27.279	43.999
8/26/2008 12:07	6086.023	26.292	27.248	44.071
8/26/2008 12:07	6087.001	26.286	27.279	43.999
8/26/2008 12:07	6088.001	26.286	27.319	43.907
8/26/2008 12:07	6089.001	26.287	27.236	44.098
8/26/2008 12:07	6090.021	26.302	27.292	43.971
8/26/2008 12:07	6091.001	26.290	27.269	44.023
8/26/2008 12:07	6092.022	26.288	27.296	43.961
8/26/2008 12:07	6093.001	26.287	27.271	44.019
8/26/2008 12:07	6094.001	26.286	27.221	44.133
8/26/2008 12:07	6095.021	26.303	27.330	43.882
8/26/2008 12:07	6096.023	26.288	27.265	44.033
8/26/2008 12:07	6097.001	26.286	27.314	43.918
8/26/2008 12:07	6098.001	26.286	27.226	44.122
8/26/2008 12:07	6099.001	26.288	27.228	44.118
8/26/2008 12:07	6100.021	26.300	27.299	43.954
8/26/2008 12:07	6101.001	26.292	27.158	44.279
8/26/2008 12:07	6102.001	26.290	27.272	44.016
8/26/2008 12:07	6103.001	26.286	27.239	44.094
8/26/2008 12:07	6104.021	26.285	27.281	43.996
8/26/2008 12:07	6105.021	26.305	27.272	44.017
8/26/2008 12:07	6106.022	26.290	27.296	43.961
8/26/2008 12:07	6107.001	26.287	27.311	43.926
8/26/2008 12:07	6108.001	26.287	27.230	44.113
8/26/2008 12:07	6109.001	26.284	27.239	44.092
8/26/2008 12:07	6110.021	26.301	27.269	44.023
8/26/2008 12:07	6111.001	26.292	27.246	44.075
8/26/2008 12:07	6112.001	26.287	27.228	44.119
8/26/2008 12:07	6113.001	26.283	27.246	44.077
8/26/2008 12:07	6114.001	26.283	27.273	44.014
8/26/2008 12:07	6115.020	26.301	27.247	44.073
8/26/2008 12:07	6116.022	26.288	27.286	43.985
8/26/2008 12:07	6117.001	26.287	27.304	43.943
8/26/2008 12:08	6118.001	26.284	27.241	44.089
8/26/2008 12:08	6119.001	26.282	27.311	43.926
8/26/2008 12:08	6120.020	26.300	27.274	44.011
8/26/2008 12:08	6121.001	26.292	27.251	44.066
8/26/2008 12:08	6122.001	26.286	27.243	44.083
8/26/2008 12:08	6123.001	26.285	27.163	44.269
8/26/2008 12:08	6124.001	26.285	27.347	43.842

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:08	6125.020	26.300	27.315	43.918
8/26/2008 12:08	6126.021	26.289	27.268	44.026
8/26/2008 12:08	6127.001	26.286	27.253	44.059
8/26/2008 12:08	6128.001	26.285	27.228	44.118
8/26/2008 12:08	6129.001	26.284	27.203	44.176
8/26/2008 12:08	6130.019	26.300	27.235	44.102
8/26/2008 12:08	6131.001	26.290	27.225	44.124
8/26/2008 12:08	6132.001	26.286	27.282	43.994
8/26/2008 12:08	6133.001	26.285	27.270	44.020
8/26/2008 12:08	6134.001	26.284	27.253	44.060
8/26/2008 12:08	6135.019	26.297	27.237	44.098
8/26/2008 12:08	6136.021	26.289	27.273	44.014
8/26/2008 12:08	6137.001	26.285	27.276	44.006
8/26/2008 12:08	6138.001	26.282	27.258	44.047
8/26/2008 12:08	6139.001	26.280	27.200	44.181
8/26/2008 12:08	6140.019	26.297	27.262	44.040
8/26/2008 12:08	6141.161	26.285	27.230	44.113
8/26/2008 12:08	6142.001	26.287	27.284	43.987
8/26/2008 12:08	6143.001	26.283	27.309	43.930
8/26/2008 12:08	6144.001	26.280	27.244	44.080
8/26/2008 12:08	6145.019	26.297	27.297	43.959
8/26/2008 12:08	6146.020	26.286	27.246	44.077
8/26/2008 12:08	6147.001	26.284	27.226	44.121
8/26/2008 12:08	6148.001	26.280	27.288	43.978
8/26/2008 12:08	6149.001	26.278	27.223	44.130
8/26/2008 12:08	6150.018	26.295	27.190	44.205
8/26/2008 12:08	6151.001	26.285	27.275	44.010
8/26/2008 12:08	6152.001	26.280	27.259	44.047
8/26/2008 12:08	6153.001	26.279	27.257	44.052
8/26/2008 12:08	6154.001	26.275	27.180	44.228
8/26/2008 12:08	6155.018	26.297	27.352	43.831
8/26/2008 12:08	6156.020	26.286	27.207	44.167
8/26/2008 12:08	6157.001	26.281	27.269	44.024
8/26/2008 12:08	6158.001	26.278	27.257	44.051
8/26/2008 12:08	6159.001	26.280	27.257	44.050
8/26/2008 12:08	6160.018	26.294	27.273	44.014
8/26/2008 12:08	6161.001	26.285	27.239	44.092
8/26/2008 12:08	6162.001	26.279	27.333	43.876
8/26/2008 12:08	6163.001	26.277	27.250	44.068
8/26/2008 12:08	6164.001	26.275	27.265	44.031
8/26/2008 12:08	6165.102	26.303	27.255	44.055
8/26/2008 12:08	6166.001	26.286	27.250	44.068
8/26/2008 12:08	6167.001	26.279	27.252	44.063
8/26/2008 12:08	6168.001	26.278	27.303	43.944
8/26/2008 12:08	6169.001	26.278	27.262	44.040
8/26/2008 12:08	6170.017	26.295	27.212	44.155
8/26/2008 12:08	6171.001	26.283	27.298	43.956
8/26/2008 12:08	6172.001	26.280	27.244	44.081
8/26/2008 12:08	6173.001	26.279	27.236	44.100

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:08	6174.001	26.275	27.206	44.169
8/26/2008 12:08	6175.017	26.291	27.284	43.988
8/26/2008 12:08	6176.018	26.282	27.249	44.070
8/26/2008 12:08	6177.001	26.280	27.259	44.045
8/26/2008 12:09	6178.001	26.275	27.186	44.214
8/26/2008 12:09	6179.001	26.276	27.265	44.033
8/26/2008 12:09	6180.016	26.291	27.238	44.095
8/26/2008 12:09	6181.001	26.280	27.177	44.237
8/26/2008 12:09	6182.001	26.278	27.311	43.926
8/26/2008 12:09	6183.001	26.276	27.248	44.072
8/26/2008 12:09	6184.001	26.274	27.250	44.067
8/26/2008 12:09	6185.016	26.292	27.214	44.151
8/26/2008 12:09	6186.018	26.281	27.292	43.969
8/26/2008 12:09	6187.001	26.280	27.256	44.054
8/26/2008 12:09	6188.001	26.272	27.272	44.016
8/26/2008 12:09	6189.001	26.274	27.259	44.047
8/26/2008 12:09	6190.016	26.290	27.286	43.983
8/26/2008 12:09	6191.001	26.278	27.245	44.079
8/26/2008 12:09	6192.001	26.276	27.307	43.935
8/26/2008 12:09	6193.001	26.275	27.232	44.109
8/26/2008 12:09	6194.001	26.275	27.272	44.016
8/26/2008 12:09	6195.016	26.290	27.204	44.174
8/26/2008 12:09	6196.001	26.278	27.226	44.122
8/26/2008 12:09	6197.001	26.274	27.278	44.003
8/26/2008 12:09	6198.001	26.271	27.230	44.114
8/26/2008 12:09	6199.001	26.275	27.304	43.942
8/26/2008 12:09	6200.015	26.289	27.188	44.211
8/26/2008 12:09	6201.158	26.275	27.216	44.145
8/26/2008 12:09	6202.001	26.275	27.264	44.035
8/26/2008 12:09	6203.001	26.271	27.276	44.007
8/26/2008 12:09	6204.001	26.275	27.229	44.114
8/26/2008 12:09	6205.015	26.289	27.250	44.067
8/26/2008 12:09	6206.001	26.278	27.329	43.886
8/26/2008 12:09	6207.001	26.273	27.224	44.128
8/26/2008 12:09	6208.001	26.273	27.205	44.171
8/26/2008 12:09	6209.001	26.271	27.305	43.941
8/26/2008 12:09	6210.015	26.289	27.260	44.044
8/26/2008 12:09	6211.001	26.279	27.272	44.017
8/26/2008 12:09	6212.001	26.273	27.275	44.010
8/26/2008 12:09	6213.001	26.269	27.259	44.045
8/26/2008 12:09	6214.001	26.272	27.240	44.090
8/26/2008 12:09	6215.014	26.285	27.249	44.069
8/26/2008 12:09	6216.001	26.275	27.240	44.091
8/26/2008 12:09	6217.001	26.273	27.192	44.202
8/26/2008 12:09	6218.001	26.270	27.224	44.126
8/26/2008 12:09	6219.001	26.269	27.236	44.099
8/26/2008 12:09	6220.014	26.284	27.193	44.199
8/26/2008 12:09	6221.001	26.275	27.319	43.908
8/26/2008 12:09	6222.001	26.271	27.268	44.025

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:09	6223.001	26.271	27.219	44.139
8/26/2008 12:09	6224.001	26.268	27.244	44.081
8/26/2008 12:09	6225.014	26.290	27.260	44.044
8/26/2008 12:09	6226.015	26.276	27.207	44.166
8/26/2008 12:09	6227.001	26.270	27.279	44.001
8/26/2008 12:09	6228.001	26.271	27.233	44.105
8/26/2008 12:09	6229.001	26.271	27.216	44.146
8/26/2008 12:09	6230.014	26.285	27.197	44.190
8/26/2008 12:09	6231.001	26.275	27.218	44.142
8/26/2008 12:09	6232.001	26.271	27.264	44.035
8/26/2008 12:09	6233.001	26.268	27.265	44.032
8/26/2008 12:09	6234.001	26.266	27.205	44.172
8/26/2008 12:09	6235.014	26.283	27.267	44.027
8/26/2008 12:09	6236.001	26.274	27.239	44.092
8/26/2008 12:09	6237.001	26.273	27.222	44.132
8/26/2008 12:10	6238.001	26.270	27.239	44.092
8/26/2008 12:10	6239.001	26.270	27.218	44.142
8/26/2008 12:10	6240.014	26.285	27.270	44.020
8/26/2008 12:10	6241.001	26.276	27.229	44.115
8/26/2008 12:10	6242.001	26.269	27.222	44.133
8/26/2008 12:10	6243.001	26.269	27.274	44.012
8/26/2008 12:10	6244.001	26.267	27.232	44.108
8/26/2008 12:10	6245.013	26.282	27.271	44.019
8/26/2008 12:10	6246.001	26.273	27.201	44.180
8/26/2008 12:10	6247.001	26.269	27.252	44.062
8/26/2008 12:10	6248.001	26.268	27.257	44.051
8/26/2008 12:10	6249.001	26.267	27.182	44.223
8/26/2008 12:10	6250.013	26.283	27.285	43.985
8/26/2008 12:10	6251.001	26.273	27.245	44.079
8/26/2008 12:10	6252.001	26.272	27.213	44.153
8/26/2008 12:10	6253.001	26.267	27.168	44.257
8/26/2008 12:10	6254.001	26.265	27.243	44.082
8/26/2008 12:10	6255.013	26.283	27.252	44.063
8/26/2008 12:10	6256.001	26.272	27.252	44.063
8/26/2008 12:10	6257.001	26.270	27.229	44.115
8/26/2008 12:10	6258.001	26.268	27.292	43.970
8/26/2008 12:10	6259.001	26.267	27.262	44.039
8/26/2008 12:10	6260.013	26.284	27.280	43.998
8/26/2008 12:10	6261.001	26.269	27.203	44.176
8/26/2008 12:10	6262.001	26.269	27.300	43.952
8/26/2008 12:10	6263.001	26.265	27.178	44.234
8/26/2008 12:10	6264.001	26.266	27.274	44.012
8/26/2008 12:10	6265.013	26.281	27.216	44.145
8/26/2008 12:10	6266.001	26.271	27.262	44.039
8/26/2008 12:10	6267.001	26.270	27.200	44.182
8/26/2008 12:10	6268.001	26.266	27.186	44.215
8/26/2008 12:10	6269.001	26.267	27.238	44.095
8/26/2008 12:10	6270.012	26.282	27.205	44.172
8/26/2008 12:10	6271.001	26.272	27.236	44.100

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:10	6272.001	26.266	27.213	44.152
8/26/2008 12:10	6273.001	26.267	27.211	44.157
8/26/2008 12:10	6274.001	26.265	27.299	43.954
8/26/2008 12:10	6275.012	26.281	27.285	43.985
8/26/2008 12:10	6276.001	26.271	27.233	44.107
8/26/2008 12:10	6277.001	26.268	27.330	43.882
8/26/2008 12:10	6278.001	26.266	27.175	44.240
8/26/2008 12:10	6279.001	26.264	27.266	44.030
8/26/2008 12:10	6280.011	26.280	27.275	44.008
8/26/2008 12:10	6281.001	26.269	27.202	44.178
8/26/2008 12:10	6282.001	26.266	27.256	44.053
8/26/2008 12:10	6283.001	26.265	27.211	44.157
8/26/2008 12:10	6284.001	26.262	27.291	43.972
8/26/2008 12:10	6285.011	26.279	27.176	44.237
8/26/2008 12:10	6286.001	26.268	27.248	44.071
8/26/2008 12:10	6287.001	26.267	27.192	44.201
8/26/2008 12:10	6288.001	26.263	27.260	44.044
8/26/2008 12:10	6289.001	26.262	27.203	44.175
8/26/2008 12:10	6290.011	26.280	27.231	44.111
8/26/2008 12:10	6291.001	26.269	27.253	44.061
8/26/2008 12:10	6292.001	26.267	27.225	44.124
8/26/2008 12:10	6293.001	26.264	27.258	44.050
8/26/2008 12:10	6294.001	26.264	27.211	44.157
8/26/2008 12:10	6295.011	26.281	27.253	44.061
8/26/2008 12:10	6296.001	26.268	27.169	44.255
8/26/2008 12:10	6297.001	26.265	27.312	43.924
8/26/2008 12:11	6298.001	26.263	27.233	44.106
8/26/2008 12:11	6299.001	26.263	27.200	44.182
8/26/2008 12:11	6300.011	26.284	27.257	44.051
8/26/2008 12:11	6301.001	26.270	27.233	44.107
8/26/2008 12:11	6302.001	26.267	27.244	44.081
8/26/2008 12:11	6303.001	26.264	27.203	44.175
8/26/2008 12:11	6304.001	26.260	27.275	44.010
8/26/2008 12:11	6305.011	26.282	27.221	44.135
8/26/2008 12:11	6306.001	26.271	27.208	44.165
8/26/2008 12:11	6307.001	26.267	27.215	44.148
8/26/2008 12:11	6308.001	26.267	27.200	44.182
8/26/2008 12:11	6309.001	26.266	27.214	44.149
8/26/2008 12:11	6310.010	26.282	27.186	44.214
8/26/2008 12:11	6311.001	26.268	27.258	44.049
8/26/2008 12:11	6312.001	26.268	27.300	43.951
8/26/2008 12:11	6313.001	26.264	27.159	44.278
8/26/2008 12:11	6314.001	26.265	27.255	44.055
8/26/2008 12:11	6315.010	26.282	27.215	44.148
8/26/2008 12:11	6316.001	26.269	27.230	44.114
8/26/2008 12:11	6317.001	26.267	27.177	44.236
8/26/2008 12:11	6318.001	26.265	27.237	44.098
8/26/2008 12:11	6319.001	26.264	27.234	44.104
8/26/2008 12:11	6320.010	26.281	27.206	44.168

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:11	6321.001	26.269	27.270	44.021
8/26/2008 12:11	6322.001	26.267	27.232	44.109
8/26/2008 12:11	6323.001	26.264	27.187	44.212
8/26/2008 12:11	6324.001	26.264	27.219	44.139
8/26/2008 12:11	6325.009	26.280	27.236	44.099
8/26/2008 12:11	6326.001	26.267	27.271	44.019
8/26/2008 12:11	6327.001	26.267	27.237	44.097
8/26/2008 12:11	6328.001	26.264	27.179	44.231
8/26/2008 12:11	6329.001	26.263	27.201	44.179
8/26/2008 12:11	6330.009	26.280	27.176	44.239
8/26/2008 12:11	6331.001	26.271	27.258	44.049
8/26/2008 12:11	6332.001	26.268	27.205	44.171
8/26/2008 12:11	6333.001	26.264	27.284	43.989
8/26/2008 12:11	6334.001	26.263	27.208	44.163
8/26/2008 12:11	6335.009	26.281	27.231	44.110
8/26/2008 12:11	6336.001	26.271	27.242	44.085
8/26/2008 12:11	6337.001	26.268	27.261	44.042
8/26/2008 12:11	6338.001	26.265	27.182	44.225
8/26/2008 12:11	6339.001	26.263	27.235	44.102
8/26/2008 12:11	6340.009	26.282	27.224	44.127
8/26/2008 12:11	6341.001	26.273	27.183	44.221
8/26/2008 12:11	6342.001	26.269	27.256	44.052
8/26/2008 12:11	6343.001	26.265	27.243	44.083
8/26/2008 12:11	6344.001	26.263	27.200	44.182
8/26/2008 12:11	6345.009	26.280	27.287	43.983
8/26/2008 12:11	6346.001	26.270	27.270	44.020
8/26/2008 12:11	6347.001	26.269	27.240	44.090
8/26/2008 12:11	6348.001	26.264	27.243	44.083
8/26/2008 12:11	6349.001	26.264	27.187	44.213
8/26/2008 12:11	6350.009	26.284	27.262	44.038
8/26/2008 12:11	6351.001	26.271	27.220	44.136
8/26/2008 12:11	6352.001	26.267	27.270	44.020
8/26/2008 12:11	6353.001	26.266	27.203	44.175
8/26/2008 12:11	6354.001	26.265	27.227	44.120
8/26/2008 12:11	6355.008	26.281	27.277	44.005
8/26/2008 12:11	6356.001	26.274	27.200	44.182
8/26/2008 12:11	6357.001	26.268	27.253	44.061
8/26/2008 12:12	6358.001	26.268	27.228	44.117
8/26/2008 12:12	6359.001	26.265	27.252	44.063
8/26/2008 12:12	6360.008	26.282	27.258	44.049
8/26/2008 12:12	6361.001	26.273	27.217	44.143
8/26/2008 12:12	6362.001	26.269	27.217	44.143
8/26/2008 12:12	6363.001	26.267	27.270	44.021
8/26/2008 12:12	6364.001	26.265	27.224	44.127
8/26/2008 12:12	6365.008	26.283	27.172	44.248
8/26/2008 12:12	6366.010	26.271	27.174	44.242
8/26/2008 12:12	6367.001	26.267	27.206	44.168
8/26/2008 12:12	6368.001	26.268	27.235	44.103
8/26/2008 12:12	6369.001	26.266	27.207	44.167

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:12	6370.008	26.282	27.243	44.083
8/26/2008 12:12	6371.001	26.270	27.203	44.175
8/26/2008 12:12	6372.001	26.271	27.246	44.077
8/26/2008 12:12	6373.001	26.266	27.215	44.148
8/26/2008 12:12	6374.001	26.266	27.243	44.084
8/26/2008 12:12	6375.008	26.284	27.200	44.183
8/26/2008 12:12	6376.009	26.274	27.290	43.974
8/26/2008 12:12	6377.001	26.270	27.248	44.073
8/26/2008 12:12	6378.001	26.269	27.236	44.099
8/26/2008 12:12	6379.001	26.264	27.191	44.203
8/26/2008 12:12	6380.008	26.282	27.225	44.126
8/26/2008 12:12	6381.149	26.269	27.258	44.049
8/26/2008 12:12	6382.001	26.270	27.181	44.226
8/26/2008 12:12	6383.001	26.267	27.261	44.043
8/26/2008 12:12	6384.001	26.267	27.162	44.269
8/26/2008 12:12	6385.007	26.283	27.209	44.161
8/26/2008 12:12	6386.009	26.274	27.244	44.081
8/26/2008 12:12	6387.001	26.269	27.181	44.226
8/26/2008 12:12	6388.001	26.268	27.210	44.159
8/26/2008 12:12	6389.001	26.265	27.154	44.289
8/26/2008 12:12	6390.007	26.284	27.264	44.036
8/26/2008 12:12	6391.001	26.274	27.282	43.993
8/26/2008 12:12	6392.001	26.269	27.241	44.089
8/26/2008 12:12	6393.001	26.267	27.249	44.069
8/26/2008 12:12	6394.001	26.268	27.280	43.998
8/26/2008 12:12	6395.007	26.284	27.240	44.089
8/26/2008 12:12	6396.009	26.273	27.247	44.073
8/26/2008 12:12	6397.001	26.269	27.175	44.241
8/26/2008 12:12	6398.001	26.267	27.213	44.151
8/26/2008 12:12	6399.001	26.269	27.225	44.126
8/26/2008 12:12	6400.007	26.286	27.243	44.083
8/26/2008 12:12	6401.001	26.274	27.200	44.182
8/26/2008 12:12	6402.001	26.268	27.238	44.096
8/26/2008 12:12	6403.001	26.267	27.180	44.229
8/26/2008 12:12	6404.001	26.268	27.208	44.164
8/26/2008 12:12	6405.007	26.287	27.214	44.151
8/26/2008 12:12	6406.008	26.273	27.271	44.019
8/26/2008 12:12	6407.001	26.271	27.215	44.149
8/26/2008 12:12	6408.001	26.266	27.232	44.109
8/26/2008 12:12	6409.001	26.269	27.163	44.267
8/26/2008 12:12	6410.007	26.285	27.242	44.086
8/26/2008 12:12	6411.001	26.273	27.260	44.044
8/26/2008 12:12	6412.001	26.271	27.198	44.188
8/26/2008 12:12	6413.001	26.269	27.223	44.129
8/26/2008 12:12	6414.001	26.268	27.200	44.182
8/26/2008 12:12	6415.006	26.286	27.293	43.968
8/26/2008 12:12	6416.008	26.278	27.187	44.212
8/26/2008 12:12	6417.001	26.268	27.164	44.265
8/26/2008 12:13	6418.001	26.269	27.230	44.114

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:13	6419.001	26.266	27.232	44.109
8/26/2008 12:13	6420.006	26.284	27.204	44.173
8/26/2008 12:13	6421.001	26.272	27.248	44.072
8/26/2008 12:13	6422.001	26.270	27.208	44.164
8/26/2008 12:13	6423.001	26.269	27.209	44.162
8/26/2008 12:13	6424.001	26.269	27.246	44.075
8/26/2008 12:13	6425.006	26.284	27.233	44.107
8/26/2008 12:13	6426.007	26.277	27.198	44.187
8/26/2008 12:13	6427.001	26.272	27.168	44.257
8/26/2008 12:13	6428.001	26.270	27.233	44.106
8/26/2008 12:13	6429.001	26.270	27.231	44.111
8/26/2008 12:13	6430.006	26.286	27.250	44.068
8/26/2008 12:13	6431.001	26.273	27.223	44.128
8/26/2008 12:13	6432.001	26.274	27.206	44.169
8/26/2008 12:13	6433.001	26.268	27.251	44.065
8/26/2008 12:13	6434.001	26.271	27.198	44.187
8/26/2008 12:13	6435.005	26.287	27.272	44.017
8/26/2008 12:13	6436.007	26.278	27.243	44.083
8/26/2008 12:13	6437.001	26.273	27.246	44.076
8/26/2008 12:13	6438.001	26.273	27.183	44.223
8/26/2008 12:13	6439.001	26.273	27.209	44.161
8/26/2008 12:13	6440.005	26.293	27.215	44.148
8/26/2008 12:13	6441.148	26.277	27.189	44.208
8/26/2008 12:13	6442.001	26.276	27.179	44.230
8/26/2008 12:13	6443.001	26.275	27.241	44.088
8/26/2008 12:13	6444.001	26.273	27.227	44.120
8/26/2008 12:13	6445.005	26.291	27.190	44.206
8/26/2008 12:13	6446.007	26.281	27.176	44.238
8/26/2008 12:13	6447.001	26.279	27.176	44.237
8/26/2008 12:13	6448.001	26.276	27.278	44.002
8/26/2008 12:13	6449.001	26.277	27.190	44.206
8/26/2008 12:13	6450.005	26.294	27.269	44.023
8/26/2008 12:13	6451.001	26.282	27.210	44.159
8/26/2008 12:13	6452.001	26.279	27.192	44.200
8/26/2008 12:13	6453.001	26.278	27.227	44.121
8/26/2008 12:13	6454.001	26.279	27.219	44.139
8/26/2008 12:13	6455.005	26.295	27.262	44.039
8/26/2008 12:13	6456.007	26.282	27.245	44.078
8/26/2008 12:13	6457.001	26.282	27.207	44.166
8/26/2008 12:13	6458.001	26.280	27.243	44.083
8/26/2008 12:13	6459.001	26.277	27.228	44.118
8/26/2008 12:13	6460.005	26.295	27.174	44.241
8/26/2008 12:13	6461.001	26.284	27.203	44.175
8/26/2008 12:13	6462.001	26.282	27.222	44.131
8/26/2008 12:13	6463.001	26.281	27.212	44.154
8/26/2008 12:13	6464.001	26.282	27.174	44.242
8/26/2008 12:13	6465.005	26.298	27.214	44.151
8/26/2008 12:13	6466.006	26.288	27.259	44.046
8/26/2008 12:13	6467.001	26.280	27.158	44.280

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:13	6468.001	26.284	27.258	44.049
8/26/2008 12:13	6469.001	26.282	27.195	44.194
8/26/2008 12:13	6470.005	26.299	27.177	44.237
8/26/2008 12:13	6471.001	26.286	27.264	44.035
8/26/2008 12:13	6472.001	26.284	27.192	44.201
8/26/2008 12:13	6473.001	26.283	27.185	44.218
8/26/2008 12:13	6474.001	26.281	27.235	44.103
8/26/2008 12:13	6475.004	26.300	27.220	44.136
8/26/2008 12:13	6476.006	26.288	27.227	44.119
8/26/2008 12:13	6477.001	26.284	27.208	44.164
8/26/2008 12:14	6478.001	26.285	27.211	44.157
8/26/2008 12:14	6479.001	26.284	27.165	44.264
8/26/2008 12:14	6480.004	26.300	27.221	44.133
8/26/2008 12:14	6481.001	26.287	27.181	44.226
8/26/2008 12:14	6482.001	26.286	27.242	44.087
8/26/2008 12:14	6483.001	26.286	27.178	44.233
8/26/2008 12:14	6484.001	26.284	27.156	44.284
8/26/2008 12:14	6485.003	26.300	27.256	44.052
8/26/2008 12:14	6486.005	26.291	27.215	44.147
8/26/2008 12:14	6487.001	26.285	27.187	44.214
8/26/2008 12:14	6488.001	26.284	27.196	44.191
8/26/2008 12:14	6489.001	26.283	27.159	44.277
8/26/2008 12:14	6490.003	26.301	27.253	44.061
8/26/2008 12:14	6491.001	26.291	27.268	44.026
8/26/2008 12:14	6492.001	26.285	27.275	44.009
8/26/2008 12:14	6493.001	26.285	27.162	44.271
8/26/2008 12:14	6494.001	26.285	27.214	44.151
8/26/2008 12:14	6495.003	26.300	27.187	44.213
8/26/2008 12:14	6496.004	26.293	27.265	44.032
8/26/2008 12:14	6497.001	26.287	27.200	44.182
8/26/2008 12:14	6498.001	26.285	27.285	43.986
8/26/2008 12:14	6499.001	26.285	27.172	44.246
8/26/2008 12:14	6500.003	26.300	27.209	44.163
8/26/2008 12:14	6501.145	26.289	27.153	44.290
8/26/2008 12:14	6502.001	26.288	27.200	44.183
8/26/2008 12:14	6503.001	26.285	27.228	44.117
8/26/2008 12:14	6504.001	26.286	27.177	44.235
8/26/2008 12:14	6505.002	26.302	27.224	44.126
8/26/2008 12:14	6506.004	26.290	27.201	44.180
8/26/2008 12:14	6507.001	26.289	27.200	44.183
8/26/2008 12:14	6508.001	26.287	27.172	44.248
8/26/2008 12:14	6509.001	26.285	27.184	44.220
8/26/2008 12:14	6510.002	26.300	27.226	44.122
8/26/2008 12:14	6511.001	26.292	27.190	44.206
8/26/2008 12:14	6512.001	26.288	27.200	44.183
8/26/2008 12:14	6513.001	26.287	27.252	44.061
8/26/2008 12:14	6514.001	26.284	27.221	44.135
8/26/2008 12:14	6515.002	26.303	27.186	44.214
8/26/2008 12:14	6516.004	26.292	27.283	43.992

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:14	6517.001	26.284	27.147	44.304
8/26/2008 12:14	6518.001	26.285	27.242	44.087
8/26/2008 12:14	6519.001	26.286	27.285	43.986
8/26/2008 12:14	6520.002	26.304	27.195	44.194
8/26/2008 12:14	6521.001	26.290	27.177	44.236
8/26/2008 12:14	6522.001	26.286	27.195	44.193
8/26/2008 12:14	6523.001	26.288	27.200	44.184
8/26/2008 12:14	6524.001	26.286	27.222	44.132
8/26/2008 12:14	6525.001	26.304	27.220	44.136
8/26/2008 12:14	6526.003	26.293	27.230	44.114
8/26/2008 12:14	6527.001	26.287	27.256	44.054
8/26/2008 12:14	6528.001	26.290	27.209	44.161
8/26/2008 12:14	6529.001	26.286	27.209	44.161
8/26/2008 12:14	6530.001	26.302	27.208	44.163
8/26/2008 12:14	6531.001	26.290	27.194	44.197
8/26/2008 12:14	6532.001	26.288	27.185	44.216
8/26/2008 12:14	6533.001	26.287	27.233	44.107
8/26/2008 12:14	6534.001	26.287	27.208	44.163
8/26/2008 12:14	6535.001	26.302	27.185	44.216
8/26/2008 12:14	6536.003	26.293	27.261	44.041
8/26/2008 12:14	6537.001	26.288	27.223	44.131
8/26/2008 12:15	6538.001	26.285	27.250	44.067
8/26/2008 12:15	6539.001	26.286	27.190	44.205
8/26/2008 12:15	6540.001	26.303	27.190	44.206
8/26/2008 12:15	6541.001	26.289	27.196	44.192
8/26/2008 12:15	6542.001	26.286	27.172	44.248
8/26/2008 12:15	6543.001	26.286	27.280	43.997
8/26/2008 12:15	6544.001	26.284	27.222	44.132
8/26/2008 12:15	6545.001	26.299	27.205	44.171
8/26/2008 12:15	6546.002	26.291	27.234	44.104
8/26/2008 12:15	6547.001	26.289	27.186	44.214
8/26/2008 12:15	6548.001	26.287	27.165	44.264
8/26/2008 12:15	6549.001	26.286	27.236	44.098
8/26/2008 12:15	6550.001	26.301	27.184	44.220
8/26/2008 12:15	6551.002	26.295	27.219	44.140
8/26/2008 12:15	6552.001	26.287	27.184	44.219
8/26/2008 12:15	6553.001	26.286	27.238	44.094
8/26/2008 12:15	6554.001	26.289	27.179	44.232
8/26/2008 12:15	6555.001	26.302	27.210	44.158
8/26/2008 12:15	6556.001	26.293	27.204	44.174
8/26/2008 12:15	6557.001	26.287	27.200	44.182
8/26/2008 12:15	6558.001	26.286	27.254	44.058
8/26/2008 12:15	6559.001	26.285	27.216	44.145
8/26/2008 12:15	6560.001	26.301	27.145	44.309
8/26/2008 12:15	6561.141	26.289	27.274	44.012
8/26/2008 12:15	6562.001	26.288	27.236	44.099
8/26/2008 12:15	6563.001	26.287	27.163	44.268
8/26/2008 12:15	6564.001	26.288	27.261	44.041
8/26/2008 12:15	6565.001	26.300	27.173	44.244

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:15	6566.001	26.292	27.234	44.104
8/26/2008 12:15	6567.001	26.288	27.203	44.175
8/26/2008 12:15	6568.001	26.286	27.184	44.219
8/26/2008 12:15	6569.001	26.286	27.235	44.102
8/26/2008 12:15	6570.037	26.314	27.211	44.157
8/26/2008 12:15	6571.001	26.291	27.204	44.172
8/26/2008 12:15	6572.001	26.288	27.208	44.164
8/26/2008 12:15	6573.001	26.286	27.252	44.062
8/26/2008 12:15	6574.001	26.285	27.169	44.255
8/26/2008 12:15	6575.001	26.303	27.209	44.162
8/26/2008 12:15	6576.001	26.292	27.249	44.070
8/26/2008 12:15	6577.001	26.285	27.201	44.180
8/26/2008 12:15	6578.001	26.286	27.244	44.081
8/26/2008 12:15	6579.001	26.287	27.158	44.280
8/26/2008 12:15	6580.001	26.301	27.224	44.128
8/26/2008 12:15	6581.001	26.291	27.189	44.207
8/26/2008 12:15	6582.001	26.288	27.192	44.201
8/26/2008 12:15	6583.001	26.289	27.236	44.100
8/26/2008 12:15	6584.001	26.289	27.180	44.229
8/26/2008 12:15	6585.001	26.304	27.229	44.116
8/26/2008 12:15	6586.001	26.296	27.120	44.367
8/26/2008 12:15	6587.001	26.291	27.234	44.105
8/26/2008 12:15	6588.001	26.290	27.240	44.090
8/26/2008 12:15	6589.001	26.288	27.229	44.117
8/26/2008 12:15	6590.001	26.308	27.258	44.048
8/26/2008 12:15	6591.001	26.292	27.183	44.222
8/26/2008 12:15	6592.001	26.291	27.244	44.080
8/26/2008 12:15	6593.001	26.293	27.177	44.236
8/26/2008 12:15	6594.001	26.288	27.189	44.207
8/26/2008 12:15	6595.001	26.307	27.218	44.141
8/26/2008 12:15	6596.001	26.296	27.209	44.162
8/26/2008 12:15	6597.001	26.294	27.144	44.311
8/26/2008 12:16	6598.001	26.293	27.292	43.969
8/26/2008 12:16	6599.001	26.296	27.200	44.183
8/26/2008 12:16	6600.001	26.309	27.219	44.139
8/26/2008 12:16	6601.001	26.297	27.233	44.107
8/26/2008 12:16	6602.001	26.295	27.217	44.143
8/26/2008 12:16	6603.001	26.292	27.219	44.138
8/26/2008 12:16	6604.001	26.291	27.200	44.181
8/26/2008 12:16	6605.001	26.307	27.208	44.165
8/26/2008 12:16	6606.001	26.300	27.170	44.252
8/26/2008 12:16	6607.001	26.296	27.215	44.147
8/26/2008 12:16	6608.001	26.292	27.153	44.292
8/26/2008 12:16	6609.001	26.292	27.194	44.197
8/26/2008 12:16	6610.001	26.306	27.243	44.083
8/26/2008 12:16	6611.001	26.302	27.121	44.365
8/26/2008 12:16	6612.001	26.296	27.216	44.145
8/26/2008 12:16	6613.001	26.295	27.194	44.197
8/26/2008 12:16	6614.001	26.293	27.210	44.160

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:16	6615.001	26.311	27.237	44.096
8/26/2008 12:16	6616.001	26.299	27.176	44.239
8/26/2008 12:16	6617.001	26.297	27.247	44.074
8/26/2008 12:16	6618.001	26.292	27.159	44.277
8/26/2008 12:16	6619.001	26.296	27.149	44.300
8/26/2008 12:16	6620.001	26.311	27.264	44.035
8/26/2008 12:16	6621.001	26.298	27.229	44.117
8/26/2008 12:16	6622.001	26.297	27.223	44.130
8/26/2008 12:16	6623.001	26.295	27.133	44.337
8/26/2008 12:16	6624.001	26.296	27.237	44.097
8/26/2008 12:16	6625.001	26.312	27.143	44.315
8/26/2008 12:16	6626.001	26.302	27.212	44.156
8/26/2008 12:16	6627.001	26.298	27.260	44.045
8/26/2008 12:16	6628.001	26.296	27.194	44.197
8/26/2008 12:16	6629.001	26.296	27.253	44.059
8/26/2008 12:16	6630.001	26.313	27.196	44.192
8/26/2008 12:16	6631.001	26.303	27.230	44.114
8/26/2008 12:16	6632.001	26.300	27.184	44.219
8/26/2008 12:16	6633.001	26.296	27.183	44.221
8/26/2008 12:16	6634.001	26.296	27.159	44.277
8/26/2008 12:16	6635.001	26.313	27.145	44.310
8/26/2008 12:16	6636.001	26.302	27.177	44.235
8/26/2008 12:16	6637.001	26.299	27.261	44.041
8/26/2008 12:16	6638.001	26.297	27.152	44.293
8/26/2008 12:16	6639.001	26.297	27.222	44.133
8/26/2008 12:16	6640.001	26.312	27.170	44.253
8/26/2008 12:16	6641.001	26.303	27.179	44.230
8/26/2008 12:16	6642.001	26.299	27.253	44.061
8/26/2008 12:16	6643.001	26.300	27.223	44.129
8/26/2008 12:16	6644.001	26.298	27.251	44.065
8/26/2008 12:16	6645.001	26.315	27.178	44.234
8/26/2008 12:16	6646.001	26.302	27.175	44.240
8/26/2008 12:16	6647.001	26.300	27.180	44.229
8/26/2008 12:16	6648.001	26.297	27.224	44.127
8/26/2008 12:16	6649.001	26.297	27.207	44.166
8/26/2008 12:16	6650.001	26.313	27.197	44.189
8/26/2008 12:16	6651.001	26.304	27.214	44.150
8/26/2008 12:16	6652.001	26.300	27.209	44.163
8/26/2008 12:16	6653.001	26.299	27.251	44.064
8/26/2008 12:16	6654.001	26.298	27.189	44.208
8/26/2008 12:16	6655.001	26.316	27.211	44.157
8/26/2008 12:16	6656.001	26.305	27.208	44.165
8/26/2008 12:16	6657.001	26.303	27.196	44.191
8/26/2008 12:17	6658.001	26.301	27.194	44.197
8/26/2008 12:17	6659.001	26.300	27.169	44.254
8/26/2008 12:17	6660.001	26.313	27.249	44.069
8/26/2008 12:17	6661.001	26.304	27.186	44.215
8/26/2008 12:17	6662.001	26.300	27.226	44.123
8/26/2008 12:17	6663.001	26.298	27.180	44.228

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:17	6664.001	26.300	27.181	44.227
8/26/2008 12:17	6665.001	26.316	27.198	44.187
8/26/2008 12:17	6666.001	26.303	27.208	44.164
8/26/2008 12:17	6667.001	26.299	27.219	44.138
8/26/2008 12:17	6668.001	26.299	27.205	44.171
8/26/2008 12:17	6669.001	26.299	27.235	44.102
8/26/2008 12:17	6670.001	26.317	27.218	44.141
8/26/2008 12:17	6671.001	26.303	27.159	44.277
8/26/2008 12:17	6672.001	26.298	27.186	44.214
8/26/2008 12:17	6673.001	26.301	27.197	44.190
8/26/2008 12:17	6674.001	26.299	27.127	44.352
8/26/2008 12:17	6675.001	26.318	27.217	44.143
8/26/2008 12:17	6676.001	26.307	27.197	44.189
8/26/2008 12:17	6677.001	26.300	27.230	44.113
8/26/2008 12:17	6678.001	26.299	27.207	44.166
8/26/2008 12:17	6679.001	26.300	27.230	44.114
8/26/2008 12:17	6680.001	26.315	27.145	44.310
8/26/2008 12:17	6681.136	26.303	27.201	44.180
8/26/2008 12:17	6682.001	26.304	27.162	44.270
8/26/2008 12:17	6683.001	26.301	27.172	44.247
8/26/2008 12:17	6684.001	26.298	27.175	44.239
8/26/2008 12:17	6685.001	26.317	27.139	44.324
8/26/2008 12:17	6686.001	26.306	27.227	44.119
8/26/2008 12:17	6687.001	26.301	27.150	44.298
8/26/2008 12:17	6688.001	26.300	27.191	44.204
8/26/2008 12:17	6689.001	26.301	27.269	44.023
8/26/2008 12:17	6690.001	26.316	27.116	44.376
8/26/2008 12:17	6691.001	26.306	27.287	43.982
8/26/2008 12:17	6692.001	26.302	27.179	44.232
8/26/2008 12:17	6693.001	26.302	27.182	44.224
8/26/2008 12:17	6694.001	26.302	27.166	44.260
8/26/2008 12:17	6695.001	26.318	27.158	44.278
8/26/2008 12:17	6696.001	26.305	27.170	44.252
8/26/2008 12:17	6697.001	26.303	27.200	44.181
8/26/2008 12:17	6698.001	26.301	27.173	44.246
8/26/2008 12:17	6699.001	26.298	27.248	44.072
8/26/2008 12:17	6700.001	26.318	27.187	44.213
8/26/2008 12:17	6701.001	26.306	27.179	44.231
8/26/2008 12:17	6702.001	26.304	27.208	44.164
8/26/2008 12:17	6703.001	26.302	27.193	44.199
8/26/2008 12:17	6704.001	26.300	27.137	44.328
8/26/2008 12:17	6705.001	26.316	27.226	44.123
8/26/2008 12:17	6706.001	26.306	27.192	44.201
8/26/2008 12:17	6707.001	26.303	27.161	44.272
8/26/2008 12:17	6708.001	26.302	27.198	44.188
8/26/2008 12:17	6709.001	26.301	27.207	44.165
8/26/2008 12:17	6710.001	26.316	27.176	44.238
8/26/2008 12:17	6711.001	26.305	27.142	44.317
8/26/2008 12:17	6712.001	26.303	27.228	44.117

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:17	6713.001	26.301	27.172	44.248
8/26/2008 12:17	6714.001	26.302	27.178	44.233
8/26/2008 12:17	6715.001	26.317	27.183	44.222
8/26/2008 12:17	6716.001	26.305	27.242	44.085
8/26/2008 12:17	6717.001	26.304	27.199	44.184
8/26/2008 12:18	6718.001	26.301	27.177	44.236
8/26/2008 12:18	6719.001	26.301	27.232	44.108
8/26/2008 12:18	6720.001	26.319	27.180	44.229
8/26/2008 12:18	6721.001	26.305	27.245	44.078
8/26/2008 12:18	6722.001	26.309	27.112	44.385
8/26/2008 12:18	6723.001	26.302	27.191	44.204
8/26/2008 12:18	6724.001	26.299	27.204	44.174
8/26/2008 12:18	6725.001	26.320	27.172	44.248
8/26/2008 12:18	6726.001	26.308	27.248	44.072
8/26/2008 12:18	6727.001	26.306	27.162	44.270
8/26/2008 12:18	6728.001	26.301	27.172	44.247
8/26/2008 12:18	6729.001	26.300	27.184	44.219
8/26/2008 12:18	6730.001	26.319	27.182	44.225
8/26/2008 12:18	6731.001	26.308	27.206	44.168
8/26/2008 12:18	6732.001	26.304	27.155	44.286
8/26/2008 12:18	6733.001	26.302	27.217	44.143
8/26/2008 12:18	6734.001	26.302	27.159	44.277
8/26/2008 12:18	6735.001	26.319	27.155	44.287
8/26/2008 12:18	6736.001	26.307	27.186	44.216
8/26/2008 12:18	6737.001	26.305	27.197	44.190
8/26/2008 12:18	6738.001	26.302	27.156	44.283
8/26/2008 12:18	6739.001	26.301	27.161	44.272
8/26/2008 12:18	6740.001	26.315	27.110	44.391
8/26/2008 12:18	6741.133	26.306	27.152	44.292
8/26/2008 12:18	6742.001	26.304	27.168	44.257
8/26/2008 12:18	6743.001	26.303	27.153	44.291
8/26/2008 12:18	6744.001	26.300	27.194	44.197
8/26/2008 12:18	6745.001	26.316	27.157	44.281
8/26/2008 12:18	6746.001	26.307	27.199	44.184
8/26/2008 12:18	6747.001	26.302	27.127	44.351
8/26/2008 12:18	6748.001	26.301	27.215	44.148
8/26/2008 12:18	6749.001	26.299	27.138	44.325
8/26/2008 12:18	6750.001	26.315	27.226	44.122
8/26/2008 12:18	6751.001	26.305	27.161	44.271
8/26/2008 12:18	6752.001	26.304	27.275	44.009
8/26/2008 12:18	6753.001	26.302	27.187	44.213
8/26/2008 12:18	6754.001	26.302	27.171	44.249
8/26/2008 12:18	6755.001	26.318	27.237	44.096
8/26/2008 12:18	6756.001	26.303	27.176	44.238
8/26/2008 12:18	6757.001	26.304	27.178	44.232
8/26/2008 12:18	6758.001	26.303	27.274	44.011
8/26/2008 12:18	6759.001	26.299	27.167	44.259
8/26/2008 12:18	6760.001	26.319	27.158	44.280
8/26/2008 12:18	6761.001	26.305	27.197	44.189

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:18	6762.001	26.302	27.163	44.267
8/26/2008 12:18	6763.001	26.301	27.188	44.211
8/26/2008 12:18	6764.022	26.301	27.170	44.252
8/26/2008 12:18	6765.001	26.318	27.145	44.309
8/26/2008 12:18	6766.001	26.305	27.150	44.298
8/26/2008 12:18	6767.001	26.301	27.242	44.084
8/26/2008 12:18	6768.001	26.301	27.171	44.249
8/26/2008 12:18	6769.001	26.300	27.198	44.186
8/26/2008 12:18	6770.001	26.318	27.141	44.319
8/26/2008 12:18	6771.001	26.306	27.172	44.248
8/26/2008 12:18	6772.001	26.301	27.213	44.153
8/26/2008 12:18	6773.001	26.298	27.148	44.302
8/26/2008 12:18	6774.001	26.299	27.132	44.338
8/26/2008 12:18	6775.001	26.315	27.230	44.113
8/26/2008 12:18	6776.001	26.304	27.126	44.354
8/26/2008 12:18	6777.001	26.302	27.234	44.105
8/26/2008 12:19	6778.001	26.301	27.138	44.325
8/26/2008 12:19	6779.001	26.301	27.172	44.247
8/26/2008 12:19	6780.001	26.313	27.192	44.200
8/26/2008 12:19	6781.001	26.303	27.157	44.282
8/26/2008 12:19	6782.001	26.300	27.224	44.127
8/26/2008 12:19	6783.001	26.300	27.242	44.085
8/26/2008 12:19	6784.001	26.300	27.158	44.280
8/26/2008 12:19	6785.001	26.313	27.198	44.186
8/26/2008 12:19	6786.001	26.308	27.163	44.267
8/26/2008 12:19	6787.001	26.299	27.173	44.244
8/26/2008 12:19	6788.021	26.300	27.163	44.267
8/26/2008 12:19	6789.001	26.300	27.176	44.237
8/26/2008 12:19	6790.001	26.318	27.165	44.264
8/26/2008 12:19	6791.001	26.303	27.213	44.153
8/26/2008 12:19	6792.001	26.304	27.221	44.135
8/26/2008 12:19	6793.001	26.300	27.172	44.247
8/26/2008 12:19	6794.001	26.296	27.195	44.195
8/26/2008 12:19	6795.001	26.318	27.156	44.283
8/26/2008 12:19	6796.001	26.303	27.224	44.127
8/26/2008 12:19	6797.001	26.302	27.180	44.228
8/26/2008 12:19	6798.001	26.300	27.187	44.212
8/26/2008 12:19	6799.001	26.297	27.162	44.270
8/26/2008 12:19	6800.001	26.314	27.237	44.097
8/26/2008 12:19	6801.131	26.299	27.176	44.239
8/26/2008 12:19	6802.001	26.304	27.177	44.236
8/26/2008 12:19	6803.001	26.298	27.279	44.000
8/26/2008 12:19	6804.001	26.298	27.149	44.301
8/26/2008 12:19	6805.001	26.315	27.169	44.253
8/26/2008 12:19	6806.001	26.303	27.172	44.246
8/26/2008 12:19	6807.001	26.301	27.223	44.130
8/26/2008 12:19	6808.001	26.300	27.131	44.341
8/26/2008 12:19	6809.001	26.299	27.180	44.229
8/26/2008 12:19	6810.001	26.314	27.189	44.208

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:19	6811.001	26.304	27.166	44.262
8/26/2008 12:19	6812.001	26.299	27.204	44.174
8/26/2008 12:19	6813.001	26.298	27.130	44.344
8/26/2008 12:19	6814.001	26.299	27.179	44.232
8/26/2008 12:19	6815.001	26.313	27.197	44.189
8/26/2008 12:19	6816.001	26.305	27.229	44.116
8/26/2008 12:19	6817.001	26.301	27.193	44.198
8/26/2008 12:19	6818.001	26.299	27.164	44.266
8/26/2008 12:19	6819.001	26.298	27.168	44.256
8/26/2008 12:19	6820.001	26.317	27.133	44.337
8/26/2008 12:19	6821.001	26.307	27.204	44.173
8/26/2008 12:19	6822.020	26.301	27.155	44.285
8/26/2008 12:19	6823.001	26.301	27.157	44.281
8/26/2008 12:19	6824.001	26.302	27.203	44.175
8/26/2008 12:19	6825.001	26.316	27.165	44.264
8/26/2008 12:19	6826.001	26.307	27.172	44.246
8/26/2008 12:19	6827.001	26.301	27.149	44.300
8/26/2008 12:19	6828.001	26.301	27.210	44.159
8/26/2008 12:19	6829.001	26.302	27.196	44.192
8/26/2008 12:19	6830.001	26.316	27.145	44.310
8/26/2008 12:19	6831.001	26.304	27.299	43.953
8/26/2008 12:19	6832.001	26.302	27.152	44.293
8/26/2008 12:19	6833.001	26.304	27.109	44.392
8/26/2008 12:19	6834.019	26.300	27.219	44.138
8/26/2008 12:19	6835.001	26.315	27.192	44.201
8/26/2008 12:19	6836.001	26.305	27.139	44.323
8/26/2008 12:19	6837.001	26.304	27.161	44.273
8/26/2008 12:20	6838.001	26.303	27.164	44.265
8/26/2008 12:20	6839.001	26.300	27.155	44.286
8/26/2008 12:20	6840.001	26.318	27.168	44.256
8/26/2008 12:20	6841.001	26.304	27.168	44.257
8/26/2008 12:20	6842.001	26.300	27.127	44.350
8/26/2008 12:20	6843.001	26.301	27.158	44.280
8/26/2008 12:20	6844.001	26.301	27.205	44.171
8/26/2008 12:20	6845.001	26.319	27.137	44.327
8/26/2008 12:20	6846.001	26.303	27.192	44.201
8/26/2008 12:20	6847.001	26.304	27.171	44.250
8/26/2008 12:20	6848.001	26.303	27.170	44.251
8/26/2008 12:20	6849.001	26.299	27.213	44.153
8/26/2008 12:20	6850.001	26.318	27.140	44.321
8/26/2008 12:20	6851.004	26.307	27.116	44.376
8/26/2008 12:20	6852.001	26.303	27.116	44.376
8/26/2008 12:20	6853.001	26.301	27.155	44.287
8/26/2008 12:20	6854.001	26.301	27.201	44.180
8/26/2008 12:20	6855.001	26.317	27.135	44.333
8/26/2008 12:20	6856.001	26.309	27.173	44.245
8/26/2008 12:20	6857.001	26.304	27.128	44.349
8/26/2008 12:20	6858.018	26.303	27.146	44.307
8/26/2008 12:20	6859.001	26.303	27.207	44.167

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:20	6860.003	26.318	27.178	44.232
8/26/2008 12:20	6861.004	26.306	27.134	44.335
8/26/2008 12:20	6862.001	26.304	27.194	44.196
8/26/2008 12:20	6863.001	26.304	27.188	44.209
8/26/2008 12:20	6864.001	26.302	27.203	44.177
8/26/2008 12:20	6865.002	26.317	27.208	44.164
8/26/2008 12:20	6866.001	26.308	27.182	44.223
8/26/2008 12:20	6867.001	26.307	27.213	44.152
8/26/2008 12:20	6868.001	26.304	27.169	44.254
8/26/2008 12:20	6869.001	26.303	27.146	44.307
8/26/2008 12:20	6870.002	26.319	27.200	44.183
8/26/2008 12:20	6871.128	26.308	27.185	44.218
8/26/2008 12:20	6872.001	26.306	27.128	44.349
8/26/2008 12:20	6873.001	26.305	27.167	44.259
8/26/2008 12:20	6874.001	26.305	27.198	44.187
8/26/2008 12:20	6875.002	26.321	27.159	44.277
8/26/2008 12:20	6876.001	26.309	27.121	44.365
8/26/2008 12:20	6877.001	26.308	27.157	44.283
8/26/2008 12:20	6878.001	26.306	27.153	44.291
8/26/2008 12:20	6879.001	26.308	27.192	44.201
8/26/2008 12:20	6880.002	26.320	27.167	44.258
8/26/2008 12:20	6881.003	26.311	27.162	44.270
8/26/2008 12:20	6882.017	26.308	27.194	44.196
8/26/2008 12:20	6883.001	26.309	27.207	44.166
8/26/2008 12:20	6884.001	26.307	27.208	44.163
8/26/2008 12:20	6885.001	26.322	27.130	44.344
8/26/2008 12:20	6886.004	26.314	27.216	44.145
8/26/2008 12:20	6887.001	26.309	27.191	44.203
8/26/2008 12:20	6888.001	26.307	27.228	44.119
8/26/2008 12:20	6889.001	26.309	27.176	44.238
8/26/2008 12:20	6890.011	26.323	27.151	44.295
8/26/2008 12:20	6891.004	26.315	27.171	44.250
8/26/2008 12:20	6892.001	26.312	27.228	44.118
8/26/2008 12:20	6893.001	26.312	27.151	44.295
8/26/2008 12:20	6894.016	26.311	27.203	44.177
8/26/2008 12:20	6895.011	26.327	27.168	44.257
8/26/2008 12:20	6896.001	26.313	27.127	44.351
8/26/2008 12:20	6897.001	26.312	27.213	44.153
8/26/2008 12:21	6898.001	26.309	27.146	44.308
8/26/2008 12:21	6899.001	26.309	27.144	44.312
8/26/2008 12:21	6900.001	26.326	27.142	44.316
8/26/2008 12:21	6901.002	26.317	27.207	44.167
8/26/2008 12:21	6902.001	26.312	27.187	44.212
8/26/2008 12:21	6903.001	26.314	27.197	44.190
8/26/2008 12:21	6904.001	26.314	27.134	44.336
8/26/2008 12:21	6905.001	26.325	27.207	44.167
8/26/2008 12:21	6906.012	26.317	27.176	44.238
8/26/2008 12:21	6907.001	26.314	27.101	44.411
8/26/2008 12:21	6908.001	26.311	27.130	44.344

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:21	6909.001	26.314	27.240	44.090
8/26/2008 12:21	6910.001	26.326	27.143	44.315
8/26/2008 12:21	6911.001	26.320	27.147	44.304
8/26/2008 12:21	6912.001	26.317	27.194	44.197
8/26/2008 12:21	6913.001	26.315	27.209	44.163
8/26/2008 12:21	6914.001	26.314	27.141	44.318
8/26/2008 12:21	6915.001	26.332	27.147	44.306
8/26/2008 12:21	6916.001	26.320	27.138	44.325
8/26/2008 12:21	6917.001	26.319	27.152	44.294
8/26/2008 12:21	6918.015	26.316	27.130	44.344
8/26/2008 12:21	6919.001	26.315	27.142	44.317
8/26/2008 12:21	6920.001	26.331	27.155	44.286
8/26/2008 12:21	6921.001	26.323	27.154	44.290
8/26/2008 12:21	6922.001	26.320	27.102	44.410
8/26/2008 12:21	6923.001	26.316	27.203	44.177
8/26/2008 12:21	6924.001	26.317	27.184	44.218
8/26/2008 12:21	6925.001	26.331	27.175	44.240
8/26/2008 12:21	6926.001	26.323	27.169	44.255
8/26/2008 12:21	6927.001	26.320	27.168	44.257
8/26/2008 12:21	6928.001	26.319	27.119	44.370
8/26/2008 12:21	6929.001	26.319	27.220	44.136
8/26/2008 12:21	6930.001	26.335	27.176	44.239
8/26/2008 12:21	6931.001	26.325	27.145	44.309
8/26/2008 12:21	6932.001	26.322	27.184	44.220
8/26/2008 12:21	6933.001	26.319	27.142	44.316
8/26/2008 12:21	6934.001	26.319	27.148	44.302
8/26/2008 12:21	6935.001	26.336	27.159	44.278
8/26/2008 12:21	6936.001	26.324	27.131	44.343
8/26/2008 12:21	6937.001	26.320	27.164	44.265
8/26/2008 12:21	6938.001	26.319	27.204	44.173
8/26/2008 12:21	6939.001	26.319	27.181	44.227
8/26/2008 12:21	6940.001	26.335	27.248	44.072
8/26/2008 12:21	6941.001	26.326	27.123	44.361
8/26/2008 12:21	6942.014	26.322	27.118	44.371
8/26/2008 12:21	6943.001	26.321	27.109	44.393
8/26/2008 12:21	6944.001	26.324	27.178	44.232
8/26/2008 12:21	6945.001	26.336	27.129	44.347
8/26/2008 12:21	6946.001	26.327	27.181	44.226
8/26/2008 12:21	6947.001	26.321	27.105	44.403
8/26/2008 12:21	6948.001	26.324	27.194	44.195
8/26/2008 12:21	6949.001	26.322	27.185	44.217
8/26/2008 12:21	6950.001	26.338	27.075	44.470
8/26/2008 12:21	6951.001	26.327	27.131	44.343
8/26/2008 12:21	6952.001	26.326	27.145	44.309
8/26/2008 12:21	6953.001	26.323	27.147	44.304
8/26/2008 12:21	6954.014	26.321	27.103	44.406
8/26/2008 12:21	6955.001	26.338	27.218	44.142
8/26/2008 12:21	6956.001	26.330	27.119	44.368
8/26/2008 12:21	6957.001	26.326	27.179	44.232

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:22	6958.001	26.323	27.165	44.263
8/26/2008 12:22	6959.001	26.324	27.104	44.403
8/26/2008 12:22	6960.001	26.341	27.194	44.196
8/26/2008 12:22	6961.001	26.330	27.120	44.367
8/26/2008 12:22	6962.001	26.328	27.109	44.392
8/26/2008 12:22	6963.001	26.327	27.147	44.305
8/26/2008 12:22	6964.001	26.324	27.167	44.258
8/26/2008 12:22	6965.001	26.340	27.140	44.320
8/26/2008 12:22	6966.013	26.327	27.114	44.380
8/26/2008 12:22	6967.001	26.328	27.141	44.318
8/26/2008 12:22	6968.001	26.325	27.146	44.307
8/26/2008 12:22	6969.001	26.323	27.143	44.313
8/26/2008 12:22	6970.001	26.342	27.146	44.307
8/26/2008 12:22	6971.001	26.330	27.146	44.308
8/26/2008 12:22	6972.001	26.326	27.171	44.249
8/26/2008 12:22	6973.001	26.326	27.122	44.362
8/26/2008 12:22	6974.001	26.325	27.182	44.225
8/26/2008 12:22	6975.001	26.340	27.165	44.264
8/26/2008 12:22	6976.001	26.331	27.200	44.183
8/26/2008 12:22	6977.001	26.326	27.125	44.356
8/26/2008 12:22	6978.013	26.326	27.186	44.216
8/26/2008 12:22	6979.001	26.326	27.178	44.234
8/26/2008 12:22	6980.001	26.344	27.138	44.326
8/26/2008 12:22	6981.001	26.332	27.153	44.290
8/26/2008 12:22	6982.001	26.330	27.118	44.371
8/26/2008 12:22	6983.001	26.324	27.202	44.179
8/26/2008 12:22	6984.001	26.326	27.119	44.370
8/26/2008 12:22	6985.001	26.339	27.132	44.339
8/26/2008 12:22	6986.001	26.332	27.129	44.346
8/26/2008 12:22	6987.001	26.330	27.169	44.255
8/26/2008 12:22	6988.001	26.328	27.179	44.231
8/26/2008 12:22	6989.001	26.328	27.125	44.355
8/26/2008 12:22	6990.001	26.346	27.154	44.289
8/26/2008 12:22	6991.001	26.331	27.119	44.370
8/26/2008 12:22	6992.001	26.328	27.176	44.239
8/26/2008 12:22	6993.001	26.327	27.160	44.274
8/26/2008 12:22	6994.001	26.328	27.173	44.246
8/26/2008 12:22	6995.001	26.341	27.038	44.556
8/26/2008 12:22	6996.001	26.333	27.189	44.208
8/26/2008 12:22	6997.001	26.330	27.206	44.169
8/26/2008 12:22	6998.001	26.329	27.115	44.379
8/26/2008 12:22	6999.001	26.327	27.198	44.188
8/26/2008 12:22	7000.001	26.346	27.140	44.321
8/26/2008 12:22	7001.001	26.333	27.147	44.305
8/26/2008 12:22	7002.012	26.329	27.132	44.338
8/26/2008 12:22	7003.001	26.330	27.164	44.265
8/26/2008 12:22	7004.001	26.328	27.169	44.254
8/26/2008 12:22	7005.001	26.346	27.202	44.177
8/26/2008 12:22	7006.001	26.334	27.093	44.430

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:22	7007.001	26.332	27.240	44.090
8/26/2008 12:22	7008.001	26.331	27.156	44.283
8/26/2008 12:22	7009.001	26.331	27.092	44.433
8/26/2008 12:22	7010.001	26.344	27.157	44.282
8/26/2008 12:22	7011.001	26.336	27.116	44.377
8/26/2008 12:22	7012.001	26.332	27.158	44.280
8/26/2008 12:22	7013.001	26.331	27.112	44.386
8/26/2008 12:22	7014.011	26.330	27.138	44.325
8/26/2008 12:22	7015.001	26.348	27.096	44.423
8/26/2008 12:22	7016.001	26.335	27.146	44.307
8/26/2008 12:22	7017.001	26.333	27.105	44.401
8/26/2008 12:23	7018.001	26.331	27.119	44.369
8/26/2008 12:23	7019.001	26.333	27.125	44.357
8/26/2008 12:23	7020.001	26.347	27.130	44.344
8/26/2008 12:23	7021.001	26.337	27.147	44.306
8/26/2008 12:23	7022.001	26.333	27.127	44.351
8/26/2008 12:23	7023.001	26.330	27.154	44.288
8/26/2008 12:23	7024.001	26.332	27.150	44.298
8/26/2008 12:23	7025.001	26.347	27.194	44.197
8/26/2008 12:23	7026.010	26.337	27.114	44.382
8/26/2008 12:23	7027.001	26.335	27.119	44.369
8/26/2008 12:23	7028.001	26.334	27.145	44.309
8/26/2008 12:23	7029.001	26.333	27.104	44.405
8/26/2008 12:23	7030.001	26.349	27.208	44.164
8/26/2008 12:23	7031.001	26.339	27.174	44.242
8/26/2008 12:23	7032.001	26.335	27.175	44.240
8/26/2008 12:23	7033.001	26.338	27.142	44.317
8/26/2008 12:23	7034.001	26.332	27.140	44.321
8/26/2008 12:23	7035.001	26.348	27.095	44.424
8/26/2008 12:23	7036.001	26.338	27.224	44.128
8/26/2008 12:23	7037.001	26.336	27.104	44.404
8/26/2008 12:23	7038.010	26.332	27.178	44.234
8/26/2008 12:23	7039.001	26.334	27.111	44.387
8/26/2008 12:23	7040.001	26.350	27.132	44.338
8/26/2008 12:23	7041.001	26.338	27.202	44.179
8/26/2008 12:23	7042.001	26.336	27.102	44.409
8/26/2008 12:23	7043.001	26.335	27.175	44.240
8/26/2008 12:23	7044.001	26.332	27.128	44.349
8/26/2008 12:23	7045.001	26.348	27.155	44.286
8/26/2008 12:23	7046.001	26.338	27.179	44.231
8/26/2008 12:23	7047.001	26.337	27.121	44.364
8/26/2008 12:23	7048.001	26.336	27.123	44.360
8/26/2008 12:23	7049.001	26.333	27.222	44.132
8/26/2008 12:23	7050.001	26.349	27.083	44.453
8/26/2008 12:23	7051.001	26.336	27.112	44.386
8/26/2008 12:23	7052.001	26.336	27.097	44.420
8/26/2008 12:23	7053.001	26.337	27.137	44.327
8/26/2008 12:23	7054.001	26.334	27.110	44.390
8/26/2008 12:23	7055.001	26.350	27.158	44.279

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:23	7056.001	26.338	27.093	44.430
8/26/2008 12:23	7057.001	26.338	27.156	44.285
8/26/2008 12:23	7058.001	26.334	27.175	44.240
8/26/2008 12:23	7059.001	26.335	27.137	44.327
8/26/2008 12:23	7060.001	26.350	27.072	44.478
8/26/2008 12:23	7061.001	26.338	27.215	44.148
8/26/2008 12:23	7062.009	26.335	27.169	44.254
8/26/2008 12:23	7063.001	26.336	27.167	44.258
8/26/2008 12:23	7064.001	26.335	27.179	44.231
8/26/2008 12:23	7065.001	26.347	27.161	44.274
8/26/2008 12:23	7066.001	26.342	27.078	44.465
8/26/2008 12:23	7067.001	26.337	27.160	44.276
8/26/2008 12:23	7068.001	26.337	27.119	44.370
8/26/2008 12:23	7069.001	26.334	27.190	44.205
8/26/2008 12:23	7070.001	26.349	27.125	44.357
8/26/2008 12:23	7071.001	26.341	27.059	44.507
8/26/2008 12:23	7072.001	26.336	27.184	44.220
8/26/2008 12:23	7073.001	26.337	27.157	44.282
8/26/2008 12:23	7074.008	26.335	27.188	44.211
8/26/2008 12:23	7075.001	26.349	27.123	44.361
8/26/2008 12:23	7076.001	26.339	27.218	44.141
8/26/2008 12:23	7077.001	26.338	27.133	44.337
8/26/2008 12:24	7078.001	26.337	27.163	44.268
8/26/2008 12:24	7079.001	26.332	27.155	44.285
8/26/2008 12:24	7080.001	26.349	27.056	44.515
8/26/2008 12:24	7081.001	26.342	27.137	44.329
8/26/2008 12:24	7082.001	26.338	27.205	44.171
8/26/2008 12:24	7083.001	26.337	27.123	44.360
8/26/2008 12:24	7084.001	26.336	27.143	44.313
8/26/2008 12:24	7085.001	26.349	27.175	44.240
8/26/2008 12:24	7086.008	26.336	27.115	44.378
8/26/2008 12:24	7087.001	26.335	27.086	44.445
8/26/2008 12:24	7088.001	26.337	27.182	44.224
8/26/2008 12:24	7089.001	26.333	27.147	44.304
8/26/2008 12:24	7090.001	26.351	27.096	44.424
8/26/2008 12:24	7091.001	26.341	27.018	44.602
8/26/2008 12:24	7092.001	26.338	27.152	44.293
8/26/2008 12:24	7093.001	26.334	27.136	44.330
8/26/2008 12:24	7094.001	26.335	27.120	44.368
8/26/2008 12:24	7095.001	26.348	27.113	44.384
8/26/2008 12:24	7096.001	26.339	27.134	44.336
8/26/2008 12:24	7097.001	26.338	27.160	44.275
8/26/2008 12:24	7098.007	26.338	27.130	44.343
8/26/2008 12:24	7099.001	26.333	27.108	44.395
8/26/2008 12:24	7100.001	26.350	27.115	44.379
8/26/2008 12:24	7101.001	26.342	27.161	44.272
8/26/2008 12:24	7102.001	26.337	27.144	44.312
8/26/2008 12:24	7103.001	26.333	27.151	44.297
8/26/2008 12:24	7104.001	26.333	27.106	44.398

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:24	7105.001	26.352	27.089	44.438
8/26/2008 12:24	7106.001	26.340	27.151	44.297
8/26/2008 12:24	7107.001	26.337	27.064	44.497
8/26/2008 12:24	7108.001	26.338	27.131	44.341
8/26/2008 12:24	7109.001	26.335	27.119	44.370
8/26/2008 12:24	7110.001	26.351	27.170	44.252
8/26/2008 12:24	7111.001	26.339	27.127	44.352
8/26/2008 12:24	7112.001	26.336	27.164	44.266
8/26/2008 12:24	7113.001	26.336	27.101	44.410
8/26/2008 12:24	7114.001	26.335	27.196	44.191
8/26/2008 12:24	7115.001	26.352	27.151	44.296
8/26/2008 12:24	7116.001	26.336	27.168	44.257
8/26/2008 12:24	7117.001	26.338	27.088	44.442
8/26/2008 12:24	7118.001	26.336	27.144	44.312
8/26/2008 12:24	7119.001	26.334	27.127	44.350
8/26/2008 12:24	7120.001	26.347	27.143	44.314
8/26/2008 12:24	7121.001	26.340	27.205	44.171
8/26/2008 12:24	7122.007	26.335	27.143	44.313
8/26/2008 12:24	7123.001	26.334	27.106	44.400
8/26/2008 12:24	7124.001	26.331	27.046	44.539
8/26/2008 12:24	7125.001	26.347	27.121	44.366
8/26/2008 12:24	7126.001	26.338	27.168	44.255
8/26/2008 12:24	7127.001	26.337	27.113	44.383
8/26/2008 12:24	7128.001	26.334	27.116	44.376
8/26/2008 12:24	7129.001	26.332	27.071	44.480
8/26/2008 12:24	7130.001	26.347	27.156	44.285
8/26/2008 12:24	7131.001	26.338	27.136	44.331
8/26/2008 12:24	7132.001	26.333	27.146	44.308
8/26/2008 12:24	7133.001	26.335	27.120	44.368
8/26/2008 12:24	7134.006	26.331	27.148	44.301
8/26/2008 12:24	7135.001	26.350	27.184	44.218
8/26/2008 12:24	7136.001	26.338	27.075	44.470
8/26/2008 12:24	7137.001	26.333	27.138	44.326
8/26/2008 12:25	7138.001	26.333	27.069	44.486
8/26/2008 12:25	7139.001	26.331	27.140	44.320
8/26/2008 12:25	7140.001	26.347	27.140	44.320
8/26/2008 12:25	7141.001	26.337	27.170	44.252
8/26/2008 12:25	7142.001	26.333	27.145	44.309
8/26/2008 12:25	7143.001	26.331	27.145	44.310
8/26/2008 12:25	7144.001	26.331	27.131	44.341
8/26/2008 12:25	7145.001	26.346	27.111	44.388
8/26/2008 12:25	7146.005	26.333	27.090	44.437
8/26/2008 12:25	7147.001	26.334	27.159	44.277
8/26/2008 12:25	7148.001	26.329	27.173	44.244
8/26/2008 12:25	7149.001	26.328	27.116	44.376
8/26/2008 12:25	7150.001	26.345	27.191	44.203
8/26/2008 12:25	7151.001	26.335	27.138	44.326
8/26/2008 12:25	7152.001	26.333	27.072	44.478
8/26/2008 12:25	7153.001	26.333	27.177	44.236

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:25	7154.001	26.328	27.078	44.464
8/26/2008 12:25	7155.001	26.345	27.104	44.405
8/26/2008 12:25	7156.001	26.331	27.190	44.206
8/26/2008 12:25	7157.001	26.333	27.084	44.450
8/26/2008 12:25	7158.005	26.330	27.136	44.330
8/26/2008 12:25	7159.001	26.328	27.176	44.237
8/26/2008 12:25	7160.001	26.341	27.108	44.396
8/26/2008 12:25	7161.001	26.333	27.137	44.328
8/26/2008 12:25	7162.001	26.327	27.150	44.299
8/26/2008 12:25	7163.001	26.327	27.088	44.442
8/26/2008 12:25	7164.001	26.326	27.173	44.245
8/26/2008 12:25	7165.001	26.343	27.157	44.281
8/26/2008 12:25	7166.001	26.331	27.151	44.297
8/26/2008 12:25	7167.001	26.328	27.105	44.401
8/26/2008 12:25	7168.001	26.325	27.176	44.237
8/26/2008 12:25	7169.001	26.326	27.182	44.225
8/26/2008 12:25	7170.001	26.342	27.149	44.300
8/26/2008 12:25	7171.001	26.333	27.203	44.176
8/26/2008 12:25	7172.001	26.328	27.057	44.513
8/26/2008 12:25	7173.001	26.325	27.193	44.199
8/26/2008 12:25	7174.001	26.325	27.112	44.386
8/26/2008 12:25	7175.001	26.339	27.146	44.306
8/26/2008 12:25	7176.001	26.332	27.124	44.359
8/26/2008 12:25	7177.001	26.329	27.147	44.305
8/26/2008 12:25	7178.001	26.328	27.087	44.445
8/26/2008 12:25	7179.001	26.325	27.148	44.303
8/26/2008 12:25	7180.004	26.344	27.141	44.318
8/26/2008 12:25	7181.001	26.327	27.082	44.456
8/26/2008 12:25	7182.004	26.324	27.201	44.180
8/26/2008 12:25	7183.001	26.328	27.157	44.283
8/26/2008 12:25	7184.001	26.323	27.149	44.300
8/26/2008 12:25	7185.019	26.341	27.141	44.318
8/26/2008 12:25	7186.021	26.329	27.067	44.490
8/26/2008 12:25	7187.001	26.327	27.182	44.223
8/26/2008 12:25	7188.001	26.325	27.129	44.346
8/26/2008 12:25	7189.001	26.323	27.182	44.224
8/26/2008 12:25	7190.019	26.340	27.118	44.371
8/26/2008 12:25	7191.001	26.329	27.143	44.314
8/26/2008 12:25	7192.001	26.327	27.094	44.428
8/26/2008 12:25	7193.001	26.325	27.084	44.451
8/26/2008 12:25	7194.003	26.320	27.101	44.411
8/26/2008 12:25	7195.019	26.338	27.092	44.432
8/26/2008 12:25	7196.020	26.330	27.094	44.428
8/26/2008 12:25	7197.001	26.322	27.117	44.375
8/26/2008 12:26	7198.001	26.321	27.131	44.342
8/26/2008 12:26	7199.001	26.322	27.157	44.283
8/26/2008 12:26	7200.018	26.338	27.102	44.408
8/26/2008 12:26	7201.001	26.327	27.122	44.362
8/26/2008 12:26	7202.001	26.326	27.129	44.346

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:26	7203.001	26.321	27.198	44.188
8/26/2008 12:26	7204.001	26.320	27.162	44.270
8/26/2008 12:26	7205.018	26.339	27.104	44.404
8/26/2008 12:26	7206.020	26.328	27.158	44.280
8/26/2008 12:26	7207.001	26.323	27.174	44.243
8/26/2008 12:26	7208.001	26.319	27.073	44.475
8/26/2008 12:26	7209.001	26.322	27.201	44.180
8/26/2008 12:26	7210.018	26.336	27.123	44.361
8/26/2008 12:26	7211.001	26.325	27.155	44.286
8/26/2008 12:26	7212.001	26.323	27.062	44.501
8/26/2008 12:26	7213.001	26.320	27.148	44.302
8/26/2008 12:26	7214.001	26.319	27.118	44.372
8/26/2008 12:26	7215.017	26.338	27.128	44.348
8/26/2008 12:26	7216.019	26.326	27.126	44.352
8/26/2008 12:26	7217.001	26.324	27.107	44.398
8/26/2008 12:26	7218.002	26.322	27.136	44.331
8/26/2008 12:26	7219.001	26.319	27.089	44.439
8/26/2008 12:26	7220.017	26.337	27.133	44.337
8/26/2008 12:26	7221.001	26.326	27.103	44.406
8/26/2008 12:26	7222.001	26.322	27.162	44.271
8/26/2008 12:26	7223.001	26.321	27.156	44.285
8/26/2008 12:26	7224.001	26.321	27.172	44.248
8/26/2008 12:26	7225.016	26.337	27.134	44.335
8/26/2008 12:26	7226.001	26.324	27.115	44.380
8/26/2008 12:26	7227.001	26.322	27.103	44.406
8/26/2008 12:26	7228.001	26.320	27.145	44.311
8/26/2008 12:26	7229.001	26.318	27.189	44.208
8/26/2008 12:26	7230.016	26.335	27.138	44.325
8/26/2008 12:26	7231.001	26.325	27.150	44.299
8/26/2008 12:26	7232.001	26.321	27.154	44.288
8/26/2008 12:26	7233.001	26.320	27.080	44.458
8/26/2008 12:26	7234.001	26.318	27.103	44.406
8/26/2008 12:26	7235.016	26.331	27.145	44.309
8/26/2008 12:26	7236.018	26.325	27.094	44.426
8/26/2008 12:26	7237.001	26.322	27.126	44.352
8/26/2008 12:26	7238.001	26.318	27.139	44.323
8/26/2008 12:26	7239.001	26.319	27.089	44.439
8/26/2008 12:26	7240.016	26.335	27.064	44.495
8/26/2008 12:26	7241.001	26.323	27.048	44.534
8/26/2008 12:26	7242.001	26.320	27.189	44.208
8/26/2008 12:26	7243.001	26.317	27.092	44.431
8/26/2008 12:26	7244.001	26.321	27.152	44.294
8/26/2008 12:26	7245.016	26.335	27.181	44.226
8/26/2008 12:26	7246.001	26.324	27.135	44.333
8/26/2008 12:26	7247.001	26.319	27.192	44.200
8/26/2008 12:26	7248.001	26.319	27.129	44.348
8/26/2008 12:26	7249.001	26.318	27.161	44.272
8/26/2008 12:26	7250.015	26.335	27.151	44.296
8/26/2008 12:26	7251.001	26.325	27.129	44.348

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:26	7252.001	26.321	27.163	44.269
8/26/2008 12:26	7253.001	26.321	27.114	44.380
8/26/2008 12:26	7254.001	26.317	27.152	44.294
8/26/2008 12:26	7255.015	26.334	27.158	44.279
8/26/2008 12:26	7256.001	26.324	27.104	44.403
8/26/2008 12:26	7257.001	26.320	27.156	44.284
8/26/2008 12:27	7258.001	26.320	27.137	44.328
8/26/2008 12:27	7259.001	26.319	27.140	44.322
8/26/2008 12:27	7260.015	26.337	27.084	44.451
8/26/2008 12:27	7261.001	26.323	27.126	44.354
8/26/2008 12:27	7262.001	26.319	27.136	44.330
8/26/2008 12:27	7263.001	26.320	27.121	44.365
8/26/2008 12:27	7264.001	26.320	27.204	44.174
8/26/2008 12:27	7265.014	26.330	27.107	44.398
8/26/2008 12:27	7266.001	26.323	27.068	44.486
8/26/2008 12:27	7267.001	26.320	27.170	44.252
8/26/2008 12:27	7268.001	26.320	27.154	44.289
8/26/2008 12:27	7269.001	26.320	27.177	44.237
8/26/2008 12:27	7270.014	26.336	27.079	44.462
8/26/2008 12:27	7271.001	26.328	27.151	44.295
8/26/2008 12:27	7272.001	26.320	27.130	44.345
8/26/2008 12:27	7273.001	26.317	27.108	44.395
8/26/2008 12:27	7274.001	26.317	27.115	44.378
8/26/2008 12:27	7275.014	26.334	27.107	44.398
8/26/2008 12:27	7276.001	26.323	27.116	44.375
8/26/2008 12:27	7277.001	26.320	27.100	44.414
8/26/2008 12:27	7278.001	26.319	27.136	44.331
8/26/2008 12:27	7279.001	26.319	27.063	44.499
8/26/2008 12:27	7280.014	26.336	27.103	44.406
8/26/2008 12:27	7281.001	26.324	27.106	44.399
8/26/2008 12:27	7282.001	26.319	27.123	44.360
8/26/2008 12:27	7283.001	26.320	27.166	44.261
8/26/2008 12:27	7284.001	26.318	27.123	44.360
8/26/2008 12:27	7285.014	26.333	27.063	44.498
8/26/2008 12:27	7286.001	26.320	27.156	44.285
8/26/2008 12:27	7287.001	26.321	27.171	44.250
8/26/2008 12:27	7288.001	26.319	27.089	44.438
8/26/2008 12:27	7289.001	26.319	27.097	44.421
8/26/2008 12:27	7290.014	26.332	27.133	44.338
8/26/2008 12:27	7291.001	26.322	27.118	44.372
8/26/2008 12:27	7292.001	26.320	27.113	44.383
8/26/2008 12:27	7293.001	26.317	27.139	44.323
8/26/2008 12:27	7294.001	26.317	27.156	44.285
8/26/2008 12:27	7295.029	26.334	27.075	44.470
8/26/2008 12:27	7296.001	26.325	27.089	44.439
8/26/2008 12:27	7297.001	26.322	27.130	44.344
8/26/2008 12:27	7298.001	26.319	27.139	44.324
8/26/2008 12:27	7299.001	26.322	27.159	44.278
8/26/2008 12:27	7300.044	26.337	27.116	44.377

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:27	7301.001	26.322	27.158	44.279
8/26/2008 12:27	7302.001	26.319	27.102	44.409
8/26/2008 12:27	7303.001	26.319	27.141	44.319
8/26/2008 12:27	7304.001	26.319	27.125	44.355
8/26/2008 12:27	7305.044	26.333	27.120	44.368
8/26/2008 12:27	7306.001	26.327	27.172	44.247
8/26/2008 12:27	7307.001	26.321	27.121	44.365
8/26/2008 12:27	7308.001	26.322	27.104	44.405
8/26/2008 12:27	7309.001	26.319	27.110	44.390
8/26/2008 12:27	7310.044	26.337	27.161	44.273
8/26/2008 12:27	7311.001	26.324	27.108	44.396
8/26/2008 12:27	7312.001	26.322	27.047	44.536
8/26/2008 12:27	7313.001	26.319	27.155	44.288
8/26/2008 12:27	7314.001	26.319	27.173	44.246
8/26/2008 12:27	7315.044	26.339	27.101	44.411
8/26/2008 12:27	7316.001	26.327	27.130	44.344
8/26/2008 12:27	7317.001	26.322	27.115	44.378
8/26/2008 12:28	7318.001	26.320	27.126	44.354
8/26/2008 12:28	7319.001	26.319	27.130	44.344
8/26/2008 12:28	7320.044	26.335	27.099	44.415
8/26/2008 12:28	7321.001	26.328	27.203	44.176
8/26/2008 12:28	7322.001	26.320	27.065	44.494
8/26/2008 12:28	7323.001	26.322	27.113	44.384
8/26/2008 12:28	7324.001	26.321	27.109	44.394
8/26/2008 12:28	7325.044	26.337	27.117	44.375
8/26/2008 12:28	7326.045	26.327	27.127	44.351
8/26/2008 12:28	7327.001	26.319	27.079	44.462
8/26/2008 12:28	7328.001	26.321	27.187	44.212
8/26/2008 12:28	7329.001	26.319	27.134	44.335
8/26/2008 12:28	7330.043	26.336	27.084	44.451
8/26/2008 12:28	7331.001	26.325	27.095	44.424
8/26/2008 12:28	7332.001	26.321	27.069	44.486
8/26/2008 12:28	7333.001	26.320	27.163	44.267
8/26/2008 12:28	7334.001	26.320	27.140	44.321
8/26/2008 12:28	7335.043	26.333	27.114	44.381
8/26/2008 12:28	7336.001	26.323	27.110	44.389
8/26/2008 12:28	7337.001	26.319	27.156	44.283
8/26/2008 12:28	7338.001	26.321	27.111	44.388
8/26/2008 12:28	7339.001	26.317	27.172	44.248
8/26/2008 12:28	7340.043	26.335	27.071	44.481
8/26/2008 12:28	7341.001	26.326	27.148	44.303
8/26/2008 12:28	7342.001	26.321	27.090	44.437
8/26/2008 12:28	7343.001	26.319	27.173	44.245
8/26/2008 12:28	7344.001	26.317	27.095	44.426
8/26/2008 12:28	7345.042	26.332	27.067	44.490
8/26/2008 12:28	7346.001	26.322	27.186	44.216
8/26/2008 12:28	7347.001	26.317	27.135	44.332
8/26/2008 12:28	7348.001	26.319	27.116	44.376
8/26/2008 12:28	7349.001	26.316	27.165	44.264

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:28	7350.042	26.333	27.101	44.410
8/26/2008 12:28	7351.001	26.322	27.175	44.240
8/26/2008 12:28	7352.001	26.321	27.129	44.347
8/26/2008 12:28	7353.001	26.318	27.148	44.302
8/26/2008 12:28	7354.001	26.316	27.150	44.298
8/26/2008 12:28	7355.042	26.329	27.066	44.491
8/26/2008 12:28	7356.001	26.321	27.113	44.384
8/26/2008 12:28	7357.001	26.318	27.158	44.280
8/26/2008 12:28	7358.001	26.318	27.134	44.336
8/26/2008 12:28	7359.001	26.313	27.091	44.435
8/26/2008 12:28	7360.042	26.330	27.111	44.388
8/26/2008 12:28	7361.001	26.320	27.129	44.346
8/26/2008 12:28	7362.001	26.318	27.168	44.257
8/26/2008 12:28	7363.001	26.314	27.128	44.350
8/26/2008 12:28	7364.001	26.316	27.132	44.339
8/26/2008 12:28	7365.041	26.332	27.137	44.327
8/26/2008 12:28	7366.001	26.320	27.111	44.388
8/26/2008 12:28	7367.001	26.319	27.115	44.380
8/26/2008 12:28	7368.001	26.313	27.119	44.369
8/26/2008 12:28	7369.001	26.315	27.123	44.361
8/26/2008 12:28	7370.041	26.328	27.101	44.412
8/26/2008 12:28	7371.001	26.319	27.046	44.538
8/26/2008 12:28	7372.001	26.315	27.081	44.458
8/26/2008 12:28	7373.001	26.314	27.135	44.332
8/26/2008 12:28	7374.001	26.316	27.104	44.405
8/26/2008 12:28	7375.041	26.332	27.110	44.390
8/26/2008 12:28	7376.001	26.318	27.074	44.474
8/26/2008 12:28	7377.001	26.318	27.149	44.301
8/26/2008 12:29	7378.001	26.314	27.136	44.330
8/26/2008 12:29	7379.001	26.312	27.110	44.390
8/26/2008 12:29	7380.041	26.329	27.077	44.467
8/26/2008 12:29	7381.001	26.321	27.121	44.366
8/26/2008 12:29	7382.001	26.315	27.113	44.383
8/26/2008 12:29	7383.001	26.314	27.134	44.336
8/26/2008 12:29	7384.001	26.313	27.095	44.425
8/26/2008 12:29	7385.040	26.329	27.093	44.429
8/26/2008 12:29	7386.001	26.320	27.067	44.490
8/26/2008 12:29	7387.001	26.316	27.157	44.283
8/26/2008 12:29	7388.001	26.314	27.088	44.441
8/26/2008 12:29	7389.001	26.311	27.075	44.472
8/26/2008 12:29	7390.040	26.329	27.058	44.510
8/26/2008 12:29	7391.001	26.317	27.076	44.469
8/26/2008 12:29	7392.001	26.315	27.124	44.359
8/26/2008 12:29	7393.001	26.315	27.155	44.286
8/26/2008 12:29	7394.001	26.311	27.070	44.483
8/26/2008 12:29	7395.040	26.328	27.109	44.392
8/26/2008 12:29	7396.001	26.316	27.124	44.358
8/26/2008 12:29	7397.001	26.316	27.082	44.455
8/26/2008 12:29	7398.001	26.312	27.186	44.214

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:29	7399.001	26.313	27.121	44.364
8/26/2008 12:29	7400.040	26.327	27.108	44.395
8/26/2008 12:29	7401.001	26.318	27.186	44.215
8/26/2008 12:29	7402.001	26.315	27.105	44.403
8/26/2008 12:29	7403.001	26.313	27.112	44.386
8/26/2008 12:29	7404.001	26.314	27.098	44.417
8/26/2008 12:29	7405.040	26.330	27.123	44.360
8/26/2008 12:29	7406.001	26.321	27.157	44.283
8/26/2008 12:29	7407.001	26.315	27.103	44.406
8/26/2008 12:29	7408.001	26.314	27.097	44.420
8/26/2008 12:29	7409.001	26.313	27.167	44.260
8/26/2008 12:29	7410.040	26.328	27.113	44.383
8/26/2008 12:29	7411.182	26.319	27.170	44.251
8/26/2008 12:29	7412.001	26.317	27.167	44.258
8/26/2008 12:29	7413.001	26.314	27.091	44.434
8/26/2008 12:29	7414.001	26.309	27.102	44.408
8/26/2008 12:29	7415.040	26.330	27.131	44.343
8/26/2008 12:29	7416.041	26.320	27.105	44.401
8/26/2008 12:29	7417.001	26.317	27.084	44.450
8/26/2008 12:29	7418.001	26.313	27.079	44.461
8/26/2008 12:29	7419.001	26.311	27.065	44.495
8/26/2008 12:29	7420.040	26.330	27.069	44.484
8/26/2008 12:29	7421.001	26.318	27.081	44.457
8/26/2008 12:29	7422.001	26.316	27.116	44.376
8/26/2008 12:29	7423.001	26.312	27.124	44.357
8/26/2008 12:29	7424.001	26.311	27.122	44.361
8/26/2008 12:29	7425.039	26.326	27.101	44.410
8/26/2008 12:29	7426.041	26.315	27.125	44.356
8/26/2008 12:29	7427.001	26.314	27.103	44.408
8/26/2008 12:29	7428.001	26.313	27.113	44.384
8/26/2008 12:29	7429.001	26.311	27.092	44.431
8/26/2008 12:29	7430.039	26.328	27.085	44.449
8/26/2008 12:29	7431.001	26.318	27.088	44.441
8/26/2008 12:29	7432.001	26.317	27.151	44.295
8/26/2008 12:29	7433.001	26.315	27.109	44.392
8/26/2008 12:29	7434.001	26.312	27.136	44.331
8/26/2008 12:29	7435.039	26.330	27.043	44.544
8/26/2008 12:29	7436.040	26.319	27.112	44.386
8/26/2008 12:29	7437.001	26.318	27.149	44.301
8/26/2008 12:30	7438.001	26.315	27.014	44.612
8/26/2008 12:30	7439.001	26.314	27.145	44.310
8/26/2008 12:30	7440.038	26.328	27.111	44.389
8/26/2008 12:30	7441.001	26.320	27.115	44.379
8/26/2008 12:30	7442.001	26.317	27.105	44.402
8/26/2008 12:30	7443.001	26.315	27.151	44.295
8/26/2008 12:30	7444.001	26.315	27.043	44.546
8/26/2008 12:30	7445.038	26.330	27.156	44.285
8/26/2008 12:30	7446.040	26.318	27.116	44.376
8/26/2008 12:30	7447.001	26.317	27.056	44.516

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:30	7448.001	26.315	27.112	44.386
8/26/2008 12:30	7449.001	26.314	27.134	44.334
8/26/2008 12:30	7450.038	26.331	27.177	44.237
8/26/2008 12:30	7451.001	26.320	27.063	44.498
8/26/2008 12:30	7452.001	26.315	27.121	44.366
8/26/2008 12:30	7453.001	26.314	27.066	44.492
8/26/2008 12:30	7454.001	26.313	27.103	44.406
8/26/2008 12:30	7455.038	26.332	27.084	44.451
8/26/2008 12:30	7456.039	26.319	27.121	44.365
8/26/2008 12:30	7457.001	26.315	27.101	44.411
8/26/2008 12:30	7458.001	26.315	27.072	44.478
8/26/2008 12:30	7459.001	26.316	27.115	44.379
8/26/2008 12:30	7460.038	26.334	27.178	44.234
8/26/2008 12:30	7461.001	26.321	27.139	44.323
8/26/2008 12:30	7462.001	26.317	27.062	44.501
8/26/2008 12:30	7463.001	26.315	27.131	44.341
8/26/2008 12:30	7464.001	26.312	27.146	44.307
8/26/2008 12:30	7465.038	26.330	27.116	44.377
8/26/2008 12:30	7466.039	26.320	27.101	44.411
8/26/2008 12:30	7467.001	26.319	27.119	44.370
8/26/2008 12:30	7468.001	26.318	27.147	44.305
8/26/2008 12:30	7469.001	26.316	27.093	44.429
8/26/2008 12:30	7470.037	26.332	27.141	44.318
8/26/2008 12:30	7471.001	26.322	27.136	44.331
8/26/2008 12:30	7472.001	26.321	27.145	44.310
8/26/2008 12:30	7473.001	26.318	27.008	44.626
8/26/2008 12:30	7474.001	26.317	27.151	44.296
8/26/2008 12:30	7475.037	26.330	27.101	44.410
8/26/2008 12:30	7476.039	26.322	27.121	44.365
8/26/2008 12:30	7477.001	26.322	27.080	44.459
8/26/2008 12:30	7478.001	26.317	27.143	44.314
8/26/2008 12:30	7479.001	26.318	27.121	44.364
8/26/2008 12:30	7480.037	26.333	27.079	44.462
8/26/2008 12:30	7481.001	26.323	27.171	44.249
8/26/2008 12:30	7482.001	26.319	27.024	44.589
8/26/2008 12:30	7483.001	26.317	27.128	44.348
8/26/2008 12:30	7484.001	26.316	27.097	44.420
8/26/2008 12:30	7485.037	26.334	27.120	44.368
8/26/2008 12:30	7486.038	26.323	27.164	44.266
8/26/2008 12:30	7487.001	26.319	27.143	44.314
8/26/2008 12:30	7488.001	26.322	27.052	44.524
8/26/2008 12:30	7489.001	26.316	27.134	44.334
8/26/2008 12:30	7490.037	26.332	27.055	44.518
8/26/2008 12:30	7491.001	26.326	26.778	45.156
8/26/2008 12:30	7492.001	26.322	26.676	45.391
8/26/2008 12:30	7493.001	26.320	26.489	45.825
8/26/2008 12:30	7494.001	26.317	26.283	46.301
8/26/2008 12:30	7495.037	26.334	26.008	46.936
8/26/2008 12:30	7496.038	26.323	25.749	47.533

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:30	7497.001	26.322	25.552	47.987
8/26/2008 12:31	7498.001	26.322	25.290	48.593
8/26/2008 12:31	7499.001	26.321	25.127	48.969
8/26/2008 12:31	7500.037	26.334	24.933	49.417
8/26/2008 12:31	7501.001	26.324	24.751	49.837
8/26/2008 12:31	7502.001	26.321	24.573	50.249
8/26/2008 12:31	7503.001	26.321	24.437	50.563
8/26/2008 12:31	7504.001	26.318	24.304	50.870
8/26/2008 12:31	7505.037	26.334	24.141	51.246
8/26/2008 12:31	7506.038	26.322	23.996	51.581
8/26/2008 12:31	7507.001	26.319	23.906	51.789
8/26/2008 12:31	7508.001	26.320	23.793	52.048
8/26/2008 12:31	7509.001	26.319	23.710	52.242
8/26/2008 12:31	7510.036	26.333	23.598	52.500
8/26/2008 12:31	7511.001	26.321	23.517	52.687
8/26/2008 12:31	7512.001	26.318	23.461	52.815
8/26/2008 12:31	7513.001	26.317	23.383	52.995
8/26/2008 12:31	7514.001	26.317	23.309	53.167
8/26/2008 12:31	7515.036	26.329	23.233	53.341
8/26/2008 12:31	7516.038	26.319	23.179	53.467
8/26/2008 12:31	7517.001	26.314	23.128	53.585
8/26/2008 12:31	7518.001	26.313	23.076	53.705
8/26/2008 12:31	7519.001	26.313	23.012	53.852
8/26/2008 12:31	7520.036	26.328	22.973	53.943
8/26/2008 12:31	7521.001	26.317	22.921	54.064
8/26/2008 12:31	7522.001	26.314	22.853	54.220
8/26/2008 12:31	7523.001	26.311	22.825	54.284
8/26/2008 12:31	7524.001	26.309	22.759	54.436
8/26/2008 12:31	7525.036	26.325	22.730	54.503
8/26/2008 12:31	7526.037	26.315	22.675	54.631
8/26/2008 12:31	7527.001	26.311	22.639	54.714
8/26/2008 12:31	7528.001	26.308	22.598	54.808
8/26/2008 12:31	7529.001	26.306	22.532	54.960
8/26/2008 12:31	7530.036	26.326	22.520	54.989
8/26/2008 12:31	7531.178	26.311	22.451	55.147
8/26/2008 12:31	7532.001	26.310	22.451	55.149
8/26/2008 12:31	7533.001	26.307	22.400	55.266
8/26/2008 12:31	7534.001	26.309	22.344	55.395
8/26/2008 12:31	7535.035	26.319	22.319	55.452
8/26/2008 12:31	7536.037	26.310	22.287	55.527
8/26/2008 12:31	7537.001	26.308	22.252	55.607
8/26/2008 12:31	7538.001	26.305	22.226	55.667
8/26/2008 12:31	7539.001	26.303	22.205	55.716
8/26/2008 12:31	7540.035	26.318	22.138	55.871
8/26/2008 12:31	7541.001	26.307	22.176	55.782
8/26/2008 12:31	7542.001	26.305	22.138	55.870
8/26/2008 12:31	7543.001	26.302	22.107	55.941
8/26/2008 12:31	7544.001	26.304	22.088	55.985
8/26/2008 12:31	7545.035	26.317	22.089	55.984

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:31	7546.037	26.309	22.050	56.073
8/26/2008 12:31	7547.001	26.303	22.033	56.114
8/26/2008 12:31	7548.001	26.298	22.018	56.147
8/26/2008 12:31	7549.001	26.299	21.999	56.192
8/26/2008 12:31	7550.034	26.313	21.970	56.259
8/26/2008 12:31	7551.001	26.303	21.973	56.251
8/26/2008 12:31	7552.001	26.298	21.940	56.329
8/26/2008 12:31	7553.001	26.302	21.938	56.333
8/26/2008 12:31	7554.001	26.297	21.942	56.324
8/26/2008 12:31	7555.034	26.313	21.915	56.385
8/26/2008 12:31	7556.036	26.301	21.911	56.394
8/26/2008 12:31	7557.001	26.299	21.879	56.469
8/26/2008 12:32	7558.001	26.293	21.890	56.442
8/26/2008 12:32	7559.001	26.294	21.850	56.535
8/26/2008 12:32	7560.034	26.308	21.865	56.501
8/26/2008 12:32	7561.001	26.301	21.860	56.512
8/26/2008 12:32	7562.001	26.297	21.839	56.560
8/26/2008 12:32	7563.001	26.293	21.815	56.616
8/26/2008 12:32	7564.001	26.294	21.830	56.583
8/26/2008 12:32	7565.034	26.306	21.832	56.577
8/26/2008 12:32	7566.035	26.296	21.788	56.679
8/26/2008 12:32	7567.001	26.292	21.775	56.709
8/26/2008 12:32	7568.001	26.293	21.768	56.724
8/26/2008 12:32	7569.001	26.290	21.770	56.721
8/26/2008 12:32	7570.034	26.306	21.758	56.747
8/26/2008 12:32	7571.001	26.293	21.764	56.735
8/26/2008 12:32	7572.001	26.290	21.737	56.797
8/26/2008 12:32	7573.001	26.289	21.737	56.798
8/26/2008 12:32	7574.001	26.290	21.708	56.862
8/26/2008 12:32	7575.033	26.306	21.731	56.811
8/26/2008 12:32	7576.035	26.292	21.706	56.869
8/26/2008 12:32	7577.001	26.293	21.683	56.920
8/26/2008 12:32	7578.001	26.288	21.677	56.935
8/26/2008 12:32	7579.001	26.285	21.692	56.899
8/26/2008 12:32	7580.033	26.302	21.671	56.948
8/26/2008 12:32	7581.001	26.293	21.673	56.944
8/26/2008 12:32	7582.001	26.286	21.644	57.011
8/26/2008 12:32	7583.001	26.287	21.654	56.988
8/26/2008 12:32	7584.001	26.285	21.678	56.933
8/26/2008 12:32	7585.033	26.302	21.662	56.969
8/26/2008 12:32	7586.034	26.292	21.629	57.046
8/26/2008 12:32	7587.001	26.288	21.644	57.011
8/26/2008 12:32	7588.001	26.285	21.654	56.987
8/26/2008 12:32	7589.001	26.285	21.632	57.039
8/26/2008 12:32	7590.032	26.299	21.620	57.066
8/26/2008 12:32	7591.001	26.287	21.600	57.114
8/26/2008 12:32	7592.001	26.283	21.615	57.077
8/26/2008 12:32	7593.001	26.284	21.592	57.130
8/26/2008 12:32	7594.001	26.279	21.599	57.114

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:32	7595.032	26.298	21.600	57.112
8/26/2008 12:32	7596.001	26.286	21.578	57.164
8/26/2008 12:32	7597.001	26.284	21.575	57.171
8/26/2008 12:32	7598.001	26.282	21.596	57.123
8/26/2008 12:32	7599.001	26.281	21.549	57.230
8/26/2008 12:32	7600.032	26.294	21.567	57.189
8/26/2008 12:32	7601.001	26.286	21.581	57.157
8/26/2008 12:32	7602.001	26.280	21.549	57.231
8/26/2008 12:32	7603.001	26.281	21.550	57.228
8/26/2008 12:32	7604.001	26.280	21.553	57.221
8/26/2008 12:32	7605.032	26.297	21.517	57.303
8/26/2008 12:32	7606.001	26.283	21.519	57.299
8/26/2008 12:32	7607.001	26.280	21.514	57.311
8/26/2008 12:32	7608.001	26.278	21.536	57.261
8/26/2008 12:32	7609.001	26.278	21.521	57.296
8/26/2008 12:32	7610.031	26.293	21.497	57.349
8/26/2008 12:32	7611.001	26.283	21.523	57.291
8/26/2008 12:32	7612.001	26.280	21.539	57.254
8/26/2008 12:32	7613.001	26.275	21.529	57.277
8/26/2008 12:32	7614.001	26.277	21.481	57.387
8/26/2008 12:32	7615.038	26.306	21.505	57.333
8/26/2008 12:32	7616.001	26.282	21.488	57.371
8/26/2008 12:32	7617.001	26.279	21.468	57.417
8/26/2008 12:33	7618.001	26.277	21.488	57.371
8/26/2008 12:33	7619.001	26.276	21.449	57.460
8/26/2008 12:33	7620.030	26.287	21.469	57.415
8/26/2008 12:33	7621.001	26.282	21.454	57.450
8/26/2008 12:33	7622.001	26.274	21.464	57.426
8/26/2008 12:33	7623.001	26.273	21.450	57.460
8/26/2008 12:33	7624.001	26.274	21.452	57.455
8/26/2008 12:33	7625.030	26.286	21.462	57.433
8/26/2008 12:33	7626.001	26.277	21.453	57.451
8/26/2008 12:33	7627.001	26.275	21.453	57.452
8/26/2008 12:33	7628.001	26.270	21.425	57.516
8/26/2008 12:33	7629.001	26.271	21.423	57.521
8/26/2008 12:33	7630.030	26.286	21.407	57.557
8/26/2008 12:33	7631.001	26.275	21.419	57.531
8/26/2008 12:33	7632.001	26.271	21.424	57.519
8/26/2008 12:33	7633.001	26.272	21.406	57.560
8/26/2008 12:33	7634.001	26.270	21.429	57.506
8/26/2008 12:33	7635.030	26.283	21.420	57.529
8/26/2008 12:33	7636.001	26.275	21.404	57.565
8/26/2008 12:33	7637.001	26.272	21.412	57.546
8/26/2008 12:33	7638.001	26.269	21.413	57.545
8/26/2008 12:33	7639.001	26.267	21.405	57.564
8/26/2008 12:33	7640.030	26.286	21.358	57.671
8/26/2008 12:33	7641.001	26.273	21.402	57.569
8/26/2008 12:33	7642.001	26.270	21.385	57.608
8/26/2008 12:33	7643.001	26.267	21.397	57.581

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:33	7644.001	26.268	21.350	57.689
8/26/2008 12:33	7645.030	26.286	21.364	57.658
8/26/2008 12:33	7646.001	26.273	21.355	57.677
8/26/2008 12:33	7647.001	26.270	21.368	57.649
8/26/2008 12:33	7648.001	26.266	21.377	57.627
8/26/2008 12:33	7649.001	26.263	21.353	57.684
8/26/2008 12:33	7650.030	26.282	21.351	57.687
8/26/2008 12:33	7651.172	26.268	21.344	57.703
8/26/2008 12:33	7652.001	26.268	21.364	57.658
8/26/2008 12:33	7653.001	26.265	21.348	57.694
8/26/2008 12:33	7654.001	26.266	21.341	57.710
8/26/2008 12:33	7655.029	26.284	21.337	57.719
8/26/2008 12:33	7656.001	26.271	21.337	57.721
8/26/2008 12:33	7657.001	26.265	21.333	57.730
8/26/2008 12:33	7658.001	26.266	21.297	57.813
8/26/2008 12:33	7659.001	26.263	21.299	57.809
8/26/2008 12:33	7660.029	26.279	21.324	57.751
8/26/2008 12:33	7661.001	26.270	21.309	57.785
8/26/2008 12:33	7662.004	26.265	21.306	57.791
8/26/2008 12:33	7663.001	26.263	21.325	57.747
8/26/2008 12:33	7664.001	26.263	21.308	57.788
8/26/2008 12:33	7665.029	26.276	21.310	57.782
8/26/2008 12:33	7666.001	26.269	21.322	57.754
8/26/2008 12:33	7667.001	26.263	21.323	57.753
8/26/2008 12:33	7668.001	26.262	21.323	57.753
8/26/2008 12:33	7669.001	26.261	21.301	57.804
8/26/2008 12:33	7670.028	26.277	21.261	57.895
8/26/2008 12:33	7671.001	26.267	21.284	57.843
8/26/2008 12:33	7672.001	26.262	21.282	57.846
8/26/2008 12:33	7673.001	26.262	21.266	57.883
8/26/2008 12:33	7674.003	26.260	21.297	57.812
8/26/2008 12:33	7675.028	26.276	21.300	57.805
8/26/2008 12:33	7676.001	26.266	21.276	57.860
8/26/2008 12:33	7677.001	26.260	21.303	57.798
8/26/2008 12:34	7678.001	26.262	21.249	57.922
8/26/2008 12:34	7679.001	26.258	21.291	57.827
8/26/2008 12:34	7680.028	26.275	21.271	57.872
8/26/2008 12:34	7681.001	26.266	21.256	57.906
8/26/2008 12:34	7682.001	26.261	21.263	57.890
8/26/2008 12:34	7683.001	26.260	21.231	57.964
8/26/2008 12:34	7684.001	26.257	21.250	57.921
8/26/2008 12:34	7685.028	26.275	21.249	57.923
8/26/2008 12:34	7686.029	26.263	21.253	57.913
8/26/2008 12:34	7687.001	26.258	21.237	57.952
8/26/2008 12:34	7688.001	26.259	21.256	57.906
8/26/2008 12:34	7689.001	26.256	21.246	57.930
8/26/2008 12:34	7690.027	26.271	21.246	57.931
8/26/2008 12:34	7691.001	26.263	21.252	57.916
8/26/2008 12:34	7692.001	26.261	21.246	57.929

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:34	7693.001	26.257	21.260	57.898
8/26/2008 12:34	7694.001	26.256	21.255	57.909
8/26/2008 12:34	7695.028	26.274	21.220	57.991
8/26/2008 12:34	7696.029	26.263	21.210	58.013
8/26/2008 12:34	7697.001	26.258	21.224	57.981
8/26/2008 12:34	7698.001	26.254	21.193	58.053
8/26/2008 12:34	7699.001	26.260	21.218	57.996
8/26/2008 12:34	7700.027	26.274	21.240	57.944
8/26/2008 12:34	7701.001	26.259	21.191	58.056
8/26/2008 12:34	7702.001	26.259	21.204	58.027
8/26/2008 12:34	7703.001	26.256	21.194	58.050
8/26/2008 12:34	7704.001	26.255	21.194	58.051
8/26/2008 12:34	7705.027	26.272	21.215	58.001
8/26/2008 12:34	7706.001	26.257	21.226	57.977
8/26/2008 12:34	7707.001	26.257	21.185	58.071
8/26/2008 12:34	7708.001	26.258	21.184	58.073
8/26/2008 12:34	7709.001	26.255	21.185	58.071
8/26/2008 12:34	7710.026	26.271	21.176	58.091
8/26/2008 12:34	7711.001	26.262	21.177	58.089
8/26/2008 12:34	7712.001	26.257	21.158	58.134
8/26/2008 12:34	7713.001	26.253	21.175	58.093
8/26/2008 12:34	7714.001	26.250	21.188	58.064
8/26/2008 12:34	7715.026	26.271	21.184	58.074
8/26/2008 12:34	7716.001	26.257	21.179	58.085
8/26/2008 12:34	7717.001	26.255	21.175	58.095
8/26/2008 12:34	7718.001	26.253	21.197	58.042
8/26/2008 12:34	7719.001	26.252	21.178	58.088
8/26/2008 12:34	7720.026	26.269	21.147	58.158
8/26/2008 12:34	7721.001	26.260	21.155	58.141
8/26/2008 12:34	7722.001	26.255	21.164	58.118
8/26/2008 12:34	7723.001	26.252	21.138	58.179
8/26/2008 12:34	7724.001	26.251	21.149	58.154
8/26/2008 12:34	7725.026	26.267	21.149	58.154
8/26/2008 12:34	7726.028	26.255	21.178	58.088
8/26/2008 12:34	7727.001	26.253	21.138	58.178
8/26/2008 12:34	7728.001	26.252	21.144	58.166
8/26/2008 12:34	7729.001	26.253	21.134	58.188
8/26/2008 12:34	7730.026	26.265	21.160	58.129
8/26/2008 12:34	7731.001	26.255	21.141	58.173
8/26/2008 12:34	7732.001	26.254	21.131	58.195
8/26/2008 12:34	7733.001	26.249	21.133	58.192
8/26/2008 12:34	7734.001	26.251	21.112	58.240
8/26/2008 12:34	7735.026	26.266	21.107	58.250
8/26/2008 12:34	7736.001	26.254	21.120	58.222
8/26/2008 12:34	7737.001	26.252	21.128	58.203
8/26/2008 12:35	7738.001	26.251	21.113	58.236
8/26/2008 12:35	7739.001	26.248	21.097	58.273
8/26/2008 12:35	7740.026	26.265	21.109	58.247
8/26/2008 12:35	7741.001	26.255	21.131	58.197

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:35	7742.001	26.253	21.111	58.243
8/26/2008 12:35	7743.001	26.249	21.113	58.237
8/26/2008 12:35	7744.001	26.247	21.124	58.212
8/26/2008 12:35	7745.025	26.263	21.093	58.284
8/26/2008 12:35	7746.001	26.253	21.127	58.204
8/26/2008 12:35	7747.001	26.248	21.102	58.262
8/26/2008 12:35	7748.001	26.248	21.106	58.254
8/26/2008 12:35	7749.001	26.248	21.102	58.262
8/26/2008 12:35	7750.025	26.263	21.098	58.272
8/26/2008 12:35	7751.001	26.252	21.064	58.350
8/26/2008 12:35	7752.001	26.251	21.081	58.312
8/26/2008 12:35	7753.001	26.248	21.089	58.292
8/26/2008 12:35	7754.001	26.247	21.079	58.316
8/26/2008 12:35	7755.025	26.262	21.122	58.216
8/26/2008 12:35	7756.001	26.251	21.082	58.308
8/26/2008 12:35	7757.001	26.250	21.073	58.330
8/26/2008 12:35	7758.001	26.247	21.102	58.262
8/26/2008 12:35	7759.001	26.246	21.106	58.253
8/26/2008 12:35	7760.025	26.262	21.076	58.322
8/26/2008 12:35	7761.001	26.251	21.081	58.311
8/26/2008 12:35	7762.001	26.248	21.081	58.311
8/26/2008 12:35	7763.001	26.249	21.076	58.322
8/26/2008 12:35	7764.001	26.246	21.070	58.337
8/26/2008 12:35	7765.024	26.261	21.065	58.348
8/26/2008 12:35	7766.001	26.252	21.071	58.335
8/26/2008 12:35	7767.001	26.250	21.072	58.332
8/26/2008 12:35	7768.001	26.244	21.080	58.314
8/26/2008 12:35	7769.001	26.244	21.069	58.339
8/26/2008 12:35	7770.024	26.263	21.068	58.340
8/26/2008 12:35	7771.001	26.251	21.078	58.319
8/26/2008 12:35	7772.001	26.248	21.074	58.327
8/26/2008 12:35	7773.001	26.245	21.082	58.308
8/26/2008 12:35	7774.001	26.245	21.054	58.373
8/26/2008 12:35	7775.024	26.259	21.038	58.410
8/26/2008 12:35	7776.001	26.248	21.070	58.337
8/26/2008 12:35	7777.001	26.245	21.057	58.367
8/26/2008 12:35	7778.001	26.244	21.050	58.383
8/26/2008 12:35	7779.001	26.245	21.022	58.446
8/26/2008 12:35	7780.024	26.258	21.060	58.360
8/26/2008 12:35	7781.001	26.248	21.040	58.407
8/26/2008 12:35	7782.001	26.245	21.060	58.360
8/26/2008 12:35	7783.001	26.244	21.034	58.420
8/26/2008 12:35	7784.001	26.243	21.071	58.335
8/26/2008 12:35	7785.024	26.259	21.055	58.371
8/26/2008 12:35	7786.001	26.247	21.027	58.435
8/26/2008 12:35	7787.001	26.247	21.036	58.416
8/26/2008 12:35	7788.001	26.243	21.027	58.436
8/26/2008 12:35	7789.001	26.240	21.039	58.408
8/26/2008 12:35	7790.024	26.259	21.008	58.479

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:35	7791.001	26.247	21.041	58.404
8/26/2008 12:35	7792.001	26.246	21.032	58.425
8/26/2008 12:35	7793.001	26.243	21.034	58.419
8/26/2008 12:35	7794.001	26.242	21.028	58.433
8/26/2008 12:35	7795.030	26.270	21.025	58.440
8/26/2008 12:35	7796.001	26.247	21.018	58.457
8/26/2008 12:35	7797.001	26.243	21.029	58.432
8/26/2008 12:36	7798.001	26.243	21.040	58.407
8/26/2008 12:36	7799.001	26.243	21.028	58.434
8/26/2008 12:36	7800.023	26.256	21.007	58.483
8/26/2008 12:36	7801.001	26.249	21.003	58.491
8/26/2008 12:36	7802.001	26.243	21.014	58.466
8/26/2008 12:36	7803.001	26.243	20.984	58.535
8/26/2008 12:36	7804.001	26.240	21.020	58.453
8/26/2008 12:36	7805.023	26.254	20.998	58.503
8/26/2008 12:36	7806.025	26.248	21.013	58.467
8/26/2008 12:36	7807.001	26.243	20.997	58.506
8/26/2008 12:36	7808.001	26.238	20.972	58.563
8/26/2008 12:36	7809.001	26.241	21.027	58.437
8/26/2008 12:36	7810.023	26.256	20.993	58.513
8/26/2008 12:36	7811.001	26.247	20.996	58.507
8/26/2008 12:36	7812.001	26.241	20.998	58.503
8/26/2008 12:36	7813.001	26.240	21.006	58.483
8/26/2008 12:36	7814.001	26.239	20.987	58.528
8/26/2008 12:36	7815.023	26.255	20.994	58.512
8/26/2008 12:36	7816.025	26.247	20.971	58.566
8/26/2008 12:36	7817.001	26.241	20.971	58.565
8/26/2008 12:36	7818.001	26.239	21.009	58.478
8/26/2008 12:36	7819.001	26.239	20.977	58.551
8/26/2008 12:36	7820.023	26.251	20.993	58.514
8/26/2008 12:36	7821.001	26.245	20.985	58.534
8/26/2008 12:36	7822.001	26.240	20.980	58.544
8/26/2008 12:36	7823.001	26.240	20.985	58.534
8/26/2008 12:36	7824.001	26.239	21.001	58.495
8/26/2008 12:36	7825.022	26.254	20.973	58.560
8/26/2008 12:36	7826.001	26.246	20.988	58.526
8/26/2008 12:36	7827.001	26.240	21.006	58.485
8/26/2008 12:36	7828.001	26.239	20.998	58.503
8/26/2008 12:36	7829.001	26.238	20.965	58.579
8/26/2008 12:36	7830.022	26.253	20.981	58.543
8/26/2008 12:36	7831.164	26.240	20.962	58.585
8/26/2008 12:36	7832.001	26.241	20.968	58.572
8/26/2008 12:36	7833.001	26.238	20.966	58.577
8/26/2008 12:36	7834.001	26.236	20.982	58.539
8/26/2008 12:36	7835.022	26.256	20.971	58.564
8/26/2008 12:36	7836.023	26.245	20.955	58.601
8/26/2008 12:36	7837.001	26.242	20.959	58.592
8/26/2008 12:36	7838.001	26.238	20.963	58.584
8/26/2008 12:36	7839.001	26.238	20.970	58.567

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:36	7840.022	26.251	20.953	58.606
8/26/2008 12:36	7841.001	26.243	20.954	58.605
8/26/2008 12:36	7842.001	26.238	20.946	58.624
8/26/2008 12:36	7843.001	26.237	20.935	58.647
8/26/2008 12:36	7844.001	26.234	20.938	58.642
8/26/2008 12:36	7845.022	26.251	20.963	58.584
8/26/2008 12:36	7846.023	26.241	20.959	58.592
8/26/2008 12:36	7847.001	26.241	20.932	58.654
8/26/2008 12:36	7848.001	26.238	20.956	58.601
8/26/2008 12:36	7849.001	26.237	20.966	58.576
8/26/2008 12:36	7850.022	26.249	20.937	58.643
8/26/2008 12:36	7851.001	26.240	20.959	58.593
8/26/2008 12:36	7852.001	26.237	20.956	58.600
8/26/2008 12:36	7853.001	26.237	20.936	58.645
8/26/2008 12:36	7854.001	26.235	20.941	58.635
8/26/2008 12:36	7855.028	26.261	20.927	58.666
8/26/2008 12:36	7856.001	26.239	20.931	58.658
8/26/2008 12:36	7857.001	26.239	20.926	58.670
8/26/2008 12:37	7858.001	26.237	20.954	58.603
8/26/2008 12:37	7859.001	26.237	20.938	58.641
8/26/2008 12:37	7860.021	26.250	20.928	58.665
8/26/2008 12:37	7861.001	26.242	20.929	58.662
8/26/2008 12:37	7862.001	26.237	20.925	58.672
8/26/2008 12:37	7863.001	26.236	20.927	58.666
8/26/2008 12:37	7864.001	26.233	20.951	58.612
8/26/2008 12:37	7865.021	26.254	20.905	58.718
8/26/2008 12:37	7866.023	26.242	20.933	58.653
8/26/2008 12:37	7867.001	26.237	20.916	58.692
8/26/2008 12:37	7868.001	26.233	20.939	58.638
8/26/2008 12:37	7869.001	26.237	20.905	58.716
8/26/2008 12:37	7870.021	26.252	20.936	58.646
8/26/2008 12:37	7871.001	26.239	20.919	58.686
8/26/2008 12:37	7872.001	26.236	20.890	58.751
8/26/2008 12:37	7873.001	26.236	20.935	58.649
8/26/2008 12:37	7874.001	26.234	20.921	58.681
8/26/2008 12:37	7875.021	26.250	20.914	58.698
8/26/2008 12:37	7876.023	26.239	20.916	58.693
8/26/2008 12:37	7877.001	26.235	20.896	58.738
8/26/2008 12:37	7878.001	26.231	20.929	58.661
8/26/2008 12:37	7879.001	26.232	20.912	58.701
8/26/2008 12:37	7880.021	26.249	20.913	58.700
8/26/2008 12:37	7881.001	26.238	20.899	58.732
8/26/2008 12:37	7882.001	26.233	20.902	58.725
8/26/2008 12:37	7883.001	26.234	20.906	58.715
8/26/2008 12:37	7884.001	26.233	20.908	58.711
8/26/2008 12:37	7885.021	26.251	20.903	58.723
8/26/2008 12:37	7886.022	26.239	20.906	58.715
8/26/2008 12:37	7887.001	26.236	20.888	58.758
8/26/2008 12:37	7888.001	26.235	20.888	58.756

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:37	7889.001	26.232	20.899	58.731
8/26/2008 12:37	7890.020	26.250	20.877	58.781
8/26/2008 12:37	7891.162	26.237	20.900	58.730
8/26/2008 12:37	7892.001	26.235	20.886	58.761
8/26/2008 12:37	7893.001	26.230	20.887	58.758
8/26/2008 12:37	7894.001	26.233	20.900	58.729
8/26/2008 12:37	7895.020	26.248	20.881	58.773
8/26/2008 12:37	7896.022	26.239	20.891	58.751
8/26/2008 12:37	7897.001	26.233	20.905	58.717
8/26/2008 12:37	7898.001	26.231	20.885	58.764
8/26/2008 12:37	7899.001	26.231	20.896	58.738
8/26/2008 12:37	7900.020	26.248	20.863	58.814
8/26/2008 12:37	7901.001	26.237	20.892	58.748
8/26/2008 12:37	7902.001	26.232	20.894	58.744
8/26/2008 12:37	7903.001	26.235	20.882	58.770
8/26/2008 12:37	7904.001	26.234	20.896	58.738
8/26/2008 12:37	7905.020	26.251	20.882	58.770
8/26/2008 12:37	7906.022	26.237	20.875	58.787
8/26/2008 12:37	7907.001	26.232	20.872	58.794
8/26/2008 12:37	7908.001	26.235	20.854	58.835
8/26/2008 12:37	7909.001	26.229	20.894	58.743
8/26/2008 12:37	7910.019	26.249	20.888	58.757
8/26/2008 12:37	7911.001	26.237	20.853	58.836
8/26/2008 12:37	7912.001	26.233	20.833	58.884
8/26/2008 12:37	7913.001	26.232	20.869	58.801
8/26/2008 12:37	7914.001	26.230	20.862	58.818
8/26/2008 12:37	7915.026	26.259	20.886	58.761
8/26/2008 12:37	7916.001	26.237	20.846	58.854
8/26/2008 12:37	7917.001	26.234	20.873	58.791
8/26/2008 12:38	7918.001	26.231	20.848	58.849
8/26/2008 12:38	7919.001	26.230	20.881	58.772
8/26/2008 12:38	7920.019	26.249	20.870	58.799
8/26/2008 12:38	7921.001	26.236	20.845	58.857
8/26/2008 12:38	7922.001	26.232	20.848	58.849
8/26/2008 12:38	7923.001	26.233	20.829	58.892
8/26/2008 12:38	7924.001	26.230	20.852	58.839
8/26/2008 12:38	7925.019	26.246	20.871	58.797
8/26/2008 12:38	7926.020	26.235	20.868	58.804
8/26/2008 12:38	7927.001	26.231	20.873	58.792
8/26/2008 12:38	7928.001	26.231	20.874	58.789
8/26/2008 12:38	7929.001	26.230	20.874	58.788
8/26/2008 12:38	7930.018	26.245	20.836	58.876
8/26/2008 12:38	7931.001	26.236	20.859	58.824
8/26/2008 12:38	7932.001	26.232	20.854	58.835
8/26/2008 12:38	7933.001	26.229	20.861	58.819
8/26/2008 12:38	7934.001	26.227	20.851	58.842
8/26/2008 12:38	7935.018	26.244	20.866	58.807
8/26/2008 12:38	7936.020	26.236	20.853	58.837
8/26/2008 12:38	7937.001	26.229	20.831	58.888

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:38	7938.001	26.228	20.833	58.883
8/26/2008 12:38	7939.001	26.229	20.846	58.854
8/26/2008 12:38	7940.018	26.245	20.853	58.837
8/26/2008 12:38	7941.001	26.234	20.871	58.797
8/26/2008 12:38	7942.001	26.233	20.855	58.834
8/26/2008 12:38	7943.001	26.229	20.844	58.859
8/26/2008 12:38	7944.001	26.230	20.839	58.870
8/26/2008 12:38	7945.018	26.248	20.822	58.909
8/26/2008 12:38	7946.019	26.232	20.804	58.950
8/26/2008 12:38	7947.001	26.229	20.858	58.825
8/26/2008 12:38	7948.001	26.230	20.828	58.895
8/26/2008 12:38	7949.001	26.229	20.835	58.879
8/26/2008 12:38	7950.017	26.245	20.834	58.881
8/26/2008 12:38	7951.160	26.230	20.834	58.882
8/26/2008 12:38	7952.001	26.231	20.857	58.829
8/26/2008 12:38	7953.001	26.229	20.832	58.885
8/26/2008 12:38	7954.001	26.230	20.844	58.859
8/26/2008 12:38	7955.017	26.244	20.824	58.905
8/26/2008 12:38	7956.019	26.234	20.846	58.853
8/26/2008 12:38	7957.001	26.227	20.851	58.843
8/26/2008 12:38	7958.001	26.228	20.853	58.838
8/26/2008 12:38	7959.001	26.226	20.834	58.881
8/26/2008 12:38	7960.017	26.243	20.837	58.874
8/26/2008 12:38	7961.001	26.232	20.826	58.900
8/26/2008 12:38	7962.001	26.227	20.807	58.943
8/26/2008 12:38	7963.001	26.227	20.824	58.904
8/26/2008 12:38	7964.001	26.228	20.801	58.957
8/26/2008 12:38	7965.016	26.244	20.840	58.867
8/26/2008 12:38	7966.001	26.233	20.826	58.899
8/26/2008 12:38	7967.001	26.228	20.822	58.910
8/26/2008 12:38	7968.001	26.227	20.802	58.955
8/26/2008 12:38	7969.001	26.226	20.833	58.884
8/26/2008 12:38	7970.016	26.244	20.834	58.882
8/26/2008 12:38	7971.001	26.232	20.836	58.876
8/26/2008 12:38	7972.001	26.229	20.822	58.910
8/26/2008 12:38	7973.001	26.225	20.807	58.945
8/26/2008 12:38	7974.001	26.228	20.809	58.940
8/26/2008 12:38	7975.023	26.255	20.814	58.927
8/26/2008 12:38	7976.001	26.231	20.828	58.895
8/26/2008 12:38	7977.001	26.226	20.808	58.941
8/26/2008 12:39	7978.001	26.228	20.823	58.907
8/26/2008 12:39	7979.001	26.227	20.801	58.958
8/26/2008 12:39	7980.016	26.244	20.826	58.900
8/26/2008 12:39	7981.001	26.231	20.815	58.925
8/26/2008 12:39	7982.001	26.228	20.811	58.935
8/26/2008 12:39	7983.001	26.226	20.825	58.903
8/26/2008 12:39	7984.001	26.227	20.818	58.919
8/26/2008 12:39	7985.015	26.242	20.811	58.935
8/26/2008 12:39	7986.017	26.234	20.834	58.882

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:39	7987.001	26.228	20.800	58.960
8/26/2008 12:39	7988.001	26.228	20.816	58.923
8/26/2008 12:39	7989.001	26.224	20.816	58.923
8/26/2008 12:39	7990.015	26.241	20.822	58.908
8/26/2008 12:39	7991.001	26.230	20.794	58.974
8/26/2008 12:39	7992.001	26.227	20.794	58.974
8/26/2008 12:39	7993.001	26.225	20.806	58.947
8/26/2008 12:39	7994.001	26.222	20.820	58.913
8/26/2008 12:39	7995.015	26.241	20.805	58.949
8/26/2008 12:39	7996.001	26.233	20.798	58.965
8/26/2008 12:39	7997.001	26.226	20.807	58.945
8/26/2008 12:39	7998.001	26.227	20.821	58.911
8/26/2008 12:39	7999.001	26.223	20.808	58.941
8/26/2008 12:39	8000.015	26.240	20.802	58.956
8/26/2008 12:39	8001.001	26.229	20.809	58.940
8/26/2008 12:39	8002.001	26.228	20.810	58.936
8/26/2008 12:39	8003.001	26.226	20.817	58.920
8/26/2008 12:39	8004.001	26.224	20.808	58.941
8/26/2008 12:39	8005.014	26.241	20.806	58.946
8/26/2008 12:39	8006.001	26.229	20.815	58.925
8/26/2008 12:39	8007.001	26.227	20.796	58.969
8/26/2008 12:39	8008.001	26.227	20.805	58.949
8/26/2008 12:39	8009.001	26.224	20.819	58.917
8/26/2008 12:39	8010.014	26.239	20.821	58.912
8/26/2008 12:39	8011.001	26.231	20.816	58.924
8/26/2008 12:39	8012.001	26.229	20.789	58.984
8/26/2008 12:39	8013.001	26.224	20.807	58.944
8/26/2008 12:39	8014.001	26.224	20.790	58.982
8/26/2008 12:39	8015.014	26.238	20.831	58.888
8/26/2008 12:39	8016.015	26.228	20.805	58.947
8/26/2008 12:39	8017.001	26.228	20.778	59.011
8/26/2008 12:39	8018.001	26.224	20.792	58.978
8/26/2008 12:39	8019.001	26.226	20.788	58.987
8/26/2008 12:39	8020.014	26.241	20.793	58.976
8/26/2008 12:39	8021.001	26.230	20.773	59.021
8/26/2008 12:39	8022.001	26.227	20.823	58.907
8/26/2008 12:39	8023.001	26.226	20.815	58.925
8/26/2008 12:39	8024.001	26.223	20.793	58.975
8/26/2008 12:39	8025.014	26.240	20.781	59.005
8/26/2008 12:39	8026.001	26.228	20.781	59.004
8/26/2008 12:39	8027.001	26.226	20.781	59.003
8/26/2008 12:39	8028.001	26.224	20.799	58.962
8/26/2008 12:39	8029.001	26.223	20.784	58.996
8/26/2008 12:39	8030.013	26.239	20.790	58.983
8/26/2008 12:39	8031.001	26.228	20.788	58.988
8/26/2008 12:39	8032.001	26.225	20.786	58.991
8/26/2008 12:39	8033.001	26.227	20.781	59.003
8/26/2008 12:39	8034.001	26.222	20.809	58.939
8/26/2008 12:39	8035.020	26.253	20.763	59.046

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:39	8036.001	26.229	20.786	58.991
8/26/2008 12:39	8037.001	26.224	20.837	58.874
8/26/2008 12:40	8038.001	26.225	20.788	58.988
8/26/2008 12:40	8039.001	26.223	20.786	58.991
8/26/2008 12:40	8040.013	26.239	20.790	58.982
8/26/2008 12:40	8041.001	26.229	20.786	58.992
8/26/2008 12:40	8042.001	26.226	20.789	58.985
8/26/2008 12:40	8043.001	26.225	20.767	59.036
8/26/2008 12:40	8044.001	26.223	20.767	59.035
8/26/2008 12:40	8045.013	26.240	20.776	59.016
8/26/2008 12:40	8046.001	26.225	20.770	59.028
8/26/2008 12:40	8047.001	26.226	20.779	59.009
8/26/2008 12:40	8048.001	26.224	20.788	58.989
8/26/2008 12:40	8049.001	26.221	20.801	58.958
8/26/2008 12:40	8050.013	26.239	20.776	59.014
8/26/2008 12:40	8051.001	26.230	20.766	59.039
8/26/2008 12:40	8052.001	26.226	20.789	58.984
8/26/2008 12:40	8053.001	26.223	20.757	59.059
8/26/2008 12:40	8054.001	26.221	20.760	59.051
8/26/2008 12:40	8055.013	26.239	20.797	58.968
8/26/2008 12:40	8056.014	26.229	20.783	58.999
8/26/2008 12:40	8057.001	26.224	20.761	59.050
8/26/2008 12:40	8058.001	26.219	20.762	59.048
8/26/2008 12:40	8059.001	26.221	20.781	59.004
8/26/2008 12:40	8060.013	26.236	20.761	59.051
8/26/2008 12:40	8061.001	26.229	20.766	59.038
8/26/2008 12:40	8062.001	26.223	20.776	59.014
8/26/2008 12:40	8063.001	26.221	20.773	59.023
8/26/2008 12:40	8064.001	26.222	20.767	59.036
8/26/2008 12:40	8065.012	26.236	20.786	58.992
8/26/2008 12:40	8066.001	26.229	20.771	59.026
8/26/2008 12:40	8067.001	26.223	20.764	59.043
8/26/2008 12:40	8068.001	26.224	20.773	59.022
8/26/2008 12:40	8069.001	26.221	20.729	59.124
8/26/2008 12:40	8070.012	26.238	20.752	59.072
8/26/2008 12:40	8071.001	26.225	20.763	59.046
8/26/2008 12:40	8072.001	26.224	20.769	59.031
8/26/2008 12:40	8073.001	26.222	20.786	58.992
8/26/2008 12:40	8074.001	26.223	20.746	59.085
8/26/2008 12:40	8075.012	26.238	20.739	59.100
8/26/2008 12:40	8076.001	26.228	20.751	59.074
8/26/2008 12:40	8077.001	26.221	20.777	59.012
8/26/2008 12:40	8078.001	26.221	20.746	59.084
8/26/2008 12:40	8079.001	26.221	20.790	58.984
8/26/2008 12:40	8080.011	26.237	20.767	59.036
8/26/2008 12:40	8081.001	26.225	20.759	59.054
8/26/2008 12:40	8082.001	26.221	20.766	59.039
8/26/2008 12:40	8083.001	26.222	20.752	59.070
8/26/2008 12:40	8084.001	26.222	20.767	59.037

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:40	8085.011	26.240	20.753	59.068
8/26/2008 12:40	8086.001	26.225	20.779	59.009
8/26/2008 12:40	8087.001	26.220	20.744	59.090
8/26/2008 12:40	8088.001	26.221	20.781	59.003
8/26/2008 12:40	8089.001	26.223	20.753	59.069
8/26/2008 12:40	8090.011	26.237	20.771	59.027
8/26/2008 12:40	8091.001	26.228	20.749	59.078
8/26/2008 12:40	8092.001	26.224	20.760	59.052
8/26/2008 12:40	8093.001	26.220	20.754	59.066
8/26/2008 12:40	8094.001	26.216	20.767	59.037
8/26/2008 12:40	8095.011	26.238	20.738	59.104
8/26/2008 12:40	8096.001	26.226	20.736	59.107
8/26/2008 12:40	8097.001	26.221	20.738	59.103
8/26/2008 12:41	8098.001	26.220	20.757	59.059
8/26/2008 12:41	8099.001	26.220	20.749	59.078
8/26/2008 12:41	8100.011	26.240	20.723	59.137
8/26/2008 12:41	8101.001	26.228	20.757	59.059
8/26/2008 12:41	8102.001	26.223	20.766	59.038
8/26/2008 12:41	8103.001	26.220	20.751	59.072
8/26/2008 12:41	8104.001	26.220	20.724	59.136
8/26/2008 12:41	8105.011	26.238	20.723	59.138
8/26/2008 12:41	8106.012	26.227	20.766	59.037
8/26/2008 12:41	8107.001	26.223	20.734	59.111
8/26/2008 12:41	8108.001	26.223	20.743	59.090
8/26/2008 12:41	8109.001	26.223	20.747	59.083
8/26/2008 12:41	8110.010	26.239	20.705	59.179
8/26/2008 12:41	8111.001	26.227	20.748	59.079
8/26/2008 12:41	8112.001	26.226	20.772	59.024
8/26/2008 12:41	8113.001	26.226	20.744	59.088
8/26/2008 12:41	8114.001	26.221	20.753	59.068
8/26/2008 12:41	8115.010	26.238	20.737	59.106
8/26/2008 12:41	8116.012	26.228	20.759	59.055
8/26/2008 12:41	8117.001	26.225	20.753	59.069
8/26/2008 12:41	8118.001	26.221	20.758	59.056
8/26/2008 12:41	8119.001	26.223	20.731	59.120
8/26/2008 12:41	8120.010	26.240	20.759	59.054
8/26/2008 12:41	8121.001	26.229	20.744	59.088
8/26/2008 12:41	8122.001	26.228	20.721	59.142
8/26/2008 12:41	8123.001	26.226	20.739	59.102
8/26/2008 12:41	8124.001	26.222	20.741	59.096
8/26/2008 12:41	8125.010	26.240	20.719	59.147
8/26/2008 12:41	8126.001	26.229	20.734	59.112
8/26/2008 12:41	8127.001	26.227	20.750	59.076
8/26/2008 12:41	8128.001	26.225	20.742	59.093
8/26/2008 12:41	8129.001	26.225	20.738	59.104
8/26/2008 12:41	8130.009	26.243	20.730	59.122
8/26/2008 12:41	8131.001	26.232	20.721	59.143
8/26/2008 12:41	8132.001	26.227	20.740	59.098
8/26/2008 12:41	8133.001	26.226	20.727	59.129

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:41	8134.001	26.227	20.737	59.105
8/26/2008 12:41	8135.009	26.240	20.705	59.179
8/26/2008 12:41	8136.001	26.233	20.746	59.084
8/26/2008 12:41	8137.001	26.227	20.719	59.148
8/26/2008 12:41	8138.001	26.224	20.757	59.060
8/26/2008 12:41	8139.001	26.225	20.752	59.070
8/26/2008 12:41	8140.009	26.244	20.742	59.094
8/26/2008 12:41	8141.001	26.231	20.736	59.108
8/26/2008 12:41	8142.001	26.225	20.727	59.128
8/26/2008 12:41	8143.001	26.224	20.725	59.133
8/26/2008 12:41	8144.001	26.226	20.722	59.140
8/26/2008 12:41	8145.009	26.240	20.736	59.107
8/26/2008 12:41	8146.001	26.234	20.727	59.127
8/26/2008 12:41	8147.001	26.229	20.730	59.121
8/26/2008 12:41	8148.001	26.227	20.716	59.153
8/26/2008 12:41	8149.001	26.226	20.708	59.171
8/26/2008 12:41	8150.009	26.245	20.716	59.154
8/26/2008 12:41	8151.001	26.233	20.737	59.104
8/26/2008 12:41	8152.001	26.228	20.727	59.128
8/26/2008 12:41	8153.001	26.228	20.717	59.153
8/26/2008 12:41	8154.001	26.227	20.740	59.099
8/26/2008 12:41	8155.009	26.244	20.729	59.124
8/26/2008 12:41	8156.010	26.231	20.721	59.142
8/26/2008 12:41	8157.001	26.227	20.718	59.150
8/26/2008 12:42	8158.001	26.227	20.709	59.170
8/26/2008 12:42	8159.001	26.223	20.717	59.151
8/26/2008 12:42	8160.009	26.243	20.724	59.135
8/26/2008 12:42	8161.001	26.234	20.693	59.208
8/26/2008 12:42	8162.001	26.230	20.699	59.194
8/26/2008 12:42	8163.001	26.229	20.731	59.120
8/26/2008 12:42	8164.001	26.227	20.709	59.170
8/26/2008 12:42	8165.008	26.244	20.719	59.146
8/26/2008 12:42	8166.010	26.231	20.715	59.156
8/26/2008 12:42	8167.001	26.231	20.730	59.122
8/26/2008 12:42	8168.001	26.226	20.732	59.117
8/26/2008 12:42	8169.001	26.230	20.703	59.184
8/26/2008 12:42	8170.008	26.243	20.712	59.163
8/26/2008 12:42	8171.001	26.234	20.735	59.110
8/26/2008 12:42	8172.001	26.231	20.713	59.160
8/26/2008 12:42	8173.001	26.228	20.717	59.152
8/26/2008 12:42	8174.001	26.226	20.713	59.161
8/26/2008 12:42	8175.008	26.245	20.722	59.140
8/26/2008 12:42	8176.010	26.234	20.714	59.158
8/26/2008 12:42	8177.001	26.229	20.704	59.181
8/26/2008 12:42	8178.001	26.227	20.692	59.209
8/26/2008 12:42	8179.001	26.226	20.701	59.188
8/26/2008 12:42	8180.008	26.245	20.717	59.151
8/26/2008 12:42	8181.001	26.230	20.711	59.165
8/26/2008 12:42	8182.001	26.230	20.693	59.208

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:42	8183.001	26.226	20.697	59.199
8/26/2008 12:42	8184.001	26.227	20.715	59.157
8/26/2008 12:42	8185.007	26.246	20.720	59.145
8/26/2008 12:42	8186.009	26.234	20.708	59.172
8/26/2008 12:42	8187.001	26.232	20.673	59.252
8/26/2008 12:42	8188.001	26.226	20.704	59.182
8/26/2008 12:42	8189.001	26.227	20.691	59.212
8/26/2008 12:42	8190.007	26.248	20.694	59.204
8/26/2008 12:42	8191.001	26.237	20.709	59.171
8/26/2008 12:42	8192.001	26.230	20.713	59.161
8/26/2008 12:42	8193.001	26.230	20.714	59.159
8/26/2008 12:42	8194.001	26.230	20.723	59.139
8/26/2008 12:42	8195.007	26.246	20.715	59.155
8/26/2008 12:42	8196.009	26.234	20.726	59.130
8/26/2008 12:42	8197.001	26.231	20.702	59.187
8/26/2008 12:42	8198.001	26.230	20.696	59.200
8/26/2008 12:42	8199.001	26.229	20.699	59.193
8/26/2008 12:42	8200.007	26.245	20.688	59.219
8/26/2008 12:42	8201.001	26.234	20.687	59.222
8/26/2008 12:42	8202.001	26.228	20.703	59.184
8/26/2008 12:42	8203.001	26.231	20.695	59.202
8/26/2008 12:42	8204.001	26.230	20.701	59.188
8/26/2008 12:42	8205.007	26.246	20.693	59.207
8/26/2008 12:42	8206.009	26.235	20.683	59.231
8/26/2008 12:42	8207.001	26.231	20.709	59.170
8/26/2008 12:42	8208.001	26.231	20.697	59.198
8/26/2008 12:42	8209.001	26.230	20.691	59.213
8/26/2008 12:42	8210.007	26.247	20.701	59.189
8/26/2008 12:42	8211.001	26.236	20.684	59.228
8/26/2008 12:42	8212.001	26.233	20.690	59.214
8/26/2008 12:42	8213.001	26.232	20.688	59.218
8/26/2008 12:42	8214.001	26.231	20.687	59.220
8/26/2008 12:42	8215.006	26.248	20.689	59.215
8/26/2008 12:42	8216.008	26.237	20.681	59.234
8/26/2008 12:42	8217.001	26.232	20.678	59.241
8/26/2008 12:43	8218.001	26.230	20.705	59.179
8/26/2008 12:43	8219.001	26.231	20.705	59.180
8/26/2008 12:43	8220.006	26.248	20.708	59.173
8/26/2008 12:43	8221.001	26.236	20.715	59.157
8/26/2008 12:43	8222.001	26.231	20.688	59.217
8/26/2008 12:43	8223.001	26.230	20.708	59.171
8/26/2008 12:43	8224.001	26.229	20.675	59.250
8/26/2008 12:43	8225.006	26.249	20.693	59.206
8/26/2008 12:43	8226.008	26.237	20.694	59.204
8/26/2008 12:43	8227.001	26.234	20.683	59.229
8/26/2008 12:43	8228.001	26.232	20.689	59.216
8/26/2008 12:43	8229.001	26.231	20.710	59.168
8/26/2008 12:43	8230.006	26.249	20.703	59.185
8/26/2008 12:43	8231.001	26.235	20.690	59.214

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:43	8232.001	26.236	20.678	59.242
8/26/2008 12:43	8233.001	26.234	20.715	59.157
8/26/2008 12:43	8234.001	26.232	20.688	59.218
8/26/2008 12:43	8235.006	26.249	20.686	59.222
8/26/2008 12:43	8236.007	26.237	20.685	59.225
8/26/2008 12:43	8237.001	26.235	20.687	59.220
8/26/2008 12:43	8238.001	26.231	20.682	59.231
8/26/2008 12:43	8239.001	26.232	20.667	59.266
8/26/2008 12:43	8240.006	26.247	20.672	59.256
8/26/2008 12:43	8241.001	26.236	20.709	59.170
8/26/2008 12:43	8242.001	26.232	20.687	59.221
8/26/2008 12:43	8243.001	26.233	20.681	59.234
8/26/2008 12:43	8244.001	26.231	20.714	59.159
8/26/2008 12:43	8245.005	26.246	20.709	59.170
8/26/2008 12:43	8246.007	26.239	20.689	59.215
8/26/2008 12:43	8247.001	26.235	20.690	59.213
8/26/2008 12:43	8248.001	26.232	20.684	59.228
8/26/2008 12:43	8249.001	26.230	20.715	59.155
8/26/2008 12:43	8250.005	26.248	20.710	59.168
8/26/2008 12:43	8251.148	26.235	20.727	59.129
8/26/2008 12:43	8252.001	26.237	20.671	59.259
8/26/2008 12:43	8253.001	26.231	20.677	59.244
8/26/2008 12:43	8254.001	26.229	20.675	59.247
8/26/2008 12:43	8255.005	26.246	20.669	59.261
8/26/2008 12:43	8256.007	26.237	20.679	59.239
8/26/2008 12:43	8257.001	26.234	20.695	59.202
8/26/2008 12:43	8258.001	26.231	20.711	59.166
8/26/2008 12:43	8259.001	26.231	20.687	59.220
8/26/2008 12:43	8260.005	26.247	20.692	59.209
8/26/2008 12:43	8261.001	26.234	20.668	59.266
8/26/2008 12:43	8262.001	26.230	20.663	59.277
8/26/2008 12:43	8263.001	26.228	20.671	59.259
8/26/2008 12:43	8264.001	26.229	20.669	59.262
8/26/2008 12:43	8265.005	26.246	20.669	59.262
8/26/2008 12:43	8266.007	26.236	20.684	59.228
8/26/2008 12:43	8267.001	26.230	20.673	59.253
8/26/2008 12:43	8268.001	26.230	20.689	59.217
8/26/2008 12:43	8269.001	26.230	20.676	59.246
8/26/2008 12:43	8270.005	26.246	20.667	59.267
8/26/2008 12:43	8271.001	26.236	20.679	59.240
8/26/2008 12:43	8272.001	26.229	20.692	59.209
8/26/2008 12:43	8273.001	26.232	20.675	59.249
8/26/2008 12:43	8274.001	26.231	20.652	59.302
8/26/2008 12:43	8275.005	26.248	20.663	59.277
8/26/2008 12:43	8276.006	26.236	20.673	59.254
8/26/2008 12:43	8277.001	26.233	20.654	59.296
8/26/2008 12:44	8278.001	26.229	20.672	59.256
8/26/2008 12:44	8279.001	26.227	20.630	59.352
8/26/2008 12:44	8280.005	26.245	20.667	59.268

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:44	8281.001	26.236	20.640	59.330
8/26/2008 12:44	8282.001	26.229	20.656	59.293
8/26/2008 12:44	8283.001	26.230	20.658	59.288
8/26/2008 12:44	8284.001	26.228	20.667	59.268
8/26/2008 12:44	8285.005	26.247	20.644	59.321
8/26/2008 12:44	8286.006	26.235	20.682	59.233
8/26/2008 12:44	8287.001	26.231	20.677	59.243
8/26/2008 12:44	8288.001	26.229	20.668	59.265
8/26/2008 12:44	8289.001	26.228	20.647	59.313
8/26/2008 12:44	8290.004	26.248	20.672	59.256
8/26/2008 12:44	8291.001	26.234	20.654	59.298
8/26/2008 12:44	8292.001	26.227	20.654	59.297
8/26/2008 12:44	8293.001	26.228	20.654	59.298
8/26/2008 12:44	8294.001	26.226	20.660	59.284
8/26/2008 12:44	8295.004	26.247	20.654	59.297
8/26/2008 12:44	8296.005	26.236	20.673	59.254
8/26/2008 12:44	8297.001	26.228	20.678	59.242
8/26/2008 12:44	8298.001	26.228	20.666	59.270
8/26/2008 12:44	8299.001	26.229	20.662	59.279
8/26/2008 12:44	8300.003	26.246	20.669	59.262
8/26/2008 12:44	8301.001	26.234	20.655	59.296
8/26/2008 12:44	8302.001	26.231	20.644	59.320
8/26/2008 12:44	8303.001	26.226	20.651	59.304
8/26/2008 12:44	8304.001	26.227	20.631	59.350
8/26/2008 12:44	8305.003	26.244	20.639	59.332
8/26/2008 12:44	8306.005	26.231	20.661	59.282
8/26/2008 12:44	8307.001	26.231	20.654	59.297
8/26/2008 12:44	8308.001	26.230	20.654	59.296
8/26/2008 12:44	8309.001	26.226	20.662	59.278
8/26/2008 12:44	8310.003	26.244	20.662	59.280
8/26/2008 12:44	8311.145	26.231	20.638	59.335
8/26/2008 12:44	8312.001	26.232	20.647	59.313
8/26/2008 12:44	8313.001	26.228	20.671	59.259
8/26/2008 12:44	8314.001	26.228	20.646	59.316
8/26/2008 12:44	8315.003	26.242	20.646	59.315
8/26/2008 12:44	8316.005	26.233	20.664	59.275
8/26/2008 12:44	8317.001	26.228	20.638	59.334
8/26/2008 12:44	8318.001	26.226	20.659	59.285
8/26/2008 12:44	8319.001	26.226	20.672	59.255
8/26/2008 12:44	8320.003	26.244	20.648	59.311
8/26/2008 12:44	8321.001	26.234	20.642	59.324
8/26/2008 12:44	8322.001	26.228	20.653	59.300
8/26/2008 12:44	8323.001	26.227	20.642	59.324
8/26/2008 12:44	8324.001	26.226	20.667	59.267
8/26/2008 12:44	8325.002	26.244	20.683	59.229
8/26/2008 12:44	8326.004	26.232	20.658	59.288
8/26/2008 12:44	8327.001	26.226	20.650	59.306
8/26/2008 12:44	8328.001	26.227	20.655	59.295
8/26/2008 12:44	8329.001	26.225	20.631	59.350

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:44	8330.002	26.243	20.624	59.367
8/26/2008 12:44	8331.001	26.232	20.650	59.306
8/26/2008 12:44	8332.001	26.228	20.652	59.301
8/26/2008 12:44	8333.001	26.227	20.630	59.353
8/26/2008 12:44	8334.001	26.225	20.634	59.343
8/26/2008 12:44	8335.002	26.245	20.633	59.345
8/26/2008 12:44	8336.004	26.229	20.668	59.264
8/26/2008 12:44	8337.001	26.228	20.631	59.351
8/26/2008 12:45	8338.001	26.225	20.679	59.239
8/26/2008 12:45	8339.001	26.227	20.656	59.293
8/26/2008 12:45	8340.001	26.244	20.625	59.364
8/26/2008 12:45	8341.001	26.231	20.624	59.367
8/26/2008 12:45	8342.001	26.228	20.631	59.349
8/26/2008 12:45	8343.001	26.225	20.628	59.357
8/26/2008 12:45	8344.001	26.225	20.653	59.299
8/26/2008 12:45	8345.001	26.240	20.608	59.403
8/26/2008 12:45	8346.003	26.230	20.642	59.325
8/26/2008 12:45	8347.001	26.228	20.629	59.354
8/26/2008 12:45	8348.001	26.228	20.632	59.348
8/26/2008 12:45	8349.001	26.225	20.643	59.323
8/26/2008 12:45	8350.001	26.245	20.636	59.338
8/26/2008 12:45	8351.001	26.232	20.616	59.385
8/26/2008 12:45	8352.001	26.230	20.671	59.259
8/26/2008 12:45	8353.001	26.226	20.646	59.316
8/26/2008 12:45	8354.001	26.225	20.633	59.345
8/26/2008 12:45	8355.001	26.244	20.627	59.360
8/26/2008 12:45	8356.003	26.232	20.623	59.370
8/26/2008 12:45	8357.001	26.228	20.632	59.348
8/26/2008 12:45	8358.001	26.227	20.638	59.335
8/26/2008 12:45	8359.001	26.225	20.635	59.341
8/26/2008 12:45	8360.001	26.244	20.623	59.370
8/26/2008 12:45	8361.001	26.232	20.614	59.390
8/26/2008 12:45	8362.001	26.227	20.642	59.324
8/26/2008 12:45	8363.001	26.227	20.632	59.347
8/26/2008 12:45	8364.001	26.227	20.647	59.312
8/26/2008 12:45	8365.001	26.241	20.645	59.317
8/26/2008 12:45	8366.002	26.231	20.613	59.393
8/26/2008 12:45	8367.001	26.229	20.637	59.336
8/26/2008 12:45	8368.001	26.225	20.632	59.348
8/26/2008 12:45	8369.001	26.228	20.609	59.400
8/26/2008 12:45	8370.001	26.244	20.645	59.318
8/26/2008 12:45	8371.142	26.230	20.630	59.352
8/26/2008 12:45	8372.001	26.231	20.621	59.373
8/26/2008 12:45	8373.001	26.229	20.639	59.332
8/26/2008 12:45	8374.001	26.228	20.634	59.342
8/26/2008 12:45	8375.001	26.243	20.636	59.337
8/26/2008 12:45	8376.001	26.232	20.626	59.361
8/26/2008 12:45	8377.001	26.229	20.644	59.320
8/26/2008 12:45	8378.001	26.229	20.646	59.316

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:45	8379.001	26.225	20.633	59.347
8/26/2008 12:45	8380.001	26.242	20.650	59.307
8/26/2008 12:45	8381.001	26.232	20.625	59.363
8/26/2008 12:45	8382.001	26.228	20.666	59.269
8/26/2008 12:45	8383.001	26.229	20.626	59.361
8/26/2008 12:45	8384.001	26.226	20.613	59.392
8/26/2008 12:45	8385.001	26.245	20.610	59.398
8/26/2008 12:45	8386.001	26.232	20.623	59.369
8/26/2008 12:45	8387.001	26.228	20.636	59.339
8/26/2008 12:45	8388.001	26.225	20.623	59.368
8/26/2008 12:45	8389.001	26.225	20.626	59.362
8/26/2008 12:45	8390.001	26.245	20.638	59.335
8/26/2008 12:45	8391.001	26.233	20.651	59.303
8/26/2008 12:45	8392.001	26.227	20.619	59.377
8/26/2008 12:45	8393.001	26.226	20.628	59.357
8/26/2008 12:45	8394.001	26.225	20.649	59.310
8/26/2008 12:45	8395.001	26.243	20.604	59.412
8/26/2008 12:45	8396.001	26.232	20.611	59.397
8/26/2008 12:45	8397.001	26.228	20.627	59.359
8/26/2008 12:46	8398.001	26.226	20.643	59.323
8/26/2008 12:46	8399.001	26.228	20.628	59.358
8/26/2008 12:46	8400.001	26.242	20.624	59.367
8/26/2008 12:46	8401.001	26.230	20.640	59.330
8/26/2008 12:46	8402.001	26.226	20.657	59.290
8/26/2008 12:46	8403.001	26.227	20.636	59.339
8/26/2008 12:46	8404.001	26.223	20.632	59.347
8/26/2008 12:46	8405.001	26.239	20.648	59.311
8/26/2008 12:46	8406.001	26.231	20.597	59.428
8/26/2008 12:46	8407.001	26.227	20.623	59.369
8/26/2008 12:46	8408.001	26.224	20.639	59.331
8/26/2008 12:46	8409.001	26.225	20.618	59.381
8/26/2008 12:46	8410.001	26.242	20.627	59.360
8/26/2008 12:46	8411.001	26.229	20.620	59.374
8/26/2008 12:46	8412.001	26.229	20.626	59.362
8/26/2008 12:46	8413.001	26.225	20.638	59.334
8/26/2008 12:46	8414.001	26.225	20.620	59.374
8/26/2008 12:46	8415.001	26.242	20.615	59.386
8/26/2008 12:46	8416.001	26.229	20.627	59.360
8/26/2008 12:46	8417.001	26.227	20.648	59.311
8/26/2008 12:46	8418.001	26.224	20.649	59.308
8/26/2008 12:46	8419.001	26.221	20.604	59.412
8/26/2008 12:46	8420.001	26.240	20.624	59.367
8/26/2008 12:46	8421.001	26.227	20.633	59.346
8/26/2008 12:46	8422.001	26.227	20.627	59.359
8/26/2008 12:46	8423.001	26.225	20.608	59.402
8/26/2008 12:46	8424.001	26.225	20.613	59.391
8/26/2008 12:46	8425.001	26.241	20.610	59.400
8/26/2008 12:46	8426.001	26.231	20.635	59.341
8/26/2008 12:46	8427.001	26.226	20.620	59.374

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:46	8428.001	26.224	20.639	59.331
8/26/2008 12:46	8429.001	26.223	20.631	59.350
8/26/2008 12:46	8430.001	26.241	20.613	59.393
8/26/2008 12:46	8431.001	26.230	20.626	59.362
8/26/2008 12:46	8432.001	26.228	20.615	59.387
8/26/2008 12:46	8433.001	26.224	20.634	59.344
8/26/2008 12:46	8434.001	26.225	20.625	59.363
8/26/2008 12:46	8435.001	26.240	20.579	59.470
8/26/2008 12:46	8436.001	26.231	20.612	59.395
8/26/2008 12:46	8437.001	26.226	20.610	59.399
8/26/2008 12:46	8438.001	26.224	20.630	59.351
8/26/2008 12:46	8439.001	26.228	20.614	59.389
8/26/2008 12:46	8440.001	26.239	20.629	59.356
8/26/2008 12:46	8441.001	26.228	20.622	59.371
8/26/2008 12:46	8442.001	26.226	20.608	59.403
8/26/2008 12:46	8443.001	26.224	20.630	59.351
8/26/2008 12:46	8444.001	26.224	20.601	59.420
8/26/2008 12:46	8445.001	26.240	20.623	59.369
8/26/2008 12:46	8446.001	26.229	20.620	59.376
8/26/2008 12:46	8447.001	26.224	20.601	59.419
8/26/2008 12:46	8448.001	26.223	20.610	59.398
8/26/2008 12:46	8449.001	26.222	20.609	59.400
8/26/2008 12:46	8450.001	26.241	20.592	59.440
8/26/2008 12:46	8451.001	26.227	20.634	59.342
8/26/2008 12:46	8452.001	26.226	20.609	59.402
8/26/2008 12:46	8453.001	26.223	20.631	59.351
8/26/2008 12:46	8454.001	26.220	20.625	59.364
8/26/2008 12:46	8455.001	26.240	20.597	59.428
8/26/2008 12:46	8456.001	26.228	20.623	59.368
8/26/2008 12:46	8457.001	26.227	20.631	59.350
8/26/2008 12:47	8458.001	26.223	20.631	59.349
8/26/2008 12:47	8459.001	26.220	20.600	59.421
8/26/2008 12:47	8460.001	26.239	20.604	59.412
8/26/2008 12:47	8461.001	26.228	20.614	59.389
8/26/2008 12:47	8462.001	26.223	20.599	59.423
8/26/2008 12:47	8463.001	26.225	20.602	59.418
8/26/2008 12:47	8464.001	26.222	20.611	59.396
8/26/2008 12:47	8465.001	26.239	20.605	59.410
8/26/2008 12:47	8466.001	26.226	20.601	59.420
8/26/2008 12:47	8467.001	26.225	20.611	59.396
8/26/2008 12:47	8468.001	26.223	20.598	59.426
8/26/2008 12:47	8469.001	26.224	20.621	59.373
8/26/2008 12:47	8470.001	26.241	20.591	59.442
8/26/2008 12:47	8471.001	26.228	20.619	59.377
8/26/2008 12:47	8472.001	26.225	20.626	59.361
8/26/2008 12:47	8473.001	26.223	20.596	59.430
8/26/2008 12:47	8474.001	26.222	20.599	59.424
8/26/2008 12:47	8475.001	26.237	20.601	59.419
8/26/2008 12:47	8476.001	26.229	20.588	59.449

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:47	8477.001	26.226	20.612	59.393
8/26/2008 12:47	8478.001	26.228	20.605	59.411
8/26/2008 12:47	8479.001	26.223	20.597	59.428
8/26/2008 12:47	8480.001	26.238	20.605	59.410
8/26/2008 12:47	8481.001	26.229	20.633	59.347
8/26/2008 12:47	8482.001	26.226	20.639	59.331
8/26/2008 12:47	8483.001	26.222	20.607	59.405
8/26/2008 12:47	8484.001	26.225	20.647	59.313
8/26/2008 12:47	8485.001	26.240	20.607	59.407
8/26/2008 12:47	8486.001	26.228	20.585	59.457
8/26/2008 12:47	8487.001	26.227	20.628	59.356
8/26/2008 12:47	8488.001	26.223	20.603	59.414
8/26/2008 12:47	8489.001	26.225	20.600	59.421
8/26/2008 12:47	8490.001	26.243	20.620	59.374
8/26/2008 12:47	8491.001	26.232	20.589	59.446
8/26/2008 12:47	8492.001	26.227	20.610	59.399
8/26/2008 12:47	8493.001	26.224	20.607	59.406
8/26/2008 12:47	8494.001	26.226	20.613	59.391
8/26/2008 12:47	8495.001	26.242	20.600	59.421
8/26/2008 12:47	8496.001	26.230	20.603	59.414
8/26/2008 12:47	8497.001	26.228	20.595	59.434
8/26/2008 12:47	8498.001	26.225	20.614	59.389
8/26/2008 12:47	8499.001	26.224	20.606	59.408
8/26/2008 12:47	8500.001	26.241	20.591	59.442
8/26/2008 12:47	8501.001	26.230	20.586	59.454
8/26/2008 12:47	8502.001	26.228	20.608	59.404
8/26/2008 12:47	8503.001	26.224	20.577	59.475
8/26/2008 12:47	8504.001	26.227	20.593	59.438
8/26/2008 12:47	8505.001	26.238	20.587	59.451
8/26/2008 12:47	8506.001	26.230	20.607	59.406
8/26/2008 12:47	8507.001	26.225	20.599	59.424
8/26/2008 12:47	8508.001	26.227	20.618	59.379
8/26/2008 12:47	8509.001	26.227	20.628	59.356
8/26/2008 12:47	8510.001	26.241	20.611	59.397
8/26/2008 12:47	8511.001	26.232	20.615	59.387
8/26/2008 12:47	8512.001	26.226	20.588	59.450
8/26/2008 12:47	8513.001	26.228	20.594	59.435
8/26/2008 12:47	8514.001	26.227	20.618	59.381
8/26/2008 12:47	8515.001	26.240	20.574	59.482
8/26/2008 12:47	8516.001	26.230	20.593	59.438
8/26/2008 12:47	8517.001	26.226	20.591	59.442
8/26/2008 12:48	8518.001	26.227	20.589	59.447
8/26/2008 12:48	8519.001	26.225	20.587	59.451
8/26/2008 12:48	8520.001	26.243	20.580	59.469
8/26/2008 12:48	8521.001	26.233	20.615	59.387
8/26/2008 12:48	8522.001	26.229	20.604	59.412
8/26/2008 12:48	8523.001	26.229	20.591	59.444
8/26/2008 12:48	8524.001	26.222	20.586	59.455
8/26/2008 12:48	8525.001	26.241	20.586	59.455

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:48	8526.001	26.231	20.583	59.462
8/26/2008 12:48	8527.001	26.228	20.584	59.458
8/26/2008 12:48	8528.001	26.226	20.585	59.456
8/26/2008 12:48	8529.001	26.226	20.597	59.430
8/26/2008 12:48	8530.001	26.242	20.593	59.438
8/26/2008 12:48	8531.001	26.231	20.586	59.455
8/26/2008 12:48	8532.001	26.226	20.577	59.475
8/26/2008 12:48	8533.001	26.226	20.605	59.411
8/26/2008 12:48	8534.001	26.225	20.591	59.442
8/26/2008 12:48	8535.001	26.241	20.614	59.390
8/26/2008 12:48	8536.001	26.230	20.593	59.437
8/26/2008 12:48	8537.001	26.228	20.569	59.492
8/26/2008 12:48	8538.001	26.226	20.590	59.444
8/26/2008 12:48	8539.001	26.225	20.590	59.446
8/26/2008 12:48	8540.001	26.243	20.570	59.491
8/26/2008 12:48	8541.001	26.231	20.587	59.452
8/26/2008 12:48	8542.001	26.225	20.563	59.508
8/26/2008 12:48	8543.001	26.223	20.551	59.534
8/26/2008 12:48	8544.001	26.226	20.569	59.493
8/26/2008 12:48	8545.001	26.241	20.584	59.458
8/26/2008 12:48	8546.001	26.231	20.566	59.501
8/26/2008 12:48	8547.001	26.226	20.555	59.525
8/26/2008 12:48	8548.001	26.229	20.595	59.432
8/26/2008 12:48	8549.001	26.226	20.604	59.413
8/26/2008 12:48	8550.001	26.241	20.572	59.486
8/26/2008 12:48	8551.134	26.229	20.595	59.433
8/26/2008 12:48	8552.001	26.227	20.577	59.474
8/26/2008 12:48	8553.001	26.226	20.583	59.460
8/26/2008 12:48	8554.001	26.227	20.583	59.461
8/26/2008 12:48	8555.001	26.242	20.598	59.427
8/26/2008 12:48	8556.001	26.229	20.568	59.495
8/26/2008 12:48	8557.001	26.231	20.592	59.439
8/26/2008 12:48	8558.001	26.225	20.572	59.487
8/26/2008 12:48	8559.001	26.225	20.597	59.429
8/26/2008 12:48	8560.001	26.241	20.578	59.471
8/26/2008 12:48	8561.001	26.233	20.593	59.437
8/26/2008 12:48	8562.001	26.229	20.605	59.410
8/26/2008 12:48	8563.001	26.229	20.576	59.478
8/26/2008 12:48	8564.001	26.227	20.577	59.474
8/26/2008 12:48	8565.001	26.243	20.556	59.522
8/26/2008 12:48	8566.001	26.231	20.569	59.494
8/26/2008 12:48	8567.001	26.230	20.550	59.538
8/26/2008 12:48	8568.001	26.228	20.590	59.445
8/26/2008 12:48	8569.001	26.226	20.559	59.516
8/26/2008 12:48	8570.001	26.244	20.562	59.510
8/26/2008 12:48	8571.001	26.230	20.562	59.509
8/26/2008 12:48	8572.001	26.229	20.577	59.475
8/26/2008 12:48	8573.001	26.228	20.566	59.499
8/26/2008 12:48	8574.001	26.227	20.586	59.454

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:48	8575.001	26.240	20.587	59.452
8/26/2008 12:48	8576.001	26.231	20.561	59.512
8/26/2008 12:48	8577.001	26.229	20.593	59.437
8/26/2008 12:49	8578.001	26.226	20.574	59.482
8/26/2008 12:49	8579.001	26.224	20.561	59.513
8/26/2008 12:49	8580.001	26.244	20.567	59.498
8/26/2008 12:49	8581.001	26.231	20.554	59.528
8/26/2008 12:49	8582.001	26.230	20.568	59.496
8/26/2008 12:49	8583.001	26.228	20.572	59.486
8/26/2008 12:49	8584.001	26.228	20.556	59.524
8/26/2008 12:49	8585.001	26.241	20.581	59.465
8/26/2008 12:49	8586.001	26.230	20.559	59.516
8/26/2008 12:49	8587.001	26.228	20.574	59.481
8/26/2008 12:49	8588.001	26.227	20.597	59.428
8/26/2008 12:49	8589.001	26.228	20.550	59.537
8/26/2008 12:49	8590.001	26.244	20.591	59.443
8/26/2008 12:49	8591.001	26.234	20.581	59.466
8/26/2008 12:49	8592.001	26.228	20.556	59.524
8/26/2008 12:49	8593.001	26.228	20.564	59.506
8/26/2008 12:49	8594.001	26.226	20.558	59.519
8/26/2008 12:49	8595.001	26.240	20.586	59.453
8/26/2008 12:49	8596.001	26.234	20.539	59.563
8/26/2008 12:49	8597.001	26.228	20.567	59.498
8/26/2008 12:49	8598.001	26.228	20.566	59.501
8/26/2008 12:49	8599.001	26.226	20.543	59.554
8/26/2008 12:49	8600.001	26.242	20.583	59.461
8/26/2008 12:49	8601.001	26.233	20.558	59.519
8/26/2008 12:49	8602.001	26.230	20.571	59.489
8/26/2008 12:49	8603.001	26.225	20.542	59.556
8/26/2008 12:49	8604.001	26.229	20.552	59.533
8/26/2008 12:49	8605.001	26.241	20.538	59.565
8/26/2008 12:49	8606.001	26.234	20.545	59.549
8/26/2008 12:49	8607.001	26.228	20.539	59.563
8/26/2008 12:49	8608.001	26.228	20.550	59.538
8/26/2008 12:49	8609.001	26.230	20.552	59.532
8/26/2008 12:49	8610.001	26.241	20.550	59.537
8/26/2008 12:49	8611.132	26.230	20.550	59.537
8/26/2008 12:49	8612.001	26.229	20.549	59.539
8/26/2008 12:49	8613.001	26.225	20.570	59.491
8/26/2008 12:49	8614.001	26.228	20.560	59.514
8/26/2008 12:49	8615.001	26.241	20.550	59.536
8/26/2008 12:49	8616.001	26.231	20.569	59.494
8/26/2008 12:49	8617.001	26.228	20.540	59.560
8/26/2008 12:49	8618.001	26.226	20.554	59.528
8/26/2008 12:49	8619.001	26.226	20.551	59.535
8/26/2008 12:49	8620.001	26.244	20.535	59.573
8/26/2008 12:49	8621.001	26.231	20.540	59.561
8/26/2008 12:49	8622.001	26.229	20.549	59.540
8/26/2008 12:49	8623.001	26.226	20.544	59.551

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:49	8624.001	26.226	20.539	59.562
8/26/2008 12:49	8625.001	26.240	20.572	59.485
8/26/2008 12:49	8626.001	26.230	20.552	59.532
8/26/2008 12:49	8627.001	26.229	20.552	59.532
8/26/2008 12:49	8628.001	26.228	20.548	59.541
8/26/2008 12:49	8629.001	26.228	20.554	59.527
8/26/2008 12:49	8630.001	26.243	20.557	59.520
8/26/2008 12:49	8631.001	26.232	20.547	59.545
8/26/2008 12:49	8632.001	26.227	20.540	59.560
8/26/2008 12:49	8633.001	26.227	20.563	59.508
8/26/2008 12:49	8634.001	26.224	20.544	59.551
8/26/2008 12:49	8635.001	26.239	20.566	59.501
8/26/2008 12:49	8636.001	26.232	20.552	59.531
8/26/2008 12:49	8637.001	26.228	20.548	59.542
8/26/2008 12:50	8638.001	26.223	20.570	59.490
8/26/2008 12:50	8639.001	26.224	20.574	59.482
8/26/2008 12:50	8640.001	26.242	20.562	59.508
8/26/2008 12:50	8641.001	26.230	20.566	59.499
8/26/2008 12:50	8642.001	26.228	20.565	59.503
8/26/2008 12:50	8643.001	26.224	20.566	59.500
8/26/2008 12:50	8644.001	26.224	20.554	59.528
8/26/2008 12:50	8645.001	26.240	20.530	59.584
8/26/2008 12:50	8646.001	26.232	20.549	59.540
8/26/2008 12:50	8647.001	26.228	20.545	59.550
8/26/2008 12:50	8648.001	26.225	20.543	59.554
8/26/2008 12:50	8649.001	26.228	20.527	59.589
8/26/2008 12:50	8650.001	26.239	20.570	59.492
8/26/2008 12:50	8651.001	26.232	20.556	59.522
8/26/2008 12:50	8652.001	26.229	20.527	59.590
8/26/2008 12:50	8653.001	26.226	20.539	59.561
8/26/2008 12:50	8654.001	26.228	20.567	59.498
8/26/2008 12:50	8655.001	26.241	20.553	59.531
8/26/2008 12:50	8656.001	26.230	20.525	59.595
8/26/2008 12:50	8657.001	26.228	20.555	59.525
8/26/2008 12:50	8658.016	26.227	20.520	59.607
8/26/2008 12:50	8659.001	26.224	20.552	59.532
8/26/2008 12:50	8660.001	26.240	20.539	59.563
8/26/2008 12:50	8661.001	26.232	20.538	59.565
8/26/2008 12:50	8662.001	26.229	20.577	59.474
8/26/2008 12:50	8663.001	26.225	20.547	59.544
8/26/2008 12:50	8664.001	26.226	20.548	59.542
8/26/2008 12:50	8665.001	26.239	20.535	59.572
8/26/2008 12:50	8666.001	26.229	20.552	59.533
8/26/2008 12:50	8667.001	26.231	20.545	59.550
8/26/2008 12:50	8668.001	26.228	20.569	59.493
8/26/2008 12:50	8669.001	26.225	20.555	59.525
8/26/2008 12:50	8670.001	26.242	20.515	59.618
8/26/2008 12:50	8671.130	26.226	20.539	59.563
8/26/2008 12:50	8672.001	26.226	20.536	59.569

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:50	8673.001	26.228	20.540	59.561
8/26/2008 12:50	8674.001	26.226	20.542	59.556
8/26/2008 12:50	8675.001	26.241	20.551	59.536
8/26/2008 12:50	8676.001	26.231	20.536	59.569
8/26/2008 12:50	8677.001	26.225	20.524	59.597
8/26/2008 12:50	8678.001	26.227	20.552	59.532
8/26/2008 12:50	8679.001	26.226	20.551	59.534
8/26/2008 12:50	8680.001	26.243	20.552	59.533
8/26/2008 12:50	8681.001	26.230	20.561	59.512
8/26/2008 12:50	8682.015	26.229	20.527	59.591
8/26/2008 12:50	8683.001	26.228	20.518	59.610
8/26/2008 12:50	8684.001	26.227	20.519	59.610
8/26/2008 12:50	8685.001	26.240	20.535	59.572
8/26/2008 12:50	8686.001	26.231	20.514	59.619
8/26/2008 12:50	8687.001	26.228	20.504	59.644
8/26/2008 12:50	8688.001	26.228	20.544	59.551
8/26/2008 12:50	8689.001	26.225	20.535	59.572
8/26/2008 12:50	8690.001	26.243	20.529	59.586
8/26/2008 12:50	8691.005	26.233	20.532	59.578
8/26/2008 12:50	8692.001	26.229	20.540	59.561
8/26/2008 12:50	8693.001	26.225	20.543	59.554
8/26/2008 12:50	8694.014	26.227	20.530	59.583
8/26/2008 12:50	8695.001	26.241	20.537	59.568
8/26/2008 12:50	8696.001	26.234	20.544	59.552
8/26/2008 12:50	8697.001	26.228	20.490	59.676
8/26/2008 12:51	8698.001	26.226	20.522	59.602
8/26/2008 12:51	8699.001	26.227	20.501	59.650
8/26/2008 12:51	8700.004	26.241	20.512	59.625
8/26/2008 12:51	8701.004	26.233	20.513	59.623
8/26/2008 12:51	8702.001	26.229	20.525	59.594
8/26/2008 12:51	8703.001	26.230	20.529	59.587
8/26/2008 12:51	8704.001	26.226	20.522	59.601
8/26/2008 12:51	8705.002	26.242	20.532	59.578
8/26/2008 12:51	8706.001	26.233	20.538	59.564
8/26/2008 12:51	8707.001	26.228	20.531	59.581
8/26/2008 12:51	8708.001	26.229	20.528	59.587
8/26/2008 12:51	8709.001	26.228	20.509	59.631
8/26/2008 12:51	8710.002	26.245	20.503	59.645
8/26/2008 12:51	8711.004	26.232	20.520	59.606
8/26/2008 12:51	8712.001	26.232	20.514	59.620
8/26/2008 12:51	8713.001	26.229	20.536	59.569
8/26/2008 12:51	8714.001	26.226	20.503	59.647
8/26/2008 12:51	8715.002	26.242	20.494	59.666
8/26/2008 12:51	8716.001	26.234	20.535	59.571
8/26/2008 12:51	8717.001	26.230	20.521	59.604
8/26/2008 12:51	8718.013	26.231	20.517	59.613
8/26/2008 12:51	8719.001	26.230	20.518	59.610
8/26/2008 12:51	8720.002	26.246	20.515	59.617
8/26/2008 12:51	8721.003	26.234	20.522	59.602

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:51	8722.001	26.232	20.506	59.638
8/26/2008 12:51	8723.001	26.230	20.529	59.586
8/26/2008 12:51	8724.001	26.228	20.503	59.645
8/26/2008 12:51	8725.001	26.242	20.519	59.608
8/26/2008 12:51	8726.004	26.231	20.494	59.667
8/26/2008 12:51	8727.001	26.230	20.512	59.624
8/26/2008 12:51	8728.001	26.230	20.502	59.648
8/26/2008 12:51	8729.001	26.230	20.494	59.667
8/26/2008 12:51	8730.001	26.245	20.510	59.630
8/26/2008 12:51	8731.127	26.234	20.514	59.620
8/26/2008 12:51	8732.001	26.232	20.506	59.639
8/26/2008 12:51	8733.001	26.230	20.514	59.621
8/26/2008 12:51	8734.001	26.230	20.516	59.616
8/26/2008 12:51	8735.011	26.246	20.488	59.680
8/26/2008 12:51	8736.001	26.238	20.500	59.652
8/26/2008 12:51	8737.001	26.232	20.485	59.686
8/26/2008 12:51	8738.001	26.229	20.498	59.657
8/26/2008 12:51	8739.001	26.232	20.504	59.644
8/26/2008 12:51	8740.001	26.246	20.502	59.648
8/26/2008 12:51	8741.003	26.235	20.504	59.644
8/26/2008 12:51	8742.012	26.232	20.510	59.630
8/26/2008 12:51	8743.001	26.227	20.517	59.612
8/26/2008 12:51	8744.001	26.231	20.524	59.598
8/26/2008 12:51	8745.011	26.242	20.514	59.621
8/26/2008 12:51	8746.001	26.235	20.494	59.666
8/26/2008 12:51	8747.001	26.233	20.518	59.612
8/26/2008 12:51	8748.001	26.230	20.509	59.633
8/26/2008 12:51	8749.001	26.229	20.516	59.616
8/26/2008 12:51	8750.001	26.249	20.510	59.630
8/26/2008 12:51	8751.002	26.238	20.496	59.662
8/26/2008 12:51	8752.001	26.232	20.503	59.646
8/26/2008 12:51	8753.001	26.230	20.487	59.683
8/26/2008 12:51	8754.012	26.228	20.505	59.640
8/26/2008 12:51	8755.001	26.246	20.477	59.705
8/26/2008 12:51	8756.012	26.236	20.502	59.647
8/26/2008 12:51	8757.001	26.231	20.512	59.625
8/26/2008 12:52	8758.001	26.230	20.491	59.674
8/26/2008 12:52	8759.001	26.231	20.488	59.679
8/26/2008 12:52	8760.001	26.245	20.506	59.638
8/26/2008 12:52	8761.001	26.233	20.504	59.642
8/26/2008 12:52	8762.001	26.231	20.482	59.695
8/26/2008 12:52	8763.001	26.231	20.517	59.614
8/26/2008 12:52	8764.001	26.228	20.497	59.660
8/26/2008 12:52	8765.001	26.246	20.510	59.629
8/26/2008 12:52	8766.001	26.235	20.498	59.656
8/26/2008 12:52	8767.001	26.232	20.499	59.656
8/26/2008 12:52	8768.001	26.233	20.485	59.686
8/26/2008 12:52	8769.001	26.231	20.495	59.665
8/26/2008 12:52	8770.001	26.248	20.521	59.605

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:52	8771.001	26.236	20.514	59.619
8/26/2008 12:52	8772.001	26.233	20.514	59.621
8/26/2008 12:52	8773.001	26.231	20.510	59.629
8/26/2008 12:52	8774.001	26.229	20.483	59.692
8/26/2008 12:52	8775.001	26.244	20.489	59.677
8/26/2008 12:52	8776.001	26.237	20.493	59.668
8/26/2008 12:52	8777.001	26.235	20.499	59.654
8/26/2008 12:52	8778.011	26.230	20.498	59.657
8/26/2008 12:52	8779.001	26.233	20.479	59.702
8/26/2008 12:52	8780.001	26.249	20.483	59.693
8/26/2008 12:52	8781.001	26.237	20.488	59.681
8/26/2008 12:52	8782.001	26.234	20.478	59.703
8/26/2008 12:52	8783.001	26.232	20.506	59.638
8/26/2008 12:52	8784.001	26.231	20.501	59.651
8/26/2008 12:52	8785.001	26.249	20.504	59.644
8/26/2008 12:52	8786.001	26.237	20.497	59.659
8/26/2008 12:52	8787.001	26.234	20.484	59.690
8/26/2008 12:52	8788.001	26.237	20.479	59.701
8/26/2008 12:52	8789.001	26.232	20.516	59.617
8/26/2008 12:52	8790.001	26.247	20.493	59.668
8/26/2008 12:52	8791.001	26.237	20.469	59.724
8/26/2008 12:52	8792.001	26.236	20.472	59.716
8/26/2008 12:52	8793.001	26.234	20.490	59.675
8/26/2008 12:52	8794.001	26.234	20.489	59.678
8/26/2008 12:52	8795.001	26.248	20.514	59.621
8/26/2008 12:52	8796.001	26.237	20.496	59.661
8/26/2008 12:52	8797.001	26.234	20.483	59.691
8/26/2008 12:52	8798.001	26.233	20.484	59.689
8/26/2008 12:52	8799.001	26.234	20.488	59.680
8/26/2008 12:52	8800.001	26.250	20.477	59.707
8/26/2008 12:52	8801.001	26.236	20.475	59.711
8/26/2008 12:52	8802.010	26.234	20.482	59.693
8/26/2008 12:52	8803.001	26.236	20.473	59.716
8/26/2008 12:52	8804.001	26.232	20.491	59.674
8/26/2008 12:52	8805.001	26.250	20.488	59.681
8/26/2008 12:52	8806.001	26.241	20.489	59.679
8/26/2008 12:52	8807.001	26.237	20.477	59.706
8/26/2008 12:52	8808.001	26.236	20.480	59.699
8/26/2008 12:52	8809.001	26.236	20.489	59.677
8/26/2008 12:52	8810.001	26.248	20.493	59.668
8/26/2008 12:52	8811.001	26.237	20.483	59.691
8/26/2008 12:52	8812.001	26.234	20.479	59.702
8/26/2008 12:52	8813.001	26.234	20.497	59.660
8/26/2008 12:52	8814.009	26.232	20.495	59.665
8/26/2008 12:52	8815.001	26.249	20.472	59.718
8/26/2008 12:52	8816.001	26.241	20.466	59.732
8/26/2008 12:52	8817.001	26.235	20.488	59.680
8/26/2008 12:53	8818.001	26.237	20.484	59.690
8/26/2008 12:53	8819.001	26.240	20.463	59.738

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:53	8820.001	26.249	20.482	59.693
8/26/2008 12:53	8821.001	26.240	20.482	59.694
8/26/2008 12:53	8822.001	26.237	20.480	59.700
8/26/2008 12:53	8823.001	26.236	20.495	59.665
8/26/2008 12:53	8824.001	26.237	20.503	59.647
8/26/2008 12:53	8825.001	26.250	20.505	59.641
8/26/2008 12:53	8826.008	26.240	20.485	59.687
8/26/2008 12:53	8827.001	26.238	20.476	59.707
8/26/2008 12:53	8828.001	26.236	20.469	59.724
8/26/2008 12:53	8829.001	26.235	20.470	59.721
8/26/2008 12:53	8830.001	26.251	20.441	59.788
8/26/2008 12:53	8831.001	26.242	20.468	59.726
8/26/2008 12:53	8832.001	26.237	20.474	59.714
8/26/2008 12:53	8833.001	26.238	20.451	59.766
8/26/2008 12:53	8834.001	26.236	20.479	59.701
8/26/2008 12:53	8835.001	26.252	20.466	59.732
8/26/2008 12:53	8836.001	26.240	20.459	59.748
8/26/2008 12:53	8837.001	26.238	20.476	59.708
8/26/2008 12:53	8838.008	26.237	20.477	59.707
8/26/2008 12:53	8839.001	26.235	20.472	59.718
8/26/2008 12:53	8840.001	26.252	20.469	59.725
8/26/2008 12:53	8841.001	26.241	20.463	59.738
8/26/2008 12:53	8842.001	26.239	20.454	59.760
8/26/2008 12:53	8843.001	26.238	20.490	59.676
8/26/2008 12:53	8844.001	26.235	20.477	59.705
8/26/2008 12:53	8845.001	26.251	20.451	59.765
8/26/2008 12:53	8846.001	26.242	20.481	59.697
8/26/2008 12:53	8847.001	26.240	20.453	59.762
8/26/2008 12:53	8848.001	26.237	20.477	59.705
8/26/2008 12:53	8849.001	26.238	20.464	59.736
8/26/2008 12:53	8850.001	26.251	20.482	59.695
8/26/2008 12:53	8851.001	26.243	20.466	59.732
8/26/2008 12:53	8852.001	26.239	20.478	59.704
8/26/2008 12:53	8853.001	26.238	20.466	59.731
8/26/2008 12:53	8854.001	26.236	20.457	59.751
8/26/2008 12:53	8855.001	26.252	20.469	59.724
8/26/2008 12:53	8856.001	26.243	20.467	59.730
8/26/2008 12:53	8857.001	26.238	20.454	59.758
8/26/2008 12:53	8858.001	26.238	20.476	59.708
8/26/2008 12:53	8859.001	26.239	20.468	59.726
8/26/2008 12:53	8860.001	26.257	20.476	59.709
8/26/2008 12:53	8861.001	26.246	20.464	59.736
8/26/2008 12:53	8862.007	26.240	20.440	59.790
8/26/2008 12:53	8863.001	26.241	20.452	59.764
8/26/2008 12:53	8864.001	26.242	20.474	59.713
8/26/2008 12:53	8865.001	26.256	20.471	59.720
8/26/2008 12:53	8866.001	26.245	20.449	59.770
8/26/2008 12:53	8867.001	26.242	20.483	59.693
8/26/2008 12:53	8868.001	26.240	20.442	59.786

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:53	8869.001	26.241	20.462	59.741
8/26/2008 12:53	8870.001	26.257	20.440	59.790
8/26/2008 12:53	8871.001	26.247	20.459	59.746
8/26/2008 12:53	8872.001	26.243	20.439	59.793
8/26/2008 12:53	8873.001	26.239	20.464	59.735
8/26/2008 12:53	8874.006	26.241	20.458	59.750
8/26/2008 12:53	8875.001	26.255	20.454	59.758
8/26/2008 12:53	8876.001	26.247	20.451	59.766
8/26/2008 12:53	8877.001	26.245	20.471	59.719
8/26/2008 12:54	8878.001	26.243	20.472	59.717
8/26/2008 12:54	8879.001	26.242	20.459	59.748
8/26/2008 12:54	8880.001	26.258	20.458	59.750
8/26/2008 12:54	8881.001	26.250	20.462	59.739
8/26/2008 12:54	8882.001	26.244	20.473	59.714
8/26/2008 12:54	8883.001	26.245	20.448	59.774
8/26/2008 12:54	8884.001	26.241	20.455	59.756
8/26/2008 12:54	8885.001	26.258	20.448	59.772
8/26/2008 12:54	8886.006	26.247	20.449	59.770
8/26/2008 12:54	8887.001	26.246	20.451	59.765
8/26/2008 12:54	8888.001	26.244	20.445	59.780
8/26/2008 12:54	8889.001	26.244	20.463	59.738
8/26/2008 12:54	8890.001	26.257	20.446	59.778
8/26/2008 12:54	8891.001	26.251	20.459	59.748
8/26/2008 12:54	8892.001	26.248	20.461	59.744
8/26/2008 12:54	8893.001	26.245	20.440	59.791
8/26/2008 12:54	8894.001	26.246	20.439	59.793
8/26/2008 12:54	8895.001	26.260	20.430	59.813
8/26/2008 12:54	8896.001	26.251	20.447	59.775
8/26/2008 12:54	8897.001	26.246	20.438	59.795
8/26/2008 12:54	8898.005	26.247	20.405	59.872
8/26/2008 12:54	8899.001	26.247	20.442	59.786
8/26/2008 12:54	8900.001	26.263	20.459	59.747
8/26/2008 12:54	8901.001	26.252	20.445	59.779
8/26/2008 12:54	8902.001	26.249	20.467	59.729
8/26/2008 12:54	8903.001	26.247	20.428	59.818
8/26/2008 12:54	8904.001	26.244	20.453	59.762
8/26/2008 12:54	8905.001	26.261	20.445	59.780
8/26/2008 12:54	8906.001	26.251	20.439	59.793
8/26/2008 12:54	8907.001	26.249	20.437	59.798
8/26/2008 12:54	8908.001	26.247	20.431	59.811
8/26/2008 12:54	8909.001	26.247	20.421	59.836
8/26/2008 12:54	8910.001	26.261	20.443	59.784
8/26/2008 12:54	8911.001	26.252	20.425	59.826
8/26/2008 12:54	8912.001	26.250	20.438	59.795
8/26/2008 12:54	8913.001	26.247	20.425	59.825
8/26/2008 12:54	8914.001	26.245	20.437	59.798
8/26/2008 12:54	8915.001	26.262	20.401	59.881
8/26/2008 12:54	8916.001	26.251	20.444	59.782
8/26/2008 12:54	8917.001	26.252	20.433	59.807

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:54	8918.001	26.247	20.428	59.818
8/26/2008 12:54	8919.001	26.248	20.453	59.761
8/26/2008 12:54	8920.001	26.262	20.448	59.774
8/26/2008 12:54	8921.001	26.254	20.428	59.818
8/26/2008 12:54	8922.004	26.251	20.437	59.799
8/26/2008 12:54	8923.001	26.248	20.426	59.825
8/26/2008 12:54	8924.001	26.248	20.432	59.809
8/26/2008 12:54	8925.001	26.261	20.413	59.852
8/26/2008 12:54	8926.001	26.252	20.431	59.812
8/26/2008 12:54	8927.001	26.250	20.460	59.745
8/26/2008 12:54	8928.001	26.251	20.450	59.768
8/26/2008 12:54	8929.001	26.249	20.446	59.776
8/26/2008 12:54	8930.001	26.265	20.429	59.817
8/26/2008 12:54	8931.001	26.258	20.435	59.803
8/26/2008 12:54	8932.001	26.249	20.449	59.771
8/26/2008 12:54	8933.001	26.250	20.422	59.833
8/26/2008 12:54	8934.004	26.249	20.434	59.806
8/26/2008 12:54	8935.001	26.265	20.424	59.829
8/26/2008 12:54	8936.001	26.254	20.423	59.831
8/26/2008 12:54	8937.001	26.254	20.407	59.867
8/26/2008 12:55	8938.001	26.251	20.417	59.845
8/26/2008 12:55	8939.001	26.250	20.426	59.823
8/26/2008 12:55	8940.001	26.263	20.436	59.800
8/26/2008 12:55	8941.001	26.257	20.427	59.822
8/26/2008 12:55	8942.001	26.253	20.424	59.827
8/26/2008 12:55	8943.001	26.252	20.426	59.823
8/26/2008 12:55	8944.001	26.249	20.431	59.813
8/26/2008 12:55	8945.001	26.266	20.425	59.825
8/26/2008 12:55	8946.003	26.258	20.442	59.786
8/26/2008 12:55	8947.001	26.255	20.406	59.869
8/26/2008 12:55	8948.001	26.252	20.433	59.808
8/26/2008 12:55	8949.001	26.253	20.402	59.878
8/26/2008 12:55	8950.001	26.268	20.436	59.800
8/26/2008 12:55	8951.001	26.259	20.416	59.846
8/26/2008 12:55	8952.001	26.254	20.438	59.796
8/26/2008 12:55	8953.001	26.254	20.438	59.795
8/26/2008 12:55	8954.001	26.253	20.423	59.830
8/26/2008 12:55	8955.001	26.264	20.391	59.903
8/26/2008 12:55	8956.001	26.259	20.468	59.727
8/26/2008 12:55	8957.001	26.255	20.411	59.858
8/26/2008 12:55	8958.003	26.255	20.430	59.814
8/26/2008 12:55	8959.001	26.254	20.430	59.815
8/26/2008 12:55	8960.001	26.266	20.409	59.862
8/26/2008 12:55	8961.001	26.259	20.415	59.850
8/26/2008 12:55	8962.001	26.256	20.415	59.849
8/26/2008 12:55	8963.001	26.253	20.407	59.867
8/26/2008 12:55	8964.001	26.252	20.388	59.910
8/26/2008 12:55	8965.001	26.270	20.408	59.865
8/26/2008 12:55	8966.001	26.261	20.407	59.868

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:55	8967.001	26.254	20.420	59.836
8/26/2008 12:55	8968.001	26.256	20.412	59.855
8/26/2008 12:55	8969.001	26.253	20.420	59.838
8/26/2008 12:55	8970.001	26.268	20.399	59.885
8/26/2008 12:55	8971.001	26.259	20.435	59.802
8/26/2008 12:55	8972.001	26.258	20.400	59.885
8/26/2008 12:55	8973.001	26.256	20.395	59.895
8/26/2008 12:55	8974.001	26.255	20.395	59.895
8/26/2008 12:55	8975.001	26.270	20.380	59.929
8/26/2008 12:55	8976.001	26.261	20.413	59.854
8/26/2008 12:55	8977.001	26.257	20.409	59.862
8/26/2008 12:55	8978.001	26.256	20.438	59.795
8/26/2008 12:55	8979.001	26.257	20.413	59.853
8/26/2008 12:55	8980.001	26.269	20.421	59.835
8/26/2008 12:55	8981.001	26.260	20.402	59.879
8/26/2008 12:55	8982.002	26.257	20.409	59.863
8/26/2008 12:55	8983.001	26.256	20.401	59.881
8/26/2008 12:55	8984.001	26.257	20.426	59.823
8/26/2008 12:55	8985.001	26.272	20.411	59.857
8/26/2008 12:55	8986.001	26.262	20.399	59.885
8/26/2008 12:55	8987.001	26.258	20.411	59.857
8/26/2008 12:55	8988.001	26.259	20.412	59.856
8/26/2008 12:55	8989.001	26.258	20.395	59.895
8/26/2008 12:55	8990.001	26.273	20.396	59.893
8/26/2008 12:55	8991.001	26.261	20.386	59.915
8/26/2008 12:55	8992.001	26.260	20.386	59.915
8/26/2008 12:55	8993.001	26.257	20.395	59.894
8/26/2008 12:55	8994.001	26.257	20.399	59.887
8/26/2008 12:55	8995.001	26.273	20.413	59.853
8/26/2008 12:55	8996.001	26.261	20.393	59.900
8/26/2008 12:55	8997.001	26.259	20.392	59.902
8/26/2008 12:56	8998.001	26.258	20.412	59.857
8/26/2008 12:56	8999.001	26.259	20.385	59.918
8/26/2008 12:56	9000.001	26.273	20.381	59.927
8/26/2008 12:56	9001.001	26.263	20.407	59.868
8/26/2008 12:56	9002.001	26.258	20.380	59.929
8/26/2008 12:56	9003.001	26.260	20.410	59.860
8/26/2008 12:56	9004.001	26.257	20.390	59.907
8/26/2008 12:56	9005.001	26.274	20.400	59.883
8/26/2008 12:56	9006.001	26.265	20.435	59.802
8/26/2008 12:56	9007.001	26.262	20.413	59.853
8/26/2008 12:56	9008.001	26.259	20.406	59.870
8/26/2008 12:56	9009.001	26.258	20.410	59.860
8/26/2008 12:56	9010.001	26.272	20.420	59.837
8/26/2008 12:56	9011.001	26.263	20.402	59.879
8/26/2008 12:56	9012.001	26.259	20.391	59.903
8/26/2008 12:56	9013.001	26.260	20.410	59.860
8/26/2008 12:56	9014.001	26.257	20.411	59.859
8/26/2008 12:56	9015.001	26.274	20.380	59.929

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:56	9016.001	26.265	20.394	59.897
8/26/2008 12:56	9017.001	26.262	20.376	59.939
8/26/2008 12:56	9018.001	26.261	20.391	59.904
8/26/2008 12:56	9019.001	26.261	20.396	59.893
8/26/2008 12:56	9020.001	26.273	20.406	59.869
8/26/2008 12:56	9021.001	26.268	20.403	59.877
8/26/2008 12:56	9022.001	26.261	20.427	59.822
8/26/2008 12:56	9023.001	26.264	20.371	59.950
8/26/2008 12:56	9024.001	26.260	20.413	59.852
8/26/2008 12:56	9025.001	26.275	20.387	59.914
8/26/2008 12:56	9026.001	26.263	20.379	59.931
8/26/2008 12:56	9027.001	26.264	20.395	59.896
8/26/2008 12:56	9028.001	26.259	20.390	59.906
8/26/2008 12:56	9029.001	26.262	20.394	59.898
8/26/2008 12:56	9030.001	26.277	20.396	59.893
8/26/2008 12:56	9031.001	26.267	20.404	59.873
8/26/2008 12:56	9032.001	26.266	20.398	59.888
8/26/2008 12:56	9033.001	26.264	20.394	59.898
8/26/2008 12:56	9034.001	26.262	20.396	59.892
8/26/2008 12:56	9035.001	26.278	20.410	59.860
8/26/2008 12:56	9036.001	26.266	20.400	59.883
8/26/2008 12:56	9037.001	26.262	20.398	59.888
8/26/2008 12:56	9038.001	26.264	20.385	59.919
8/26/2008 12:56	9039.001	26.260	20.382	59.924
8/26/2008 12:56	9040.001	26.276	20.369	59.954
8/26/2008 12:56	9041.001	26.267	20.380	59.930
8/26/2008 12:56	9042.001	26.267	20.381	59.927
8/26/2008 12:56	9043.001	26.263	20.374	59.943
8/26/2008 12:56	9044.001	26.264	20.387	59.912
8/26/2008 12:56	9045.001	26.280	20.395	59.896
8/26/2008 12:56	9046.001	26.270	20.372	59.949
8/26/2008 12:56	9047.001	26.267	20.412	59.856
8/26/2008 12:56	9048.001	26.264	20.400	59.883
8/26/2008 12:56	9049.001	26.263	20.409	59.862
8/26/2008 12:56	9050.001	26.278	20.373	59.945
8/26/2008 12:56	9051.001	26.265	20.375	59.942
8/26/2008 12:56	9052.001	26.267	20.404	59.875
8/26/2008 12:56	9053.001	26.263	20.407	59.868
8/26/2008 12:56	9054.001	26.262	20.395	59.896
8/26/2008 12:56	9055.001	26.280	20.386	59.917
8/26/2008 12:56	9056.001	26.268	20.385	59.919
8/26/2008 12:56	9057.001	26.266	20.396	59.894
8/26/2008 12:57	9058.001	26.264	20.384	59.920
8/26/2008 12:57	9059.001	26.264	20.403	59.876
8/26/2008 12:57	9060.001	26.280	20.381	59.926
8/26/2008 12:57	9061.001	26.271	20.387	59.913
8/26/2008 12:57	9062.001	26.265	20.373	59.947
8/26/2008 12:57	9063.001	26.263	20.414	59.851
8/26/2008 12:57	9064.001	26.266	20.393	59.899

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:57	9065.001	26.279	20.381	59.926
8/26/2008 12:57	9066.001	26.267	20.375	59.941
8/26/2008 12:57	9067.001	26.267	20.393	59.900
8/26/2008 12:57	9068.001	26.265	20.365	59.965
8/26/2008 12:57	9069.001	26.264	20.367	59.959
8/26/2008 12:57	9070.001	26.282	20.345	60.010
8/26/2008 12:57	9071.001	26.272	20.358	59.980
8/26/2008 12:57	9072.001	26.269	20.373	59.946
8/26/2008 12:57	9073.001	26.266	20.358	59.980
8/26/2008 12:57	9074.001	26.265	20.350	59.998
8/26/2008 12:57	9075.001	26.281	20.353	59.993
8/26/2008 12:57	9076.001	26.270	20.366	59.962
8/26/2008 12:57	9077.001	26.267	20.337	60.029
8/26/2008 12:57	9078.001	26.267	20.363	59.970
8/26/2008 12:57	9079.001	26.264	20.337	60.028
8/26/2008 12:57	9080.001	26.279	20.366	59.962
8/26/2008 12:57	9081.001	26.268	20.358	59.980
8/26/2008 12:57	9082.001	26.268	20.340	60.022
8/26/2008 12:57	9083.001	26.265	20.353	59.993
8/26/2008 12:57	9084.001	26.267	20.385	59.918
8/26/2008 12:57	9085.001	26.282	20.364	59.967
8/26/2008 12:57	9086.001	26.268	20.358	59.980
8/26/2008 12:57	9087.001	26.267	20.353	59.993
8/26/2008 12:57	9088.001	26.268	20.325	60.057
8/26/2008 12:57	9089.001	26.267	20.325	60.056
8/26/2008 12:57	9090.001	26.281	20.329	60.047
8/26/2008 12:57	9091.001	26.271	20.332	60.042
8/26/2008 12:57	9092.001	26.267	20.326	60.054
8/26/2008 12:57	9093.001	26.264	20.319	60.071
8/26/2008 12:57	9094.001	26.266	20.329	60.047
8/26/2008 12:57	9095.001	26.282	20.326	60.054
8/26/2008 12:57	9096.001	26.273	20.300	60.114
8/26/2008 12:57	9097.001	26.270	20.326	60.054
8/26/2008 12:57	9098.001	26.268	20.328	60.049
8/26/2008 12:57	9099.001	26.264	20.340	60.023
8/26/2008 12:57	9100.001	26.281	20.326	60.055
8/26/2008 12:57	9101.003	26.270	20.344	60.013
8/26/2008 12:57	9102.001	26.269	20.346	60.007
8/26/2008 12:57	9103.001	26.267	20.340	60.021
8/26/2008 12:57	9104.001	26.267	20.329	60.048
8/26/2008 12:57	9105.001	26.281	20.351	59.996
8/26/2008 12:57	9106.001	26.270	20.331	60.043
8/26/2008 12:57	9107.001	26.268	20.340	60.022
8/26/2008 12:57	9108.001	26.266	20.313	60.084
8/26/2008 12:57	9109.001	26.266	20.344	60.014
8/26/2008 12:57	9110.001	26.278	20.326	60.055
8/26/2008 12:57	9111.002	26.272	20.324	60.058
8/26/2008 12:57	9112.001	26.268	20.331	60.044
8/26/2008 12:57	9113.001	26.267	20.312	60.086

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:57	9114.001	26.265	20.339	60.025
8/26/2008 12:57	9115.001	26.282	20.334	60.036
8/26/2008 12:57	9116.001	26.271	20.323	60.062
8/26/2008 12:57	9117.001	26.270	20.345	60.011
8/26/2008 12:58	9118.001	26.266	20.311	60.089
8/26/2008 12:58	9119.001	26.266	20.308	60.096
8/26/2008 12:58	9120.001	26.280	20.314	60.081
8/26/2008 12:58	9121.001	26.271	20.321	60.066
8/26/2008 12:58	9122.001	26.269	20.311	60.089
8/26/2008 12:58	9123.001	26.266	20.323	60.061
8/26/2008 12:58	9124.001	26.266	20.330	60.044
8/26/2008 12:58	9125.001	26.283	20.326	60.055
8/26/2008 12:58	9126.001	26.274	20.322	60.063
8/26/2008 12:58	9127.001	26.269	20.335	60.032
8/26/2008 12:58	9128.001	26.268	20.329	60.047
8/26/2008 12:58	9129.001	26.264	20.332	60.041
8/26/2008 12:58	9130.001	26.281	20.324	60.058
8/26/2008 12:58	9131.001	26.269	20.317	60.076
8/26/2008 12:58	9132.001	26.269	20.348	60.004
8/26/2008 12:58	9133.001	26.268	20.334	60.036
8/26/2008 12:58	9134.001	26.267	20.332	60.041
8/26/2008 12:58	9135.001	26.280	20.318	60.072
8/26/2008 12:58	9136.001	26.271	20.331	60.043
8/26/2008 12:58	9137.001	26.270	20.341	60.020
8/26/2008 12:58	9138.001	26.266	20.331	60.043
8/26/2008 12:58	9139.001	26.265	20.334	60.036
8/26/2008 12:58	9140.001	26.280	20.359	59.978
8/26/2008 12:58	9141.001	26.272	20.319	60.070
8/26/2008 12:58	9142.001	26.266	20.312	60.088
8/26/2008 12:58	9143.001	26.268	20.312	60.088
8/26/2008 12:58	9144.001	26.267	20.334	60.035
8/26/2008 12:58	9145.001	26.283	20.318	60.073
8/26/2008 12:58	9146.001	26.270	20.284	60.152
8/26/2008 12:58	9147.001	26.269	20.307	60.098
8/26/2008 12:58	9148.001	26.266	20.328	60.050
8/26/2008 12:58	9149.001	26.268	20.327	60.052
8/26/2008 12:58	9150.001	26.281	20.316	60.078
8/26/2008 12:58	9151.001	26.273	20.308	60.096
8/26/2008 12:58	9152.001	26.268	20.328	60.050
8/26/2008 12:58	9153.001	26.268	20.325	60.056
8/26/2008 12:58	9154.001	26.266	20.322	60.063
8/26/2008 12:58	9155.001	26.284	20.320	60.069
8/26/2008 12:58	9156.001	26.274	20.340	60.022
8/26/2008 12:58	9157.001	26.272	20.317	60.076
8/26/2008 12:58	9158.001	26.267	20.311	60.089
8/26/2008 12:58	9159.001	26.267	20.312	60.086
8/26/2008 12:58	9160.001	26.283	20.310	60.091
8/26/2008 12:58	9161.001	26.273	20.310	60.092
8/26/2008 12:58	9162.001	26.269	20.323	60.062

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:58	9163.001	26.266	20.329	60.048
8/26/2008 12:58	9164.001	26.269	20.315	60.079
8/26/2008 12:58	9165.001	26.283	20.354	59.991
8/26/2008 12:58	9166.001	26.276	20.339	60.024
8/26/2008 12:58	9167.001	26.272	20.329	60.046
8/26/2008 12:58	9168.001	26.268	20.303	60.108
8/26/2008 12:58	9169.001	26.268	20.289	60.139
8/26/2008 12:58	9170.001	26.284	20.320	60.069
8/26/2008 12:58	9171.001	26.275	20.296	60.123
8/26/2008 12:58	9172.001	26.270	20.295	60.125
8/26/2008 12:58	9173.001	26.270	20.297	60.122
8/26/2008 12:58	9174.001	26.269	20.324	60.058
8/26/2008 12:58	9175.001	26.286	20.307	60.097
8/26/2008 12:58	9176.001	26.274	20.341	60.020
8/26/2008 12:58	9177.001	26.270	20.312	60.087
8/26/2008 12:59	9178.001	26.268	20.325	60.056
8/26/2008 12:59	9179.001	26.268	20.317	60.076
8/26/2008 12:59	9180.001	26.282	20.324	60.058
8/26/2008 12:59	9181.001	26.274	20.316	60.077
8/26/2008 12:59	9182.001	26.271	20.318	60.073
8/26/2008 12:59	9183.001	26.270	20.317	60.076
8/26/2008 12:59	9184.001	26.269	20.319	60.070
8/26/2008 12:59	9185.001	26.283	20.309	60.093
8/26/2008 12:59	9186.001	26.274	20.314	60.081
8/26/2008 12:59	9187.001	26.273	20.316	60.078
8/26/2008 12:59	9188.001	26.271	20.329	60.047
8/26/2008 12:59	9189.001	26.269	20.321	60.066
8/26/2008 12:59	9190.001	26.285	20.332	60.041
8/26/2008 12:59	9191.001	26.271	20.312	60.086
8/26/2008 12:59	9192.001	26.271	20.348	60.005
8/26/2008 12:59	9193.001	26.272	20.319	60.071
8/26/2008 12:59	9194.001	26.271	20.304	60.104
8/26/2008 12:59	9195.001	26.284	20.312	60.087
8/26/2008 12:59	9196.001	26.274	20.337	60.029
8/26/2008 12:59	9197.001	26.273	20.330	60.045
8/26/2008 12:59	9198.001	26.271	20.304	60.106
8/26/2008 12:59	9199.001	26.269	20.309	60.093
8/26/2008 12:59	9200.001	26.285	20.312	60.087
8/26/2008 12:59	9201.001	26.274	20.315	60.079
8/26/2008 12:59	9202.001	26.271	20.318	60.072
8/26/2008 12:59	9203.001	26.271	20.322	60.064
8/26/2008 12:59	9204.001	26.269	20.341	60.020
8/26/2008 12:59	9205.001	26.286	20.326	60.055
8/26/2008 12:59	9206.001	26.274	20.325	60.056
8/26/2008 12:59	9207.001	26.273	20.315	60.081
8/26/2008 12:59	9208.001	26.271	20.346	60.008
8/26/2008 12:59	9209.001	26.271	20.338	60.026
8/26/2008 12:59	9210.001	26.285	20.341	60.020
8/26/2008 12:59	9211.001	26.275	20.313	60.083

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 12:59	9212.001	26.272	20.337	60.030
8/26/2008 12:59	9213.001	26.272	20.325	60.057
8/26/2008 12:59	9214.001	26.270	20.329	60.048
8/26/2008 12:59	9215.001	26.286	20.336	60.032
8/26/2008 12:59	9216.001	26.277	20.345	60.011
8/26/2008 12:59	9217.001	26.272	20.342	60.017
8/26/2008 12:59	9218.001	26.273	20.318	60.073
8/26/2008 12:59	9219.001	26.273	20.322	60.064
8/26/2008 12:59	9220.179	26.287	20.318	60.073
8/26/2008 12:59	9221.001	26.279	20.328	60.049
8/26/2008 12:59	9222.001	26.274	20.331	60.042
8/26/2008 12:59	9223.001	26.272	20.307	60.097
8/26/2008 12:59	9224.001	26.272	20.337	60.030
8/26/2008 12:59	9225.179	26.284	20.321	60.067
8/26/2008 12:59	9226.181	26.278	20.310	60.092
8/26/2008 12:59	9227.001	26.277	20.310	60.092
8/26/2008 12:59	9228.001	26.274	20.347	60.005
8/26/2008 12:59	9229.001	26.272	20.329	60.047
8/26/2008 12:59	9230.179	26.285	20.326	60.055
8/26/2008 12:59	9231.001	26.280	20.324	60.059
8/26/2008 12:59	9232.001	26.275	20.321	60.066
8/26/2008 12:59	9233.001	26.273	20.320	60.069
8/26/2008 12:59	9234.001	26.271	20.323	60.061
8/26/2008 12:59	9235.178	26.286	20.328	60.050
8/26/2008 12:59	9236.180	26.279	20.335	60.032
8/26/2008 12:59	9237.001	26.276	20.325	60.057
8/26/2008 13:00	9238.001	26.275	20.347	60.007
8/26/2008 13:00	9239.001	26.272	20.333	60.038
8/26/2008 13:00	9240.178	26.288	20.343	60.016
8/26/2008 13:00	9241.001	26.282	20.322	60.065
8/26/2008 13:00	9242.001	26.279	20.325	60.056
8/26/2008 13:00	9243.001	26.275	20.330	60.044
8/26/2008 13:00	9244.001	26.275	20.320	60.069
8/26/2008 13:00	9245.178	26.288	20.311	60.089
8/26/2008 13:00	9246.180	26.279	20.329	60.046
8/26/2008 13:00	9247.001	26.280	20.328	60.050
8/26/2008 13:00	9248.001	26.272	20.349	60.002
8/26/2008 13:00	9249.001	26.273	20.332	60.041
8/26/2008 13:00	9250.178	26.286	20.338	60.026
8/26/2008 13:00	9251.001	26.280	20.342	60.018
8/26/2008 13:00	9252.001	26.275	20.364	59.966
8/26/2008 13:00	9253.001	26.274	20.332	60.040
8/26/2008 13:00	9254.001	26.274	20.343	60.015
8/26/2008 13:00	9255.178	26.290	20.348	60.005
8/26/2008 13:00	9256.180	26.280	20.340	60.021
8/26/2008 13:00	9257.001	26.278	20.332	60.040
8/26/2008 13:00	9258.001	26.275	20.358	59.981
8/26/2008 13:00	9259.001	26.276	20.338	60.026
8/26/2008 13:00	9260.178	26.287	20.355	59.988

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:00	9261.001	26.281	20.371	59.950
8/26/2008 13:00	9262.001	26.278	20.360	59.977
8/26/2008 13:00	9263.001	26.273	20.373	59.946
8/26/2008 13:00	9264.001	26.274	20.376	59.939
8/26/2008 13:00	9265.178	26.288	20.373	59.945
8/26/2008 13:00	9266.179	26.280	20.376	59.938
8/26/2008 13:00	9267.001	26.280	20.373	59.946
8/26/2008 13:00	9268.001	26.272	20.390	59.906
8/26/2008 13:00	9269.001	26.275	20.381	59.928
8/26/2008 13:00	9270.178	26.292	20.381	59.926
8/26/2008 13:00	9271.001	26.282	20.395	59.895
8/26/2008 13:00	9272.001	26.278	20.371	59.949
8/26/2008 13:00	9273.001	26.275	20.395	59.896
8/26/2008 13:00	9274.001	26.272	20.402	59.878
8/26/2008 13:00	9275.177	26.288	20.401	59.882
8/26/2008 13:00	9276.179	26.280	20.387	59.913
8/26/2008 13:00	9277.001	26.281	20.401	59.882
8/26/2008 13:00	9278.001	26.277	20.394	59.898
8/26/2008 13:00	9279.001	26.277	20.387	59.914
8/26/2008 13:00	9280.177	26.290	20.416	59.848
8/26/2008 13:00	9281.001	26.285	20.401	59.881
8/26/2008 13:00	9282.001	26.281	20.398	59.888
8/26/2008 13:00	9283.001	26.277	20.407	59.868
8/26/2008 13:00	9284.001	26.276	20.392	59.901
8/26/2008 13:00	9285.177	26.289	20.403	59.876
8/26/2008 13:00	9286.179	26.279	20.414	59.851
8/26/2008 13:00	9287.001	26.277	20.423	59.830
8/26/2008 13:00	9288.001	26.275	20.410	59.860
8/26/2008 13:00	9289.001	26.277	20.413	59.852
8/26/2008 13:00	9290.177	26.291	20.392	59.901
8/26/2008 13:00	9291.001	26.283	20.406	59.869
8/26/2008 13:00	9292.001	26.280	20.390	59.907
8/26/2008 13:00	9293.001	26.276	20.420	59.838
8/26/2008 13:00	9294.001	26.278	20.415	59.848
8/26/2008 13:00	9295.177	26.290	20.418	59.842
8/26/2008 13:00	9296.178	26.281	20.412	59.855
8/26/2008 13:00	9297.001	26.280	20.412	59.855
8/26/2008 13:01	9298.001	26.278	20.400	59.884
8/26/2008 13:01	9299.001	26.275	20.405	59.873
8/26/2008 13:01	9300.177	26.290	20.397	59.890
8/26/2008 13:01	9301.001	26.284	20.407	59.868
8/26/2008 13:01	9302.001	26.278	20.418	59.841
8/26/2008 13:01	9303.001	26.278	20.415	59.850
8/26/2008 13:01	9304.001	26.276	20.401	59.882
8/26/2008 13:01	9305.177	26.289	20.420	59.838
8/26/2008 13:01	9306.178	26.281	20.415	59.849
8/26/2008 13:01	9307.001	26.279	20.408	59.864
8/26/2008 13:01	9308.001	26.276	20.412	59.856
8/26/2008 13:01	9309.001	26.276	20.397	59.890

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:01	9310.176	26.289	20.412	59.856
8/26/2008 13:01	9311.001	26.284	20.415	59.849
8/26/2008 13:01	9312.001	26.278	20.416	59.846
8/26/2008 13:01	9313.001	26.279	20.408	59.864
8/26/2008 13:01	9314.001	26.273	20.438	59.796
8/26/2008 13:01	9315.176	26.289	20.393	59.899
8/26/2008 13:01	9316.178	26.280	20.397	59.890
8/26/2008 13:01	9317.001	26.279	20.390	59.907
8/26/2008 13:01	9318.001	26.278	20.421	59.836
8/26/2008 13:01	9319.001	26.277	20.436	59.800
8/26/2008 13:01	9320.176	26.289	20.421	59.836
8/26/2008 13:01	9321.001	26.281	20.411	59.858
8/26/2008 13:01	9322.001	26.280	20.411	59.858
8/26/2008 13:01	9323.001	26.278	20.384	59.920
8/26/2008 13:01	9324.001	26.277	20.404	59.874
8/26/2008 13:01	9325.175	26.292	20.406	59.869
8/26/2008 13:01	9326.177	26.280	20.429	59.816
8/26/2008 13:01	9327.001	26.282	20.407	59.868
8/26/2008 13:01	9328.001	26.274	20.405	59.871
8/26/2008 13:01	9329.001	26.276	20.438	59.795
8/26/2008 13:01	9330.175	26.289	20.445	59.780
8/26/2008 13:01	9331.001	26.283	20.420	59.838
8/26/2008 13:01	9332.001	26.279	20.417	59.844
8/26/2008 13:01	9333.001	26.275	20.421	59.835
8/26/2008 13:01	9334.001	26.277	20.400	59.884
8/26/2008 13:01	9335.174	26.291	20.401	59.881
8/26/2008 13:01	9336.176	26.281	20.436	59.801
8/26/2008 13:01	9337.001	26.281	20.415	59.848
8/26/2008 13:01	9338.001	26.276	20.416	59.847
8/26/2008 13:01	9339.001	26.272	20.395	59.895
8/26/2008 13:01	9340.174	26.290	20.385	59.918
8/26/2008 13:01	9341.001	26.285	20.450	59.768
8/26/2008 13:01	9342.001	26.279	20.421	59.836
8/26/2008 13:01	9343.001	26.278	20.429	59.817
8/26/2008 13:01	9344.001	26.277	20.449	59.771
8/26/2008 13:01	9345.174	26.290	20.426	59.824
8/26/2008 13:01	9346.176	26.283	20.407	59.867
8/26/2008 13:01	9347.001	26.282	20.396	59.892
8/26/2008 13:01	9348.001	26.280	20.395	59.896
8/26/2008 13:01	9349.001	26.277	20.382	59.925
8/26/2008 13:01	9350.174	26.292	20.415	59.850
8/26/2008 13:01	9351.001	26.281	20.415	59.849
8/26/2008 13:01	9352.001	26.278	20.387	59.912
8/26/2008 13:01	9353.001	26.277	20.420	59.836
8/26/2008 13:01	9354.001	26.277	20.428	59.818
8/26/2008 13:01	9355.173	26.291	20.433	59.808
8/26/2008 13:01	9356.176	26.282	20.409	59.863
8/26/2008 13:01	9357.001	26.280	20.427	59.822
8/26/2008 13:02	9358.001	26.277	20.409	59.864

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:02	9359.001	26.277	20.398	59.889
8/26/2008 13:02	9360.174	26.291	20.424	59.827
8/26/2008 13:02	9361.001	26.286	20.431	59.811
8/26/2008 13:02	9362.001	26.278	20.424	59.829
8/26/2008 13:02	9363.001	26.277	20.396	59.892
8/26/2008 13:02	9364.001	26.276	20.404	59.875
8/26/2008 13:02	9365.173	26.288	20.432	59.810
8/26/2008 13:02	9366.175	26.281	20.401	59.882
8/26/2008 13:02	9367.001	26.281	20.398	59.887
8/26/2008 13:02	9368.001	26.277	20.419	59.838
8/26/2008 13:02	9369.001	26.275	20.415	59.848
8/26/2008 13:02	9370.173	26.290	20.438	59.795
8/26/2008 13:02	9371.001	26.284	20.422	59.834
8/26/2008 13:02	9372.001	26.279	20.409	59.864
8/26/2008 13:02	9373.001	26.276	20.413	59.854
8/26/2008 13:02	9374.001	26.276	20.415	59.848
8/26/2008 13:02	9375.172	26.293	20.422	59.832
8/26/2008 13:02	9376.001	26.283	20.414	59.850
8/26/2008 13:02	9377.001	26.280	20.406	59.870
8/26/2008 13:02	9378.001	26.278	20.399	59.887
8/26/2008 13:02	9379.001	26.276	20.422	59.834
8/26/2008 13:02	9380.172	26.290	20.423	59.830
8/26/2008 13:02	9381.001	26.283	20.417	59.844
8/26/2008 13:02	9382.001	26.276	20.399	59.886
8/26/2008 13:02	9383.001	26.276	20.431	59.813
8/26/2008 13:02	9384.001	26.275	20.421	59.836
8/26/2008 13:02	9385.172	26.290	20.421	59.835
8/26/2008 13:02	9386.001	26.283	20.402	59.880
8/26/2008 13:02	9387.001	26.279	20.406	59.871
8/26/2008 13:02	9388.001	26.279	20.410	59.861
8/26/2008 13:02	9389.001	26.276	20.404	59.874
8/26/2008 13:02	9390.172	26.290	20.399	59.886
8/26/2008 13:02	9391.001	26.285	20.403	59.877
8/26/2008 13:02	9392.064	26.279	20.435	59.803
8/26/2008 13:02	9393.001	26.277	20.429	59.816
8/26/2008 13:02	9394.001	26.276	20.430	59.815
8/26/2008 13:02	9395.171	26.290	20.409	59.862
8/26/2008 13:02	9396.001	26.284	20.417	59.845
8/26/2008 13:02	9397.001	26.279	20.417	59.844
8/26/2008 13:02	9398.001	26.275	20.420	59.837
8/26/2008 13:02	9399.001	26.278	20.410	59.860
8/26/2008 13:02	9400.171	26.288	20.408	59.865
8/26/2008 13:02	9401.173	26.283	20.413	59.853
8/26/2008 13:02	9402.001	26.281	20.399	59.886
8/26/2008 13:02	9403.001	26.280	20.421	59.836
8/26/2008 13:02	9404.001	26.277	20.387	59.913
8/26/2008 13:02	9405.171	26.292	20.418	59.842
8/26/2008 13:02	9406.001	26.287	20.402	59.878
8/26/2008 13:02	9407.001	26.281	20.438	59.797

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:02	9408.001	26.280	20.411	59.858
8/26/2008 13:02	9409.001	26.280	20.414	59.850
8/26/2008 13:02	9410.171	26.290	20.417	59.843
8/26/2008 13:02	9411.001	26.284	20.392	59.902
8/26/2008 13:02	9412.001	26.280	20.421	59.836
8/26/2008 13:02	9413.001	26.278	20.402	59.878
8/26/2008 13:02	9414.001	26.280	20.412	59.856
8/26/2008 13:02	9415.001	26.299	20.406	59.869
8/26/2008 13:02	9416.061	26.283	20.424	59.828
8/26/2008 13:02	9417.062	26.279	20.413	59.853
8/26/2008 13:03	9418.001	26.281	20.415	59.849
8/26/2008 13:03	9419.001	26.277	20.405	59.873
8/26/2008 13:03	9420.170	26.291	20.405	59.873
8/26/2008 13:03	9421.001	26.285	20.419	59.840
8/26/2008 13:03	9422.001	26.283	20.409	59.863
8/26/2008 13:03	9423.001	26.281	20.406	59.870
8/26/2008 13:03	9424.001	26.277	20.431	59.811
8/26/2008 13:03	9425.170	26.293	20.391	59.905
8/26/2008 13:03	9426.001	26.286	20.418	59.842
8/26/2008 13:03	9427.001	26.280	20.401	59.882
8/26/2008 13:03	9428.001	26.281	20.380	59.930
8/26/2008 13:03	9429.001	26.280	20.379	59.933
8/26/2008 13:03	9430.170	26.296	20.415	59.849
8/26/2008 13:03	9431.001	26.288	20.392	59.901
8/26/2008 13:03	9432.001	26.280	20.414	59.850
8/26/2008 13:03	9433.001	26.281	20.416	59.848
8/26/2008 13:03	9434.001	26.278	20.409	59.863
8/26/2008 13:03	9435.170	26.293	20.415	59.848
8/26/2008 13:03	9436.001	26.288	20.409	59.863
8/26/2008 13:03	9437.001	26.283	20.399	59.886
8/26/2008 13:03	9438.001	26.280	20.417	59.845
8/26/2008 13:03	9439.001	26.279	20.421	59.836
8/26/2008 13:03	9440.169	26.295	20.416	59.848
8/26/2008 13:03	9441.001	26.285	20.386	59.915
8/26/2008 13:03	9442.001	26.283	20.406	59.870
8/26/2008 13:03	9443.001	26.280	20.420	59.838
8/26/2008 13:03	9444.001	26.280	20.411	59.859
8/26/2008 13:03	9445.169	26.292	20.400	59.885
8/26/2008 13:03	9446.001	26.288	20.419	59.839
8/26/2008 13:03	9447.001	26.281	20.406	59.871
8/26/2008 13:03	9448.001	26.282	20.404	59.875
8/26/2008 13:03	9449.001	26.278	20.420	59.837
8/26/2008 13:03	9450.169	26.291	20.404	59.875
8/26/2008 13:03	9451.001	26.286	20.394	59.898
8/26/2008 13:03	9452.001	26.281	20.409	59.862
8/26/2008 13:03	9453.001	26.281	20.416	59.847
8/26/2008 13:03	9454.001	26.276	20.417	59.844
8/26/2008 13:03	9455.169	26.295	20.410	59.860
8/26/2008 13:03	9456.001	26.283	20.385	59.919

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:03	9457.001	26.283	20.386	59.915
8/26/2008 13:03	9458.001	26.279	20.403	59.876
8/26/2008 13:03	9459.001	26.280	20.408	59.865
8/26/2008 13:03	9460.169	26.296	20.424	59.827
8/26/2008 13:03	9461.001	26.288	20.415	59.849
8/26/2008 13:03	9462.001	26.282	20.422	59.832
8/26/2008 13:03	9463.001	26.282	20.393	59.900
8/26/2008 13:03	9464.001	26.278	20.388	59.912
8/26/2008 13:03	9465.168	26.292	20.395	59.896
8/26/2008 13:03	9466.001	26.287	20.403	59.876
8/26/2008 13:03	9467.001	26.280	20.386	59.916
8/26/2008 13:03	9468.001	26.282	20.394	59.897
8/26/2008 13:03	9469.001	26.283	20.376	59.938
8/26/2008 13:03	9470.168	26.294	20.399	59.886
8/26/2008 13:03	9471.001	26.287	20.408	59.865
8/26/2008 13:03	9472.001	26.283	20.394	59.898
8/26/2008 13:03	9473.001	26.280	20.407	59.867
8/26/2008 13:03	9474.001	26.279	20.390	59.908
8/26/2008 13:03	9475.002	26.301	20.449	59.770
8/26/2008 13:03	9476.001	26.283	20.408	59.865
8/26/2008 13:03	9477.001	26.281	20.414	59.851
8/26/2008 13:04	9478.001	26.280	20.416	59.846
8/26/2008 13:04	9479.001	26.278	20.410	59.860
8/26/2008 13:04	9480.167	26.294	20.410	59.860
8/26/2008 13:04	9481.001	26.284	20.405	59.872
8/26/2008 13:04	9482.001	26.281	20.380	59.931
8/26/2008 13:04	9483.001	26.277	20.387	59.913
8/26/2008 13:04	9484.001	26.279	20.412	59.856
8/26/2008 13:04	9485.167	26.292	20.412	59.855
8/26/2008 13:04	9486.001	26.286	20.404	59.875
8/26/2008 13:04	9487.001	26.282	20.396	59.894
8/26/2008 13:04	9488.001	26.279	20.388	59.910
8/26/2008 13:04	9489.001	26.281	20.396	59.892
8/26/2008 13:04	9490.167	26.292	20.400	59.883
8/26/2008 13:04	9491.001	26.285	20.405	59.873
8/26/2008 13:04	9492.001	26.282	20.391	59.905
8/26/2008 13:04	9493.001	26.281	20.370	59.953
8/26/2008 13:04	9494.001	26.277	20.410	59.861
8/26/2008 13:04	9495.167	26.293	20.390	59.906
8/26/2008 13:04	9496.001	26.285	20.391	59.904
8/26/2008 13:04	9497.001	26.282	20.387	59.913
8/26/2008 13:04	9498.001	26.282	20.402	59.878
8/26/2008 13:04	9499.001	26.277	20.398	59.887
8/26/2008 13:04	9500.167	26.291	20.418	59.842
8/26/2008 13:04	9501.001	26.287	20.391	59.905
8/26/2008 13:04	9502.001	26.281	20.401	59.882
8/26/2008 13:04	9503.001	26.276	20.387	59.913
8/26/2008 13:04	9504.001	26.276	20.401	59.881
8/26/2008 13:04	9505.166	26.290	20.381	59.928

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:04	9506.001	26.282	20.371	59.950
8/26/2008 13:04	9507.001	26.279	20.381	59.927
8/26/2008 13:04	9508.001	26.276	20.361	59.973
8/26/2008 13:04	9509.001	26.275	20.390	59.906
8/26/2008 13:04	9510.166	26.288	20.391	59.905
8/26/2008 13:04	9511.001	26.281	20.394	59.898
8/26/2008 13:04	9512.001	26.276	20.400	59.884
8/26/2008 13:04	9513.001	26.276	20.396	59.892
8/26/2008 13:04	9514.001	26.275	20.388	59.911
8/26/2008 13:04	9515.166	26.290	20.375	59.941
8/26/2008 13:04	9516.001	26.279	20.400	59.884
8/26/2008 13:04	9517.001	26.276	20.396	59.893
8/26/2008 13:04	9518.001	26.272	20.366	59.961
8/26/2008 13:04	9519.001	26.273	20.392	59.901
8/26/2008 13:04	9520.166	26.287	20.396	59.892
8/26/2008 13:04	9521.001	26.277	20.405	59.872
8/26/2008 13:04	9522.001	26.278	20.396	59.892
8/26/2008 13:04	9523.001	26.272	20.400	59.884
8/26/2008 13:04	9524.001	26.271	20.388	59.912
8/26/2008 13:04	9525.165	26.284	20.399	59.886
8/26/2008 13:04	9526.001	26.276	20.415	59.849
8/26/2008 13:04	9527.001	26.273	20.391	59.905
8/26/2008 13:04	9528.001	26.270	20.404	59.875
8/26/2008 13:04	9529.001	26.272	20.411	59.858
8/26/2008 13:04	9530.166	26.285	20.413	59.853
8/26/2008 13:04	9531.167	26.275	20.405	59.872
8/26/2008 13:04	9532.001	26.274	20.389	59.909
8/26/2008 13:04	9533.001	26.273	20.386	59.916
8/26/2008 13:04	9534.001	26.268	20.387	59.914
8/26/2008 13:04	9535.001	26.291	20.389	59.909
8/26/2008 13:04	9536.056	26.273	20.411	59.859
8/26/2008 13:04	9537.001	26.271	20.406	59.869
8/26/2008 13:05	9538.001	26.267	20.385	59.919
8/26/2008 13:05	9539.001	26.267	20.389	59.908
8/26/2008 13:05	9540.165	26.284	20.391	59.905
8/26/2008 13:05	9541.001	26.275	20.394	59.898
8/26/2008 13:05	9542.001	26.268	20.399	59.886
8/26/2008 13:05	9543.001	26.271	20.385	59.918
8/26/2008 13:05	9544.001	26.268	20.396	59.894
8/26/2008 13:05	9545.165	26.283	20.373	59.947
8/26/2008 13:05	9546.001	26.272	20.393	59.899
8/26/2008 13:05	9547.001	26.268	20.389	59.908
8/26/2008 13:05	9548.001	26.269	20.403	59.876
8/26/2008 13:05	9549.001	26.267	20.397	59.889
8/26/2008 13:05	9550.165	26.281	20.385	59.918
8/26/2008 13:05	9551.001	26.271	20.399	59.886
8/26/2008 13:05	9552.001	26.270	20.393	59.899
8/26/2008 13:05	9553.001	26.267	20.416	59.846
8/26/2008 13:05	9554.001	26.268	20.397	59.891

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:05	9555.165	26.279	20.417	59.844
8/26/2008 13:05	9556.001	26.273	20.417	59.843
8/26/2008 13:05	9557.001	26.267	20.388	59.911
8/26/2008 13:05	9558.001	26.267	20.380	59.929
8/26/2008 13:05	9559.001	26.262	20.379	59.932
8/26/2008 13:05	9560.164	26.280	20.392	59.903
8/26/2008 13:05	9561.001	26.272	20.383	59.923
8/26/2008 13:05	9562.001	26.265	20.409	59.863
8/26/2008 13:05	9563.001	26.264	20.376	59.940
8/26/2008 13:05	9564.001	26.264	20.402	59.878
8/26/2008 13:05	9565.164	26.277	20.404	59.874
8/26/2008 13:05	9566.166	26.266	20.390	59.906
8/26/2008 13:05	9567.001	26.269	20.376	59.939
8/26/2008 13:05	9568.001	26.261	20.393	59.900
8/26/2008 13:05	9569.001	26.262	20.397	59.889
8/26/2008 13:05	9570.164	26.276	20.399	59.887
8/26/2008 13:05	9571.166	26.268	20.396	59.894
8/26/2008 13:05	9572.001	26.267	20.389	59.908
8/26/2008 13:05	9573.001	26.260	20.386	59.917
8/26/2008 13:05	9574.001	26.263	20.394	59.897
8/26/2008 13:05	9575.164	26.274	20.379	59.932
8/26/2008 13:05	9576.001	26.268	20.410	59.860
8/26/2008 13:05	9577.001	26.265	20.398	59.889
8/26/2008 13:05	9578.001	26.262	20.407	59.867
8/26/2008 13:05	9579.001	26.262	20.393	59.900
8/26/2008 13:05	9580.164	26.275	20.394	59.897
8/26/2008 13:05	9581.166	26.264	20.368	59.958
8/26/2008 13:05	9582.001	26.267	20.386	59.915
8/26/2008 13:05	9583.001	26.260	20.384	59.920
8/26/2008 13:05	9584.001	26.260	20.356	59.984
8/26/2008 13:05	9585.163	26.274	20.374	59.943
8/26/2008 13:05	9586.001	26.264	20.384	59.920
8/26/2008 13:05	9587.001	26.262	20.379	59.933
8/26/2008 13:05	9588.001	26.259	20.372	59.948
8/26/2008 13:05	9589.001	26.259	20.394	59.897
8/26/2008 13:05	9590.001	26.257	20.400	59.885
8/26/2008 13:05	9591.165	26.269	20.411	59.859
8/26/2008 13:05	9592.001	26.265	20.398	59.887
8/26/2008 13:05	9593.001	26.260	20.382	59.925
8/26/2008 13:05	9594.001	26.257	20.395	59.895
8/26/2008 13:05	9595.163	26.273	20.377	59.936
8/26/2008 13:05	9596.001	26.266	20.363	59.969
8/26/2008 13:05	9597.001	26.260	20.377	59.936
8/26/2008 13:06	9598.001	26.260	20.373	59.946
8/26/2008 13:06	9599.001	26.256	20.396	59.893
8/26/2008 13:06	9600.163	26.273	20.399	59.885
8/26/2008 13:06	9601.164	26.261	20.368	59.957
8/26/2008 13:06	9602.001	26.261	20.399	59.887
8/26/2008 13:06	9603.001	26.259	20.384	59.920

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:06	9604.001	26.255	20.376	59.938
8/26/2008 13:06	9605.163	26.270	20.369	59.956
8/26/2008 13:06	9606.001	26.261	20.409	59.863
8/26/2008 13:06	9607.001	26.258	20.397	59.891
8/26/2008 13:06	9608.001	26.259	20.395	59.894
8/26/2008 13:06	9609.001	26.258	20.381	59.927
8/26/2008 13:06	9610.163	26.271	20.368	59.957
8/26/2008 13:06	9611.164	26.259	20.367	59.959
8/26/2008 13:06	9612.001	26.260	20.363	59.969
8/26/2008 13:06	9613.001	26.257	20.371	59.950
8/26/2008 13:06	9614.001	26.253	20.383	59.923
8/26/2008 13:06	9615.162	26.269	20.414	59.851
8/26/2008 13:06	9616.001	26.264	20.372	59.949
8/26/2008 13:06	9617.001	26.258	20.389	59.909
8/26/2008 13:06	9618.001	26.257	20.395	59.896
8/26/2008 13:06	9619.001	26.256	20.391	59.905
8/26/2008 13:06	9620.001	26.275	20.378	59.934
8/26/2008 13:06	9621.053	26.261	20.400	59.884
8/26/2008 13:06	9622.055	26.256	20.393	59.900
8/26/2008 13:06	9623.001	26.256	20.375	59.942
8/26/2008 13:06	9624.001	26.255	20.378	59.935
8/26/2008 13:06	9625.162	26.267	20.358	59.981
8/26/2008 13:06	9626.164	26.259	20.396	59.893
8/26/2008 13:06	9627.001	26.262	20.397	59.891
8/26/2008 13:06	9628.001	26.258	20.369	59.956
8/26/2008 13:06	9629.001	26.254	20.401	59.882
8/26/2008 13:06	9630.162	26.270	20.355	59.988
8/26/2008 13:06	9631.163	26.260	20.390	59.907
8/26/2008 13:06	9632.001	26.260	20.387	59.912
8/26/2008 13:06	9633.001	26.257	20.388	59.911
8/26/2008 13:06	9634.001	26.257	20.390	59.907
8/26/2008 13:06	9635.162	26.270	20.377	59.937
8/26/2008 13:06	9636.163	26.262	20.357	59.983
8/26/2008 13:06	9637.001	26.259	20.391	59.905
8/26/2008 13:06	9638.001	26.255	20.364	59.968
8/26/2008 13:06	9639.001	26.254	20.385	59.917
8/26/2008 13:06	9640.162	26.271	20.373	59.946
8/26/2008 13:06	9641.163	26.262	20.397	59.891
8/26/2008 13:06	9642.001	26.259	20.365	59.964
8/26/2008 13:06	9643.001	26.259	20.392	59.902
8/26/2008 13:06	9644.001	26.257	20.365	59.964
8/26/2008 13:06	9645.001	26.258	20.382	59.925
8/26/2008 13:06	9646.179	26.266	20.370	59.954
8/26/2008 13:06	9647.001	26.265	20.378	59.935
8/26/2008 13:06	9648.001	26.259	20.361	59.972
8/26/2008 13:06	9649.001	26.257	20.397	59.890
8/26/2008 13:06	9650.161	26.272	20.367	59.960
8/26/2008 13:06	9651.163	26.261	20.360	59.976
8/26/2008 13:06	9652.001	26.258	20.368	59.958

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:06	9653.001	26.257	20.383	59.924
8/26/2008 13:06	9654.001	26.257	20.356	59.984
8/26/2008 13:06	9655.161	26.271	20.364	59.968
8/26/2008 13:06	9656.163	26.261	20.381	59.928
8/26/2008 13:06	9657.001	26.261	20.371	59.950
8/26/2008 13:07	9658.001	26.257	20.409	59.862
8/26/2008 13:07	9659.001	26.257	20.394	59.897
8/26/2008 13:07	9660.161	26.273	20.402	59.879
8/26/2008 13:07	9661.163	26.262	20.356	59.984
8/26/2008 13:07	9662.001	26.263	20.375	59.940
8/26/2008 13:07	9663.001	26.259	20.383	59.922
8/26/2008 13:07	9664.001	26.257	20.385	59.919
8/26/2008 13:07	9665.161	26.274	20.358	59.980
8/26/2008 13:07	9666.163	26.262	20.355	59.987
8/26/2008 13:07	9667.001	26.261	20.385	59.917
8/26/2008 13:07	9668.001	26.259	20.351	59.997
8/26/2008 13:07	9669.001	26.259	20.353	59.991
8/26/2008 13:07	9670.161	26.273	20.368	59.958
8/26/2008 13:07	9671.163	26.264	20.386	59.915
8/26/2008 13:07	9672.001	26.265	20.368	59.957
8/26/2008 13:07	9673.001	26.260	20.389	59.909
8/26/2008 13:07	9674.001	26.254	20.369	59.955
8/26/2008 13:07	9675.161	26.274	20.375	59.940
8/26/2008 13:07	9676.162	26.265	20.353	59.992
8/26/2008 13:07	9677.001	26.262	20.382	59.926
8/26/2008 13:07	9678.001	26.258	20.362	59.971
8/26/2008 13:07	9679.001	26.258	20.363	59.969
8/26/2008 13:07	9680.001	26.276	20.344	60.014
8/26/2008 13:07	9681.051	26.263	20.388	59.911
8/26/2008 13:07	9682.001	26.263	20.372	59.948
8/26/2008 13:07	9683.001	26.260	20.396	59.892
8/26/2008 13:07	9684.001	26.261	20.407	59.868
8/26/2008 13:07	9685.160	26.275	20.371	59.949
8/26/2008 13:07	9686.162	26.263	20.361	59.973
8/26/2008 13:07	9687.001	26.264	20.398	59.888
8/26/2008 13:07	9688.001	26.258	20.384	59.920
8/26/2008 13:07	9689.001	26.258	20.374	59.943
8/26/2008 13:07	9690.160	26.272	20.360	59.975
8/26/2008 13:07	9691.161	26.269	20.371	59.951
8/26/2008 13:07	9692.001	26.263	20.340	60.023
8/26/2008 13:07	9693.001	26.261	20.369	59.954
8/26/2008 13:07	9694.001	26.258	20.374	59.943
8/26/2008 13:07	9695.159	26.274	20.402	59.880
8/26/2008 13:07	9696.161	26.264	20.369	59.955
8/26/2008 13:07	9697.001	26.263	20.380	59.930
8/26/2008 13:07	9698.001	26.261	20.376	59.938
8/26/2008 13:07	9699.001	26.259	20.369	59.954
8/26/2008 13:07	9700.159	26.275	20.361	59.973
8/26/2008 13:07	9701.161	26.266	20.379	59.932

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:07	9702.001	26.263	20.370	59.952
8/26/2008 13:07	9703.001	26.265	20.351	59.996
8/26/2008 13:07	9704.001	26.260	20.382	59.925
8/26/2008 13:07	9705.159	26.278	20.347	60.007
8/26/2008 13:07	9706.161	26.264	20.364	59.968
8/26/2008 13:07	9707.001	26.264	20.366	59.962
8/26/2008 13:07	9708.001	26.263	20.358	59.981
8/26/2008 13:07	9709.001	26.263	20.363	59.970
8/26/2008 13:07	9710.159	26.278	20.373	59.946
8/26/2008 13:07	9711.161	26.266	20.352	59.994
8/26/2008 13:07	9712.001	26.262	20.377	59.935
8/26/2008 13:07	9713.001	26.263	20.382	59.924
8/26/2008 13:07	9714.001	26.262	20.376	59.940
8/26/2008 13:07	9715.159	26.275	20.381	59.928
8/26/2008 13:07	9716.161	26.267	20.363	59.969
8/26/2008 13:07	9717.001	26.265	20.367	59.959
8/26/2008 13:08	9718.001	26.264	20.354	59.990
8/26/2008 13:08	9719.001	26.265	20.354	59.991
8/26/2008 13:08	9720.159	26.278	20.387	59.914
8/26/2008 13:08	9721.160	26.269	20.377	59.936
8/26/2008 13:08	9722.001	26.266	20.362	59.971
8/26/2008 13:08	9723.001	26.263	20.365	59.964
8/26/2008 13:08	9724.001	26.264	20.374	59.945
8/26/2008 13:08	9725.158	26.279	20.370	59.952
8/26/2008 13:08	9726.160	26.269	20.388	59.910
8/26/2008 13:08	9727.001	26.268	20.370	59.952
8/26/2008 13:08	9728.001	26.265	20.371	59.951
8/26/2008 13:08	9729.001	26.265	20.364	59.968
8/26/2008 13:08	9730.158	26.279	20.373	59.946
8/26/2008 13:08	9731.160	26.269	20.373	59.945
8/26/2008 13:08	9732.001	26.269	20.365	59.965
8/26/2008 13:08	9733.001	26.267	20.366	59.962
8/26/2008 13:08	9734.001	26.266	20.353	59.992
8/26/2008 13:08	9735.158	26.279	20.347	60.006
8/26/2008 13:08	9736.159	26.269	20.343	60.014
8/26/2008 13:08	9737.001	26.271	20.374	59.944
8/26/2008 13:08	9738.001	26.265	20.381	59.926
8/26/2008 13:08	9739.001	26.267	20.364	59.967
8/26/2008 13:08	9740.001	26.285	20.344	60.012
8/26/2008 13:08	9741.048	26.271	20.378	59.934
8/26/2008 13:08	9742.001	26.268	20.362	59.971
8/26/2008 13:08	9743.001	26.265	20.338	60.027
8/26/2008 13:08	9744.001	26.265	20.341	60.021
8/26/2008 13:08	9745.157	26.279	20.368	59.958
8/26/2008 13:08	9746.001	26.274	20.360	59.976
8/26/2008 13:08	9747.001	26.267	20.359	59.979
8/26/2008 13:08	9748.001	26.266	20.354	59.991
8/26/2008 13:08	9749.001	26.269	20.341	60.019
8/26/2008 13:08	9750.157	26.279	20.340	60.021

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:08	9751.001	26.272	20.377	59.935
8/26/2008 13:08	9752.001	26.267	20.363	59.969
8/26/2008 13:08	9753.001	26.263	20.323	60.061
8/26/2008 13:08	9754.001	26.263	20.345	60.010
8/26/2008 13:08	9755.156	26.280	20.354	59.991
8/26/2008 13:08	9756.001	26.272	20.385	59.918
8/26/2008 13:08	9757.001	26.269	20.359	59.979
8/26/2008 13:08	9758.001	26.264	20.367	59.959
8/26/2008 13:08	9759.001	26.265	20.329	60.047
8/26/2008 13:08	9760.156	26.278	20.349	60.001
8/26/2008 13:08	9761.001	26.275	20.372	59.949
8/26/2008 13:08	9762.024	26.264	20.371	59.951
8/26/2008 13:08	9763.001	26.266	20.367	59.959
8/26/2008 13:08	9764.001	26.265	20.361	59.974
8/26/2008 13:08	9765.155	26.278	20.348	60.003
8/26/2008 13:08	9766.001	26.273	20.370	59.952
8/26/2008 13:08	9767.001	26.267	20.331	60.043
8/26/2008 13:08	9768.001	26.265	20.359	59.978
8/26/2008 13:08	9769.001	26.264	20.346	60.007
8/26/2008 13:08	9770.156	26.282	20.353	59.991
8/26/2008 13:08	9771.001	26.272	20.333	60.038
8/26/2008 13:08	9772.001	26.269	20.354	59.990
8/26/2008 13:08	9773.001	26.269	20.350	59.999
8/26/2008 13:08	9774.001	26.267	20.359	59.979
8/26/2008 13:08	9775.155	26.283	20.371	59.951
8/26/2008 13:08	9776.001	26.275	20.375	59.941
8/26/2008 13:08	9777.001	26.269	20.348	60.003
8/26/2008 13:09	9778.001	26.271	20.357	59.983
8/26/2008 13:09	9779.001	26.268	20.340	60.021
8/26/2008 13:09	9780.155	26.284	20.334	60.037
8/26/2008 13:09	9781.001	26.277	20.369	59.956
8/26/2008 13:09	9782.001	26.272	20.346	60.009
8/26/2008 13:09	9783.001	26.267	20.357	59.984
8/26/2008 13:09	9784.001	26.268	20.336	60.032
8/26/2008 13:09	9785.155	26.283	20.368	59.958
8/26/2008 13:09	9786.157	26.271	20.337	60.028
8/26/2008 13:09	9787.001	26.271	20.335	60.033
8/26/2008 13:09	9788.001	26.268	20.364	59.966
8/26/2008 13:09	9789.001	26.269	20.364	59.967
8/26/2008 13:09	9790.155	26.283	20.359	59.978
8/26/2008 13:09	9791.156	26.275	20.324	60.058
8/26/2008 13:09	9792.001	26.272	20.359	59.977
8/26/2008 13:09	9793.001	26.270	20.365	59.963
8/26/2008 13:09	9794.001	26.267	20.358	59.981
8/26/2008 13:09	9795.154	26.283	20.343	60.014
8/26/2008 13:09	9796.001	26.273	20.350	59.999
8/26/2008 13:09	9797.001	26.270	20.346	60.007
8/26/2008 13:09	9798.001	26.267	20.343	60.016
8/26/2008 13:09	9799.001	26.268	20.349	60.001

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:09	9800.155	26.280	20.367	59.959
8/26/2008 13:09	9801.156	26.270	20.337	60.030
8/26/2008 13:09	9802.001	26.269	20.329	60.046
8/26/2008 13:09	9803.001	26.266	20.361	59.973
8/26/2008 13:09	9804.001	26.264	20.344	60.013
8/26/2008 13:09	9805.155	26.280	20.356	59.984
8/26/2008 13:09	9806.156	26.273	20.337	60.029
8/26/2008 13:09	9807.001	26.270	20.353	59.993
8/26/2008 13:09	9808.001	26.266	20.355	59.988
8/26/2008 13:09	9809.001	26.264	20.338	60.026
8/26/2008 13:09	9810.001	26.286	20.346	60.007
8/26/2008 13:09	9811.045	26.271	20.340	60.021
8/26/2008 13:09	9812.001	26.266	20.366	59.961
8/26/2008 13:09	9813.001	26.268	20.371	59.949
8/26/2008 13:09	9814.001	26.263	20.364	59.967
8/26/2008 13:09	9815.154	26.280	20.354	59.990
8/26/2008 13:09	9816.001	26.273	20.361	59.973
8/26/2008 13:09	9817.001	26.269	20.347	60.007
8/26/2008 13:09	9818.001	26.265	20.354	59.989
8/26/2008 13:09	9819.001	26.265	20.365	59.964
8/26/2008 13:09	9820.153	26.279	20.364	59.966
8/26/2008 13:09	9821.001	26.273	20.356	59.985
8/26/2008 13:09	9822.001	26.268	20.336	60.031
8/26/2008 13:09	9823.001	26.266	20.329	60.048
8/26/2008 13:09	9824.001	26.265	20.346	60.008
8/26/2008 13:09	9825.153	26.281	20.364	59.966
8/26/2008 13:09	9826.001	26.271	20.349	60.000
8/26/2008 13:09	9827.001	26.268	20.371	59.951
8/26/2008 13:09	9828.001	26.265	20.345	60.010
8/26/2008 13:09	9829.001	26.264	20.336	60.031
8/26/2008 13:09	9830.153	26.281	20.352	59.995
8/26/2008 13:09	9831.001	26.271	20.344	60.013
8/26/2008 13:09	9832.001	26.268	20.369	59.956
8/26/2008 13:09	9833.001	26.267	20.352	59.994
8/26/2008 13:09	9834.001	26.264	20.362	59.970
8/26/2008 13:09	9835.153	26.280	20.346	60.007
8/26/2008 13:09	9836.154	26.269	20.343	60.014
8/26/2008 13:09	9837.001	26.266	20.345	60.010
8/26/2008 13:10	9838.001	26.261	20.344	60.012
8/26/2008 13:10	9839.001	26.263	20.347	60.005
8/26/2008 13:10	9840.153	26.277	20.356	59.986
8/26/2008 13:10	9841.001	26.268	20.362	59.972
8/26/2008 13:10	9842.001	26.267	20.361	59.972
8/26/2008 13:10	9843.001	26.262	20.371	59.950
8/26/2008 13:10	9844.001	26.264	20.327	60.052
8/26/2008 13:10	9845.153	26.278	20.343	60.016
8/26/2008 13:10	9846.001	26.269	20.350	60.000
8/26/2008 13:10	9847.001	26.266	20.343	60.015
8/26/2008 13:10	9848.001	26.266	20.366	59.962

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:10	9849.001	26.260	20.333	60.039
8/26/2008 13:10	9850.152	26.278	20.357	59.983
8/26/2008 13:10	9851.001	26.271	20.345	60.009
8/26/2008 13:10	9852.001	26.266	20.342	60.017
8/26/2008 13:10	9853.001	26.262	20.342	60.018
8/26/2008 13:10	9854.001	26.261	20.337	60.029
8/26/2008 13:10	9855.152	26.274	20.318	60.073
8/26/2008 13:10	9856.001	26.266	20.364	59.968
8/26/2008 13:10	9857.001	26.265	20.336	60.031
8/26/2008 13:10	9858.001	26.263	20.355	59.988
8/26/2008 13:10	9859.001	26.261	20.336	60.030
8/26/2008 13:10	9860.152	26.275	20.339	60.025
8/26/2008 13:10	9861.001	26.267	20.353	59.991
8/26/2008 13:10	9862.001	26.263	20.350	59.999
8/26/2008 13:10	9863.001	26.259	20.328	60.050
8/26/2008 13:10	9864.001	26.259	20.346	60.009
8/26/2008 13:10	9865.151	26.275	20.337	60.028
8/26/2008 13:10	9866.001	26.267	20.352	59.995
8/26/2008 13:10	9867.001	26.261	20.342	60.017
8/26/2008 13:10	9868.001	26.260	20.336	60.032
8/26/2008 13:10	9869.001	26.261	20.352	59.994
8/26/2008 13:10	9870.001	26.277	20.343	60.014
8/26/2008 13:10	9871.001	26.264	20.336	60.031
8/26/2008 13:10	9872.001	26.260	20.329	60.047
8/26/2008 13:10	9873.001	26.261	20.323	60.061
8/26/2008 13:10	9874.001	26.259	20.350	59.999
8/26/2008 13:10	9875.151	26.274	20.346	60.009
8/26/2008 13:10	9876.001	26.266	20.339	60.025
8/26/2008 13:10	9877.001	26.262	20.330	60.045
8/26/2008 13:10	9878.001	26.260	20.344	60.012
8/26/2008 13:10	9879.001	26.260	20.345	60.011
8/26/2008 13:10	9880.151	26.273	20.331	60.043
8/26/2008 13:10	9881.001	26.265	20.329	60.048
8/26/2008 13:10	9882.001	26.262	20.328	60.049
8/26/2008 13:10	9883.001	26.260	20.329	60.047
8/26/2008 13:10	9884.001	26.258	20.364	59.966
8/26/2008 13:10	9885.151	26.274	20.324	60.059
8/26/2008 13:10	9886.001	26.268	20.347	60.006
8/26/2008 13:10	9887.001	26.261	20.326	60.053
8/26/2008 13:10	9888.001	26.261	20.328	60.049
8/26/2008 13:10	9889.001	26.259	20.350	59.999
8/26/2008 13:10	9890.150	26.273	20.340	60.022
8/26/2008 13:10	9891.001	26.266	20.333	60.039
8/26/2008 13:10	9892.001	26.259	20.344	60.013
8/26/2008 13:10	9893.001	26.258	20.347	60.007
8/26/2008 13:10	9894.001	26.255	20.332	60.041
8/26/2008 13:10	9895.151	26.274	20.324	60.059
8/26/2008 13:10	9896.001	26.266	20.355	59.988
8/26/2008 13:10	9897.001	26.261	20.359	59.977

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:11	9898.001	26.261	20.344	60.013
8/26/2008 13:11	9899.001	26.257	20.349	60.001
8/26/2008 13:11	9900.150	26.273	20.328	60.049
8/26/2008 13:11	9901.001	26.263	20.320	60.067
8/26/2008 13:11	9902.001	26.261	20.345	60.011
8/26/2008 13:11	9903.001	26.257	20.333	60.039
8/26/2008 13:11	9904.001	26.259	20.325	60.056
8/26/2008 13:11	9905.150	26.273	20.337	60.030
8/26/2008 13:11	9906.001	26.263	20.341	60.020
8/26/2008 13:11	9907.001	26.259	20.349	60.002
8/26/2008 13:11	9908.001	26.260	20.327	60.052
8/26/2008 13:11	9909.001	26.259	20.348	60.003
8/26/2008 13:11	9910.150	26.273	20.329	60.048
8/26/2008 13:11	9911.001	26.262	20.345	60.009
8/26/2008 13:11	9912.001	26.259	20.340	60.022
8/26/2008 13:11	9913.001	26.255	20.345	60.010
8/26/2008 13:11	9914.001	26.260	20.331	60.042
8/26/2008 13:11	9915.150	26.272	20.320	60.069
8/26/2008 13:11	9916.001	26.265	20.323	60.062
8/26/2008 13:11	9917.001	26.257	20.335	60.034
8/26/2008 13:11	9918.001	26.256	20.350	59.999
8/26/2008 13:11	9919.001	26.255	20.331	60.042
8/26/2008 13:11	9920.149	26.272	20.323	60.062
8/26/2008 13:11	9921.001	26.262	20.354	59.990
8/26/2008 13:11	9922.001	26.259	20.317	60.076
8/26/2008 13:11	9923.001	26.256	20.344	60.012
8/26/2008 13:11	9924.001	26.257	20.348	60.003
8/26/2008 13:11	9925.149	26.270	20.342	60.018
8/26/2008 13:11	9926.001	26.264	20.324	60.060
8/26/2008 13:11	9927.001	26.256	20.315	60.080
8/26/2008 13:11	9928.001	26.258	20.310	60.091
8/26/2008 13:11	9929.001	26.254	20.326	60.054
8/26/2008 13:11	9930.001	26.275	20.323	60.061
8/26/2008 13:11	9931.001	26.260	20.330	60.046
8/26/2008 13:11	9932.001	26.257	20.342	60.017
8/26/2008 13:11	9933.001	26.256	20.341	60.020
8/26/2008 13:11	9934.001	26.255	20.329	60.046
8/26/2008 13:11	9935.150	26.271	20.329	60.048
8/26/2008 13:11	9936.151	26.261	20.313	60.085
8/26/2008 13:11	9937.001	26.260	20.310	60.092
8/26/2008 13:11	9938.001	26.256	20.343	60.016
8/26/2008 13:11	9939.001	26.256	20.317	60.074
8/26/2008 13:11	9940.150	26.272	20.330	60.045
8/26/2008 13:11	9941.151	26.261	20.330	60.045
8/26/2008 13:11	9942.001	26.260	20.335	60.033
8/26/2008 13:11	9943.001	26.258	20.336	60.031
8/26/2008 13:11	9944.001	26.256	20.303	60.108
8/26/2008 13:11	9945.149	26.271	20.332	60.040
8/26/2008 13:11	9946.151	26.261	20.331	60.044

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:11	9947.001	26.258	20.365	59.963
8/26/2008 13:11	9948.001	26.255	20.325	60.056
8/26/2008 13:11	9949.001	26.257	20.348	60.004
8/26/2008 13:11	9950.149	26.274	20.354	59.990
8/26/2008 13:11	9951.151	26.261	20.344	60.014
8/26/2008 13:11	9952.001	26.257	20.324	60.058
8/26/2008 13:11	9953.001	26.259	20.326	60.053
8/26/2008 13:11	9954.001	26.255	20.340	60.021
8/26/2008 13:11	9955.149	26.272	20.326	60.054
8/26/2008 13:11	9956.150	26.260	20.323	60.060
8/26/2008 13:11	9957.001	26.259	20.330	60.046
8/26/2008 13:12	9958.001	26.258	20.313	60.083
8/26/2008 13:12	9959.001	26.254	20.338	60.026
8/26/2008 13:12	9960.148	26.272	20.296	60.124
8/26/2008 13:12	9961.150	26.261	20.338	60.026
8/26/2008 13:12	9962.001	26.257	20.330	60.045
8/26/2008 13:12	9963.001	26.258	20.340	60.021
8/26/2008 13:12	9964.001	26.258	20.315	60.079
8/26/2008 13:12	9965.148	26.273	20.325	60.057
8/26/2008 13:12	9966.150	26.260	20.344	60.014
8/26/2008 13:12	9967.001	26.261	20.326	60.055
8/26/2008 13:12	9968.001	26.258	20.316	60.077
8/26/2008 13:12	9969.001	26.258	20.316	60.077
8/26/2008 13:12	9970.148	26.272	20.336	60.032
8/26/2008 13:12	9971.150	26.261	20.288	60.142
8/26/2008 13:12	9972.001	26.261	20.333	60.039
8/26/2008 13:12	9973.001	26.260	20.320	60.069
8/26/2008 13:12	9974.001	26.258	20.328	60.050
8/26/2008 13:12	9975.148	26.270	20.308	60.097
8/26/2008 13:12	9976.150	26.262	20.324	60.060
8/26/2008 13:12	9977.001	26.263	20.340	60.021
8/26/2008 13:12	9978.001	26.258	20.327	60.053
8/26/2008 13:12	9979.001	26.257	20.339	60.024
8/26/2008 13:12	9980.148	26.268	20.337	60.029
8/26/2008 13:12	9981.150	26.258	20.370	59.953
8/26/2008 13:12	9982.001	26.261	20.321	60.066
8/26/2008 13:12	9983.001	26.259	20.314	60.082
8/26/2008 13:12	9984.001	26.257	20.315	60.079
8/26/2008 13:12	9985.148	26.269	20.328	60.051
8/26/2008 13:12	9986.149	26.259	20.320	60.069
8/26/2008 13:12	9987.001	26.259	20.325	60.057
8/26/2008 13:12	9988.001	26.259	20.332	60.041
8/26/2008 13:12	9989.001	26.258	20.319	60.069
8/26/2008 13:12	9990.001	26.276	20.339	60.024
8/26/2008 13:12	9991.001	26.264	20.337	60.028
8/26/2008 13:12	9992.001	26.260	20.323	60.062
8/26/2008 13:12	9993.001	26.257	20.323	60.060
8/26/2008 13:12	9994.001	26.257	20.323	60.062
8/26/2008 13:12	9995.147	26.273	20.325	60.057

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:12	9996.149	26.262	20.320	60.068
8/26/2008 13:12	9997.001	26.262	20.337	60.029
8/26/2008 13:12	9998.001	26.262	20.336	60.030
8/26/2008 13:12	9999.001	26.260	20.354	59.989
8/26/2008 13:12	10000.147	26.273	20.329	60.048
8/26/2008 13:12	10001.149	26.264	20.323	60.060
8/26/2008 13:12	10002.001	26.263	20.336	60.031
8/26/2008 13:12	10003.001	26.262	20.345	60.009
8/26/2008 13:12	10004.001	26.261	20.317	60.075
8/26/2008 13:12	10005.147	26.276	20.339	60.024
8/26/2008 13:12	10006.149	26.267	20.354	59.989
8/26/2008 13:12	10007.001	26.267	20.330	60.045
8/26/2008 13:12	10008.001	26.261	20.318	60.073
8/26/2008 13:12	10009.001	26.263	20.324	60.058
8/26/2008 13:12	10010.147	26.278	20.320	60.068
8/26/2008 13:12	10011.149	26.268	20.314	60.083
8/26/2008 13:12	10012.001	26.266	20.316	60.078
8/26/2008 13:12	10013.001	26.264	20.319	60.069
8/26/2008 13:12	10014.001	26.259	20.325	60.056
8/26/2008 13:12	10015.147	26.278	20.315	60.081
8/26/2008 13:12	10016.148	26.267	20.298	60.118
8/26/2008 13:12	10017.001	26.269	20.322	60.064
8/26/2008 13:13	10018.001	26.263	20.332	60.040
8/26/2008 13:13	10019.001	26.265	20.329	60.046
8/26/2008 13:13	10020.147	26.280	20.318	60.073
8/26/2008 13:13	10021.148	26.268	20.314	60.083
8/26/2008 13:13	10022.001	26.269	20.317	60.075
8/26/2008 13:13	10023.001	26.264	20.338	60.026
8/26/2008 13:13	10024.001	26.265	20.332	60.040
8/26/2008 13:13	10025.147	26.281	20.301	60.111
8/26/2008 13:13	10026.148	26.271	20.326	60.054
8/26/2008 13:13	10027.001	26.271	20.319	60.071
8/26/2008 13:13	10028.001	26.267	20.330	60.045
8/26/2008 13:13	10029.001	26.269	20.327	60.053
8/26/2008 13:13	10030.147	26.280	20.327	60.051
8/26/2008 13:13	10031.148	26.271	20.328	60.049
8/26/2008 13:13	10032.001	26.271	20.325	60.057
8/26/2008 13:13	10033.001	26.272	20.323	60.062
8/26/2008 13:13	10034.001	26.268	20.295	60.126
8/26/2008 13:13	10035.147	26.284	20.315	60.080
8/26/2008 13:13	10036.148	26.275	20.318	60.074
8/26/2008 13:13	10037.001	26.274	20.311	60.089
8/26/2008 13:13	10038.001	26.270	20.307	60.099
8/26/2008 13:13	10039.001	26.269	20.342	60.018
8/26/2008 13:13	10040.146	26.284	20.303	60.108
8/26/2008 13:13	10041.148	26.275	20.305	60.103
8/26/2008 13:13	10042.001	26.273	20.322	60.063
8/26/2008 13:13	10043.001	26.272	20.305	60.103
8/26/2008 13:13	10044.001	26.270	20.307	60.098

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:13	10045.146	26.287	20.322	60.063
8/26/2008 13:13	10046.148	26.278	20.313	60.085
8/26/2008 13:13	10047.001	26.276	20.318	60.074
8/26/2008 13:13	10048.001	26.273	20.310	60.091
8/26/2008 13:13	10049.001	26.272	20.329	60.046
8/26/2008 13:13	10050.001	26.292	20.317	60.076
8/26/2008 13:13	10051.001	26.278	20.321	60.066
8/26/2008 13:13	10052.001	26.275	20.318	60.072
8/26/2008 13:13	10053.001	26.275	20.325	60.057
8/26/2008 13:13	10054.001	26.274	20.332	60.041
8/26/2008 13:13	10055.145	26.291	20.343	60.015
8/26/2008 13:13	10056.147	26.282	20.307	60.099
8/26/2008 13:13	10057.001	26.280	20.334	60.035
8/26/2008 13:13	10058.001	26.276	20.308	60.096
8/26/2008 13:13	10059.001	26.274	20.319	60.071
8/26/2008 13:13	10060.145	26.292	20.335	60.033
8/26/2008 13:13	10061.147	26.282	20.328	60.050
8/26/2008 13:13	10062.001	26.280	20.302	60.109
8/26/2008 13:13	10063.001	26.277	20.297	60.121
8/26/2008 13:13	10064.001	26.275	20.320	60.067
8/26/2008 13:13	10065.145	26.290	20.301	60.111
8/26/2008 13:13	10066.147	26.280	20.296	60.124
8/26/2008 13:13	10067.001	26.280	20.294	60.128
8/26/2008 13:13	10068.001	26.277	20.319	60.069
8/26/2008 13:13	10069.001	26.279	20.311	60.088
8/26/2008 13:13	10070.144	26.291	20.319	60.069
8/26/2008 13:13	10071.147	26.281	20.310	60.090
8/26/2008 13:13	10072.001	26.282	20.304	60.105
8/26/2008 13:13	10073.001	26.281	20.297	60.122
8/26/2008 13:13	10074.001	26.280	20.306	60.101
8/26/2008 13:13	10075.144	26.291	20.286	60.146
8/26/2008 13:13	10076.146	26.283	20.300	60.115
8/26/2008 13:13	10077.001	26.283	20.315	60.080
8/26/2008 13:14	10078.001	26.282	20.297	60.120
8/26/2008 13:14	10079.001	26.279	20.329	60.048
8/26/2008 13:14	10080.144	26.295	20.324	60.059
8/26/2008 13:14	10081.146	26.285	20.305	60.104
8/26/2008 13:14	10082.001	26.286	20.311	60.088
8/26/2008 13:14	10083.001	26.281	20.320	60.068
8/26/2008 13:14	10084.001	26.279	20.297	60.121
8/26/2008 13:14	10085.144	26.297	20.301	60.113
8/26/2008 13:14	10086.145	26.286	20.314	60.081
8/26/2008 13:14	10087.001	26.284	20.311	60.088
8/26/2008 13:14	10088.001	26.282	20.298	60.119
8/26/2008 13:14	10089.001	26.282	20.307	60.099
8/26/2008 13:14	10090.144	26.296	20.313	60.084
8/26/2008 13:14	10091.146	26.289	20.289	60.140
8/26/2008 13:14	10092.001	26.284	20.308	60.096
8/26/2008 13:14	10093.001	26.285	20.313	60.085

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:14	10094.001	26.284	20.312	60.086
8/26/2008 13:14	10095.143	26.300	20.294	60.127
8/26/2008 13:14	10096.145	26.289	20.317	60.074
8/26/2008 13:14	10097.001	26.287	20.316	60.077
8/26/2008 13:14	10098.001	26.286	20.303	60.108
8/26/2008 13:14	10099.001	26.286	20.302	60.110
8/26/2008 13:14	10100.143	26.298	20.303	60.108
8/26/2008 13:14	10101.145	26.288	20.316	60.077
8/26/2008 13:14	10102.001	26.287	20.317	60.076
8/26/2008 13:14	10103.001	26.284	20.302	60.109
8/26/2008 13:14	10104.001	26.286	20.321	60.067
8/26/2008 13:14	10105.143	26.297	20.318	60.074
8/26/2008 13:14	10106.144	26.288	20.314	60.082
8/26/2008 13:14	10107.001	26.288	20.322	60.063
8/26/2008 13:14	10108.001	26.285	20.301	60.111
8/26/2008 13:14	10109.001	26.286	20.308	60.097
8/26/2008 13:14	10110.001	26.307	20.322	60.063
8/26/2008 13:14	10111.001	26.290	20.308	60.095
8/26/2008 13:14	10112.001	26.286	20.304	60.106
8/26/2008 13:14	10113.001	26.288	20.311	60.089
8/26/2008 13:14	10114.001	26.286	20.310	60.092
8/26/2008 13:14	10115.142	26.299	20.281	60.159
8/26/2008 13:14	10116.144	26.291	20.298	60.118
8/26/2008 13:14	10117.001	26.287	20.303	60.108
8/26/2008 13:14	10118.001	26.287	20.322	60.064
8/26/2008 13:14	10119.001	26.284	20.307	60.098
8/26/2008 13:14	10120.142	26.298	20.321	60.066
8/26/2008 13:14	10121.144	26.291	20.299	60.117
8/26/2008 13:14	10122.001	26.289	20.296	60.123
8/26/2008 13:14	10123.001	26.286	20.323	60.061
8/26/2008 13:14	10124.001	26.288	20.280	60.160
8/26/2008 13:14	10125.142	26.301	20.307	60.098
8/26/2008 13:14	10126.144	26.291	20.309	60.094
8/26/2008 13:14	10127.001	26.289	20.303	60.106
8/26/2008 13:14	10128.001	26.285	20.316	60.078
8/26/2008 13:14	10129.001	26.286	20.334	60.037
8/26/2008 13:14	10130.142	26.304	20.304	60.105
8/26/2008 13:14	10131.143	26.289	20.309	60.094
8/26/2008 13:14	10132.001	26.289	20.316	60.077
8/26/2008 13:14	10133.001	26.288	20.324	60.058
8/26/2008 13:14	10134.001	26.287	20.303	60.108
8/26/2008 13:14	10135.142	26.301	20.324	60.058
8/26/2008 13:14	10136.143	26.290	20.316	60.078
8/26/2008 13:14	10137.001	26.290	20.323	60.062
8/26/2008 13:15	10138.001	26.288	20.306	60.100
8/26/2008 13:15	10139.001	26.284	20.301	60.112
8/26/2008 13:15	10140.141	26.301	20.274	60.175
8/26/2008 13:15	10141.143	26.291	20.282	60.156
8/26/2008 13:15	10142.001	26.289	20.317	60.076

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:15	10143.001	26.287	20.324	60.058
8/26/2008 13:15	10144.001	26.286	20.318	60.073
8/26/2008 13:15	10145.141	26.302	20.308	60.096
8/26/2008 13:15	10146.143	26.292	20.297	60.121
8/26/2008 13:15	10147.001	26.288	20.302	60.110
8/26/2008 13:15	10148.001	26.290	20.298	60.119
8/26/2008 13:15	10149.001	26.285	20.279	60.164
8/26/2008 13:15	10150.140	26.302	20.293	60.131
8/26/2008 13:15	10151.142	26.290	20.311	60.090
8/26/2008 13:15	10152.001	26.289	20.295	60.126
8/26/2008 13:15	10153.001	26.288	20.313	60.084
8/26/2008 13:15	10154.001	26.285	20.302	60.109
8/26/2008 13:15	10155.140	26.298	20.309	60.094
8/26/2008 13:15	10156.142	26.290	20.303	60.107
8/26/2008 13:15	10157.001	26.289	20.341	60.020
8/26/2008 13:15	10158.001	26.288	20.293	60.130
8/26/2008 13:15	10159.001	26.286	20.322	60.064
8/26/2008 13:15	10160.140	26.298	20.306	60.100
8/26/2008 13:15	10161.141	26.292	20.298	60.120
8/26/2008 13:15	10162.001	26.291	20.301	60.113
8/26/2008 13:15	10163.001	26.288	20.289	60.141
8/26/2008 13:15	10164.001	26.288	20.284	60.150
8/26/2008 13:15	10165.140	26.299	20.301	60.113
8/26/2008 13:15	10166.141	26.292	20.309	60.094
8/26/2008 13:15	10167.001	26.289	20.308	60.096
8/26/2008 13:15	10168.001	26.287	20.288	60.143
8/26/2008 13:15	10169.001	26.288	20.289	60.140
8/26/2008 13:15	10170.001	26.305	20.319	60.069
8/26/2008 13:15	10171.001	26.290	20.310	60.092
8/26/2008 13:15	10172.001	26.290	20.308	60.095
8/26/2008 13:15	10173.001	26.286	20.310	60.091
8/26/2008 13:15	10174.001	26.284	20.280	60.160
8/26/2008 13:15	10175.140	26.301	20.310	60.091
8/26/2008 13:15	10176.140	26.289	20.280	60.160
8/26/2008 13:15	10177.001	26.291	20.300	60.115
8/26/2008 13:15	10178.001	26.285	20.304	60.105
8/26/2008 13:15	10179.001	26.285	20.291	60.136
8/26/2008 13:15	10180.139	26.299	20.276	60.169
8/26/2008 13:15	10181.140	26.291	20.334	60.035
8/26/2008 13:15	10182.001	26.290	20.296	60.123
8/26/2008 13:15	10183.001	26.287	20.305	60.102
8/26/2008 13:15	10184.001	26.285	20.282	60.155
8/26/2008 13:15	10185.139	26.302	20.309	60.094
8/26/2008 13:15	10186.140	26.293	20.299	60.116
8/26/2008 13:15	10187.001	26.289	20.302	60.110
8/26/2008 13:15	10188.001	26.288	20.290	60.138
8/26/2008 13:15	10189.001	26.288	20.280	60.160
8/26/2008 13:15	10190.139	26.301	20.289	60.140
8/26/2008 13:15	10191.140	26.292	20.283	60.154

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:15	10192.001	26.285	20.300	60.115
8/26/2008 13:15	10193.001	26.289	20.289	60.139
8/26/2008 13:15	10194.001	26.284	20.307	60.099
8/26/2008 13:15	10195.138	26.300	20.280	60.161
8/26/2008 13:15	10196.140	26.290	20.287	60.144
8/26/2008 13:15	10197.001	26.287	20.294	60.128
8/26/2008 13:16	10198.001	26.284	20.312	60.087
8/26/2008 13:16	10199.001	26.285	20.310	60.091
8/26/2008 13:16	10200.138	26.299	20.306	60.100
8/26/2008 13:16	10201.140	26.287	20.298	60.118
8/26/2008 13:16	10202.001	26.287	20.297	60.121
8/26/2008 13:16	10203.001	26.286	20.289	60.139
8/26/2008 13:16	10204.001	26.282	20.288	60.143
8/26/2008 13:16	10205.138	26.297	20.303	60.108
8/26/2008 13:16	10206.139	26.286	20.289	60.140
8/26/2008 13:16	10207.001	26.286	20.293	60.130
8/26/2008 13:16	10208.001	26.284	20.312	60.086
8/26/2008 13:16	10209.001	26.285	20.292	60.132
8/26/2008 13:16	10210.138	26.297	20.328	60.050
8/26/2008 13:16	10211.001	26.289	20.311	60.090
8/26/2008 13:16	10212.001	26.286	20.315	60.080
8/26/2008 13:16	10213.001	26.284	20.316	60.078
8/26/2008 13:16	10214.001	26.284	20.295	60.126
8/26/2008 13:16	10215.138	26.298	20.304	60.105
8/26/2008 13:16	10216.139	26.286	20.285	60.149
8/26/2008 13:16	10217.001	26.286	20.277	60.168
8/26/2008 13:16	10218.001	26.281	20.290	60.137
8/26/2008 13:16	10219.001	26.283	20.301	60.113
8/26/2008 13:16	10220.138	26.295	20.267	60.191
8/26/2008 13:16	10221.001	26.288	20.281	60.159
8/26/2008 13:16	10222.001	26.285	20.311	60.089
8/26/2008 13:16	10223.001	26.283	20.294	60.129
8/26/2008 13:16	10224.001	26.281	20.296	60.124
8/26/2008 13:16	10225.137	26.293	20.304	60.105
8/26/2008 13:16	10226.139	26.285	20.279	60.163
8/26/2008 13:16	10227.001	26.285	20.292	60.133
8/26/2008 13:16	10228.001	26.283	20.302	60.109
8/26/2008 13:16	10229.001	26.281	20.294	60.128
8/26/2008 13:16	10230.137	26.294	20.286	60.147
8/26/2008 13:16	10231.001	26.286	20.300	60.115
8/26/2008 13:16	10232.001	26.283	20.292	60.132
8/26/2008 13:16	10233.001	26.283	20.296	60.124
8/26/2008 13:16	10234.001	26.279	20.321	60.067
8/26/2008 13:16	10235.137	26.292	20.306	60.100
8/26/2008 13:16	10236.139	26.285	20.302	60.109
8/26/2008 13:16	10237.001	26.284	20.281	60.159
8/26/2008 13:16	10238.001	26.280	20.305	60.104
8/26/2008 13:16	10239.001	26.280	20.317	60.076
8/26/2008 13:16	10240.137	26.298	20.292	60.134

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:16	10241.001	26.286	20.285	60.149
8/26/2008 13:16	10242.001	26.283	20.270	60.183
8/26/2008 13:16	10243.001	26.279	20.286	60.146
8/26/2008 13:16	10244.001	26.279	20.293	60.131
8/26/2008 13:16	10245.137	26.292	20.294	60.128
8/26/2008 13:16	10246.138	26.284	20.279	60.163
8/26/2008 13:16	10247.001	26.280	20.296	60.123
8/26/2008 13:16	10248.001	26.279	20.309	60.094
8/26/2008 13:16	10249.001	26.279	20.287	60.144
8/26/2008 13:16	10250.137	26.289	20.300	60.114
8/26/2008 13:16	10251.001	26.285	20.288	60.143
8/26/2008 13:16	10252.001	26.279	20.262	60.202
8/26/2008 13:16	10253.001	26.278	20.322	60.065
8/26/2008 13:16	10254.001	26.276	20.266	60.194
8/26/2008 13:16	10255.137	26.289	20.313	60.085
8/26/2008 13:16	10256.138	26.282	20.289	60.140
8/26/2008 13:16	10257.001	26.282	20.294	60.127
8/26/2008 13:17	10258.001	26.279	20.288	60.143
8/26/2008 13:17	10259.001	26.275	20.284	60.151
8/26/2008 13:17	10260.136	26.293	20.275	60.173
8/26/2008 13:17	10261.001	26.281	20.278	60.166
8/26/2008 13:17	10262.001	26.279	20.305	60.103
8/26/2008 13:17	10263.001	26.277	20.302	60.110
8/26/2008 13:17	10264.001	26.274	20.316	60.078
8/26/2008 13:17	10265.136	26.292	20.291	60.135
8/26/2008 13:17	10266.138	26.281	20.302	60.109
8/26/2008 13:17	10267.001	26.280	20.285	60.150
8/26/2008 13:17	10268.001	26.276	20.287	60.144
8/26/2008 13:17	10269.001	26.274	20.286	60.146
8/26/2008 13:17	10270.135	26.288	20.276	60.169
8/26/2008 13:17	10271.001	26.280	20.276	60.170
8/26/2008 13:17	10272.001	26.275	20.291	60.135
8/26/2008 13:17	10273.001	26.276	20.279	60.163
8/26/2008 13:17	10274.001	26.276	20.267	60.190
8/26/2008 13:17	10275.135	26.288	20.295	60.126
8/26/2008 13:17	10276.137	26.277	20.272	60.178
8/26/2008 13:17	10277.001	26.279	20.288	60.141
8/26/2008 13:17	10278.001	26.275	20.295	60.126
8/26/2008 13:17	10279.001	26.272	20.288	60.143
8/26/2008 13:17	10280.135	26.289	20.287	60.144
8/26/2008 13:17	10281.001	26.281	20.289	60.140
8/26/2008 13:17	10282.001	26.273	20.244	60.243
8/26/2008 13:17	10283.001	26.274	20.287	60.144
8/26/2008 13:17	10284.001	26.274	20.284	60.152
8/26/2008 13:17	10285.135	26.284	20.268	60.188
8/26/2008 13:17	10286.136	26.278	20.307	60.097
8/26/2008 13:17	10287.001	26.276	20.319	60.069
8/26/2008 13:17	10288.001	26.274	20.299	60.117
8/26/2008 13:17	10289.001	26.271	20.293	60.130

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:17	10290.135	26.287	20.297	60.122
8/26/2008 13:17	10291.001	26.281	20.320	60.069
8/26/2008 13:17	10292.001	26.271	20.306	60.101
8/26/2008 13:17	10293.001	26.274	20.306	60.100
8/26/2008 13:17	10294.001	26.272	20.293	60.130
8/26/2008 13:17	10295.135	26.289	20.291	60.136
8/26/2008 13:17	10296.136	26.276	20.291	60.136
8/26/2008 13:17	10297.001	26.274	20.283	60.154
8/26/2008 13:17	10298.001	26.273	20.290	60.137
8/26/2008 13:17	10299.001	26.273	20.294	60.129
8/26/2008 13:17	10300.134	26.286	20.274	60.175
8/26/2008 13:17	10301.001	26.279	20.297	60.120
8/26/2008 13:17	10302.001	26.273	20.296	60.123
8/26/2008 13:17	10303.001	26.271	20.282	60.155
8/26/2008 13:17	10304.001	26.270	20.278	60.166
8/26/2008 13:17	10305.134	26.287	20.302	60.111
8/26/2008 13:17	10306.136	26.277	20.284	60.151
8/26/2008 13:17	10307.001	26.274	20.267	60.190
8/26/2008 13:17	10308.001	26.273	20.287	60.144
8/26/2008 13:17	10309.001	26.274	20.288	60.143
8/26/2008 13:17	10310.134	26.286	20.302	60.109
8/26/2008 13:17	10311.001	26.277	20.302	60.110
8/26/2008 13:17	10312.001	26.274	20.279	60.164
8/26/2008 13:17	10313.001	26.272	20.290	60.137
8/26/2008 13:17	10314.001	26.271	20.275	60.172
8/26/2008 13:17	10315.134	26.285	20.292	60.132
8/26/2008 13:17	10316.135	26.275	20.291	60.136
8/26/2008 13:17	10317.001	26.274	20.284	60.152
8/26/2008 13:18	10318.001	26.270	20.274	60.175
8/26/2008 13:18	10319.001	26.271	20.283	60.153
8/26/2008 13:18	10320.133	26.286	20.299	60.117
8/26/2008 13:18	10321.001	26.278	20.274	60.174
8/26/2008 13:18	10322.001	26.275	20.286	60.146
8/26/2008 13:18	10323.001	26.273	20.265	60.195
8/26/2008 13:18	10324.001	26.270	20.277	60.168
8/26/2008 13:18	10325.133	26.286	20.294	60.127
8/26/2008 13:18	10326.135	26.273	20.284	60.150
8/26/2008 13:18	10327.001	26.275	20.285	60.149
8/26/2008 13:18	10328.001	26.270	20.266	60.194
8/26/2008 13:18	10329.001	26.272	20.258	60.212
8/26/2008 13:18	10330.133	26.286	20.274	60.174
8/26/2008 13:18	10331.001	26.276	20.274	60.175
8/26/2008 13:18	10332.001	26.273	20.276	60.170
8/26/2008 13:18	10333.001	26.270	20.290	60.138
8/26/2008 13:18	10334.001	26.272	20.270	60.184
8/26/2008 13:18	10335.133	26.286	20.284	60.152
8/26/2008 13:18	10336.135	26.276	20.292	60.134
8/26/2008 13:18	10337.001	26.274	20.290	60.138
8/26/2008 13:18	10338.001	26.270	20.281	60.159

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:18	10339.001	26.269	20.279	60.163
8/26/2008 13:18	10340.133	26.283	20.296	60.123
8/26/2008 13:18	10341.001	26.276	20.307	60.098
8/26/2008 13:18	10342.001	26.274	20.279	60.163
8/26/2008 13:18	10343.001	26.269	20.279	60.164
8/26/2008 13:18	10344.001	26.272	20.283	60.153
8/26/2008 13:18	10345.133	26.284	20.286	60.147
8/26/2008 13:18	10346.134	26.271	20.273	60.177
8/26/2008 13:18	10347.001	26.270	20.252	60.226
8/26/2008 13:18	10348.001	26.270	20.273	60.176
8/26/2008 13:18	10349.001	26.268	20.278	60.165
8/26/2008 13:18	10350.133	26.284	20.278	60.166
8/26/2008 13:18	10351.001	26.273	20.278	60.166
8/26/2008 13:18	10352.001	26.273	20.283	60.154
8/26/2008 13:18	10353.001	26.269	20.300	60.115
8/26/2008 13:18	10354.001	26.269	20.260	60.206
8/26/2008 13:18	10355.132	26.285	20.282	60.156
8/26/2008 13:18	10356.134	26.274	20.289	60.139
8/26/2008 13:18	10357.001	26.274	20.276	60.170
8/26/2008 13:18	10358.001	26.268	20.257	60.213
8/26/2008 13:18	10359.001	26.269	20.258	60.210
8/26/2008 13:18	10360.132	26.283	20.269	60.187
8/26/2008 13:18	10361.001	26.275	20.281	60.157
8/26/2008 13:18	10362.001	26.272	20.288	60.143
8/26/2008 13:18	10363.001	26.272	20.291	60.135
8/26/2008 13:18	10364.001	26.269	20.276	60.169
8/26/2008 13:18	10365.132	26.283	20.291	60.135
8/26/2008 13:18	10366.133	26.271	20.284	60.151
8/26/2008 13:18	10367.001	26.273	20.271	60.182
8/26/2008 13:18	10368.001	26.269	20.286	60.148
8/26/2008 13:18	10369.001	26.267	20.276	60.171
8/26/2008 13:18	10370.132	26.283	20.284	60.152
8/26/2008 13:18	10371.001	26.273	20.279	60.162
8/26/2008 13:18	10372.001	26.271	20.283	60.155
8/26/2008 13:18	10373.001	26.270	20.267	60.192
8/26/2008 13:18	10374.001	26.270	20.279	60.163
8/26/2008 13:18	10375.131	26.283	20.251	60.227
8/26/2008 13:18	10376.133	26.274	20.291	60.136
8/26/2008 13:18	10377.001	26.271	20.291	60.136
8/26/2008 13:19	10378.001	26.271	20.278	60.166
8/26/2008 13:19	10379.001	26.271	20.301	60.112
8/26/2008 13:19	10380.131	26.283	20.266	60.193
8/26/2008 13:19	10381.001	26.273	20.274	60.174
8/26/2008 13:19	10382.001	26.268	20.284	60.151
8/26/2008 13:19	10383.001	26.266	20.276	60.170
8/26/2008 13:19	10384.001	26.270	20.287	60.145
8/26/2008 13:19	10385.131	26.280	20.278	60.165
8/26/2008 13:19	10386.133	26.272	20.281	60.158
8/26/2008 13:19	10387.001	26.271	20.294	60.128

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:19	10388.001	26.269	20.260	60.207
8/26/2008 13:19	10389.001	26.268	20.268	60.188
8/26/2008 13:19	10390.131	26.282	20.293	60.131
8/26/2008 13:19	10391.001	26.272	20.290	60.137
8/26/2008 13:19	10392.001	26.271	20.278	60.166
8/26/2008 13:19	10393.001	26.269	20.283	60.154
8/26/2008 13:19	10394.001	26.264	20.256	60.216
8/26/2008 13:19	10395.131	26.277	20.272	60.179
8/26/2008 13:19	10396.132	26.273	20.279	60.162
8/26/2008 13:19	10397.001	26.269	20.277	60.167
8/26/2008 13:19	10398.001	26.265	20.274	60.175
8/26/2008 13:19	10399.001	26.266	20.256	60.215
8/26/2008 13:19	10400.131	26.280	20.269	60.185
8/26/2008 13:19	10401.001	26.275	20.269	60.186
8/26/2008 13:19	10402.001	26.266	20.273	60.177
8/26/2008 13:19	10403.001	26.268	20.266	60.193
8/26/2008 13:19	10404.001	26.267	20.276	60.171
8/26/2008 13:19	10405.131	26.280	20.281	60.159
8/26/2008 13:19	10406.132	26.270	20.288	60.142
8/26/2008 13:19	10407.001	26.269	20.298	60.119
8/26/2008 13:19	10408.001	26.268	20.268	60.188
8/26/2008 13:19	10409.001	26.265	20.263	60.200
8/26/2008 13:19	10410.131	26.282	20.282	60.155
8/26/2008 13:19	10411.001	26.271	20.275	60.171
8/26/2008 13:19	10412.001	26.268	20.258	60.212
8/26/2008 13:19	10413.001	26.265	20.283	60.154
8/26/2008 13:19	10414.001	26.264	20.271	60.181
8/26/2008 13:19	10415.131	26.281	20.276	60.170
8/26/2008 13:19	10416.132	26.272	20.274	60.174
8/26/2008 13:19	10417.001	26.268	20.260	60.206
8/26/2008 13:19	10418.001	26.266	20.267	60.192
8/26/2008 13:19	10419.001	26.263	20.288	60.142
8/26/2008 13:19	10420.131	26.279	20.264	60.198
8/26/2008 13:19	10421.001	26.269	20.283	60.155
8/26/2008 13:19	10422.001	26.269	20.285	60.149
8/26/2008 13:19	10423.001	26.264	20.296	60.123
8/26/2008 13:19	10424.001	26.263	20.253	60.224
8/26/2008 13:19	10425.130	26.280	20.272	60.180
8/26/2008 13:19	10426.132	26.268	20.267	60.191
8/26/2008 13:19	10427.001	26.270	20.248	60.235
8/26/2008 13:19	10428.001	26.263	20.265	60.195
8/26/2008 13:19	10429.001	26.261	20.276	60.169
8/26/2008 13:19	10430.130	26.280	20.269	60.185
8/26/2008 13:19	10431.001	26.269	20.273	60.177
8/26/2008 13:19	10432.001	26.269	20.260	60.207
8/26/2008 13:19	10433.001	26.263	20.281	60.158
8/26/2008 13:19	10434.001	26.263	20.270	60.184
8/26/2008 13:19	10435.129	26.280	20.274	60.175
8/26/2008 13:19	10436.132	26.268	20.273	60.177

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:19	10437.001	26.267	20.271	60.180
8/26/2008 13:20	10438.001	26.263	20.272	60.180
8/26/2008 13:20	10439.001	26.263	20.276	60.170
8/26/2008 13:20	10440.129	26.277	20.254	60.221
8/26/2008 13:20	10441.001	26.270	20.265	60.194
8/26/2008 13:20	10442.001	26.265	20.273	60.177
8/26/2008 13:20	10443.001	26.264	20.242	60.247
8/26/2008 13:20	10444.001	26.264	20.282	60.155
8/26/2008 13:20	10445.129	26.278	20.281	60.159
8/26/2008 13:20	10446.132	26.268	20.251	60.229
8/26/2008 13:20	10447.001	26.265	20.290	60.137
8/26/2008 13:20	10448.001	26.265	20.285	60.148
8/26/2008 13:20	10449.001	26.263	20.283	60.153
8/26/2008 13:20	10450.129	26.276	20.278	60.166
8/26/2008 13:20	10451.001	26.269	20.269	60.186
8/26/2008 13:20	10452.001	26.264	20.252	60.226
8/26/2008 13:20	10453.001	26.260	20.249	60.232
8/26/2008 13:20	10454.001	26.265	20.259	60.209
8/26/2008 13:20	10455.129	26.277	20.251	60.227
8/26/2008 13:20	10456.130	26.265	20.270	60.183
8/26/2008 13:20	10457.001	26.265	20.266	60.194
8/26/2008 13:20	10458.001	26.262	20.259	60.209
8/26/2008 13:20	10459.001	26.264	20.254	60.220
8/26/2008 13:20	10460.128	26.276	20.262	60.201
8/26/2008 13:20	10461.001	26.268	20.298	60.119
8/26/2008 13:20	10462.001	26.264	20.280	60.161
8/26/2008 13:20	10463.001	26.260	20.249	60.231
8/26/2008 13:20	10464.001	26.262	20.271	60.182
8/26/2008 13:20	10465.128	26.277	20.249	60.231
8/26/2008 13:20	10466.130	26.267	20.278	60.165
8/26/2008 13:20	10467.001	26.266	20.279	60.162
8/26/2008 13:20	10468.001	26.264	20.261	60.204
8/26/2008 13:20	10469.001	26.259	20.277	60.167
8/26/2008 13:20	10470.128	26.276	20.292	60.132
8/26/2008 13:20	10471.015	26.269	20.261	60.204
8/26/2008 13:20	10472.001	26.262	20.287	60.144
8/26/2008 13:20	10473.001	26.262	20.265	60.196
8/26/2008 13:20	10474.001	26.256	20.286	60.148
8/26/2008 13:20	10475.128	26.275	20.262	60.203
8/26/2008 13:20	10476.130	26.265	20.278	60.165
8/26/2008 13:20	10477.001	26.262	20.268	60.189
8/26/2008 13:20	10478.001	26.260	20.257	60.214
8/26/2008 13:20	10479.001	26.258	20.255	60.219
8/26/2008 13:20	10480.128	26.274	20.255	60.219
8/26/2008 13:20	10481.001	26.267	20.279	60.162
8/26/2008 13:20	10482.001	26.262	20.248	60.235
8/26/2008 13:20	10483.001	26.260	20.266	60.192
8/26/2008 13:20	10484.001	26.260	20.261	60.205
8/26/2008 13:20	10485.127	26.276	20.262	60.203

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:20	10486.129	26.266	20.254	60.221
8/26/2008 13:20	10487.001	26.260	20.250	60.230
8/26/2008 13:20	10488.001	26.260	20.267	60.190
8/26/2008 13:20	10489.001	26.259	20.252	60.226
8/26/2008 13:20	10490.127	26.275	20.249	60.231
8/26/2008 13:20	10491.001	26.264	20.261	60.205
8/26/2008 13:20	10492.001	26.258	20.233	60.269
8/26/2008 13:20	10493.001	26.259	20.260	60.206
8/26/2008 13:20	10494.001	26.257	20.263	60.199
8/26/2008 13:20	10495.127	26.274	20.271	60.182
8/26/2008 13:20	10496.129	26.264	20.257	60.214
8/26/2008 13:20	10497.001	26.263	20.270	60.184
8/26/2008 13:21	10498.001	26.260	20.273	60.176
8/26/2008 13:21	10499.001	26.255	20.287	60.145
8/26/2008 13:21	10500.127	26.274	20.255	60.218
8/26/2008 13:21	10501.001	26.265	20.270	60.185
8/26/2008 13:21	10502.001	26.261	20.255	60.218
8/26/2008 13:21	10503.001	26.257	20.265	60.196
8/26/2008 13:21	10504.001	26.255	20.267	60.192
8/26/2008 13:21	10505.126	26.273	20.267	60.191
8/26/2008 13:21	10506.128	26.264	20.263	60.201
8/26/2008 13:21	10507.001	26.261	20.258	60.211
8/26/2008 13:21	10508.001	26.258	20.269	60.186
8/26/2008 13:21	10509.001	26.258	20.268	60.187
8/26/2008 13:21	10510.126	26.270	20.270	60.183
8/26/2008 13:21	10511.001	26.263	20.274	60.174
8/26/2008 13:21	10512.001	26.259	20.271	60.180
8/26/2008 13:21	10513.001	26.257	20.248	60.235
8/26/2008 13:21	10514.001	26.257	20.268	60.189
8/26/2008 13:21	10515.126	26.272	20.257	60.213
8/26/2008 13:21	10516.128	26.262	20.244	60.243
8/26/2008 13:21	10517.001	26.260	20.274	60.174
8/26/2008 13:21	10518.001	26.257	20.245	60.241
8/26/2008 13:21	10519.001	26.258	20.263	60.200
8/26/2008 13:21	10520.126	26.270	20.263	60.199
8/26/2008 13:21	10521.001	26.263	20.252	60.224
8/26/2008 13:21	10522.001	26.258	20.262	60.202
8/26/2008 13:21	10523.001	26.259	20.294	60.127
8/26/2008 13:21	10524.001	26.257	20.271	60.181
8/26/2008 13:21	10525.126	26.272	20.256	60.216
8/26/2008 13:21	10526.128	26.259	20.257	60.214
8/26/2008 13:21	10527.001	26.261	20.266	60.192
8/26/2008 13:21	10528.001	26.259	20.252	60.224
8/26/2008 13:21	10529.001	26.257	20.275	60.172
8/26/2008 13:21	10530.125	26.270	20.262	60.202
8/26/2008 13:21	10531.012	26.260	20.265	60.194
8/26/2008 13:21	10532.001	26.258	20.234	60.267
8/26/2008 13:21	10533.001	26.256	20.262	60.202
8/26/2008 13:21	10534.001	26.255	20.243	60.245

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:21	10535.124	26.271	20.259	60.210
8/26/2008 13:21	10536.127	26.260	20.252	60.226
8/26/2008 13:21	10537.001	26.259	20.255	60.219
8/26/2008 13:21	10538.001	26.256	20.267	60.190
8/26/2008 13:21	10539.001	26.256	20.245	60.242
8/26/2008 13:21	10540.124	26.270	20.255	60.218
8/26/2008 13:21	10541.001	26.261	20.240	60.252
8/26/2008 13:21	10542.001	26.258	20.258	60.211
8/26/2008 13:21	10543.001	26.256	20.248	60.233
8/26/2008 13:21	10544.001	26.256	20.258	60.210
8/26/2008 13:21	10545.124	26.270	20.267	60.191
8/26/2008 13:21	10546.125	26.258	20.261	60.205
8/26/2008 13:21	10547.001	26.259	20.249	60.232
8/26/2008 13:21	10548.001	26.257	20.260	60.206
8/26/2008 13:21	10549.001	26.255	20.260	60.207
8/26/2008 13:21	10550.124	26.268	20.267	60.190
8/26/2008 13:21	10551.001	26.261	20.274	60.173
8/26/2008 13:21	10552.001	26.258	20.273	60.178
8/26/2008 13:21	10553.001	26.255	20.266	60.193
8/26/2008 13:21	10554.001	26.256	20.258	60.212
8/26/2008 13:21	10555.124	26.270	20.229	60.278
8/26/2008 13:21	10556.125	26.258	20.259	60.210
8/26/2008 13:21	10557.001	26.258	20.273	60.178
8/26/2008 13:22	10558.001	26.253	20.250	60.230
8/26/2008 13:22	10559.001	26.254	20.257	60.214
8/26/2008 13:22	10560.124	26.269	20.257	60.215
8/26/2008 13:22	10561.001	26.264	20.243	60.245
8/26/2008 13:22	10562.001	26.256	20.276	60.171
8/26/2008 13:22	10563.001	26.255	20.249	60.232
8/26/2008 13:22	10564.001	26.256	20.254	60.221
8/26/2008 13:22	10565.124	26.268	20.260	60.207
8/26/2008 13:22	10566.125	26.261	20.270	60.185
8/26/2008 13:22	10567.001	26.258	20.268	60.189
8/26/2008 13:22	10568.001	26.254	20.265	60.194
8/26/2008 13:22	10569.001	26.255	20.256	60.216
8/26/2008 13:22	10570.124	26.272	20.272	60.179
8/26/2008 13:22	10571.001	26.261	20.259	60.209
8/26/2008 13:22	10572.001	26.261	20.249	60.232
8/26/2008 13:22	10573.001	26.252	20.253	60.223
8/26/2008 13:22	10574.001	26.256	20.252	60.225
8/26/2008 13:22	10575.124	26.270	20.273	60.176
8/26/2008 13:22	10576.125	26.260	20.276	60.170
8/26/2008 13:22	10577.001	26.256	20.268	60.189
8/26/2008 13:22	10578.001	26.256	20.258	60.212
8/26/2008 13:22	10579.001	26.253	20.241	60.251
8/26/2008 13:22	10580.123	26.272	20.256	60.216
8/26/2008 13:22	10581.001	26.262	20.251	60.227
8/26/2008 13:22	10582.001	26.258	20.277	60.168
8/26/2008 13:22	10583.001	26.256	20.257	60.213

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:22	10584.001	26.254	20.217	60.307
8/26/2008 13:22	10585.123	26.268	20.249	60.231
8/26/2008 13:22	10586.125	26.259	20.278	60.164
8/26/2008 13:22	10587.001	26.256	20.253	60.224
8/26/2008 13:22	10588.001	26.255	20.255	60.218
8/26/2008 13:22	10589.001	26.252	20.266	60.192
8/26/2008 13:22	10590.122	26.270	20.257	60.214
8/26/2008 13:22	10591.009	26.260	20.258	60.212
8/26/2008 13:22	10592.001	26.257	20.268	60.189
8/26/2008 13:22	10593.001	26.256	20.248	60.235
8/26/2008 13:22	10594.001	26.256	20.262	60.202
8/26/2008 13:22	10595.122	26.267	20.273	60.178
8/26/2008 13:22	10596.124	26.260	20.225	60.289
8/26/2008 13:22	10597.001	26.256	20.252	60.226
8/26/2008 13:22	10598.001	26.256	20.252	60.225
8/26/2008 13:22	10599.001	26.257	20.264	60.198
8/26/2008 13:22	10600.122	26.273	20.262	60.202
8/26/2008 13:22	10601.001	26.264	20.270	60.183
8/26/2008 13:22	10602.001	26.256	20.269	60.186
8/26/2008 13:22	10603.001	26.256	20.267	60.190
8/26/2008 13:22	10604.001	26.257	20.254	60.220
8/26/2008 13:22	10605.122	26.271	20.237	60.260
8/26/2008 13:22	10606.123	26.261	20.239	60.254
8/26/2008 13:22	10607.001	26.258	20.249	60.233
8/26/2008 13:22	10608.001	26.255	20.264	60.198
8/26/2008 13:22	10609.001	26.257	20.231	60.274
8/26/2008 13:22	10610.121	26.270	20.236	60.263
8/26/2008 13:22	10611.001	26.263	20.229	60.279
8/26/2008 13:22	10612.001	26.257	20.235	60.264
8/26/2008 13:22	10613.001	26.255	20.269	60.185
8/26/2008 13:22	10614.001	26.255	20.241	60.251
8/26/2008 13:22	10615.121	26.271	20.245	60.241
8/26/2008 13:22	10616.001	26.262	20.228	60.280
8/26/2008 13:22	10617.001	26.259	20.268	60.189
8/26/2008 13:23	10618.001	26.258	20.241	60.251
8/26/2008 13:23	10619.001	26.256	20.243	60.245
8/26/2008 13:23	10620.121	26.271	20.235	60.265
8/26/2008 13:23	10621.001	26.265	20.243	60.246
8/26/2008 13:23	10622.001	26.258	20.242	60.248
8/26/2008 13:23	10623.001	26.257	20.232	60.271
8/26/2008 13:23	10624.001	26.258	20.232	60.271
8/26/2008 13:23	10625.121	26.274	20.261	60.204
8/26/2008 13:23	10626.122	26.263	20.241	60.251
8/26/2008 13:23	10627.001	26.261	20.251	60.229
8/26/2008 13:23	10628.001	26.258	20.253	60.222
8/26/2008 13:23	10629.001	26.256	20.274	60.175
8/26/2008 13:23	10630.121	26.273	20.236	60.261
8/26/2008 13:23	10631.001	26.264	20.252	60.225
8/26/2008 13:23	10632.001	26.263	20.243	60.245

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:23	10633.001	26.260	20.261	60.204
8/26/2008 13:23	10634.001	26.261	20.258	60.211
8/26/2008 13:23	10635.121	26.276	20.234	60.267
8/26/2008 13:23	10636.122	26.263	20.232	60.272
8/26/2008 13:23	10637.001	26.261	20.259	60.209
8/26/2008 13:23	10638.001	26.263	20.253	60.224
8/26/2008 13:23	10639.001	26.260	20.228	60.281
8/26/2008 13:23	10640.120	26.276	20.252	60.225
8/26/2008 13:23	10641.001	26.266	20.246	60.239
8/26/2008 13:23	10642.001	26.263	20.228	60.281
8/26/2008 13:23	10643.001	26.262	20.273	60.177
8/26/2008 13:23	10644.001	26.260	20.238	60.258
8/26/2008 13:23	10645.120	26.278	20.222	60.294
8/26/2008 13:23	10646.122	26.266	20.251	60.227
8/26/2008 13:23	10647.001	26.265	20.258	60.211
8/26/2008 13:23	10648.001	26.261	20.238	60.257
8/26/2008 13:23	10649.001	26.262	20.255	60.219
8/26/2008 13:23	10650.120	26.276	20.255	60.218
8/26/2008 13:23	10651.007	26.267	20.256	60.216
8/26/2008 13:23	10652.001	26.266	20.237	60.259
8/26/2008 13:23	10653.001	26.265	20.250	60.231
8/26/2008 13:23	10654.001	26.262	20.253	60.223
8/26/2008 13:23	10655.120	26.278	20.255	60.217
8/26/2008 13:23	10656.121	26.269	20.231	60.274
8/26/2008 13:23	10657.001	26.267	20.241	60.250
8/26/2008 13:23	10658.001	26.263	20.268	60.189
8/26/2008 13:23	10659.001	26.262	20.246	60.239
8/26/2008 13:23	10660.120	26.276	20.230	60.276
8/26/2008 13:23	10661.001	26.267	20.257	60.214
8/26/2008 13:23	10662.001	26.267	20.238	60.256
8/26/2008 13:23	10663.001	26.263	20.251	60.227
8/26/2008 13:23	10664.001	26.260	20.243	60.246
8/26/2008 13:23	10665.120	26.275	20.254	60.221
8/26/2008 13:23	10666.121	26.268	20.257	60.215
8/26/2008 13:23	10667.001	26.267	20.220	60.299
8/26/2008 13:23	10668.001	26.264	20.252	60.226
8/26/2008 13:23	10669.001	26.263	20.245	60.241
8/26/2008 13:23	10670.119	26.280	20.232	60.270
8/26/2008 13:23	10671.001	26.271	20.236	60.262
8/26/2008 13:23	10672.001	26.267	20.245	60.241
8/26/2008 13:23	10673.001	26.266	20.239	60.255
8/26/2008 13:23	10674.001	26.261	20.249	60.233
8/26/2008 13:23	10675.119	26.279	20.252	60.226
8/26/2008 13:23	10676.121	26.269	20.242	60.249
8/26/2008 13:23	10677.001	26.267	20.224	60.290
8/26/2008 13:24	10678.001	26.266	20.244	60.243
8/26/2008 13:24	10679.001	26.262	20.243	60.246
8/26/2008 13:24	10680.119	26.277	20.247	60.237
8/26/2008 13:24	10681.001	26.271	20.262	60.203

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:24	10682.001	26.267	20.224	60.291
8/26/2008 13:24	10683.001	26.266	20.254	60.220
8/26/2008 13:24	10684.001	26.262	20.240	60.253
8/26/2008 13:24	10685.119	26.280	20.228	60.281
8/26/2008 13:24	10686.120	26.268	20.221	60.296
8/26/2008 13:24	10687.005	26.266	20.248	60.234
8/26/2008 13:24	10688.001	26.266	20.238	60.258
8/26/2008 13:24	10689.001	26.264	20.239	60.255
8/26/2008 13:24	10690.118	26.278	20.255	60.219
8/26/2008 13:24	10691.001	26.270	20.257	60.215
8/26/2008 13:24	10692.001	26.266	20.235	60.264
8/26/2008 13:24	10693.001	26.266	20.258	60.211
8/26/2008 13:24	10694.001	26.267	20.243	60.247
8/26/2008 13:24	10695.118	26.279	20.239	60.256
8/26/2008 13:24	10696.119	26.271	20.255	60.217
8/26/2008 13:24	10697.001	26.268	20.235	60.264
8/26/2008 13:24	10698.001	26.265	20.245	60.241
8/26/2008 13:24	10699.001	26.264	20.231	60.274
8/26/2008 13:24	10700.118	26.277	20.247	60.236
8/26/2008 13:24	10701.001	26.270	20.237	60.259
8/26/2008 13:24	10702.001	26.266	20.227	60.283
8/26/2008 13:24	10703.001	26.265	20.230	60.277
8/26/2008 13:24	10704.001	26.263	20.252	60.226
8/26/2008 13:24	10705.118	26.279	20.245	60.242
8/26/2008 13:24	10706.119	26.270	20.232	60.272
8/26/2008 13:24	10707.001	26.268	20.263	60.199
8/26/2008 13:24	10708.001	26.266	20.267	60.190
8/26/2008 13:24	10709.001	26.266	20.263	60.199
8/26/2008 13:24	10710.118	26.281	20.209	60.324
8/26/2008 13:24	10711.005	26.269	20.238	60.257
8/26/2008 13:24	10712.001	26.267	20.255	60.219
8/26/2008 13:24	10713.001	26.266	20.235	60.264
8/26/2008 13:24	10714.001	26.264	20.242	60.247
8/26/2008 13:24	10715.117	26.282	20.244	60.243
8/26/2008 13:24	10716.119	26.270	20.240	60.254
8/26/2008 13:24	10717.001	26.268	20.237	60.259
8/26/2008 13:24	10718.001	26.266	20.247	60.237
8/26/2008 13:24	10719.001	26.264	20.243	60.246
8/26/2008 13:24	10720.117	26.279	20.226	60.286
8/26/2008 13:24	10721.001	26.273	20.223	60.292
8/26/2008 13:24	10722.001	26.266	20.271	60.182
8/26/2008 13:24	10723.001	26.264	20.228	60.281
8/26/2008 13:24	10724.001	26.265	20.243	60.246
8/26/2008 13:24	10725.117	26.279	20.218	60.304
8/26/2008 13:24	10726.119	26.272	20.243	60.246
8/26/2008 13:24	10727.001	26.269	20.253	60.222
8/26/2008 13:24	10728.001	26.265	20.220	60.298
8/26/2008 13:24	10729.001	26.265	20.261	60.205
8/26/2008 13:24	10730.117	26.280	20.240	60.254

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:24	10731.001	26.272	20.230	60.276
8/26/2008 13:24	10732.001	26.268	20.236	60.261
8/26/2008 13:24	10733.001	26.265	20.256	60.216
8/26/2008 13:24	10734.001	26.265	20.238	60.257
8/26/2008 13:24	10735.117	26.281	20.218	60.303
8/26/2008 13:24	10736.118	26.272	20.240	60.254
8/26/2008 13:24	10737.001	26.264	20.253	60.223
8/26/2008 13:25	10738.001	26.266	20.236	60.261
8/26/2008 13:25	10739.001	26.268	20.231	60.273
8/26/2008 13:25	10740.116	26.282	20.258	60.212
8/26/2008 13:25	10741.001	26.270	20.224	60.291
8/26/2008 13:25	10742.001	26.266	20.229	60.279
8/26/2008 13:25	10743.001	26.269	20.231	60.274
8/26/2008 13:25	10744.001	26.264	20.252	60.224
8/26/2008 13:25	10745.116	26.283	20.242	60.248
8/26/2008 13:25	10746.118	26.269	20.249	60.233
8/26/2008 13:25	10747.001	26.268	20.243	60.247
8/26/2008 13:25	10748.001	26.266	20.238	60.258
8/26/2008 13:25	10749.001	26.267	20.214	60.313
8/26/2008 13:25	10750.116	26.282	20.227	60.283
8/26/2008 13:25	10751.001	26.272	20.218	60.304
8/26/2008 13:25	10752.001	26.268	20.232	60.272
8/26/2008 13:25	10753.001	26.265	20.251	60.229
8/26/2008 13:25	10754.001	26.264	20.251	60.227
8/26/2008 13:25	10755.116	26.280	20.250	60.229
8/26/2008 13:25	10756.118	26.271	20.235	60.264
8/26/2008 13:25	10757.001	26.268	20.240	60.253
8/26/2008 13:25	10758.001	26.266	20.226	60.285
8/26/2008 13:25	10759.001	26.267	20.237	60.259
8/26/2008 13:25	10760.116	26.280	20.250	60.230
8/26/2008 13:25	10761.001	26.272	20.256	60.216
8/26/2008 13:25	10762.001	26.270	20.263	60.200
8/26/2008 13:25	10763.001	26.264	20.249	60.232
8/26/2008 13:25	10764.001	26.265	20.256	60.216
8/26/2008 13:25	10765.115	26.280	20.259	60.209
8/26/2008 13:25	10766.117	26.270	20.235	60.265
8/26/2008 13:25	10767.001	26.270	20.219	60.302
8/26/2008 13:25	10768.001	26.267	20.239	60.256
8/26/2008 13:25	10769.001	26.264	20.211	60.320
8/26/2008 13:25	10770.001	26.266	20.242	60.248
8/26/2008 13:25	10771.006	26.277	20.242	60.249
8/26/2008 13:25	10772.001	26.269	20.233	60.268
8/26/2008 13:25	10773.001	26.268	20.248	60.233
8/26/2008 13:25	10774.001	26.266	20.251	60.227
8/26/2008 13:25	10775.115	26.283	20.234	60.266
8/26/2008 13:25	10776.117	26.271	20.227	60.283
8/26/2008 13:25	10777.001	26.268	20.216	60.308
8/26/2008 13:25	10778.001	26.268	20.246	60.239
8/26/2008 13:25	10779.001	26.266	20.233	60.269

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:25	10780.115	26.282	20.255	60.219
8/26/2008 13:25	10781.001	26.272	20.210	60.323
8/26/2008 13:25	10782.001	26.267	20.225	60.287
8/26/2008 13:25	10783.001	26.265	20.216	60.309
8/26/2008 13:25	10784.001	26.265	20.232	60.271
8/26/2008 13:25	10785.115	26.280	20.233	60.269
8/26/2008 13:25	10786.117	26.271	20.219	60.302
8/26/2008 13:25	10787.001	26.272	20.260	60.207
8/26/2008 13:25	10788.001	26.266	20.243	60.246
8/26/2008 13:25	10789.001	26.266	20.254	60.221
8/26/2008 13:25	10790.115	26.281	20.211	60.320
8/26/2008 13:25	10791.001	26.273	20.222	60.295
8/26/2008 13:25	10792.001	26.268	20.240	60.252
8/26/2008 13:25	10793.001	26.266	20.220	60.300
8/26/2008 13:25	10794.001	26.267	20.200	60.346
8/26/2008 13:25	10795.115	26.281	20.225	60.288
8/26/2008 13:25	10796.117	26.274	20.232	60.272
8/26/2008 13:25	10797.001	26.267	20.225	60.289
8/26/2008 13:26	10798.001	26.267	20.235	60.264
8/26/2008 13:26	10799.001	26.264	20.233	60.269
8/26/2008 13:26	10800.115	26.281	20.223	60.292
8/26/2008 13:26	10801.001	26.270	20.250	60.230
8/26/2008 13:26	10802.001	26.268	20.223	60.292
8/26/2008 13:26	10803.001	26.265	20.241	60.252
8/26/2008 13:26	10804.001	26.265	20.230	60.277
8/26/2008 13:26	10805.115	26.281	20.244	60.243
8/26/2008 13:26	10806.117	26.266	20.239	60.255
8/26/2008 13:26	10807.001	26.268	20.240	60.254
8/26/2008 13:26	10808.001	26.265	20.221	60.296
8/26/2008 13:26	10809.001	26.264	20.213	60.316
8/26/2008 13:26	10810.114	26.279	20.223	60.293
8/26/2008 13:26	10811.001	26.271	20.224	60.290
8/26/2008 13:26	10812.001	26.268	20.232	60.270
8/26/2008 13:26	10813.001	26.265	20.251	60.228
8/26/2008 13:26	10814.001	26.265	20.247	60.236
8/26/2008 13:26	10815.114	26.281	20.240	60.253
8/26/2008 13:26	10816.116	26.270	20.222	60.295
8/26/2008 13:26	10817.001	26.266	20.233	60.268
8/26/2008 13:26	10818.001	26.269	20.219	60.302
8/26/2008 13:26	10819.001	26.264	20.234	60.267
8/26/2008 13:26	10820.114	26.281	20.225	60.288
8/26/2008 13:26	10821.001	26.272	20.224	60.289
8/26/2008 13:26	10822.001	26.267	20.223	60.293
8/26/2008 13:26	10823.001	26.269	20.235	60.265
8/26/2008 13:26	10824.001	26.266	20.216	60.308
8/26/2008 13:26	10825.114	26.282	20.236	60.263
8/26/2008 13:26	10826.116	26.272	20.223	60.292
8/26/2008 13:26	10827.001	26.268	20.245	60.241
8/26/2008 13:26	10828.001	26.267	20.235	60.264

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:26	10829.001	26.265	20.233	60.269
8/26/2008 13:26	10830.113	26.279	20.264	60.197
8/26/2008 13:26	10831.001	26.268	20.248	60.233
8/26/2008 13:26	10832.001	26.267	20.217	60.305
8/26/2008 13:26	10833.001	26.265	20.225	60.288
8/26/2008 13:26	10834.001	26.265	20.211	60.319
8/26/2008 13:26	10835.113	26.283	20.226	60.286
8/26/2008 13:26	10836.115	26.269	20.252	60.226
8/26/2008 13:26	10837.001	26.268	20.243	60.246
8/26/2008 13:26	10838.001	26.265	20.236	60.262
8/26/2008 13:26	10839.001	26.265	20.238	60.257
8/26/2008 13:26	10840.112	26.281	20.236	60.262
8/26/2008 13:26	10841.001	26.276	20.243	60.245
8/26/2008 13:26	10842.001	26.270	20.229	60.278
8/26/2008 13:26	10843.001	26.266	20.236	60.262
8/26/2008 13:26	10844.001	26.265	20.226	60.286
8/26/2008 13:26	10845.112	26.282	20.235	60.266
8/26/2008 13:26	10846.114	26.270	20.250	60.231
8/26/2008 13:26	10847.001	26.269	20.243	60.246
8/26/2008 13:26	10848.001	26.268	20.239	60.256
8/26/2008 13:26	10849.001	26.262	20.219	60.302
8/26/2008 13:26	10850.112	26.279	20.207	60.329
8/26/2008 13:26	10851.001	26.272	20.226	60.285
8/26/2008 13:26	10852.001	26.268	20.211	60.319
8/26/2008 13:26	10853.001	26.264	20.220	60.300
8/26/2008 13:26	10854.001	26.266	20.243	60.245
8/26/2008 13:26	10855.112	26.283	20.245	60.242
8/26/2008 13:26	10856.114	26.271	20.246	60.239
8/26/2008 13:26	10857.001	26.270	20.241	60.250
8/26/2008 13:27	10858.001	26.268	20.221	60.296
8/26/2008 13:27	10859.001	26.265	20.240	60.253
8/26/2008 13:27	10860.112	26.282	20.244	60.244
8/26/2008 13:27	10861.001	26.273	20.221	60.298
8/26/2008 13:27	10862.001	26.270	20.214	60.313
8/26/2008 13:27	10863.001	26.268	20.262	60.202
8/26/2008 13:27	10864.001	26.267	20.217	60.306
8/26/2008 13:27	10865.112	26.282	20.203	60.338
8/26/2008 13:27	10866.113	26.272	20.221	60.296
8/26/2008 13:27	10867.001	26.269	20.236	60.263
8/26/2008 13:27	10868.001	26.269	20.256	60.216
8/26/2008 13:27	10869.001	26.270	20.238	60.257
8/26/2008 13:27	10870.111	26.282	20.243	60.246
8/26/2008 13:27	10871.001	26.276	20.244	60.243
8/26/2008 13:27	10872.001	26.271	20.220	60.300
8/26/2008 13:27	10873.001	26.271	20.218	60.304
8/26/2008 13:27	10874.001	26.267	20.205	60.334
8/26/2008 13:27	10875.111	26.284	20.240	60.252
8/26/2008 13:27	10876.113	26.274	20.234	60.268
8/26/2008 13:27	10877.001	26.271	20.224	60.291

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:27	10878.001	26.269	20.235	60.265
8/26/2008 13:27	10879.001	26.267	20.208	60.327
8/26/2008 13:27	10880.111	26.284	20.221	60.296
8/26/2008 13:27	10881.001	26.275	20.247	60.237
8/26/2008 13:27	10882.001	26.274	20.217	60.307
8/26/2008 13:27	10883.001	26.268	20.222	60.293
8/26/2008 13:27	10884.001	26.269	20.233	60.268
8/26/2008 13:27	10885.110	26.283	20.243	60.246
8/26/2008 13:27	10886.112	26.274	20.237	60.259
8/26/2008 13:27	10887.001	26.270	20.221	60.296
8/26/2008 13:27	10888.001	26.270	20.228	60.280
8/26/2008 13:27	10889.001	26.270	20.223	60.292
8/26/2008 13:27	10890.110	26.284	20.232	60.272
8/26/2008 13:27	10891.001	26.275	20.242	60.249
8/26/2008 13:27	10892.003	26.270	20.212	60.318
8/26/2008 13:27	10893.001	26.270	20.232	60.272
8/26/2008 13:27	10894.001	26.270	20.227	60.283
8/26/2008 13:27	10895.110	26.283	20.231	60.274
8/26/2008 13:27	10896.112	26.276	20.229	60.279
8/26/2008 13:27	10897.001	26.274	20.229	60.279
8/26/2008 13:27	10898.001	26.268	20.227	60.283
8/26/2008 13:27	10899.001	26.269	20.213	60.314
8/26/2008 13:27	10900.110	26.286	20.222	60.295
8/26/2008 13:27	10901.001	26.279	20.211	60.320
8/26/2008 13:27	10902.001	26.274	20.204	60.336
8/26/2008 13:27	10903.001	26.271	20.228	60.280
8/26/2008 13:27	10904.001	26.271	20.219	60.301
8/26/2008 13:27	10905.109	26.286	20.218	60.304
8/26/2008 13:27	10906.112	26.274	20.218	60.303
8/26/2008 13:27	10907.001	26.271	20.222	60.294
8/26/2008 13:27	10908.001	26.271	20.240	60.253
8/26/2008 13:27	10909.001	26.271	20.224	60.290
8/26/2008 13:27	10910.109	26.284	20.222	60.295
8/26/2008 13:27	10911.001	26.278	20.233	60.269
8/26/2008 13:27	10912.001	26.273	20.223	60.293
8/26/2008 13:27	10913.001	26.269	20.209	60.324
8/26/2008 13:27	10914.001	26.268	20.243	60.247
8/26/2008 13:27	10915.116	26.297	20.213	60.315
8/26/2008 13:27	10916.001	26.279	20.237	60.261
8/26/2008 13:27	10917.001	26.274	20.231	60.273
8/26/2008 13:28	10918.001	26.271	20.258	60.211
8/26/2008 13:28	10919.001	26.269	20.233	60.269
8/26/2008 13:28	10920.109	26.284	20.222	60.294
8/26/2008 13:28	10921.001	26.277	20.252	60.226
8/26/2008 13:28	10922.001	26.271	20.235	60.265
8/26/2008 13:28	10923.001	26.271	20.238	60.257
8/26/2008 13:28	10924.001	26.271	20.234	60.266
8/26/2008 13:28	10925.108	26.285	20.225	60.287
8/26/2008 13:28	10926.110	26.276	20.196	60.355

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:28	10927.001	26.275	20.208	60.327
8/26/2008 13:28	10928.001	26.273	20.233	60.269
8/26/2008 13:28	10929.001	26.271	20.214	60.314
8/26/2008 13:28	10930.108	26.285	20.222	60.293
8/26/2008 13:28	10931.001	26.275	20.250	60.230
8/26/2008 13:28	10932.001	26.273	20.220	60.299
8/26/2008 13:28	10933.001	26.269	20.231	60.273
8/26/2008 13:28	10934.001	26.270	20.212	60.317
8/26/2008 13:28	10935.108	26.286	20.253	60.222
8/26/2008 13:28	10936.109	26.275	20.236	60.262
8/26/2008 13:28	10937.001	26.272	20.207	60.328
8/26/2008 13:28	10938.001	26.270	20.201	60.343
8/26/2008 13:28	10939.001	26.270	20.233	60.269
8/26/2008 13:28	10940.108	26.285	20.205	60.333
8/26/2008 13:28	10941.001	26.276	20.222	60.294
8/26/2008 13:28	10942.001	26.272	20.233	60.270
8/26/2008 13:28	10943.001	26.271	20.207	60.330
8/26/2008 13:28	10944.001	26.271	20.236	60.262
8/26/2008 13:28	10945.108	26.286	20.215	60.310
8/26/2008 13:28	10946.109	26.273	20.214	60.313
8/26/2008 13:28	10947.001	26.274	20.231	60.273
8/26/2008 13:28	10948.001	26.270	20.226	60.285
8/26/2008 13:28	10949.001	26.270	20.206	60.330
8/26/2008 13:28	10950.108	26.286	20.215	60.312
8/26/2008 13:28	10951.001	26.275	20.235	60.265
8/26/2008 13:28	10952.001	26.274	20.218	60.304
8/26/2008 13:28	10953.001	26.270	20.201	60.343
8/26/2008 13:28	10954.001	26.272	20.210	60.323
8/26/2008 13:28	10955.108	26.285	20.219	60.301
8/26/2008 13:28	10956.109	26.275	20.235	60.265
8/26/2008 13:28	10957.001	26.273	20.232	60.271
8/26/2008 13:28	10958.001	26.270	20.228	60.281
8/26/2008 13:28	10959.001	26.270	20.231	60.273
8/26/2008 13:28	10960.107	26.286	20.250	60.230
8/26/2008 13:28	10961.001	26.276	20.220	60.299
8/26/2008 13:28	10962.001	26.273	20.203	60.338
8/26/2008 13:28	10963.001	26.270	20.223	60.293
8/26/2008 13:28	10964.001	26.272	20.210	60.322
8/26/2008 13:28	10965.107	26.286	20.229	60.278
8/26/2008 13:28	10966.001	26.277	20.225	60.287
8/26/2008 13:28	10967.001	26.272	20.212	60.317
8/26/2008 13:28	10968.001	26.269	20.216	60.309
8/26/2008 13:28	10969.001	26.267	20.219	60.301
8/26/2008 13:28	10970.106	26.283	20.217	60.305
8/26/2008 13:28	10971.001	26.276	20.231	60.273
8/26/2008 13:28	10972.001	26.271	20.216	60.308
8/26/2008 13:28	10973.001	26.268	20.230	60.275
8/26/2008 13:28	10974.001	26.270	20.222	60.295
8/26/2008 13:28	10975.107	26.285	20.215	60.312

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:28	10976.108	26.273	20.214	60.314
8/26/2008 13:28	10977.001	26.273	20.206	60.330
8/26/2008 13:29	10978.001	26.270	20.209	60.325
8/26/2008 13:29	10979.001	26.269	20.191	60.365
8/26/2008 13:29	10980.106	26.281	20.192	60.364
8/26/2008 13:29	10981.001	26.274	20.205	60.333
8/26/2008 13:29	10982.001	26.270	20.206	60.330
8/26/2008 13:29	10983.001	26.273	20.199	60.347
8/26/2008 13:29	10984.001	26.270	20.215	60.311
8/26/2008 13:29	10985.106	26.284	20.204	60.335
8/26/2008 13:29	10986.108	26.275	20.221	60.296
8/26/2008 13:29	10987.001	26.273	20.225	60.288
8/26/2008 13:29	10988.001	26.269	20.199	60.348
8/26/2008 13:29	10989.001	26.269	20.184	60.383
8/26/2008 13:29	10990.106	26.284	20.203	60.338
8/26/2008 13:29	10991.001	26.276	20.223	60.292
8/26/2008 13:29	10992.001	26.272	20.218	60.304
8/26/2008 13:29	10993.001	26.270	20.204	60.336
8/26/2008 13:29	10994.001	26.268	20.240	60.253
8/26/2008 13:29	10995.106	26.285	20.191	60.365
8/26/2008 13:29	10996.107	26.276	20.205	60.334
8/26/2008 13:29	10997.001	26.271	20.217	60.305
8/26/2008 13:29	10998.001	26.267	20.238	60.257
8/26/2008 13:29	10999.001	26.271	20.221	60.296
8/26/2008 13:29	11000.105	26.283	20.222	60.294
8/26/2008 13:29	11001.001	26.275	20.221	60.296
8/26/2008 13:29	11002.001	26.273	20.219	60.303
8/26/2008 13:29	11003.001	26.267	20.222	60.295
8/26/2008 13:29	11004.001	26.273	20.209	60.326
8/26/2008 13:29	11005.105	26.286	20.208	60.327
8/26/2008 13:29	11006.107	26.278	20.204	60.337
8/26/2008 13:29	11007.001	26.274	20.215	60.312
8/26/2008 13:29	11008.001	26.271	20.200	60.345
8/26/2008 13:29	11009.001	26.272	20.183	60.385
8/26/2008 13:29	11010.105	26.288	20.205	60.333
8/26/2008 13:29	11011.001	26.276	20.211	60.319
8/26/2008 13:29	11012.001	26.275	20.206	60.332
8/26/2008 13:29	11013.001	26.274	20.214	60.313
8/26/2008 13:29	11014.001	26.272	20.221	60.296
8/26/2008 13:29	11015.105	26.288	20.212	60.317
8/26/2008 13:29	11016.106	26.277	20.214	60.313
8/26/2008 13:29	11017.001	26.274	20.220	60.298
8/26/2008 13:29	11018.001	26.273	20.196	60.353
8/26/2008 13:29	11019.001	26.271	20.211	60.319
8/26/2008 13:29	11020.105	26.289	20.205	60.333
8/26/2008 13:29	11021.001	26.280	20.209	60.325
8/26/2008 13:29	11022.001	26.275	20.214	60.312
8/26/2008 13:29	11023.001	26.275	20.227	60.283
8/26/2008 13:29	11024.001	26.272	20.215	60.310

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:29	11025.105	26.286	20.241	60.252
8/26/2008 13:29	11026.106	26.279	20.214	60.312
8/26/2008 13:29	11027.001	26.278	20.234	60.266
8/26/2008 13:29	11028.001	26.270	20.218	60.304
8/26/2008 13:29	11029.001	26.274	20.200	60.345
8/26/2008 13:29	11030.104	26.289	20.215	60.310
8/26/2008 13:29	11031.001	26.281	20.186	60.378
8/26/2008 13:29	11032.001	26.276	20.204	60.336
8/26/2008 13:29	11033.001	26.275	20.213	60.316
8/26/2008 13:29	11034.001	26.274	20.179	60.393
8/26/2008 13:29	11035.104	26.287	20.228	60.281
8/26/2008 13:29	11036.105	26.278	20.202	60.340
8/26/2008 13:29	11037.001	26.277	20.190	60.369
8/26/2008 13:30	11038.001	26.276	20.208	60.326
8/26/2008 13:30	11039.001	26.271	20.219	60.301
8/26/2008 13:30	11040.104	26.289	20.222	60.295
8/26/2008 13:30	11041.001	26.282	20.199	60.348
8/26/2008 13:30	11042.001	26.275	20.214	60.312
8/26/2008 13:30	11043.001	26.274	20.201	60.343
8/26/2008 13:30	11044.001	26.275	20.213	60.315
8/26/2008 13:30	11045.104	26.291	20.203	60.338
8/26/2008 13:30	11046.105	26.281	20.188	60.374
8/26/2008 13:30	11047.001	26.277	20.191	60.366
8/26/2008 13:30	11048.001	26.273	20.214	60.312
8/26/2008 13:30	11049.001	26.273	20.224	60.291
8/26/2008 13:30	11050.104	26.291	20.215	60.310
8/26/2008 13:30	11051.001	26.280	20.208	60.326
8/26/2008 13:30	11052.001	26.275	20.216	60.308
8/26/2008 13:30	11053.001	26.272	20.216	60.308
8/26/2008 13:30	11054.001	26.274	20.216	60.309
8/26/2008 13:30	11055.104	26.288	20.213	60.315
8/26/2008 13:30	11056.105	26.279	20.210	60.323
8/26/2008 13:30	11057.001	26.277	20.214	60.312
8/26/2008 13:30	11058.001	26.272	20.180	60.391
8/26/2008 13:30	11059.001	26.275	20.213	60.316
8/26/2008 13:30	11060.103	26.289	20.200	60.345
8/26/2008 13:30	11061.001	26.281	20.203	60.338
8/26/2008 13:30	11062.001	26.278	20.221	60.297
8/26/2008 13:30	11063.001	26.276	20.208	60.327
8/26/2008 13:30	11064.001	26.274	20.213	60.316
8/26/2008 13:30	11065.102	26.291	20.217	60.307
8/26/2008 13:30	11066.001	26.283	20.214	60.314
8/26/2008 13:30	11067.001	26.277	20.217	60.305
8/26/2008 13:30	11068.001	26.276	20.204	60.337
8/26/2008 13:30	11069.001	26.275	20.194	60.359
8/26/2008 13:30	11070.102	26.287	20.202	60.340
8/26/2008 13:30	11071.001	26.281	20.202	60.341
8/26/2008 13:30	11072.001	26.278	20.217	60.306
8/26/2008 13:30	11073.001	26.278	20.191	60.366

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:30	11074.001	26.274	20.215	60.312
8/26/2008 13:30	11075.102	26.291	20.216	60.307
8/26/2008 13:30	11076.104	26.282	20.199	60.348
8/26/2008 13:30	11077.001	26.279	20.205	60.334
8/26/2008 13:30	11078.001	26.278	20.227	60.282
8/26/2008 13:30	11079.001	26.279	20.214	60.313
8/26/2008 13:30	11080.102	26.292	20.196	60.354
8/26/2008 13:30	11081.001	26.285	20.189	60.372
8/26/2008 13:30	11082.001	26.274	20.214	60.314
8/26/2008 13:30	11083.001	26.276	20.196	60.355
8/26/2008 13:30	11084.001	26.276	20.206	60.332
8/26/2008 13:30	11085.102	26.292	20.184	60.382
8/26/2008 13:30	11086.104	26.283	20.198	60.350
8/26/2008 13:30	11087.001	26.280	20.217	60.307
8/26/2008 13:30	11088.001	26.277	20.189	60.372
8/26/2008 13:30	11089.001	26.276	20.218	60.304
8/26/2008 13:30	11090.102	26.295	20.214	60.314
8/26/2008 13:30	11091.001	26.282	20.224	60.291
8/26/2008 13:30	11092.001	26.280	20.193	60.361
8/26/2008 13:30	11093.001	26.281	20.207	60.330
8/26/2008 13:30	11094.001	26.275	20.213	60.315
8/26/2008 13:30	11095.109	26.305	20.226	60.284
8/26/2008 13:30	11096.001	26.286	20.197	60.353
8/26/2008 13:30	11097.001	26.280	20.210	60.321
8/26/2008 13:31	11098.001	26.280	20.207	60.329
8/26/2008 13:31	11099.001	26.280	20.223	60.292
8/26/2008 13:31	11100.101	26.295	20.202	60.341
8/26/2008 13:31	11101.001	26.286	20.203	60.338
8/26/2008 13:31	11102.001	26.281	20.185	60.379
8/26/2008 13:31	11103.001	26.277	20.229	60.278
8/26/2008 13:31	11104.001	26.280	20.200	60.344
8/26/2008 13:31	11105.101	26.292	20.181	60.388
8/26/2008 13:31	11106.103	26.286	20.203	60.338
8/26/2008 13:31	11107.001	26.283	20.200	60.345
8/26/2008 13:31	11108.001	26.279	20.208	60.327
8/26/2008 13:31	11109.001	26.279	20.212	60.316
8/26/2008 13:31	11110.101	26.295	20.215	60.312
8/26/2008 13:31	11111.001	26.287	20.199	60.349
8/26/2008 13:31	11112.001	26.284	20.217	60.306
8/26/2008 13:31	11113.001	26.283	20.200	60.344
8/26/2008 13:31	11114.001	26.282	20.208	60.327
8/26/2008 13:31	11115.101	26.295	20.219	60.301
8/26/2008 13:31	11116.103	26.286	20.212	60.318
8/26/2008 13:31	11117.001	26.284	20.201	60.343
8/26/2008 13:31	11118.001	26.282	20.212	60.317
8/26/2008 13:31	11119.001	26.284	20.223	60.293
8/26/2008 13:31	11120.101	26.295	20.212	60.318
8/26/2008 13:31	11121.001	26.286	20.197	60.352
8/26/2008 13:31	11122.001	26.284	20.211	60.320

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (PSI)	Level Depth To Water (ft)
8/26/2008 13:31	11123.001	26.282	20.201	60.344
8/26/2008 13:31	11124.001	26.281	20.201	60.342
8/26/2008 13:31	11125.100	26.296	20.210	60.323
8/26/2008 13:31	11126.102	26.289	20.197	60.352
8/26/2008 13:31	11127.001	26.283	20.210	60.322
8/26/2008 13:31	11128.001	26.283	20.214	60.313
8/26/2008 13:31	11129.001	26.282	20.215	60.311
8/26/2008 13:31	11130.100	26.299	20.201	60.344
8/26/2008 13:31	11131.001	26.286	20.204	60.337
8/26/2008 13:31	11132.001	26.285	20.222	60.293
8/26/2008 13:31	11133.001	26.281	20.203	60.338
8/26/2008 13:31	11134.001	26.283	20.193	60.362
8/26/2008 13:31	11135.001	26.282	20.210	60.323
8/26/2008 13:31	11136.001	26.293	20.201	60.343
8/26/2008 13:31	11137.001	26.288	20.208	60.326
8/26/2008 13:31	11138.001	26.285	20.188	60.373
8/26/2008 13:31	11139.001	26.284	20.199	60.349
8/26/2008 13:31	11140.100	26.298	20.228	60.280
8/26/2008 13:31	11141.001	26.291	20.211	60.320
8/26/2008 13:31	11142.001	26.284	20.185	60.379
8/26/2008 13:31	11143.001	26.284	20.209	60.326
8/26/2008 13:31	11144.001	26.281	20.215	60.312
8/26/2008 13:31	11145.100	26.298	20.213	60.315
8/26/2008 13:31	11146.101	26.289	20.199	60.348
8/26/2008 13:31	11147.001	26.287	20.207	60.330
8/26/2008 13:31	11148.001	26.284	20.195	60.356

## STEP TEST RECOVERY

Report Date:	9/15/2008 15:50																								
Report User Name:	Owner																								
Report Computer Name:	OWNER-PC																								
Log File Properties																									
File Name	Step Test Recovery 2008-08-27 07-19-03.wsl																								
Create Date	8/27/2008 7:18																								
Device Properties																									
Device	Level TROLL® 700																								
Site	L63N (OKF-106)																								
Device Name																									
Serial Number	134613																								
Firmware Version	2.07																								
Log Configuration	<table> <tbody> <tr> <td>Log Name</td> <td>Step Test Recovery</td> </tr> <tr> <td>Created By</td> <td>SEnglish</td> </tr> <tr> <td>Computer Name</td> <td>USPCT1LT011</td> </tr> <tr> <td>Application</td> <td>WinSitu.exe</td> </tr> <tr> <td>Application Version</td> <td>5.6.1.8</td> </tr> <tr> <td>Create Date</td> <td>8/26/2008 13:36</td> </tr> <tr> <td>Notes Size(bytes)</td> <td>4096</td> </tr> <tr> <td>Type</td> <td>True Logarithmic</td> </tr> <tr> <td>Overwrite when full</td> <td>Disabled</td> </tr> <tr> <td>Scheduled Start Time</td> <td>Manual Start</td> </tr> <tr> <td>Scheduled Stop</td> <td>No Stop Time</td> </tr> <tr> <td>Max Interval</td> <td>Days: 0 Hours: 00 Mins: 02 Secs: 00</td> </tr> </tbody> </table>	Log Name	Step Test Recovery	Created By	SEnglish	Computer Name	USPCT1LT011	Application	WinSitu.exe	Application Version	5.6.1.8	Create Date	8/26/2008 13:36	Notes Size(bytes)	4096	Type	True Logarithmic	Overwrite when full	Disabled	Scheduled Start Time	Manual Start	Scheduled Stop	No Stop Time	Max Interval	Days: 0 Hours: 00 Mins: 02 Secs: 00
Log Name	Step Test Recovery																								
Created By	SEnglish																								
Computer Name	USPCT1LT011																								
Application	WinSitu.exe																								
Application Version	5.6.1.8																								
Create Date	8/26/2008 13:36																								
Notes Size(bytes)	4096																								
Type	True Logarithmic																								
Overwrite when full	Disabled																								
Scheduled Start Time	Manual Start																								
Scheduled Stop	No Stop Time																								
Max Interval	Days: 0 Hours: 00 Mins: 02 Secs: 00																								
Level Reference Settings At Log Creation	<table> <tbody> <tr> <td>Level Measurement Mode</td> <td>Level Depth To Water</td> </tr> <tr> <td>Specific Gravity</td> <td>0.999</td> </tr> <tr> <td>Level Reference Mode:</td> <td>Set new reference</td> </tr> <tr> <td>Level Reference Value:</td> <td>0 (ft)</td> </tr> <tr> <td>Level Reference Head Pressure</td> <td>20.1605 (PSI)</td> </tr> <tr> <td>Head Pressure</td> <td>20.1359 (PSI)</td> </tr> <tr> <td>Temperature</td> <td>26.2683 (C)</td> </tr> <tr> <td>Depth of Probe</td> <td>46.4933 (ft)</td> </tr> </tbody> </table>	Level Measurement Mode	Level Depth To Water	Specific Gravity	0.999	Level Reference Mode:	Set new reference	Level Reference Value:	0 (ft)	Level Reference Head Pressure	20.1605 (PSI)	Head Pressure	20.1359 (PSI)	Temperature	26.2683 (C)	Depth of Probe	46.4933 (ft)								
Level Measurement Mode	Level Depth To Water																								
Specific Gravity	0.999																								
Level Reference Mode:	Set new reference																								
Level Reference Value:	0 (ft)																								
Level Reference Head Pressure	20.1605 (PSI)																								
Head Pressure	20.1359 (PSI)																								
Temperature	26.2683 (C)																								
Depth of Probe	46.4933 (ft)																								
Log Notes:																									
Date and Time	Note																								
8/26/2008 13:36	Manual Start Command																								
8/27/2008 7:13	Manual Stop Command																								
Log Data:																									
Record Count	637																								
Sensor: Pres 100G SN#: 134613																									

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 13:36	0.000	20.166	26.234	-0.013
8/26/2008 13:36	0.251	20.164	26.252	-0.008
8/26/2008 13:37	0.501	20.167	26.268	-0.014
8/26/2008 13:37	0.751	20.190	26.272	-0.069
8/26/2008 13:37	1.001	20.176	26.283	-0.036
8/26/2008 13:37	1.251	20.166	26.287	-0.014
8/26/2008 13:37	1.501	20.165	26.291	-0.010
8/26/2008 13:37	1.751	20.167	26.299	-0.014
8/26/2008 13:37	2.001	20.159	26.305	0.003
8/26/2008 13:37	2.251	20.169	26.305	-0.019
8/26/2008 13:37	2.501	20.171	26.309	-0.025
8/26/2008 13:37	2.751	20.181	26.314	-0.046
8/26/2008 13:37	3.001	20.184	26.310	-0.054
8/26/2008 13:37	3.251	20.172	26.316	-0.026
8/26/2008 13:37	3.501	20.173	26.317	-0.028
8/26/2008 13:37	3.751	20.169	26.318	-0.019
8/26/2008 13:37	4.001	20.180	26.323	-0.046
8/26/2008 13:37	4.251	20.164	26.322	-0.009
8/26/2008 13:37	4.501	20.169	26.322	-0.020
8/26/2008 13:37	4.751	20.175	26.324	-0.033
8/26/2008 13:37	5.001	20.196	26.323	-0.081
8/26/2008 13:37	5.251	20.148	26.325	0.028
8/26/2008 13:37	5.501	20.184	26.328	-0.054
8/26/2008 13:37	5.751	20.160	26.329	0.002
8/26/2008 13:37	6.001	20.198	26.329	-0.086
8/26/2008 13:37	6.361	20.184	26.321	-0.054
8/26/2008 13:37	6.721	20.177	26.315	-0.039
8/26/2008 13:37	7.141	20.163	26.308	-0.007
8/26/2008 13:37	7.561	20.176	26.309	-0.036
8/26/2008 13:37	7.980	20.175	26.305	-0.034
8/26/2008 13:37	8.461	20.155	26.298	0.012
8/26/2008 13:37	9.000	20.154	26.295	0.016
8/26/2008 13:37	9.480	20.198	26.296	-0.086
8/26/2008 13:37	10.081	20.180	26.290	-0.046
8/26/2008 13:37	10.681	20.180	26.290	-0.044
8/26/2008 13:37	11.280	20.173	26.287	-0.028
8/26/2008 13:37	11.940	20.178	26.283	-0.041
8/26/2008 13:37	12.660	20.155	26.281	0.012
8/26/2008 13:37	13.440	20.159	26.280	0.002
8/26/2008 13:37	14.221	20.162	26.279	-0.003
8/26/2008 13:37	15.061	20.150	26.274	0.025
8/26/2008 13:37	15.961	20.158	26.274	0.006
8/26/2008 13:37	16.921	20.175	26.275	-0.034
8/26/2008 13:37	17.881	20.161	26.270	0.000
8/26/2008 13:37	18.961	20.198	26.269	-0.086
8/26/2008 13:37	20.101	20.166	26.270	-0.012
8/26/2008 13:37	21.300	20.179	26.267	-0.043
8/26/2008 13:37	22.561	20.167	26.264	-0.016
8/26/2008 13:37	23.880	20.170	26.263	-0.023

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 13:37	25.321	20.153	26.263	0.017
8/26/2008 13:37	26.821	20.172	26.259	-0.026
8/26/2008 13:37	28.381	20.149	26.258	0.026
8/26/2008 13:37	30.061	20.172	26.260	-0.025
8/26/2008 13:37	31.861	20.185	26.257	-0.057
8/26/2008 13:37	33.720	20.162	26.255	-0.003
8/26/2008 13:37	35.760	20.168	26.255	-0.017
8/26/2008 13:37	37.861	20.137	26.253	0.053
8/26/2008 13:37	40.081	20.173	26.249	-0.028
8/26/2008 13:37	42.481	20.167	26.246	-0.015
8/26/2008 13:37	45.000	20.177	26.248	-0.037
8/26/2008 13:37	47.640	20.175	26.245	-0.033
8/26/2008 13:37	50.461	20.156	26.246	0.010
8/26/2008 13:37	53.461	23.458	26.240	-7.614
8/26/2008 13:37	56.640	29.693	26.242	-22.009
8/26/2008 13:37	60.000	33.813	26.236	-31.523
8/26/2008 13:38	63.601	35.929	26.232	-36.409
8/26/2008 13:38	67.200	36.817	26.226	-38.459
8/26/2008 13:38	71.400	37.928	26.223	-41.024
8/26/2008 13:38	75.601	38.362	26.217	-42.026
8/26/2008 13:38	79.800	38.919	26.213	-43.313
8/26/2008 13:38	84.600	39.428	26.208	-44.488
8/26/2008 13:38	90.000	39.899	26.203	-45.575
8/26/2008 13:38	94.800	39.813	26.201	-45.378
8/26/2008 13:38	100.800	39.884	26.196	-45.542
8/26/2008 13:38	106.800	40.024	26.186	-45.864
8/26/2008 13:38	112.800	40.132	26.186	-46.113
8/26/2008 13:38	119.400	40.329	26.179	-46.568
8/26/2008 13:39	126.601	40.497	26.174	-46.957
8/26/2008 13:39	134.400	40.659	26.169	-47.331
8/26/2008 13:39	142.200	40.831	26.162	-47.728
8/26/2008 13:39	150.601	41.002	26.158	-48.122
8/26/2008 13:39	159.601	41.250	26.156	-48.694
8/26/2008 13:39	169.200	41.483	26.152	-49.234
8/26/2008 13:39	178.800	41.723	26.147	-49.788
8/26/2008 13:40	189.600	41.888	26.143	-50.169
8/26/2008 13:40	201.000	42.247	26.147	-50.998
8/26/2008 13:40	213.000	42.547	26.140	-51.691
8/26/2008 13:40	225.600	42.749	26.144	-52.155
8/26/2008 13:40	238.800	42.953	26.139	-52.627
8/26/2008 13:41	253.200	43.732	26.140	-54.425
8/26/2008 13:41	268.200	43.919	26.137	-54.859
8/26/2008 13:41	283.800	44.044	26.132	-55.147
8/26/2008 13:42	300.600	44.058	26.140	-55.178
8/26/2008 13:42	318.600	44.255	26.132	-55.634
8/26/2008 13:42	337.200	44.347	26.129	-55.847
8/26/2008 13:42	357.600	44.435	26.129	-56.050
8/26/2008 13:43	378.600	44.517	26.119	-56.238
8/26/2008 13:43	400.800	44.591	26.126	-56.409

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 13:44	424.933	44.665	26.131	-56.579
8/26/2008 13:44	450.000	44.736	26.128	-56.744
8/26/2008 13:44	476.400	44.812	26.118	-56.920
8/26/2008 13:45	504.663	44.878	26.127	-57.072
8/26/2008 13:45	534.662	44.941	26.128	-57.217
8/26/2008 13:46	566.400	45.006	26.112	-57.367
8/26/2008 13:46	600.000	45.057	26.118	-57.485
8/26/2008 13:47	636.000	45.122	26.112	-57.636
8/26/2008 13:48	672.000	45.177	26.107	-57.761
8/26/2008 13:48	714.000	45.223	26.106	-57.870
8/26/2008 13:49	756.000	45.279	26.099	-57.998
8/26/2008 13:50	798.000	45.324	26.096	-58.102
8/26/2008 13:51	846.000	45.142	26.092	-57.681
8/26/2008 13:51	900.000	45.192	26.090	-57.796
8/26/2008 13:52	948.000	45.226	26.089	-57.876
8/26/2008 13:53	1008.000	45.271	26.091	-57.980
8/26/2008 13:54	1068.000	45.296	26.091	-58.036
8/26/2008 13:55	1128.000	45.345	26.095	-58.150
8/26/2008 13:56	1194.000	45.367	26.098	-58.202
8/26/2008 13:58	1266.000	45.435	26.108	-58.357
8/26/2008 13:59	1344.000	45.461	26.110	-58.418
8/26/2008 14:00	1422.000	45.501	26.117	-58.510
8/26/2008 14:02	1506.000	45.534	26.119	-58.588
8/26/2008 14:03	1596.000	45.553	26.128	-58.631
8/26/2008 14:05	1692.000	45.586	26.150	-58.706
8/26/2008 14:06	1788.000	45.614	26.138	-58.772
8/26/2008 14:08	1896.000	45.640	26.143	-58.831
8/26/2008 14:10	2010.000	45.655	26.180	-58.867
8/26/2008 14:12	2130.000	45.677	26.162	-58.917
8/26/2008 14:14	2250.000	45.706	26.146	-58.984
8/26/2008 14:16	2370.000	45.753	26.164	-59.092
8/26/2008 14:18	2490.000	45.761	26.180	-59.111
8/26/2008 14:20	2610.000	45.803	26.181	-59.207
8/26/2008 14:22	2730.000	45.803	26.179	-59.207
8/26/2008 14:24	2850.000	45.823	26.164	-59.253
8/26/2008 14:26	2970.000	45.852	26.174	-59.322
8/26/2008 14:28	3090.000	45.871	26.174	-59.365
8/26/2008 14:30	3210.000	45.875	26.183	-59.374
8/26/2008 14:32	3330.000	45.891	26.195	-59.412
8/26/2008 14:34	3450.000	45.900	26.205	-59.431
8/26/2008 14:36	3570.000	45.925	26.215	-59.488
8/26/2008 14:38	3690.000	45.921	26.212	-59.479
8/26/2008 14:40	3810.000	45.935	26.199	-59.512
8/26/2008 14:42	3930.000	45.945	26.197	-59.535
8/26/2008 14:44	4050.000	45.961	26.217	-59.574
8/26/2008 14:46	4170.000	45.980	26.213	-59.617
8/26/2008 14:48	4290.000	45.994	26.221	-59.649
8/26/2008 14:50	4410.000	46.001	26.232	-59.665
8/26/2008 14:52	4530.000	46.017	26.224	-59.703

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 14:54	4650.000	46.031	26.224	-59.733
8/26/2008 14:56	4770.000	46.045	26.218	-59.766
8/26/2008 14:58	4890.000	46.050	26.213	-59.779
8/26/2008 15:00	5010.000	46.061	26.204	-59.804
8/26/2008 15:02	5130.000	46.070	26.198	-59.825
8/26/2008 15:04	5250.000	46.083	26.172	-59.854
8/26/2008 15:06	5370.000	46.083	26.163	-59.855
8/26/2008 15:08	5490.000	46.096	26.157	-59.883
8/26/2008 15:10	5610.000	46.101	26.184	-59.895
8/26/2008 15:12	5730.000	46.090	26.197	-59.870
8/26/2008 15:14	5850.000	46.113	26.200	-59.923
8/26/2008 15:16	5970.000	46.125	26.193	-59.952
8/26/2008 15:18	6090.000	46.124	26.195	-59.948
8/26/2008 15:20	6210.000	46.131	26.201	-59.966
8/26/2008 15:22	6330.000	46.125	26.197	-59.952
8/26/2008 15:24	6450.000	46.142	26.183	-59.991
8/26/2008 15:26	6570.000	46.156	26.175	-60.023
8/26/2008 15:28	6690.000	46.162	26.166	-60.036
8/26/2008 15:30	6810.000	46.162	26.161	-60.037
8/26/2008 15:32	6930.000	46.161	26.164	-60.035
8/26/2008 15:34	7050.000	46.176	26.168	-60.069
8/26/2008 15:36	7170.000	46.185	26.179	-60.090
8/26/2008 15:38	7290.000	46.192	26.188	-60.105
8/26/2008 15:40	7410.000	46.178	26.193	-60.074
8/26/2008 15:42	7530.000	46.173	26.184	-60.061
8/26/2008 15:44	7650.000	46.178	26.187	-60.073
8/26/2008 15:46	7770.000	46.207	26.175	-60.140
8/26/2008 15:48	7890.000	46.236	26.172	-60.208
8/26/2008 15:50	8010.000	46.244	26.173	-60.226
8/26/2008 15:52	8130.000	46.252	26.166	-60.244
8/26/2008 15:54	8250.000	46.257	26.156	-60.255
8/26/2008 15:56	8370.000	46.265	26.160	-60.275
8/26/2008 15:58	8490.000	46.273	26.154	-60.292
8/26/2008 16:00	8610.000	46.275	26.149	-60.297
8/26/2008 16:02	8730.000	46.277	26.147	-60.302
8/26/2008 16:04	8850.000	46.285	26.141	-60.320
8/26/2008 16:06	8970.000	46.279	26.147	-60.306
8/26/2008 16:08	9090.000	46.287	26.155	-60.326
8/26/2008 16:10	9210.000	46.299	26.157	-60.354
8/26/2008 16:12	9330.000	46.306	26.152	-60.368
8/26/2008 16:14	9450.000	46.314	26.152	-60.388
8/26/2008 16:16	9570.000	46.325	26.149	-60.413
8/26/2008 16:18	9690.000	46.316	26.148	-60.393
8/26/2008 16:20	9810.000	46.307	26.148	-60.372
8/26/2008 16:22	9930.000	46.309	26.141	-60.377
8/26/2008 16:24	10050.000	46.315	26.140	-60.390
8/26/2008 16:26	10170.000	46.315	26.144	-60.390
8/26/2008 16:28	10290.000	46.301	26.140	-60.357
8/26/2008 16:30	10410.000	46.295	26.137	-60.344

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 16:32	10530.000	46.304	26.149	-60.365
8/26/2008 16:34	10650.000	46.308	26.155	-60.375
8/26/2008 16:36	10770.000	46.318	26.152	-60.396
8/26/2008 16:38	10890.000	46.326	26.149	-60.416
8/26/2008 16:40	11010.000	46.309	26.147	-60.376
8/26/2008 16:42	11130.000	46.317	26.147	-60.394
8/26/2008 16:44	11250.000	46.323	26.144	-60.409
8/26/2008 16:46	11370.000	46.320	26.143	-60.402
8/26/2008 16:48	11490.000	46.334	26.135	-60.434
8/26/2008 16:50	11610.000	46.348	26.132	-60.466
8/26/2008 16:52	11730.000	46.360	26.125	-60.494
8/26/2008 16:54	11850.000	46.391	26.123	-60.566
8/26/2008 16:56	11970.000	46.409	26.122	-60.607
8/26/2008 16:58	12090.000	46.427	26.125	-60.648
8/26/2008 17:00	12210.000	46.438	26.130	-60.673
8/26/2008 17:02	12330.000	46.448	26.132	-60.698
8/26/2008 17:04	12450.000	46.456	26.134	-60.716
8/26/2008 17:06	12570.000	46.468	26.133	-60.744
8/26/2008 17:08	12690.000	46.481	26.127	-60.773
8/26/2008 17:10	12810.000	46.491	26.129	-60.795
8/26/2008 17:12	12930.000	46.494	26.129	-60.804
8/26/2008 17:14	13050.000	46.498	26.128	-60.812
8/26/2008 17:16	13170.000	46.502	26.127	-60.821
8/26/2008 17:18	13290.000	46.509	26.129	-60.837
8/26/2008 17:20	13410.000	46.519	26.118	-60.861
8/26/2008 17:22	13530.000	46.514	26.115	-60.848
8/26/2008 17:24	13650.000	46.522	26.120	-60.868
8/26/2008 17:26	13770.000	46.524	26.116	-60.872
8/26/2008 17:28	13890.000	46.519	26.116	-60.862
8/26/2008 17:30	14010.000	46.536	26.117	-60.900
8/26/2008 17:32	14130.000	46.560	26.114	-60.956
8/26/2008 17:34	14250.000	46.577	26.108	-60.994
8/26/2008 17:36	14370.000	46.577	26.109	-60.994
8/26/2008 17:38	14490.000	46.588	26.111	-61.021
8/26/2008 17:40	14610.000	46.602	26.112	-61.053
8/26/2008 17:42	14730.000	46.602	26.112	-61.053
8/26/2008 17:44	14850.000	46.621	26.111	-61.096
8/26/2008 17:46	14970.000	46.617	26.115	-61.088
8/26/2008 17:48	15090.000	46.626	26.107	-61.108
8/26/2008 17:50	15210.000	46.634	26.104	-61.126
8/26/2008 17:52	15330.000	46.647	26.102	-61.156
8/26/2008 17:54	15450.000	46.649	26.105	-61.162
8/26/2008 17:56	15570.000	46.655	26.102	-61.176
8/26/2008 17:58	15690.000	46.666	26.105	-61.200
8/26/2008 18:00	15810.000	46.659	26.106	-61.185
8/26/2008 18:02	15930.000	46.679	26.104	-61.230
8/26/2008 18:04	16050.000	46.674	26.102	-61.220
8/26/2008 18:06	16170.000	46.673	26.101	-61.217
8/26/2008 18:08	16290.000	46.672	26.099	-61.215

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 18:10	16410.000	46.679	26.093	-61.231
8/26/2008 18:12	16530.000	46.686	26.091	-61.248
8/26/2008 18:14	16650.000	46.691	26.097	-61.258
8/26/2008 18:16	16770.000	46.687	26.093	-61.250
8/26/2008 18:18	16890.000	46.684	26.094	-61.243
8/26/2008 18:20	17010.000	46.696	26.087	-61.270
8/26/2008 18:22	17130.000	46.708	26.086	-61.297
8/26/2008 18:24	17250.000	46.696	26.078	-61.269
8/26/2008 18:26	17370.000	46.702	26.077	-61.284
8/26/2008 18:28	17490.000	46.699	26.081	-61.276
8/26/2008 18:30	17610.000	46.703	26.083	-61.287
8/26/2008 18:32	17730.000	46.699	26.083	-61.276
8/26/2008 18:34	17850.000	46.700	26.082	-61.278
8/26/2008 18:36	17970.000	46.711	26.079	-61.304
8/26/2008 18:38	18090.000	46.705	26.077	-61.291
8/26/2008 18:40	18210.000	46.705	26.071	-61.290
8/26/2008 18:42	18330.000	46.711	26.064	-61.304
8/26/2008 18:44	18450.000	46.714	26.066	-61.311
8/26/2008 18:46	18570.000	46.712	26.067	-61.307
8/26/2008 18:48	18690.000	46.719	26.066	-61.322
8/26/2008 18:50	18810.000	46.721	26.068	-61.326
8/26/2008 18:52	18930.000	46.711	26.066	-61.304
8/26/2008 18:54	19050.000	46.720	26.062	-61.324
8/26/2008 18:56	19170.000	46.715	26.060	-61.313
8/26/2008 18:58	19290.000	46.717	26.055	-61.318
8/26/2008 19:00	19410.000	46.729	26.056	-61.346
8/26/2008 19:02	19530.000	46.725	26.058	-61.336
8/26/2008 19:04	19650.000	46.732	26.059	-61.352
8/26/2008 19:06	19770.000	46.727	26.061	-61.340
8/26/2008 19:08	19890.000	46.727	26.062	-61.341
8/26/2008 19:10	20010.000	46.733	26.062	-61.354
8/26/2008 19:12	20130.000	46.730	26.064	-61.348
8/26/2008 19:14	20250.000	46.730	26.065	-61.349
8/26/2008 19:16	20370.000	46.729	26.063	-61.345
8/26/2008 19:18	20490.000	46.738	26.063	-61.366
8/26/2008 19:20	20610.000	46.734	26.061	-61.356
8/26/2008 19:22	20730.000	46.741	26.057	-61.373
8/26/2008 19:24	20850.000	46.738	26.054	-61.366
8/26/2008 19:26	20970.000	46.740	26.052	-61.371
8/26/2008 19:28	21090.000	46.737	26.050	-61.365
8/26/2008 19:30	21210.000	46.741	26.051	-61.374
8/26/2008 19:32	21330.000	46.746	26.050	-61.386
8/26/2008 19:34	21450.000	46.752	26.051	-61.399
8/26/2008 19:36	21570.000	46.748	26.054	-61.390
8/26/2008 19:38	21690.000	46.751	26.054	-61.397
8/26/2008 19:40	21810.000	46.749	26.052	-61.391
8/26/2008 19:42	21930.000	46.757	26.051	-61.411
8/26/2008 19:44	22050.000	46.758	26.050	-61.413
8/26/2008 19:46	22170.000	46.760	26.044	-61.417

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 19:48	22290.000	46.750	26.041	-61.395
8/26/2008 19:50	22410.000	46.766	26.045	-61.432
8/26/2008 19:52	22530.000	46.760	26.039	-61.418
8/26/2008 19:54	22650.000	46.764	26.038	-61.426
8/26/2008 19:56	22770.000	46.753	26.034	-61.401
8/26/2008 19:58	22890.000	46.767	26.034	-61.433
8/26/2008 20:00	23010.000	46.756	26.034	-61.408
8/26/2008 20:02	23130.000	46.771	26.034	-61.443
8/26/2008 20:04	23250.000	46.775	26.036	-61.452
8/26/2008 20:06	23370.000	46.779	26.036	-61.461
8/26/2008 20:08	23490.000	46.769	26.029	-61.437
8/26/2008 20:10	23610.000	46.778	26.033	-61.459
8/26/2008 20:12	23730.000	46.784	26.034	-61.472
8/26/2008 20:14	23850.000	46.790	26.038	-61.488
8/26/2008 20:16	23970.000	46.783	26.038	-61.471
8/26/2008 20:18	24090.000	46.784	26.035	-61.474
8/26/2008 20:20	24210.000	46.797	26.034	-61.504
8/26/2008 20:22	24330.000	46.798	26.031	-61.506
8/26/2008 20:24	24450.000	46.803	26.032	-61.518
8/26/2008 20:26	24570.000	46.801	26.029	-61.513
8/26/2008 20:28	24690.000	46.807	26.028	-61.526
8/26/2008 20:30	24810.000	46.796	26.023	-61.500
8/26/2008 20:32	24930.000	46.796	26.026	-61.501
8/26/2008 20:34	25050.000	46.810	26.023	-61.533
8/26/2008 20:36	25170.000	46.799	26.022	-61.507
8/26/2008 20:38	25290.000	46.806	26.024	-61.525
8/26/2008 20:40	25410.000	46.794	26.026	-61.495
8/26/2008 20:42	25530.000	46.803	26.027	-61.517
8/26/2008 20:44	25650.000	46.819	26.025	-61.553
8/26/2008 20:46	25770.000	46.818	26.024	-61.550
8/26/2008 20:48	25890.000	46.808	26.024	-61.528
8/26/2008 20:50	26010.000	46.811	26.021	-61.535
8/26/2008 20:52	26130.000	46.807	26.018	-61.527
8/26/2008 20:54	26250.000	46.824	26.017	-61.566
8/26/2008 20:56	26370.000	46.813	26.018	-61.540
8/26/2008 20:58	26490.000	46.808	26.017	-61.529
8/26/2008 21:00	26610.000	46.813	26.016	-61.539
8/26/2008 21:02	26730.000	46.808	26.017	-61.529
8/26/2008 21:04	26850.000	46.816	26.015	-61.547
8/26/2008 21:06	26970.000	46.811	26.015	-61.534
8/26/2008 21:08	27090.000	46.820	26.014	-61.557
8/26/2008 21:10	27210.000	46.820	26.012	-61.557
8/26/2008 21:12	27330.000	46.817	26.014	-61.550
8/26/2008 21:14	27450.000	46.817	26.013	-61.549
8/26/2008 21:16	27570.000	46.821	26.012	-61.557
8/26/2008 21:18	27690.000	46.824	26.010	-61.566
8/26/2008 21:20	27810.000	46.824	26.007	-61.565
8/26/2008 21:22	27930.000	46.825	26.003	-61.566
8/26/2008 21:24	28050.000	46.824	26.005	-61.565

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 21:26	28170.000	46.825	26.004	-61.566
8/26/2008 21:28	28290.000	46.826	26.004	-61.569
8/26/2008 21:30	28410.000	46.828	26.004	-61.575
8/26/2008 21:32	28530.000	46.817	26.003	-61.549
8/26/2008 21:34	28650.000	46.827	26.006	-61.573
8/26/2008 21:36	28770.000	46.827	26.003	-61.573
8/26/2008 21:38	28890.000	46.829	26.000	-61.577
8/26/2008 21:40	29010.000	46.828	25.999	-61.574
8/26/2008 21:42	29130.000	46.845	25.999	-61.614
8/26/2008 21:44	29250.000	46.833	25.994	-61.586
8/26/2008 21:46	29370.000	46.837	25.996	-61.596
8/26/2008 21:48	29490.000	46.838	25.996	-61.599
8/26/2008 21:50	29610.000	46.837	25.992	-61.595
8/26/2008 21:52	29730.000	46.851	25.992	-61.628
8/26/2008 21:54	29850.000	46.839	25.992	-61.599
8/26/2008 21:56	29970.000	46.840	25.989	-61.601
8/26/2008 21:58	30090.000	46.845	25.991	-61.614
8/26/2008 22:00	30210.000	46.843	25.989	-61.610
8/26/2008 22:02	30330.000	46.845	25.990	-61.613
8/26/2008 22:04	30450.000	46.849	25.990	-61.623
8/26/2008 22:06	30570.000	46.844	25.990	-61.610
8/26/2008 22:08	30690.000	46.851	25.988	-61.627
8/26/2008 22:10	30810.000	46.860	25.987	-61.647
8/26/2008 22:12	30930.000	46.853	25.987	-61.633
8/26/2008 22:14	31050.000	46.854	25.986	-61.635
8/26/2008 22:16	31170.000	46.859	25.985	-61.645
8/26/2008 22:18	31290.000	46.854	25.984	-61.634
8/26/2008 22:20	31410.000	46.858	25.986	-61.645
8/26/2008 22:22	31530.000	46.857	25.986	-61.642
8/26/2008 22:24	31650.000	46.862	25.982	-61.653
8/26/2008 22:26	31770.000	46.859	25.983	-61.646
8/26/2008 22:28	31890.000	46.863	25.982	-61.655
8/26/2008 22:30	32010.000	46.861	25.979	-61.651
8/26/2008 22:32	32130.000	46.865	25.980	-61.660
8/26/2008 22:34	32250.000	46.864	25.978	-61.657
8/26/2008 22:36	32370.000	46.869	25.977	-61.668
8/26/2008 22:38	32490.000	46.866	25.978	-61.662
8/26/2008 22:40	32610.000	46.865	25.977	-61.661
8/26/2008 22:42	32730.000	46.870	25.974	-61.670
8/26/2008 22:44	32850.000	46.866	25.974	-61.663
8/26/2008 22:46	32970.000	46.866	25.975	-61.662
8/26/2008 22:48	33090.000	46.864	25.971	-61.658
8/26/2008 22:50	33210.000	46.865	25.972	-61.659
8/26/2008 22:52	33330.000	46.863	25.972	-61.656
8/26/2008 22:54	33450.000	46.867	25.972	-61.664
8/26/2008 22:56	33570.000	46.867	25.969	-61.664
8/26/2008 22:58	33690.000	46.863	25.970	-61.656
8/26/2008 23:00	33810.000	46.860	25.969	-61.649
8/26/2008 23:02	33930.000	46.867	25.970	-61.666

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/26/2008 23:04	34050.000	46.864	25.967	-61.658
8/26/2008 23:06	34170.000	46.868	25.963	-61.667
8/26/2008 23:08	34290.000	46.860	25.964	-61.649
8/26/2008 23:10	34410.000	46.865	25.966	-61.661
8/26/2008 23:12	34530.000	46.866	25.963	-61.661
8/26/2008 23:14	34650.000	46.867	25.962	-61.664
8/26/2008 23:16	34770.000	46.868	25.964	-61.668
8/26/2008 23:18	34890.000	46.866	25.963	-61.661
8/26/2008 23:20	35010.000	46.866	25.963	-61.662
8/26/2008 23:22	35130.000	46.872	25.962	-61.676
8/26/2008 23:24	35250.000	46.869	25.960	-61.669
8/26/2008 23:26	35370.000	46.869	25.959	-61.669
8/26/2008 23:28	35490.000	46.868	25.958	-61.668
8/26/2008 23:30	35610.000	46.871	25.957	-61.674
8/26/2008 23:32	35730.000	46.870	25.956	-61.671
8/26/2008 23:34	35850.000	46.873	25.958	-61.679
8/26/2008 23:36	35970.000	46.874	25.954	-61.681
8/26/2008 23:38	36090.000	46.870	25.955	-61.672
8/26/2008 23:40	36210.000	46.871	25.953	-61.673
8/26/2008 23:42	36330.000	46.880	25.951	-61.694
8/26/2008 23:44	36450.000	46.873	25.953	-61.678
8/26/2008 23:46	36570.000	46.873	25.952	-61.679
8/26/2008 23:48	36690.000	46.877	25.950	-61.687
8/26/2008 23:50	36810.000	46.861	25.952	-61.650
8/26/2008 23:52	36930.000	46.873	25.951	-61.677
8/26/2008 23:54	37050.000	46.859	25.949	-61.645
8/26/2008 23:56	37170.000	46.867	25.948	-61.665
8/26/2008 23:58	37290.000	46.877	25.949	-61.687
8/27/2008 0:00	37410.000	46.875	25.946	-61.683
8/27/2008 0:02	37530.000	46.875	25.946	-61.682
8/27/2008 0:04	37650.000	46.874	25.945	-61.680
8/27/2008 0:06	37770.000	46.876	25.946	-61.686
8/27/2008 0:08	37890.000	46.864	25.944	-61.658
8/27/2008 0:10	38010.000	46.870	25.942	-61.671
8/27/2008 0:12	38130.000	46.864	25.944	-61.659
8/27/2008 0:14	38250.000	46.865	25.944	-61.660
8/27/2008 0:16	38370.000	46.863	25.941	-61.656
8/27/2008 0:18	38490.000	46.874	25.941	-61.681
8/27/2008 0:20	38610.000	46.867	25.940	-61.664
8/27/2008 0:22	38730.000	46.882	25.940	-61.700
8/27/2008 0:24	38850.000	46.866	25.940	-61.663
8/27/2008 0:26	38970.000	46.885	25.939	-61.707
8/27/2008 0:28	39090.000	46.874	25.939	-61.682
8/27/2008 0:30	39210.000	46.869	25.938	-61.670
8/27/2008 0:32	39330.000	46.876	25.936	-61.685
8/27/2008 0:34	39450.000	46.873	25.938	-61.679
8/27/2008 0:36	39570.000	46.876	25.937	-61.685
8/27/2008 0:38	39690.000	46.875	25.934	-61.682
8/27/2008 0:40	39810.000	46.873	25.932	-61.678

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 0:42	39930.000	46.872	25.936	-61.676
8/27/2008 0:44	40050.000	46.881	25.934	-61.698
8/27/2008 0:46	40170.000	46.896	25.932	-61.731
8/27/2008 0:48	40290.000	46.885	25.936	-61.706
8/27/2008 0:50	40410.000	46.881	25.932	-61.697
8/27/2008 0:52	40530.000	46.884	25.932	-61.705
8/27/2008 0:54	40650.000	46.881	25.931	-61.697
8/27/2008 0:56	40770.000	46.889	25.929	-61.715
8/27/2008 0:58	40890.000	46.884	25.929	-61.704
8/27/2008 1:00	41010.000	46.883	25.928	-61.702
8/27/2008 1:02	41130.000	46.888	25.930	-61.712
8/27/2008 1:04	41250.000	46.885	25.928	-61.707
8/27/2008 1:06	41370.000	46.887	25.927	-61.711
8/27/2008 1:08	41490.000	46.887	25.927	-61.711
8/27/2008 1:10	41610.000	46.893	25.925	-61.725
8/27/2008 1:12	41730.000	46.891	25.926	-61.719
8/27/2008 1:14	41850.000	46.888	25.924	-61.712
8/27/2008 1:16	41970.000	46.890	25.924	-61.718
8/27/2008 1:18	42090.000	46.893	25.923	-61.726
8/27/2008 1:20	42210.000	46.890	25.923	-61.716
8/27/2008 1:22	42330.000	46.891	25.921	-61.719
8/27/2008 1:24	42450.000	46.896	25.922	-61.730
8/27/2008 1:26	42570.000	46.899	25.923	-61.739
8/27/2008 1:28	42690.000	46.897	25.921	-61.733
8/27/2008 1:30	42810.000	46.899	25.922	-61.738
8/27/2008 1:32	42930.000	46.898	25.920	-61.736
8/27/2008 1:34	43050.000	46.903	25.919	-61.748
8/27/2008 1:36	43170.000	46.895	25.921	-61.728
8/27/2008 1:38	43290.000	46.893	25.919	-61.726
8/27/2008 1:40	43410.000	46.900	25.919	-61.741
8/27/2008 1:42	43530.000	46.900	25.919	-61.740
8/27/2008 1:44	43650.000	46.895	25.917	-61.729
8/27/2008 1:46	43770.000	46.894	25.916	-61.726
8/27/2008 1:48	43890.000	46.905	25.915	-61.753
8/27/2008 1:50	44010.000	46.903	25.916	-61.747
8/27/2008 1:52	44130.000	46.900	25.913	-61.740
8/27/2008 1:54	44250.000	46.900	25.915	-61.741
8/27/2008 1:56	44370.000	46.905	25.913	-61.751
8/27/2008 1:58	44490.000	46.906	25.916	-61.754
8/27/2008 2:00	44610.000	46.903	25.915	-61.748
8/27/2008 2:02	44730.000	46.909	25.911	-61.762
8/27/2008 2:04	44850.000	46.901	25.911	-61.743
8/27/2008 2:06	44970.000	46.907	25.911	-61.756
8/27/2008 2:08	45090.000	46.902	25.913	-61.746
8/27/2008 2:10	45210.000	46.909	25.911	-61.762
8/27/2008 2:12	45330.000	46.910	25.911	-61.763
8/27/2008 2:14	45450.000	46.912	25.914	-61.769
8/27/2008 2:16	45570.000	46.916	25.910	-61.777
8/27/2008 2:18	45690.000	46.914	25.908	-61.772

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 2:20	45810.000	46.908	25.909	-61.759
8/27/2008 2:22	45930.000	46.919	25.907	-61.784
8/27/2008 2:24	46050.000	46.911	25.910	-61.767
8/27/2008 2:26	46170.000	46.919	25.904	-61.785
8/27/2008 2:28	46290.000	46.913	25.904	-61.771
8/27/2008 2:30	46410.000	46.919	25.905	-61.785
8/27/2008 2:32	46530.000	46.924	25.903	-61.797
8/27/2008 2:34	46650.000	46.922	25.906	-61.791
8/27/2008 2:36	46770.000	46.925	25.905	-61.798
8/27/2008 2:38	46890.000	46.924	25.903	-61.796
8/27/2008 2:40	47010.000	46.923	25.904	-61.795
8/27/2008 2:42	47130.000	46.924	25.902	-61.796
8/27/2008 2:44	47250.000	46.929	25.899	-61.807
8/27/2008 2:46	47370.000	46.927	25.902	-61.804
8/27/2008 2:48	47490.000	46.929	25.901	-61.808
8/27/2008 2:50	47610.000	46.925	25.902	-61.799
8/27/2008 2:52	47730.000	46.932	25.900	-61.814
8/27/2008 2:54	47850.000	46.937	25.899	-61.827
8/27/2008 2:56	47970.000	46.932	25.899	-61.815
8/27/2008 2:58	48090.000	46.933	25.899	-61.816
8/27/2008 3:00	48210.000	46.936	25.899	-61.824
8/27/2008 3:02	48330.000	46.941	25.899	-61.836
8/27/2008 3:04	48450.000	46.941	25.894	-61.835
8/27/2008 3:06	48570.000	46.942	25.896	-61.837
8/27/2008 3:08	48690.000	46.937	25.896	-61.826
8/27/2008 3:10	48810.000	46.944	25.897	-61.843
8/27/2008 3:12	48930.000	46.950	25.897	-61.857
8/27/2008 3:14	49050.000	46.952	25.895	-61.860
8/27/2008 3:16	49170.000	46.950	25.893	-61.857
8/27/2008 3:18	49290.000	46.950	25.891	-61.857
8/27/2008 3:20	49410.000	46.950	25.892	-61.856
8/27/2008 3:22	49530.000	46.953	25.892	-61.863
8/27/2008 3:24	49650.000	46.953	25.893	-61.863
8/27/2008 3:26	49770.000	46.951	25.891	-61.859
8/27/2008 3:28	49890.000	46.955	25.890	-61.867
8/27/2008 3:30	50010.000	46.953	25.888	-61.863
8/27/2008 3:32	50130.000	46.957	25.890	-61.872
8/27/2008 3:34	50250.000	46.953	25.890	-61.863
8/27/2008 3:36	50370.000	46.959	25.890	-61.877
8/27/2008 3:38	50490.000	46.952	25.890	-61.860
8/27/2008 3:40	50610.000	46.951	25.888	-61.859
8/27/2008 3:42	50730.000	46.957	25.889	-61.873
8/27/2008 3:44	50850.000	46.965	25.887	-61.890
8/27/2008 3:46	50970.000	46.962	25.888	-61.884
8/27/2008 3:48	51090.000	46.963	25.886	-61.886
8/27/2008 3:50	51210.000	46.963	25.885	-61.885
8/27/2008 3:52	51330.000	46.961	25.883	-61.882
8/27/2008 3:54	51450.000	46.967	25.885	-61.895
8/27/2008 3:56	51570.000	46.972	25.886	-61.908

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 3:58	51690.000	46.964	25.886	-61.889
8/27/2008 4:00	51810.000	46.949	25.883	-61.855
8/27/2008 4:02	51930.000	46.972	25.881	-61.908
8/27/2008 4:04	52050.000	46.959	25.881	-61.876
8/27/2008 4:06	52170.000	46.969	25.882	-61.899
8/27/2008 4:08	52290.000	46.972	25.882	-61.908
8/27/2008 4:10	52410.000	46.972	25.883	-61.906
8/27/2008 4:12	52530.000	46.973	25.880	-61.910
8/27/2008 4:14	52650.000	46.971	25.879	-61.904
8/27/2008 4:16	52770.000	46.972	25.881	-61.907
8/27/2008 4:18	52890.000	46.975	25.880	-61.914
8/27/2008 4:20	53010.000	46.972	25.877	-61.908
8/27/2008 4:22	53130.000	46.964	25.880	-61.889
8/27/2008 4:24	53250.000	46.975	25.878	-61.913
8/27/2008 4:26	53370.000	46.977	25.878	-61.919
8/27/2008 4:28	53490.000	46.975	25.877	-61.914
8/27/2008 4:30	53610.000	46.964	25.874	-61.889
8/27/2008 4:32	53730.000	46.979	25.875	-61.923
8/27/2008 4:34	53850.000	46.979	25.876	-61.923
8/27/2008 4:36	53970.000	46.979	25.875	-61.924
8/27/2008 4:38	54090.000	46.964	25.875	-61.889
8/27/2008 4:40	54210.000	46.969	25.875	-61.900
8/27/2008 4:42	54330.000	46.968	25.873	-61.897
8/27/2008 4:44	54450.000	46.980	25.871	-61.925
8/27/2008 4:46	54570.000	46.972	25.870	-61.906
8/27/2008 4:48	54690.000	46.981	25.870	-61.927
8/27/2008 4:50	54810.000	46.984	25.868	-61.934
8/27/2008 4:52	54930.000	46.970	25.870	-61.902
8/27/2008 4:54	55050.000	46.973	25.872	-61.909
8/27/2008 4:56	55170.000	46.988	25.870	-61.944
8/27/2008 4:58	55290.000	46.987	25.870	-61.941
8/27/2008 5:00	55410.000	46.972	25.870	-61.906
8/27/2008 5:02	55530.000	46.985	25.868	-61.936
8/27/2008 5:04	55650.000	46.991	25.869	-61.950
8/27/2008 5:06	55770.000	46.987	25.867	-61.942
8/27/2008 5:08	55890.000	46.988	25.870	-61.943
8/27/2008 5:10	56010.000	46.979	25.868	-61.922
8/27/2008 5:12	56130.000	46.988	25.869	-61.945
8/27/2008 5:14	56250.000	46.987	25.867	-61.942
8/27/2008 5:16	56370.000	46.986	25.867	-61.938
8/27/2008 5:18	56490.000	46.987	25.865	-61.941
8/27/2008 5:20	56610.000	46.985	25.867	-61.938
8/27/2008 5:22	56730.000	46.992	25.865	-61.952
8/27/2008 5:24	56850.000	46.986	25.865	-61.940
8/27/2008 5:26	56970.000	46.979	25.864	-61.922
8/27/2008 5:28	57090.000	46.992	25.866	-61.953
8/27/2008 5:30	57210.000	46.983	25.863	-61.933
8/27/2008 5:32	57330.000	46.995	25.864	-61.960
8/27/2008 5:34	57450.000	46.990	25.860	-61.947

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 5:36	57570.000	46.997	25.860	-61.965
8/27/2008 5:38	57690.000	46.985	25.861	-61.937
8/27/2008 5:40	57810.000	46.983	25.862	-61.933
8/27/2008 5:42	57930.000	46.984	25.861	-61.934
8/27/2008 5:44	58050.000	47.000	25.861	-61.971
8/27/2008 5:46	58170.000	47.000	25.860	-61.972
8/27/2008 5:48	58290.000	47.000	25.859	-61.971
8/27/2008 5:50	58410.000	46.988	25.859	-61.944
8/27/2008 5:52	58530.000	46.991	25.858	-61.951
8/27/2008 5:54	58650.000	47.005	25.861	-61.984
8/27/2008 5:56	58770.000	46.992	25.859	-61.953
8/27/2008 5:58	58890.000	46.988	25.858	-61.945
8/27/2008 6:00	59010.000	47.006	25.856	-61.986
8/27/2008 6:02	59130.000	46.991	25.856	-61.950
8/27/2008 6:04	59250.000	46.995	25.858	-61.959
8/27/2008 6:06	59370.000	46.997	25.856	-61.965
8/27/2008 6:08	59490.000	47.007	25.856	-61.989
8/27/2008 6:10	59610.000	46.995	25.854	-61.960
8/27/2008 6:12	59730.000	46.995	25.856	-61.960
8/27/2008 6:14	59850.000	47.004	25.855	-61.982
8/27/2008 6:16	59970.000	46.998	25.853	-61.966
8/27/2008 6:18	60090.000	47.001	25.856	-61.973
8/27/2008 6:20	60210.000	46.992	25.853	-61.953
8/27/2008 6:22	60330.000	46.991	25.853	-61.951
8/27/2008 6:24	60450.000	46.997	25.853	-61.965
8/27/2008 6:26	60570.000	46.997	25.850	-61.964
8/27/2008 6:28	60690.000	46.999	25.854	-61.968
8/27/2008 6:30	60810.000	46.999	25.853	-61.970
8/27/2008 6:32	60930.000	47.000	25.849	-61.971
8/27/2008 6:34	61050.000	46.996	25.848	-61.963
8/27/2008 6:36	61170.000	46.993	25.849	-61.956
8/27/2008 6:38	61290.000	46.998	25.851	-61.968
8/27/2008 6:40	61410.000	47.013	25.849	-62.002
8/27/2008 6:42	61530.000	46.999	25.850	-61.969
8/27/2008 6:44	61650.000	47.001	25.849	-61.975
8/27/2008 6:46	61770.000	47.001	25.851	-61.973
8/27/2008 6:48	61890.000	46.998	25.849	-61.968
8/27/2008 6:50	62010.000	47.008	25.848	-61.991
8/27/2008 6:52	62130.000	47.000	25.844	-61.971
8/27/2008 6:54	62250.000	47.017	25.845	-62.010
8/27/2008 6:56	62370.000	47.002	25.845	-61.976
8/27/2008 6:58	62490.000	47.005	25.845	-61.982
8/27/2008 7:00	62610.000	47.002	25.848	-61.976
8/27/2008 7:02	62730.000	47.006	25.844	-61.985
8/27/2008 7:04	62850.000	47.000	25.843	-61.972
8/27/2008 7:06	62970.000	47.003	25.844	-61.978
8/27/2008 7:08	63090.000	47.009	25.842	-61.991
8/27/2008 7:10	63210.000	46.961	25.845	-61.881
8/27/2008 7:12	63330.000	46.980	25.844	-61.925

## 8-HOUR DRAWDOWN TEST

Report Date:	9/15/2008 15:49	
Report User Name:	Owner	
Report Computer Name:	OWNER-PC	
Log File Properties	8 Hour Drawdown Test	
File Name	2008-08-27 08-14-11.wsl	
Create Date	8/28/2008 9:04	
Device Properties		
Device	Level TROLL® 700	
Site	L63N (OKF-106)	
Device Name		
Serial Number	134613	
Firmware Version	2.07	
Log Configuration	8 Hour Drawdown Test	
	SEnglish	
	USPCT1LT011	
	WinSitu.exe	
	5.6.1.8	
	8/27/2008 7:25	
	4096	
	True Logarithmic	
	Disabled	
	Manual Start	
	No Stop Time	
	Days: 0 Hours: 00	
	Mins: 02 Secs: 00	
Level Reference Settings At Log Creation	Level Measurement Mode	Level Depth To Water
	Specific Gravity	0.999
	Level Reference Mode:	Set new reference
	Level Reference Value:	0 (ft)
	Level Reference Head	
	Pressure	46.9423 (PSI)
	Head Pressure	46.9484 (PSI)
	Temperature	25.889 (C)
	Depth of Probe	108.402 (ft)
Log Notes:	Note	
Date and Time	Manual Start Command	
8/27/2008 7:27	User Note: "Downloading	
8/27/2008 8:14	log - Used Batt: 0%	
	Memory: 10% User:	
8/27/2008 15:30	SEnglish"	
Log Data:	Manual Stop Command	
Record Count	350	
Sensor: Pres 100G SN#: 134613		

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (psi)	Level Depth To Water (ft)
8/27/2008 7:27	0.000	25.850	46.967	-0.057
8/27/2008 7:27	0.251	25.869	46.976	-0.078
8/27/2008 7:27	0.501	25.880	46.969	-0.062
8/27/2008 7:27	0.751	25.888	46.965	-0.053
8/27/2008 7:27	1.001	25.899	46.975	-0.075
8/27/2008 7:27	1.251	25.907	46.976	-0.077
8/27/2008 7:27	1.501	25.911	46.956	-0.031
8/27/2008 7:27	1.751	25.913	46.969	-0.063
8/27/2008 7:27	2.001	25.920	46.968	-0.059
8/27/2008 7:27	2.251	25.920	46.963	-0.049
8/27/2008 7:27	2.501	25.926	46.965	-0.052
8/27/2008 7:27	2.751	25.926	46.959	-0.039
8/27/2008 7:27	3.001	25.931	46.963	-0.048
8/27/2008 7:27	3.251	25.931	46.964	-0.051
8/27/2008 7:27	3.501	25.934	46.966	-0.055
8/27/2008 7:27	3.751	25.934	46.970	-0.063
8/27/2008 7:27	4.001	25.935	46.971	-0.066
8/27/2008 7:27	4.251	25.936	46.963	-0.047
8/27/2008 7:27	4.501	25.937	46.970	-0.064
8/27/2008 7:27	4.751	25.942	46.967	-0.057
8/27/2008 7:27	5.001	25.941	46.971	-0.067
8/27/2008 7:27	5.251	25.943	46.962	-0.044
8/27/2008 7:27	5.501	25.945	46.973	-0.071
8/27/2008 7:27	5.751	25.949	46.964	-0.051
8/27/2008 7:27	6.001	25.946	46.970	-0.064
8/27/2008 7:27	6.361	25.937	46.990	-0.110
8/27/2008 7:27	6.773	25.928	46.983	-0.093
8/27/2008 7:27	7.141	25.930	46.987	-0.102
8/27/2008 7:27	7.560	25.922	46.974	-0.074
8/27/2008 7:27	7.980	25.923	46.971	-0.067
8/27/2008 7:27	8.461	25.922	46.961	-0.043
8/27/2008 7:27	9.000	25.913	46.963	-0.047
8/27/2008 7:27	9.480	25.915	46.973	-0.070
8/27/2008 7:27	10.080	25.907	46.964	-0.050
8/27/2008 7:27	10.681	25.906	46.965	-0.053
8/27/2008 7:27	11.280	25.904	46.965	-0.052
8/27/2008 7:27	11.940	25.901	46.964	-0.051
8/27/2008 7:27	12.661	25.900	46.962	-0.045
8/27/2008 7:27	13.441	25.895	46.972	-0.069
8/27/2008 7:28	14.221	25.897	46.973	-0.071
8/27/2008 7:28	15.061	25.898	46.971	-0.066
8/27/2008 7:28	15.961	25.896	46.968	-0.058
8/27/2008 7:28	16.921	25.893	46.974	-0.074
8/27/2008 7:28	17.880	25.890	46.962	-0.045
8/27/2008 7:28	18.960	25.890	46.960	-0.041
8/27/2008 7:28	20.101	25.890	46.965	-0.052
8/27/2008 7:28	21.300	25.888	46.976	-0.077
8/27/2008 7:28	22.561	25.888	46.963	-0.049
8/27/2008 7:28	23.881	25.886	46.966	-0.054

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (psi)	Level Depth To Water (ft)
8/27/2008 7:28	25.321	25.886	46.970	-0.063
8/27/2008 7:28	26.821	25.885	46.970	-0.063
8/27/2008 7:28	28.380	25.884	46.971	-0.067
8/27/2008 7:28	30.060	25.883	46.970	-0.064
8/27/2008 7:28	31.860	25.881	46.976	-0.078
8/27/2008 7:28	33.721	25.883	46.967	-0.058
8/27/2008 7:28	35.761	25.877	46.972	-0.069
8/27/2008 7:28	37.861	25.879	46.969	-0.061
8/27/2008 7:28	40.080	25.876	46.971	-0.067
8/27/2008 7:28	42.480	25.877	46.973	-0.070
8/27/2008 7:28	45.000	25.875	46.978	-0.082
8/27/2008 7:28	47.641	25.878	46.970	-0.063
8/27/2008 7:28	50.461	25.876	46.975	-0.075
8/27/2008 7:28	53.460	25.874	46.966	-0.056
8/27/2008 7:28	56.640	25.872	46.975	-0.074
8/27/2008 7:28	60.000	25.873	46.959	-0.039
8/27/2008 7:28	63.601	25.873	46.965	-0.053
8/27/2008 7:28	67.200	25.871	46.960	-0.040
8/27/2008 7:28	71.401	25.869	46.962	-0.045
8/27/2008 7:29	75.601	25.870	46.971	-0.065
8/27/2008 7:29	79.800	25.869	46.962	-0.046
8/27/2008 7:29	84.601	25.867	46.968	-0.059
8/27/2008 7:29	90.000	25.865	46.968	-0.058
8/27/2008 7:29	94.800	25.863	46.974	-0.073
8/27/2008 7:29	100.800	25.862	46.976	-0.077
8/27/2008 7:29	106.800	25.863	46.964	-0.050
8/27/2008 7:29	112.800	25.860	46.964	-0.050
8/27/2008 7:29	119.400	25.858	46.971	-0.066
8/27/2008 7:29	126.600	25.859	46.971	-0.065
8/27/2008 7:30	134.400	25.861	46.966	-0.056
8/27/2008 7:30	142.200	25.858	46.967	-0.058
8/27/2008 7:30	150.600	25.857	46.979	-0.085
8/27/2008 7:30	159.601	25.856	46.964	-0.051
8/27/2008 7:30	169.200	25.856	29.454	40.380
8/27/2008 7:30	178.800	25.853	35.395	26.663
8/27/2008 7:30	189.600	25.860	31.114	36.547
8/27/2008 7:31	201.000	25.870	26.802	46.503
8/27/2008 7:31	213.000	25.884	26.539	47.110
8/27/2008 7:31	225.600	25.894	24.684	51.393
8/27/2008 7:31	238.800	25.907	23.762	53.522
8/27/2008 7:31	253.200	25.925	23.196	54.829
8/27/2008 7:32	268.200	25.936	23.819	53.390
8/27/2008 7:32	283.800	25.950	23.161	54.911
8/27/2008 7:32	300.600	25.962	22.489	56.461
8/27/2008 7:33	318.600	25.975	22.198	57.134
8/27/2008 7:33	337.200	25.986	22.007	57.576
8/27/2008 7:33	357.600	25.998	21.812	58.026
8/27/2008 7:34	378.600	26.006	21.702	58.280
8/27/2008 7:34	400.800	26.014	21.562	58.603

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (psi)	Level Depth To Water (ft)
8/27/2008 7:34	424.800	26.020	21.430	58.907
8/27/2008 7:35	450.000	26.028	21.328	59.142
8/27/2008 7:35	476.400	26.032	21.237	59.352
8/27/2008 7:36	504.600	26.038	21.149	59.557
8/27/2008 7:36	534.600	26.045	21.064	59.752
8/27/2008 7:37	566.400	26.045	20.946	60.024
8/27/2008 7:37	600.000	26.053	20.919	60.088
8/27/2008 7:38	636.000	26.069	20.844	60.260
8/27/2008 7:38	672.000	26.074	20.772	60.426
8/27/2008 7:39	714.000	26.079	20.714	60.560
8/27/2008 7:40	756.000	26.089	20.668	60.667
8/27/2008 7:41	798.000	26.090	20.606	60.809
8/27/2008 7:41	846.000	26.093	20.557	60.922
8/27/2008 7:42	900.000	26.102	20.482	61.096
8/27/2008 7:43	948.000	26.094	20.434	61.208
8/27/2008 7:44	1008.000	26.094	20.375	61.342
8/27/2008 7:45	1068.000	26.095	20.319	61.471
8/27/2008 7:46	1128.000	26.084	20.287	61.547
8/27/2008 7:47	1194.000	26.080	19.975	62.266
8/27/2008 7:48	1266.000	26.075	19.945	62.337
8/27/2008 7:50	1344.000	26.070	19.902	62.434
8/27/2008 7:51	1422.000	26.077	19.850	62.556
8/27/2008 7:52	1506.000	26.080	19.799	62.674
8/27/2008 7:54	1596.000	26.085	19.770	62.740
8/27/2008 7:55	1692.000	26.082	19.734	62.824
8/27/2008 7:57	1788.000	26.075	19.703	62.894
8/27/2008 7:59	1896.000	26.078	19.656	63.004
8/27/2008 8:01	2010.000	26.084	19.623	63.079
8/27/2008 8:03	2130.000	26.089	19.559	63.226
8/27/2008 8:05	2250.000	26.107	19.520	63.318
8/27/2008 8:07	2370.000	26.108	19.484	63.400
8/27/2008 8:09	2490.000	26.105	19.452	63.474
8/27/2008 8:11	2610.000	26.107	19.415	63.559
8/27/2008 8:13	2730.163	26.106	19.663	62.987
8/27/2008 8:15	2850.000	26.108	19.647	63.024
8/27/2008 8:17	2970.000	26.110	19.627	63.070
8/27/2008 8:19	3090.000	26.115	19.616	63.095
8/27/2008 8:21	3210.000	26.124	19.578	63.183
8/27/2008 8:23	3330.000	26.121	19.567	63.208
8/27/2008 8:25	3450.000	26.125	19.552	63.244
8/27/2008 8:27	3570.000	26.132	19.541	63.268
8/27/2008 8:29	3690.000	26.136	19.499	63.366
8/27/2008 8:31	3810.021	26.120	19.474	63.424
8/27/2008 8:33	3930.021	26.118	19.454	63.469
8/27/2008 8:35	4050.000	26.116	19.436	63.511
8/27/2008 8:37	4170.000	26.116	19.417	63.554
8/27/2008 8:39	4290.000	26.116	19.398	63.600
8/27/2008 8:41	4410.000	26.111	19.382	63.636
8/27/2008 8:43	4530.000	26.122	19.367	63.670

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (psi)	Level Depth To Water (ft)
8/27/2008 8:45	4650.000	26.136	19.324	63.770
8/27/2008 8:47	4770.000	26.141	19.306	63.812
8/27/2008 8:49	4890.000	26.148	19.269	63.896
8/27/2008 8:51	5010.000	26.161	19.265	63.906
8/27/2008 8:53	5130.000	26.163	19.255	63.929
8/27/2008 8:55	5250.000	26.163	19.237	63.970
8/27/2008 8:57	5370.000	26.159	19.224	64.000
8/27/2008 8:59	5490.000	26.157	19.226	63.996
8/27/2008 9:01	5610.000	26.155	19.195	64.068
8/27/2008 9:03	5730.000	26.151	19.189	64.082
8/27/2008 9:05	5850.000	26.144	19.178	64.107
8/27/2008 9:07	5970.000	26.138	19.166	64.136
8/27/2008 9:09	6090.000	26.141	19.155	64.159
8/27/2008 9:11	6210.000	26.146	19.141	64.192
8/27/2008 9:13	6330.000	26.147	19.111	64.262
8/27/2008 9:15	6450.000	26.153	19.099	64.288
8/27/2008 9:17	6570.019	26.146	19.113	64.257
8/27/2008 9:19	6690.000	26.138	19.096	64.296
8/27/2008 9:21	6810.008	26.145	19.084	64.323
8/27/2008 9:23	6930.008	26.164	19.075	64.344
8/27/2008 9:25	7050.020	26.167	19.063	64.372
8/27/2008 9:27	7170.020	26.171	19.057	64.386
8/27/2008 9:29	7290.015	26.174	19.030	64.449
8/27/2008 9:31	7410.004	26.175	19.005	64.505
8/27/2008 9:33	7530.001	26.171	19.011	64.493
8/27/2008 9:35	7650.000	26.161	18.995	64.529
8/27/2008 9:37	7770.000	26.150	18.999	64.521
8/27/2008 9:39	7890.000	26.146	18.983	64.558
8/27/2008 9:41	8010.000	26.151	18.963	64.603
8/27/2008 9:43	8130.001	26.159	18.960	64.610
8/27/2008 9:45	8250.000	26.157	18.958	64.615
8/27/2008 9:47	8370.000	26.166	18.970	64.587
8/27/2008 9:49	8490.000	26.172	18.935	64.669
8/27/2008 9:51	8610.000	26.161	18.950	64.634
8/27/2008 9:53	8730.000	26.159	18.937	64.662
8/27/2008 9:55	8850.000	26.152	18.914	64.716
8/27/2008 9:57	8970.000	26.156	18.920	64.703
8/27/2008 9:59	9090.000	26.155	18.895	64.760
8/27/2008 10:01	9210.000	26.155	18.893	64.766
8/27/2008 10:03	9330.000	26.160	18.889	64.773
8/27/2008 10:05	9450.000	26.160	18.875	64.807
8/27/2008 10:07	9570.000	26.151	18.881	64.793
8/27/2008 10:09	9690.000	26.154	18.876	64.805
8/27/2008 10:11	9810.000	26.158	18.867	64.824
8/27/2008 10:13	9930.000	26.162	18.848	64.870
8/27/2008 10:15	10050.000	26.165	18.842	64.883
8/27/2008 10:17	10170.000	26.166	18.845	64.875
8/27/2008 10:19	10290.000	26.164	18.820	64.933
8/27/2008 10:21	10410.000	26.163	18.812	64.951

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (psi)	Level Depth To Water (ft)
8/27/2008 10:23	10530.000	26.158	18.818	64.938
8/27/2008 10:25	10650.000	26.153	18.804	64.970
8/27/2008 10:27	10770.000	26.155	18.818	64.938
8/27/2008 10:29	10890.000	26.153	18.803	64.973
8/27/2008 10:31	11010.000	26.150	18.776	65.036
8/27/2008 10:33	11130.000	26.146	18.775	65.038
8/27/2008 10:35	11250.000	26.149	18.781	65.024
8/27/2008 10:37	11370.000	26.145	18.780	65.025
8/27/2008 10:39	11490.000	26.145	18.769	65.050
8/27/2008 10:41	11610.000	26.158	18.759	65.075
8/27/2008 10:43	11730.000	26.171	18.735	65.129
8/27/2008 10:45	11850.000	26.170	18.746	65.104
8/27/2008 10:47	11970.000	26.166	18.735	65.131
8/27/2008 10:49	12090.000	26.162	18.741	65.115
8/27/2008 10:51	12210.000	26.160	18.714	65.178
8/27/2008 10:53	12330.000	26.161	18.727	65.148
8/27/2008 10:55	12450.000	26.154	18.725	65.154
8/27/2008 10:57	12570.000	26.149	18.719	65.166
8/27/2008 10:59	12690.000	26.146	18.710	65.188
8/27/2008 11:01	12810.000	26.147	18.718	65.168
8/27/2008 11:03	12930.000	26.143	18.699	65.213
8/27/2008 11:05	13050.000	26.143	18.702	65.205
8/27/2008 11:07	13170.000	26.154	18.687	65.241
8/27/2008 11:09	13290.000	26.162	18.681	65.255
8/27/2008 11:11	13410.000	26.155	18.670	65.279
8/27/2008 11:13	13530.000	26.156	18.673	65.273
8/27/2008 11:15	13650.000	26.155	18.673	65.272
8/27/2008 11:17	13770.000	26.153	18.675	65.268
8/27/2008 11:19	13890.000	26.155	18.677	65.263
8/27/2008 11:21	14010.000	26.159	18.680	65.257
8/27/2008 11:23	14130.000	26.158	18.650	65.327
8/27/2008 11:25	14250.000	26.159	18.638	65.354
8/27/2008 11:27	14370.000	26.162	18.633	65.364
8/27/2008 11:29	14490.000	26.156	18.625	65.384
8/27/2008 11:31	14610.000	26.152	18.637	65.357
8/27/2008 11:33	14730.000	26.147	18.611	65.417
8/27/2008 11:35	14850.000	26.142	18.636	65.359
8/27/2008 11:37	14970.000	26.146	18.625	65.384
8/27/2008 11:39	15090.000	26.155	18.614	65.408
8/27/2008 11:41	15210.000	26.162	18.597	65.449
8/27/2008 11:43	15330.000	26.166	18.601	65.440
8/27/2008 11:45	15450.000	26.168	18.585	65.477
8/27/2008 11:47	15570.000	26.162	18.602	65.437
8/27/2008 11:49	15690.000	26.152	18.618	65.399
8/27/2008 11:51	15810.000	26.145	18.609	65.420
8/27/2008 11:53	15930.000	26.146	18.591	65.461
8/27/2008 11:55	16050.000	26.153	18.581	65.484
8/27/2008 11:57	16170.000	26.152	18.576	65.496
8/27/2008 11:59	16290.000	26.158	18.585	65.476

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (psi)	Level Depth To Water (ft)
8/27/2008 12:01	16410.000	26.154	18.578	65.492
8/27/2008 12:03	16530.000	26.147	18.585	65.477
8/27/2008 12:05	16650.000	26.151	18.581	65.485
8/27/2008 12:07	16770.000	26.153	18.560	65.534
8/27/2008 12:09	16890.000	26.150	18.567	65.517
8/27/2008 12:11	17010.000	26.148	18.565	65.523
8/27/2008 12:13	17130.000	26.148	18.565	65.521
8/27/2008 12:15	17250.000	26.144	18.576	65.497
8/27/2008 12:17	17370.000	26.138	18.541	65.577
8/27/2008 12:19	17490.000	26.139	18.554	65.549
8/27/2008 12:21	17610.000	26.144	18.532	65.599
8/27/2008 12:23	17730.000	26.141	18.555	65.546
8/27/2008 12:25	17850.000	26.145	18.553	65.551
8/27/2008 12:27	17970.000	26.143	18.541	65.577
8/27/2008 12:29	18090.000	26.140	18.545	65.567
8/27/2008 12:31	18210.000	26.150	18.517	65.633
8/27/2008 12:33	18330.000	26.150	18.527	65.611
8/27/2008 12:35	18450.000	26.144	18.526	65.612
8/27/2008 12:37	18570.000	26.142	18.516	65.636
8/27/2008 12:39	18690.000	26.143	18.528	65.607
8/27/2008 12:41	18810.000	26.145	18.530	65.604
8/27/2008 12:43	18930.000	26.142	18.505	65.660
8/27/2008 12:45	19050.000	26.148	18.504	65.663
8/27/2008 12:47	19170.000	26.146	18.508	65.653
8/27/2008 12:49	19290.000	26.144	18.497	65.680
8/27/2008 12:51	19410.000	26.142	18.506	65.659
8/27/2008 12:53	19530.000	26.145	18.492	65.690
8/27/2008 12:55	19650.000	26.146	18.515	65.638
8/27/2008 12:57	19770.000	26.146	18.488	65.700
8/27/2008 12:59	19890.000	26.149	18.500	65.673
8/27/2008 13:01	20010.000	26.146	18.470	65.742
8/27/2008 13:03	20130.000	26.140	18.503	65.664
8/27/2008 13:05	20250.000	26.146	18.479	65.721
8/27/2008 13:07	20370.000	26.148	18.480	65.719
8/27/2008 13:09	20490.000	26.151	18.475	65.731
8/27/2008 13:11	20610.000	26.154	18.467	65.748
8/27/2008 13:13	20730.000	26.160	18.491	65.692
8/27/2008 13:15	20850.000	26.166	18.478	65.724
8/27/2008 13:17	20970.000	26.164	18.480	65.718
8/27/2008 13:19	21090.000	26.165	18.480	65.718
8/27/2008 13:21	21210.000	26.169	18.476	65.729
8/27/2008 13:23	21330.000	26.171	18.477	65.725
8/27/2008 13:25	21450.000	26.175	18.481	65.716
8/27/2008 13:27	21570.000	26.169	18.463	65.757
8/27/2008 13:29	21690.000	26.166	18.481	65.717
8/27/2008 13:31	21810.000	26.160	18.464	65.756
8/27/2008 13:33	21930.000	26.149	18.451	65.786
8/27/2008 13:35	22050.000	26.146	18.466	65.752
8/27/2008 13:37	22170.000	26.122	18.166	66.444

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (psi)	Level Depth To Water (ft)
8/27/2008 13:39	22290.000	26.117	18.159	66.460
8/27/2008 13:41	22410.000	26.112	18.135	66.516
8/27/2008 13:43	22530.000	26.113	18.142	66.499
8/27/2008 13:45	22650.000	26.116	18.114	66.565
8/27/2008 13:47	22770.000	26.109	18.136	66.513
8/27/2008 13:49	22890.000	26.105	18.115	66.562
8/27/2008 13:51	23010.000	26.105	18.136	66.512
8/27/2008 13:53	23130.000	26.105	18.101	66.593
8/27/2008 13:55	23250.000	26.101	18.112	66.568
8/27/2008 13:57	23370.000	26.102	18.112	66.569
8/27/2008 13:59	23490.000	26.106	18.095	66.608
8/27/2008 14:01	23610.000	26.106	18.079	66.645
8/27/2008 14:03	23730.000	26.106	18.077	66.648
8/27/2008 14:05	23850.000	26.108	18.077	66.650
8/27/2008 14:07	23970.000	26.105	18.101	66.594
8/27/2008 14:09	24090.000	26.108	18.085	66.631
8/27/2008 14:11	24210.000	26.101	18.065	66.676
8/27/2008 14:13	24330.000	26.103	18.062	66.683
8/27/2008 14:15	24450.000	26.103	18.041	66.732
8/27/2008 14:17	24570.000	26.098	18.044	66.726
8/27/2008 14:19	24690.000	26.093	18.049	66.713
8/27/2008 14:21	24810.000	26.094	18.053	66.704
8/27/2008 14:23	24930.000	26.098	18.054	66.701
8/27/2008 14:25	25050.000	26.095	18.067	66.672
8/27/2008 14:27	25170.000	26.090	18.078	66.646
8/27/2008 14:29	25290.000	26.093	18.081	66.639
8/27/2008 14:31	25410.000	26.090	18.059	66.690
8/27/2008 14:33	25530.000	26.088	18.062	66.685
8/27/2008 14:35	25650.000	26.091	18.067	66.671
8/27/2008 14:37	25770.000	26.089	18.042	66.730
8/27/2008 14:39	25890.000	26.095	18.397	65.910
8/27/2008 14:41	26010.000	26.101	18.395	65.915
8/27/2008 14:43	26130.000	26.115	18.405	65.893
8/27/2008 14:45	26250.000	26.122	18.379	65.951
8/27/2008 14:47	26370.000	26.122	18.386	65.935
8/27/2008 14:49	26490.000	26.123	18.400	65.904
8/27/2008 14:51	26610.000	26.128	18.396	65.912
8/27/2008 14:53	26730.000	26.124	18.397	65.911
8/27/2008 14:55	26850.000	26.121	18.391	65.925
8/27/2008 14:57	26970.000	26.122	18.383	65.942
8/27/2008 14:59	27090.000	26.120	18.396	65.912
8/27/2008 15:01	27210.000	26.122	18.380	65.949
8/27/2008 15:03	27330.000	26.122	18.398	65.908
8/27/2008 15:05	27450.000	26.122	18.391	65.923
8/27/2008 15:07	27570.000	26.129	18.357	66.002
8/27/2008 15:09	27690.000	26.126	18.354	66.008
8/27/2008 15:11	27810.000	26.126	18.375	65.960
8/27/2008 15:13	27930.000	26.126	18.360	65.996
8/27/2008 15:15	28050.000	26.123	18.364	65.986

Date and Time	Elapsed Time (Seconds)	Temperature (C)	Pressure (psi)	Level Depth To Water (ft)
8/27/2008 15:17	28170.000	26.125	18.345	66.030
8/27/2008 15:19	28290.000	26.120	18.340	66.042
8/27/2008 15:21	28410.000	26.118	18.348	66.022
8/27/2008 15:23	28530.000	26.119	18.344	66.031
8/27/2008 15:25	28650.000	26.122	18.365	65.983
8/27/2008 15:27	28770.000	26.123	18.373	65.966
8/27/2008 15:29	28890.000	26.124	18.367	65.979

## 8-HOUR DRAWDOWN RECOVERY TEST

Report Date:	9/15/2008 15:49	
Report User Name:	Owner	
Report Computer Name:	OWNER-PC	
Log File Properties	8 Hour DD Recovery 2008-	
File Name	08-28 09-06-29.wsl	
Create Date	8/28/2008 9:06	
Device Properties		
Device	Level TROLL® 700	
Site	L63N (OKF-106)	
Device Name		
Serial Number	134613	
Firmware Version	2.07	
Log Configuration		
	Log Name	8 Hour DD Recovery
	Created By	SEnglish
	Computer Name	USPCT1LT011
	Application	WinSitu.exe
	Application Version	5.6.1.8
	Create Date	8/27/2008 15:31
	Notes Size (bytes)	4096
	Type	True Logarithmic
	Overwrite when full	Disabled
	Scheduled Start Time	Manual Start
	Scheduled Stop	No Stop Time
	Max Interval	Days: 0 Hours: 00 Mins: 02 Secs: 00
Level Reference Settings At Log Creation	Level Measurement Mode	Level Depth To Water
	Specific Gravity	0.999
	Level Reference Mode:	Set new reference
	Level Reference Value:	0 (ft)
	Level Reference Head	
	Pressure	18.3326 (PSI)
	Head Pressure	18.3307 (PSI)
	Temperature	26.147 (C)
	Depth of Probe	42.3251 (ft)
Log Notes:	Note	
Date and Time	Manual Start Command	
8/27/2008 15:32	Manual Stop Command	
8/28/2008 9:03		
Log Data:		
Record Count	634	
Sensor: Pres 100G SN#: 134613		

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 15:32	0.000	18.366	26.108	-0.077
8/27/2008 15:33	0.250	18.372	26.124	-0.092
8/27/2008 15:33	0.500	18.355	26.139	-0.051
8/27/2008 15:33	0.750	18.348	26.150	-0.036
8/27/2008 15:33	1.000	18.360	26.156	-0.064
8/27/2008 15:33	1.250	18.376	26.161	-0.100
8/27/2008 15:33	1.500	18.364	26.166	-0.073
8/27/2008 15:33	1.750	18.351	26.171	-0.043
8/27/2008 15:33	2.000	18.361	26.178	-0.066
8/27/2008 15:33	2.250	18.361	26.177	-0.066
8/27/2008 15:33	2.500	18.347	26.183	-0.033
8/27/2008 15:33	2.750	18.352	26.184	-0.044
8/27/2008 15:33	3.000	18.365	26.187	-0.076
8/27/2008 15:33	3.250	18.359	26.188	-0.061
8/27/2008 15:33	3.500	18.348	26.191	-0.035
8/27/2008 15:33	3.750	18.363	26.193	-0.071
8/27/2008 15:33	4.000	18.335	26.192	-0.005
8/27/2008 15:33	4.250	18.363	26.196	-0.069
8/27/2008 15:33	4.500	18.347	26.197	-0.032
8/27/2008 15:33	4.750	18.369	26.198	-0.084
8/27/2008 15:33	5.000	18.363	26.199	-0.071
8/27/2008 15:33	5.250	18.365	26.200	-0.075
8/27/2008 15:33	5.500	18.363	26.200	-0.070
8/27/2008 15:33	5.750	18.352	26.203	-0.044
8/27/2008 15:33	6.000	18.361	26.203	-0.067
8/27/2008 15:33	6.360	18.355	26.195	-0.052
8/27/2008 15:33	6.720	18.356	26.191	-0.055
8/27/2008 15:33	7.140	18.350	26.187	-0.041
8/27/2008 15:33	7.560	18.361	26.181	-0.065
8/27/2008 15:33	7.984	18.375	26.180	-0.099
8/27/2008 15:33	8.460	18.353	26.219	-0.047
8/27/2008 15:33	9.000	18.375	26.191	-0.099
8/27/2008 15:33	9.480	18.352	26.184	-0.045
8/27/2008 15:33	10.080	18.361	26.176	-0.065
8/27/2008 15:33	10.680	18.371	26.170	-0.089
8/27/2008 15:33	11.280	18.353	26.168	-0.046
8/27/2008 15:33	11.940	18.347	26.164	-0.033
8/27/2008 15:33	12.660	20.485	26.159	-4.969
8/27/2008 15:33	13.440	20.541	26.158	-5.099
8/27/2008 15:33	14.220	21.006	26.155	-6.173
8/27/2008 15:33	15.060	22.248	26.154	-9.040
8/27/2008 15:33	15.960	23.724	26.153	-12.449
8/27/2008 15:33	16.920	24.943	26.150	-15.263
8/27/2008 15:33	17.880	25.859	26.150	-17.379
8/27/2008 15:33	18.960	26.629	26.147	-19.157
8/27/2008 15:33	20.100	27.174	26.145	-20.414
8/27/2008 15:33	21.300	27.578	26.143	-21.348
8/27/2008 15:33	22.560	27.965	26.141	-22.241
8/27/2008 15:33	23.880	28.372	26.141	-23.180
8/27/2008 15:33	25.320	28.937	26.140	-24.486

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 15:33	26.820	29.522	26.138	-25.835
8/27/2008 15:33	28.380	30.243	26.137	-27.501
8/27/2008 15:33	30.060	30.939	26.133	-29.109
8/27/2008 15:33	31.860	31.774	26.132	-31.036
8/27/2008 15:33	33.720	32.304	26.129	-32.259
8/27/2008 15:33	35.760	33.124	26.135	-34.152
8/27/2008 15:33	37.860	33.735	26.131	-35.564
8/27/2008 15:33	40.080	34.316	26.128	-36.906
8/27/2008 15:33	42.480	34.824	26.127	-38.078
8/27/2008 15:33	45.000	35.379	26.128	-39.360
8/27/2008 15:33	47.640	35.912	26.127	-40.591
8/27/2008 15:33	50.460	36.543	26.125	-42.047
8/27/2008 15:33	53.460	37.037	26.124	-43.188
8/27/2008 15:33	56.640	37.842	26.120	-45.047
8/27/2008 15:33	60.000	39.131	26.120	-48.023
8/27/2008 15:34	63.600	39.226	26.116	-48.242
8/27/2008 15:34	67.200	39.429	26.114	-48.712
8/27/2008 15:34	71.400	39.038	26.114	-47.808
8/27/2008 15:34	75.600	39.907	26.117	-49.815
8/27/2008 15:34	79.800	40.103	26.113	-50.268
8/27/2008 15:34	84.600	40.319	26.110	-50.766
8/27/2008 15:34	90.000	40.538	26.109	-51.271
8/27/2008 15:34	94.800	40.719	26.105	-51.691
8/27/2008 15:34	100.800	40.926	26.105	-52.168
8/27/2008 15:34	106.800	41.119	26.104	-52.614
8/27/2008 15:34	112.800	41.292	26.101	-53.013
8/27/2008 15:34	119.400	41.474	26.101	-53.433
8/27/2008 15:35	126.600	41.658	26.097	-53.857
8/27/2008 15:35	134.400	41.826	26.096	-54.246
8/27/2008 15:35	142.200	41.987	26.097	-54.618
8/27/2008 15:35	150.600	42.274	26.095	-55.280
8/27/2008 15:35	159.600	42.240	26.093	-55.202
8/27/2008 15:35	169.200	42.082	26.092	-54.837
8/27/2008 15:35	178.800	42.130	26.091	-54.948
8/27/2008 15:36	189.600	42.207	26.090	-55.125
8/27/2008 15:36	201.000	42.288	26.089	-55.312
8/27/2008 15:36	213.000	42.422	26.087	-55.623
8/27/2008 15:36	225.600	42.593	26.086	-56.016
8/27/2008 15:36	238.800	42.775	26.085	-56.438
8/27/2008 15:37	253.200	43.010	26.085	-56.980
8/27/2008 15:37	268.200	43.099	26.085	-57.185
8/27/2008 15:37	283.800	43.180	26.086	-57.372
8/27/2008 15:38	300.600	43.253	26.083	-57.539
8/27/2008 15:38	318.600	43.328	26.084	-57.714
8/27/2008 15:38	337.200	43.395	26.083	-57.868
8/27/2008 15:38	357.600	43.469	26.083	-58.039
8/27/2008 15:39	378.600	43.540	26.083	-58.203
8/27/2008 15:39	400.800	43.605	26.080	-58.353
8/27/2008 15:40	424.800	43.693	26.082	-58.556
8/27/2008 15:40	450.000	43.778	26.084	-58.753

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 15:40	476.400	43.841	26.087	-58.899
8/27/2008 15:41	504.600	43.898	26.087	-59.029
8/27/2008 15:41	534.600	43.966	26.088	-59.188
8/27/2008 15:42	566.400	44.028	26.091	-59.330
8/27/2008 15:42	600.000	44.088	26.095	-59.467
8/27/2008 15:43	636.000	44.151	26.097	-59.615
8/27/2008 15:44	672.000	44.203	26.101	-59.733
8/27/2008 15:44	714.000	44.268	26.105	-59.883
8/27/2008 15:45	756.000	44.320	26.110	-60.004
8/27/2008 15:46	798.000	44.349	26.110	-60.072
8/27/2008 15:47	846.000	44.410	26.112	-60.212
8/27/2008 15:47	900.000	44.469	26.118	-60.349
8/27/2008 15:48	948.000	44.496	26.117	-60.411
8/27/2008 15:49	1008.000	44.553	26.119	-60.542
8/27/2008 15:50	1068.000	44.579	26.113	-60.602
8/27/2008 15:51	1128.000	44.620	26.106	-60.697
8/27/2008 15:52	1194.000	44.687	26.112	-60.852
8/27/2008 15:54	1266.000	44.722	26.120	-60.933
8/27/2008 15:55	1344.000	44.768	26.129	-61.038
8/27/2008 15:56	1422.000	44.806	26.126	-61.125
8/27/2008 15:58	1506.000	44.839	26.134	-61.203
8/27/2008 15:59	1596.000	44.883	26.135	-61.304
8/27/2008 16:01	1692.000	44.934	26.117	-61.422
8/27/2008 16:02	1788.000	44.967	26.120	-61.498
8/27/2008 16:04	1896.000	44.992	26.122	-61.556
8/27/2008 16:06	2010.000	45.020	26.145	-61.621
8/27/2008 16:08	2130.000	45.060	26.169	-61.713
8/27/2008 16:10	2250.000	45.082	26.163	-61.762
8/27/2008 16:12	2370.000	45.123	26.165	-61.857
8/27/2008 16:14	2490.000	45.151	26.167	-61.922
8/27/2008 16:16	2610.000	45.176	26.173	-61.982
8/27/2008 16:18	2730.000	45.210	26.179	-62.058
8/27/2008 16:20	2850.000	45.226	26.170	-62.096
8/27/2008 16:22	2970.000	45.257	26.180	-62.167
8/27/2008 16:24	3090.000	45.298	26.199	-62.262
8/27/2008 16:26	3210.000	45.313	26.207	-62.296
8/27/2008 16:28	3330.000	45.349	26.201	-62.380
8/27/2008 16:30	3450.000	45.344	26.191	-62.369
8/27/2008 16:32	3570.000	45.377	26.185	-62.445
8/27/2008 16:34	3690.000	45.403	26.188	-62.504
8/27/2008 16:36	3810.000	45.417	26.197	-62.538
8/27/2008 16:38	3930.000	45.428	26.206	-62.561
8/27/2008 16:40	4050.000	45.443	26.211	-62.597
8/27/2008 16:42	4170.000	45.451	26.205	-62.616
8/27/2008 16:44	4290.000	45.460	26.217	-62.636
8/27/2008 16:46	4410.000	45.475	26.223	-62.672
8/27/2008 16:48	4530.000	45.497	26.229	-62.722
8/27/2008 16:50	4650.000	45.527	26.217	-62.791
8/27/2008 16:52	4770.000	45.561	26.212	-62.869
8/27/2008 16:54	4890.000	45.569	26.200	-62.888

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 16:56	5010.000	45.625	26.184	-63.018
8/27/2008 16:58	5130.000	45.646	26.175	-63.066
8/27/2008 17:00	5250.000	45.623	26.164	-63.012
8/27/2008 17:02	5370.000	45.658	26.160	-63.093
8/27/2008 17:04	5490.000	45.701	26.159	-63.192
8/27/2008 17:06	5610.000	45.722	26.160	-63.240
8/27/2008 17:08	5730.000	45.742	26.172	-63.288
8/27/2008 17:10	5850.000	45.758	26.173	-63.325
8/27/2008 17:12	5970.000	45.781	26.177	-63.377
8/27/2008 17:14	6090.000	45.790	26.177	-63.398
8/27/2008 17:16	6210.000	45.801	26.174	-63.425
8/27/2008 17:18	6330.000	45.798	26.162	-63.417
8/27/2008 17:20	6450.000	45.819	26.168	-63.465
8/27/2008 17:22	6570.000	45.835	26.184	-63.502
8/27/2008 17:24	6690.000	45.847	26.183	-63.531
8/27/2008 17:26	6810.000	45.878	26.182	-63.603
8/27/2008 17:28	6930.000	45.887	26.182	-63.622
8/27/2008 17:30	7050.000	45.907	26.171	-63.669
8/27/2008 17:32	7170.000	45.915	26.164	-63.686
8/27/2008 17:34	7290.000	45.935	26.160	-63.734
8/27/2008 17:36	7410.000	45.949	26.152	-63.766
8/27/2008 17:38	7530.000	45.957	26.148	-63.785
8/27/2008 17:40	7650.000	45.975	26.148	-63.826
8/27/2008 17:42	7770.000	45.983	26.151	-63.844
8/27/2008 17:44	7890.000	45.991	26.154	-63.863
8/27/2008 17:46	8010.000	46.006	26.156	-63.898
8/27/2008 17:48	8130.000	46.019	26.156	-63.926
8/27/2008 17:50	8250.000	46.031	26.155	-63.954
8/27/2008 17:52	8370.000	46.040	26.144	-63.976
8/27/2008 17:54	8490.000	46.042	26.144	-63.981
8/27/2008 17:56	8610.000	46.052	26.144	-64.004
8/27/2008 17:58	8730.000	46.062	26.149	-64.027
8/27/2008 18:00	8850.000	46.062	26.148	-64.026
8/27/2008 18:02	8970.000	46.070	26.139	-64.044
8/27/2008 18:04	9090.000	46.078	26.137	-64.062
8/27/2008 18:06	9210.000	46.087	26.133	-64.084
8/27/2008 18:08	9330.000	46.087	26.129	-64.085
8/27/2008 18:10	9450.000	46.101	26.121	-64.115
8/27/2008 18:12	9570.000	46.110	26.120	-64.137
8/27/2008 18:14	9690.000	46.111	26.114	-64.140
8/27/2008 18:16	9810.000	46.142	26.109	-64.212
8/27/2008 18:18	9930.000	46.148	26.114	-64.224
8/27/2008 18:20	10050.000	46.163	26.114	-64.260
8/27/2008 18:22	10170.000	46.171	26.116	-64.278
8/27/2008 18:24	10290.000	46.180	26.115	-64.299
8/27/2008 18:26	10410.000	46.182	26.122	-64.303
8/27/2008 18:28	10530.000	46.191	26.125	-64.324
8/27/2008 18:30	10650.000	46.207	26.125	-64.361
8/27/2008 18:32	10770.000	46.207	26.123	-64.361
8/27/2008 18:34	10890.000	46.207	26.118	-64.361

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 18:36	11010.000	46.220	26.117	-64.390
8/27/2008 18:38	11130.000	46.229	26.112	-64.412
8/27/2008 18:40	11250.000	46.229	26.104	-64.411
8/27/2008 18:42	11370.000	46.230	26.096	-64.415
8/27/2008 18:44	11490.000	46.246	26.099	-64.450
8/27/2008 18:46	11610.000	46.245	26.098	-64.449
8/27/2008 18:48	11730.000	46.254	26.093	-64.470
8/27/2008 18:50	11850.000	46.258	26.092	-64.478
8/27/2008 18:52	11970.000	46.266	26.096	-64.497
8/27/2008 18:54	12090.000	46.277	26.095	-64.523
8/27/2008 18:56	12210.000	46.292	26.103	-64.558
8/27/2008 18:58	12330.000	46.287	26.106	-64.546
8/27/2008 19:00	12450.000	46.293	26.099	-64.560
8/27/2008 19:02	12570.000	46.295	26.095	-64.564
8/27/2008 19:04	12690.000	46.311	26.095	-64.602
8/27/2008 19:06	12810.000	46.308	26.101	-64.595
8/27/2008 19:08	12930.000	46.313	26.098	-64.605
8/27/2008 19:10	13050.000	46.319	26.093	-64.620
8/27/2008 19:12	13170.000	46.330	26.088	-64.646
8/27/2008 19:14	13290.000	46.321	26.089	-64.625
8/27/2008 19:16	13410.000	46.335	26.092	-64.656
8/27/2008 19:18	13530.000	46.349	26.091	-64.689
8/27/2008 19:20	13650.000	46.357	26.095	-64.708
8/27/2008 19:22	13770.000	46.362	26.101	-64.720
8/27/2008 19:24	13890.000	46.350	26.098	-64.692
8/27/2008 19:26	14010.000	46.352	26.096	-64.696
8/27/2008 19:28	14130.000	46.361	26.094	-64.716
8/27/2008 19:30	14250.000	46.368	26.092	-64.734
8/27/2008 19:32	14370.000	46.368	26.089	-64.732
8/27/2008 19:34	14490.000	46.374	26.088	-64.748
8/27/2008 19:36	14610.000	46.381	26.083	-64.762
8/27/2008 19:38	14730.000	46.387	26.081	-64.776
8/27/2008 19:40	14850.000	46.387	26.079	-64.777
8/27/2008 19:42	14970.000	46.400	26.077	-64.806
8/27/2008 19:44	15090.000	46.405	26.079	-64.818
8/27/2008 19:46	15210.000	46.408	26.081	-64.825
8/27/2008 19:48	15330.000	46.410	26.080	-64.830
8/27/2008 19:50	15450.000	46.416	26.079	-64.843
8/27/2008 19:52	15570.000	46.413	26.077	-64.836
8/27/2008 19:54	15690.000	46.420	26.074	-64.853
8/27/2008 19:56	15810.000	46.423	26.070	-64.861
8/27/2008 19:58	15930.000	46.429	26.069	-64.874
8/27/2008 20:00	16050.000	46.433	26.068	-64.884
8/27/2008 20:02	16170.000	46.432	26.064	-64.881
8/27/2008 20:04	16290.000	46.441	26.063	-64.902
8/27/2008 20:06	16410.000	46.444	26.061	-64.908
8/27/2008 20:08	16530.000	46.456	26.058	-64.937
8/27/2008 20:10	16650.000	46.449	26.062	-64.920
8/27/2008 20:12	16770.000	46.457	26.059	-64.939
8/27/2008 20:14	16890.000	46.462	26.058	-64.951

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 20:16	17010.000	46.473	26.059	-64.975
8/27/2008 20:18	17130.000	46.473	26.058	-64.976
8/27/2008 20:20	17250.000	46.476	26.058	-64.982
8/27/2008 20:22	17370.000	46.487	26.056	-65.009
8/27/2008 20:24	17490.000	46.484	26.057	-65.001
8/27/2008 20:26	17610.000	46.483	26.060	-64.999
8/27/2008 20:28	17730.000	46.498	26.055	-65.032
8/27/2008 20:30	17850.000	46.491	26.056	-65.017
8/27/2008 20:32	17970.000	46.492	26.055	-65.020
8/27/2008 20:34	18090.000	46.485	26.052	-65.004
8/27/2008 20:36	18210.000	46.492	26.051	-65.018
8/27/2008 20:38	18330.000	46.505	26.051	-65.050
8/27/2008 20:40	18450.000	46.503	26.051	-65.045
8/27/2008 20:42	18570.000	46.505	26.051	-65.048
8/27/2008 20:44	18690.000	46.510	26.049	-65.060
8/27/2008 20:46	18810.000	46.514	26.045	-65.069
8/27/2008 20:48	18930.000	46.508	26.044	-65.056
8/27/2008 20:50	19050.000	46.514	26.047	-65.070
8/27/2008 20:52	19170.000	46.520	26.044	-65.083
8/27/2008 20:54	19290.000	46.511	26.039	-65.062
8/27/2008 20:56	19410.000	46.517	26.038	-65.078
8/27/2008 20:58	19530.000	46.524	26.037	-65.093
8/27/2008 21:00	19650.000	46.524	26.035	-65.092
8/27/2008 21:02	19770.000	46.531	26.036	-65.110
8/27/2008 21:04	19890.000	46.538	26.036	-65.125
8/27/2008 21:06	20010.000	46.527	26.034	-65.100
8/27/2008 21:08	20130.000	46.545	26.031	-65.143
8/27/2008 21:10	20250.000	46.553	26.032	-65.160
8/27/2008 21:12	20370.000	46.556	26.032	-65.167
8/27/2008 21:14	20490.000	46.575	26.035	-65.212
8/27/2008 21:16	20610.000	46.590	26.038	-65.246
8/27/2008 21:18	20730.000	46.597	26.034	-65.261
8/27/2008 21:20	20850.000	46.601	26.035	-65.270
8/27/2008 21:22	20970.000	46.612	26.032	-65.296
8/27/2008 21:24	21090.000	46.624	26.031	-65.323
8/27/2008 21:26	21210.000	46.618	26.029	-65.311
8/27/2008 21:28	21330.000	46.624	26.027	-65.324
8/27/2008 21:30	21450.000	46.650	26.026	-65.383
8/27/2008 21:32	21570.000	46.641	26.024	-65.362
8/27/2008 21:34	21690.000	46.652	26.020	-65.388
8/27/2008 21:36	21810.000	46.650	26.020	-65.385
8/27/2008 21:38	21930.000	46.654	26.019	-65.393
8/27/2008 21:40	22050.000	46.666	26.024	-65.420
8/27/2008 21:42	22170.000	46.665	26.023	-65.418
8/27/2008 21:44	22290.000	46.676	26.020	-65.444
8/27/2008 21:46	22410.000	46.673	26.023	-65.438
8/27/2008 21:48	22530.000	46.682	26.020	-65.457
8/27/2008 21:50	22650.000	46.694	26.018	-65.485
8/27/2008 21:52	22770.000	46.699	26.018	-65.497
8/27/2008 21:54	22890.000	46.689	26.020	-65.474

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 21:56	23010.000	46.691	26.019	-65.478
8/27/2008 21:58	23130.000	46.701	26.019	-65.501
8/27/2008 22:00	23250.000	46.703	26.017	-65.506
8/27/2008 22:02	23370.000	46.705	26.015	-65.511
8/27/2008 22:04	23490.000	46.712	26.017	-65.527
8/27/2008 22:06	23610.000	46.715	26.018	-65.534
8/27/2008 22:08	23730.000	46.717	26.013	-65.539
8/27/2008 22:10	23850.000	46.718	26.012	-65.541
8/27/2008 22:12	23970.000	46.717	26.013	-65.539
8/27/2008 22:14	24090.000	46.726	26.011	-65.561
8/27/2008 22:16	24210.000	46.735	26.009	-65.581
8/27/2008 22:18	24330.000	46.746	26.009	-65.606
8/27/2008 22:20	24450.000	46.757	26.012	-65.631
8/27/2008 22:22	24570.000	46.775	26.009	-65.674
8/27/2008 22:24	24690.000	46.765	26.007	-65.650
8/27/2008 22:26	24810.000	46.777	26.006	-65.677
8/27/2008 22:28	24930.000	46.784	26.008	-65.694
8/27/2008 22:30	25050.000	46.777	26.006	-65.677
8/27/2008 22:32	25170.000	46.786	26.005	-65.698
8/27/2008 22:34	25290.000	46.787	26.004	-65.701
8/27/2008 22:36	25410.000	46.788	26.003	-65.704
8/27/2008 22:38	25530.000	46.792	26.000	-65.712
8/27/2008 22:40	25650.000	46.795	26.000	-65.718
8/27/2008 22:42	25770.000	46.791	26.001	-65.709
8/27/2008 22:44	25890.000	46.794	26.004	-65.717
8/27/2008 22:46	26010.000	46.798	26.000	-65.725
8/27/2008 22:48	26130.000	46.792	25.998	-65.711
8/27/2008 22:50	26250.000	46.795	25.998	-65.719
8/27/2008 22:52	26370.000	46.791	25.992	-65.709
8/27/2008 22:54	26490.000	46.791	25.991	-65.709
8/27/2008 22:56	26610.000	46.797	25.989	-65.723
8/27/2008 22:58	26730.000	46.792	25.991	-65.713
8/27/2008 23:00	26850.000	46.786	25.988	-65.697
8/27/2008 23:02	26970.000	46.790	25.991	-65.708
8/27/2008 23:04	27090.000	46.791	25.987	-65.709
8/27/2008 23:06	27210.000	46.789	25.986	-65.705
8/27/2008 23:08	27330.000	46.794	25.985	-65.717
8/27/2008 23:10	27450.000	46.796	25.987	-65.720
8/27/2008 23:12	27570.000	46.797	25.985	-65.723
8/27/2008 23:14	27690.000	46.796	25.982	-65.721
8/27/2008 23:16	27810.000	46.796	25.979	-65.720
8/27/2008 23:18	27930.000	46.795	25.978	-65.719
8/27/2008 23:20	28050.000	46.802	25.979	-65.735
8/27/2008 23:22	28170.000	46.802	25.979	-65.735
8/27/2008 23:24	28290.000	46.796	25.976	-65.722
8/27/2008 23:26	28410.000	46.805	25.974	-65.741
8/27/2008 23:28	28530.000	46.800	25.976	-65.731
8/27/2008 23:30	28650.000	46.804	25.973	-65.741
8/27/2008 23:32	28770.000	46.807	25.972	-65.746
8/27/2008 23:34	28890.000	46.809	25.969	-65.751

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/27/2008 23:36	29010.000	46.808	25.968	-65.750
8/27/2008 23:38	29130.000	46.808	25.970	-65.750
8/27/2008 23:40	29250.000	46.809	25.967	-65.752
8/27/2008 23:42	29370.000	46.817	25.967	-65.769
8/27/2008 23:44	29490.000	46.803	25.962	-65.737
8/27/2008 23:46	29610.000	46.814	25.963	-65.762
8/27/2008 23:48	29730.000	46.817	25.962	-65.770
8/27/2008 23:50	29850.000	46.814	25.960	-65.762
8/27/2008 23:52	29970.000	46.814	25.958	-65.764
8/27/2008 23:54	30090.000	46.814	25.959	-65.763
8/27/2008 23:56	30210.000	46.822	25.957	-65.780
8/27/2008 23:58	30330.000	46.821	25.953	-65.779
8/28/2008 0:00	30450.000	46.819	25.952	-65.774
8/28/2008 0:02	30570.000	46.812	25.953	-65.759
8/28/2008 0:04	30690.000	46.821	25.952	-65.778
8/28/2008 0:06	30810.000	46.811	25.950	-65.757
8/28/2008 0:08	30930.000	46.834	25.947	-65.809
8/28/2008 0:10	31050.000	46.825	25.946	-65.789
8/28/2008 0:12	31170.000	46.820	25.944	-65.777
8/28/2008 0:14	31290.000	46.816	25.943	-65.767
8/28/2008 0:16	31410.000	46.831	25.943	-65.801
8/28/2008 0:18	31530.000	46.831	25.939	-65.802
8/28/2008 0:20	31650.000	46.822	25.936	-65.780
8/28/2008 0:22	31770.000	46.822	25.936	-65.781
8/28/2008 0:24	31890.000	46.822	25.934	-65.781
8/28/2008 0:26	32010.000	46.825	25.932	-65.788
8/28/2008 0:28	32130.000	46.826	25.928	-65.791
8/28/2008 0:30	32250.000	46.820	25.929	-65.777
8/28/2008 0:32	32370.000	46.826	25.926	-65.791
8/28/2008 0:34	32490.000	46.828	25.923	-65.796
8/28/2008 0:36	32610.000	46.827	25.923	-65.793
8/28/2008 0:38	32730.000	46.830	25.920	-65.799
8/28/2008 0:40	32850.000	46.829	25.918	-65.798
8/28/2008 0:42	32970.000	46.827	25.914	-65.793
8/28/2008 0:44	33090.000	46.821	25.915	-65.780
8/28/2008 0:46	33210.000	46.832	25.911	-65.804
8/28/2008 0:48	33330.000	46.831	25.908	-65.802
8/28/2008 0:50	33450.000	46.829	25.909	-65.796
8/28/2008 0:52	33570.000	46.831	25.905	-65.802
8/28/2008 0:54	33690.000	46.837	25.904	-65.817
8/28/2008 0:56	33810.000	46.836	25.899	-65.813
8/28/2008 0:58	33930.000	46.837	25.897	-65.815
8/28/2008 1:00	34050.000	46.839	25.892	-65.820
8/28/2008 1:02	34170.000	46.839	25.890	-65.820
8/28/2008 1:04	34290.000	46.843	25.888	-65.829
8/28/2008 1:06	34410.000	46.843	25.889	-65.829
8/28/2008 1:08	34530.000	46.839	25.885	-65.821
8/28/2008 1:10	34650.000	46.843	25.883	-65.830
8/28/2008 1:12	34770.000	46.848	25.878	-65.841
8/28/2008 1:14	34890.000	46.851	25.877	-65.848

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/28/2008 1:16	35010.000	46.855	25.874	-65.857
8/28/2008 1:18	35130.000	46.855	25.875	-65.857
8/28/2008 1:20	35250.000	46.853	25.871	-65.853
8/28/2008 1:22	35370.000	46.861	25.866	-65.872
8/28/2008 1:24	35490.000	46.863	25.866	-65.877
8/28/2008 1:26	35610.000	46.854	25.865	-65.856
8/28/2008 1:28	35730.000	46.855	25.864	-65.857
8/28/2008 1:30	35850.000	46.858	25.857	-65.865
8/28/2008 1:32	35970.000	46.862	25.859	-65.874
8/28/2008 1:34	36090.000	46.869	25.856	-65.889
8/28/2008 1:36	36210.000	46.860	25.855	-65.868
8/28/2008 1:38	36330.000	46.860	25.851	-65.869
8/28/2008 1:40	36450.000	46.868	25.851	-65.888
8/28/2008 1:42	36570.000	46.864	25.850	-65.877
8/28/2008 1:44	36690.000	46.860	25.846	-65.870
8/28/2008 1:46	36810.000	46.866	25.845	-65.883
8/28/2008 1:48	36930.000	46.866	25.843	-65.883
8/28/2008 1:50	37050.000	46.872	25.842	-65.897
8/28/2008 1:52	37170.000	46.873	25.838	-65.899
8/28/2008 1:54	37290.000	46.874	25.838	-65.902
8/28/2008 1:56	37410.000	46.881	25.835	-65.917
8/28/2008 1:58	37530.000	46.876	25.832	-65.906
8/28/2008 2:00	37650.000	46.876	25.835	-65.905
8/28/2008 2:02	37770.000	46.880	25.831	-65.915
8/28/2008 2:04	37890.000	46.885	25.829	-65.926
8/28/2008 2:06	38010.000	46.886	25.828	-65.928
8/28/2008 2:08	38130.000	46.878	25.825	-65.910
8/28/2008 2:10	38250.000	46.884	25.825	-65.925
8/28/2008 2:12	38370.000	46.885	25.822	-65.928
8/28/2008 2:14	38490.000	46.887	25.822	-65.932
8/28/2008 2:16	38610.000	46.889	25.822	-65.936
8/28/2008 2:18	38730.000	46.891	25.817	-65.942
8/28/2008 2:20	38850.000	46.889	25.817	-65.935
8/28/2008 2:22	38970.000	46.896	25.815	-65.952
8/28/2008 2:24	39090.000	46.895	25.814	-65.949
8/28/2008 2:26	39210.000	46.893	25.815	-65.945
8/28/2008 2:28	39330.000	46.897	25.813	-65.954
8/28/2008 2:30	39450.000	46.898	25.812	-65.956
8/28/2008 2:32	39570.000	46.892	25.809	-65.943
8/28/2008 2:34	39690.000	46.902	25.808	-65.966
8/28/2008 2:36	39810.000	46.901	25.807	-65.963
8/28/2008 2:38	39930.000	46.902	25.807	-65.967
8/28/2008 2:40	40050.000	46.903	25.804	-65.969
8/28/2008 2:42	40170.000	46.903	25.802	-65.968
8/28/2008 2:44	40290.000	46.901	25.803	-65.964
8/28/2008 2:46	40410.000	46.905	25.800	-65.974
8/28/2008 2:48	40530.000	46.906	25.800	-65.975
8/28/2008 2:50	40650.000	46.910	25.799	-65.983
8/28/2008 2:52	40770.000	46.896	25.796	-65.952
8/28/2008 2:54	40890.000	46.907	25.796	-65.978

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/28/2008 2:56	41010.000	46.912	25.796	-65.989
8/28/2008 2:58	41130.000	46.917	25.794	-66.000
8/28/2008 3:00	41250.000	46.917	25.791	-66.000
8/28/2008 3:02	41370.000	46.913	25.795	-65.992
8/28/2008 3:04	41490.000	46.918	25.790	-66.002
8/28/2008 3:06	41610.000	46.909	25.791	-65.982
8/28/2008 3:08	41730.000	46.911	25.790	-65.988
8/28/2008 3:10	41850.000	46.919	25.788	-66.006
8/28/2008 3:12	41970.000	46.923	25.785	-66.014
8/28/2008 3:14	42090.000	46.926	25.784	-66.021
8/28/2008 3:16	42210.000	46.924	25.785	-66.017
8/28/2008 3:18	42330.000	46.928	25.785	-66.025
8/28/2008 3:20	42450.000	46.930	25.785	-66.032
8/28/2008 3:22	42570.000	46.913	25.781	-65.991
8/28/2008 3:24	42690.000	46.916	25.783	-65.998
8/28/2008 3:26	42810.000	46.917	25.778	-66.002
8/28/2008 3:28	42930.000	46.921	25.781	-66.010
8/28/2008 3:30	43050.000	46.935	25.778	-66.042
8/28/2008 3:32	43170.000	46.921	25.776	-66.009
8/28/2008 3:34	43290.000	46.928	25.777	-66.025
8/28/2008 3:36	43410.000	46.931	25.776	-66.033
8/28/2008 3:38	43530.000	46.930	25.774	-66.029
8/28/2008 3:40	43650.000	46.945	25.771	-66.065
8/28/2008 3:42	43770.000	46.940	25.773	-66.053
8/28/2008 3:44	43890.000	46.928	25.771	-66.026
8/28/2008 3:46	44010.000	46.928	25.770	-66.026
8/28/2008 3:48	44130.000	46.937	25.771	-66.046
8/28/2008 3:50	44250.000	46.931	25.770	-66.034
8/28/2008 3:52	44370.000	46.951	25.770	-66.079
8/28/2008 3:54	44490.000	46.934	25.766	-66.039
8/28/2008 3:56	44610.000	46.948	25.764	-66.073
8/28/2008 3:58	44730.000	46.942	25.764	-66.058
8/28/2008 4:00	44850.000	46.940	25.764	-66.054
8/28/2008 4:02	44970.000	46.943	25.763	-66.060
8/28/2008 4:04	45090.000	46.945	25.761	-66.065
8/28/2008 4:06	45210.000	46.947	25.763	-66.071
8/28/2008 4:08	45330.000	46.937	25.759	-66.047
8/28/2008 4:10	45450.000	46.945	25.762	-66.064
8/28/2008 4:12	45570.000	46.947	25.761	-66.069
8/28/2008 4:14	45690.000	46.948	25.759	-66.073
8/28/2008 4:16	45810.000	46.947	25.759	-66.069
8/28/2008 4:18	45930.000	46.951	25.758	-66.078
8/28/2008 4:20	46050.000	46.948	25.757	-66.073
8/28/2008 4:22	46170.000	46.946	25.756	-66.068
8/28/2008 4:24	46290.000	46.953	25.754	-66.083
8/28/2008 4:26	46410.000	46.949	25.756	-66.074
8/28/2008 4:28	46530.000	46.954	25.753	-66.086
8/28/2008 4:30	46650.000	46.953	25.749	-66.083
8/28/2008 4:32	46770.000	46.956	25.749	-66.090
8/28/2008 4:34	46890.000	46.960	25.752	-66.101

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/28/2008 4:36	47010.000	46.951	25.747	-66.080
8/28/2008 4:38	47130.000	46.956	25.749	-66.092
8/28/2008 4:40	47250.000	46.964	25.749	-66.109
8/28/2008 4:42	47370.000	46.963	25.748	-66.106
8/28/2008 4:44	47490.000	46.962	25.747	-66.105
8/28/2008 4:46	47610.000	46.963	25.745	-66.107
8/28/2008 4:48	47730.000	46.966	25.744	-66.115
8/28/2008 4:50	47850.000	46.966	25.744	-66.114
8/28/2008 4:52	47970.000	46.969	25.742	-66.121
8/28/2008 4:54	48090.000	46.968	25.742	-66.119
8/28/2008 4:56	48210.000	46.969	25.742	-66.122
8/28/2008 4:58	48330.000	46.971	25.738	-66.125
8/28/2008 5:00	48450.000	46.969	25.738	-66.121
8/28/2008 5:02	48570.000	46.972	25.739	-66.128
8/28/2008 5:04	48690.000	46.969	25.739	-66.121
8/28/2008 5:06	48810.000	46.972	25.739	-66.128
8/28/2008 5:08	48930.000	46.980	25.737	-66.147
8/28/2008 5:10	49050.000	46.973	25.736	-66.130
8/28/2008 5:12	49170.000	46.972	25.738	-66.127
8/28/2008 5:14	49290.000	46.974	25.734	-66.131
8/28/2008 5:16	49410.000	46.974	25.732	-66.133
8/28/2008 5:18	49530.000	46.977	25.733	-66.138
8/28/2008 5:20	49650.000	46.977	25.731	-66.139
8/28/2008 5:22	49770.000	46.977	25.730	-66.138
8/28/2008 5:24	49890.000	46.975	25.730	-66.135
8/28/2008 5:26	50010.000	46.974	25.733	-66.132
8/28/2008 5:28	50130.000	46.976	25.732	-66.136
8/28/2008 5:30	50250.000	46.968	25.728	-66.117
8/28/2008 5:32	50370.000	46.977	25.727	-66.138
8/28/2008 5:34	50490.000	46.978	25.727	-66.140
8/28/2008 5:36	50610.000	46.982	25.728	-66.150
8/28/2008 5:38	50730.000	46.979	25.727	-66.144
8/28/2008 5:40	50850.000	46.975	25.725	-66.135
8/28/2008 5:42	50970.000	46.978	25.725	-66.141
8/28/2008 5:44	51090.000	46.984	25.725	-66.154
8/28/2008 5:46	51210.000	46.985	25.724	-66.159
8/28/2008 5:48	51330.000	46.986	25.723	-66.160
8/28/2008 5:50	51450.000	46.985	25.720	-66.158
8/28/2008 5:52	51570.000	46.985	25.719	-66.157
8/28/2008 5:54	51690.000	46.983	25.719	-66.153
8/28/2008 5:56	51810.000	46.986	25.720	-66.160
8/28/2008 5:58	51930.000	46.981	25.718	-66.149
8/28/2008 6:00	52050.000	46.990	25.716	-66.168
8/28/2008 6:02	52170.000	46.986	25.717	-66.160
8/28/2008 6:04	52290.000	46.988	25.718	-66.164
8/28/2008 6:06	52410.000	46.986	25.714	-66.159
8/28/2008 6:08	52530.000	46.985	25.714	-66.157
8/28/2008 6:10	52650.000	46.991	25.714	-66.172
8/28/2008 6:12	52770.000	46.987	25.713	-66.161
8/28/2008 6:14	52890.000	46.989	25.714	-66.168

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/28/2008 6:16	53010.000	46.995	25.714	-66.181
8/28/2008 6:18	53130.000	46.995	25.712	-66.180
8/28/2008 6:20	53250.000	46.994	25.712	-66.178
8/28/2008 6:22	53370.000	46.996	25.711	-66.184
8/28/2008 6:24	53490.000	46.994	25.709	-66.178
8/28/2008 6:26	53610.000	46.995	25.707	-66.181
8/28/2008 6:28	53730.000	46.997	25.710	-66.186
8/28/2008 6:30	53850.000	46.977	25.708	-66.139
8/28/2008 6:32	53970.000	47.001	25.703	-66.195
8/28/2008 6:34	54090.000	46.996	25.707	-66.183
8/28/2008 6:36	54210.000	47.002	25.704	-66.197
8/28/2008 6:38	54330.000	46.997	25.705	-66.184
8/28/2008 6:40	54450.000	46.999	25.704	-66.190
8/28/2008 6:42	54570.000	47.005	25.701	-66.203
8/28/2008 6:44	54690.000	47.003	25.704	-66.200
8/28/2008 6:46	54810.000	47.006	25.700	-66.206
8/28/2008 6:48	54930.000	47.007	25.702	-66.208
8/28/2008 6:50	55050.000	47.007	25.702	-66.208
8/28/2008 6:52	55170.000	46.994	25.699	-66.179
8/28/2008 6:54	55290.000	46.998	25.701	-66.188
8/28/2008 6:56	55410.000	47.011	25.700	-66.218
8/28/2008 6:58	55530.000	47.013	25.699	-66.222
8/28/2008 7:00	55650.000	47.006	25.696	-66.207
8/28/2008 7:02	55770.000	46.997	25.694	-66.186
8/28/2008 7:04	55890.000	47.011	25.694	-66.218
8/28/2008 7:06	56010.000	47.019	25.694	-66.236
8/28/2008 7:08	56130.000	47.011	25.692	-66.218
8/28/2008 7:10	56250.000	47.012	25.695	-66.219
8/28/2008 7:12	56370.000	47.017	25.692	-66.231
8/28/2008 7:14	56490.000	47.002	25.692	-66.197
8/28/2008 7:16	56610.000	47.014	25.689	-66.225
8/28/2008 7:18	56730.000	47.000	25.690	-66.193
8/28/2008 7:20	56850.000	47.011	25.690	-66.217
8/28/2008 7:22	56970.000	47.013	25.688	-66.222
8/28/2008 7:24	57090.000	47.002	25.689	-66.197
8/28/2008 7:26	57210.000	46.992	25.688	-66.174
8/28/2008 7:28	57330.000	47.008	25.688	-66.210
8/28/2008 7:30	57450.000	46.999	25.683	-66.190
8/28/2008 7:32	57570.000	46.997	25.685	-66.185
8/28/2008 7:34	57690.000	47.003	25.686	-66.200
8/28/2008 7:36	57810.000	47.008	25.686	-66.211
8/28/2008 7:38	57930.000	46.994	25.684	-66.178
8/28/2008 7:40	58050.000	46.994	25.684	-66.177
8/28/2008 7:42	58170.000	46.994	25.683	-66.177
8/28/2008 7:44	58290.000	47.006	25.680	-66.205
8/28/2008 7:46	58410.000	46.989	25.680	-66.166
8/28/2008 7:48	58530.000	46.990	25.680	-66.170
8/28/2008 7:50	58650.000	46.990	25.678	-66.168
8/28/2008 7:52	58770.000	47.000	25.679	-66.193
8/28/2008 7:54	58890.000	46.981	25.680	-66.149

Date and Time	Elapsed Time (Seconds)	Pressure (psi)	Temperature (C)	Level Depth To Water (ft)
8/28/2008 7:56	59010.000	46.986	25.680	-66.160
8/28/2008 7:58	59130.000	46.994	25.679	-66.179
8/28/2008 8:00	59250.000	46.982	25.678	-66.150
8/28/2008 8:02	59370.000	46.977	25.676	-66.140
8/28/2008 8:04	59490.000	46.976	25.675	-66.137
8/28/2008 8:06	59610.000	46.969	25.675	-66.121
8/28/2008 8:08	59730.000	46.968	25.676	-66.119
8/28/2008 8:10	59850.000	46.977	25.675	-66.140
8/28/2008 8:12	59970.000	46.950	25.675	-66.076
8/28/2008 8:14	60090.000	46.964	25.674	-66.108
8/28/2008 8:16	60210.000	46.971	25.672	-66.126
8/28/2008 8:18	60330.000	46.966	25.674	-66.115
8/28/2008 8:20	60450.000	46.911	25.670	-65.987
8/28/2008 8:22	60570.000	46.971	25.671	-66.125
8/28/2008 8:24	60690.000	46.956	25.670	-66.090
8/28/2008 8:26	60810.000	46.943	25.671	-66.061
8/28/2008 8:28	60930.000	10.814	25.652	17.360
8/28/2008 8:30	61050.000	-0.014	26.382	42.362
8/28/2008 8:32	61170.000	-0.029	27.018	42.396
8/28/2008 8:34	61290.000	-0.072	27.521	42.496
8/28/2008 8:36	61410.000	-0.109	28.225	42.582
8/28/2008 8:38	61530.000	-0.143	29.032	42.661
8/28/2008 8:40	61650.000	-0.172	29.959	42.726
8/28/2008 8:42	61770.000	-0.200	30.932	42.792
8/28/2008 8:44	61890.000	-0.234	32.076	42.869
8/28/2008 8:46	62010.000	-0.275	33.249	42.964
8/28/2008 8:48	62130.000	-0.309	34.278	43.044
8/28/2008 8:50	62250.000	-0.341	35.114	43.116
8/28/2008 8:52	62370.000	-0.364	36.068	43.169
8/28/2008 8:54	62490.000	-0.408	36.756	43.273
8/28/2008 8:56	62610.000	-0.436	37.497	43.337
8/28/2008 8:58	62730.000	-0.453	38.254	43.374
8/28/2008 9:00	62850.000	-0.028	38.824	42.393
8/28/2008 9:02	62970.000	0.034	39.019	42.250

**L**

# **HBEL Water Quality Reports**



# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

Date issued: September 9, 2008

To: Shamus English  
Boyle Engineering  
3550 SW Corporate Parkway  
Palm City, FL 34990

Client: Boyle Engineering  
Workorder ID: L63N Cation/Anion  
Received: 8/27/08 16:30

[2031953]


Dear Shamus English;

Analytical results presented in this report have been reviewed for compliance with the HBEL, Inc. Quality Systems Manual and have been determined to meet applicable Method guidelines and Standards referenced in the July 2003 National Environmental Laboratory Accreditation Program (NELAP) Quality Manual unless otherwise noted. The Analytical Results within these report pages reflect the values obtained from tests performed on Samples As Received by the laboratory unless indicated differently.

FDOH Safe Drinking Water Act, Clean Water Act and RCRA Certification #'s:  
E96080, E83509

Questions regarding this report should be directed to the Report Signatory at (772) 465-8584 referencing the HBEL Workorder ID [Number].

Respectfully submitted,



Eric Charest  
HBEL, Inc. Laboratory Manager

Note: This report is not to be copied, except in full, without the expressed written consent of HBEL, Inc.

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

Printed: 9/9/08



# **HBEL, Inc.**

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

## **Quality Control Summary**

**Client:** Boyle Engineering  
**Workorder ID:** L63N Cation/Anion  
**Received:** 8/27/08 16:30

[2031953]

MB=Method Blank LCS=Laboratory Control Sample LCSD=Laboratory Control Sample Duplicate MS=Matrix Spike MSD=Matrix Spike Duplicate DUP=Sample Duplicate

### **HBEL Sample**

### ***Method Narratives (If Applicable)***

<u>Number</u>	<u>Sample ID</u>	<u>Analytical Method</u>	<u>Description</u>
---------------	------------------	--------------------------	--------------------

### ***Quality Control Summary***

<u>Method</u>	<u>HBEL Batch</u>	<u>Analyte</u>	<u>Analytical Issue</u>
---------------	-------------------	----------------	-------------------------

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
 Phone: (772) 465-8584 Fax: (772) 467-1584

## CERTIFICATE OF ANALYSIS

[2031953]

Client: Boyle Engineering

Workorder ID: L63N Cation/Anion

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
<b>Laboratory ID: 2031953001</b>										
<b>Sample ID: OKF-106 Major Cation/Anion #1</b>										
Total Dissolved Solids		1500	mg/L	32	EPA 160.1	WCGE29882		08/31/08 16:00	SP	E96080
Calcium		55	mg/L	0.10	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
Magnesium		56	mg/L	0.050	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
Potassium		16	mg/L	0.20	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
Sodium		430	mg/L	0.50	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
Strontium		23	mg/L	0.0010	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:54	DM	E96080
Bromide		2.3	mg/L	0.027	EPA 300.0	IC7784		08/28/08 23:08	JL	E96080
Chloride		670	mg/L	5.0	EPA 300.0	IC7785		08/29/08 14:30	JL	E96080
Fluoride		0.77	mg/L	0.022	EPA 300.0	IC7783		08/28/08 17:58	JL	E96080
Sulfate		250	mg/L	1.4	EPA 300.0	IC7785		08/29/08 14:30	JL	E96080
Silica (as SiO <sub>2</sub> )		16	mg/L	1.0	EPA 370.1	WCGE29895		09/3/08 12:40	SP	E96080
Alkalinity		100	mg/L CaCO <sub>3</sub>	2.2	SM2320 B	WCGE29878		08/30/08 15:52	GS	E96080
Alkalinity, Carbonate		0.80 U	mg/L CaCO <sub>3</sub>	0.80	SM2320 B	CALC5553		09/3/08 9:35	DH	E96080
Alkalinity, Phenolphthalein		0.8 U	mg/L CaCO <sub>3</sub>	0.8	SM2320 B	WCGE29878		08/30/08 15:52	GS	E96080
<b>Laboratory ID: 2031953002</b>										
<b>Sample ID: OKF-106 Major Cation/Anion #2</b>										
Total Dissolved Solids		1500	mg/L	32	EPA 160.1	WCGE29882		08/31/08 16:00	SP	E96080
Calcium		56	mg/L	0.10	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
Magnesium		57	mg/L	0.050	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
Potassium		16	mg/L	0.20	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
Sodium		430	mg/L	0.50	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
Strontium		23	mg/L	0.0010	EPA 200.7	META9029	09/5/08 8:29	09/9/08 0:00	DM	E96080
Bromide		2.3	mg/L	0.027	EPA 300.0	IC7784		08/28/08 23:43	JL	E96080
Chloride		670	mg/L	5.0	EPA 300.0	IC7785		08/29/08 14:40	JL	E96080
Fluoride		0.76	mg/L	0.022	EPA 300.0	IC7783		08/28/08 18:16	JL	E96080
Sulfate		250	mg/L	1.4	EPA 300.0	IC7785		08/29/08 14:40	JL	E96080
Silica (as SiO <sub>2</sub> )		16	mg/L	1.0	EPA 370.1	WCGE29895		09/3/08 12:40	SP	E96080
Alkalinity		110	mg/L CaCO <sub>3</sub>	2.2	SM2320 B	WCGE29878		08/30/08 15:52	GS	E96080
Alkalinity, Carbonate		0.80 U	mg/L CaCO <sub>3</sub>	0.80	SM2320 B	CALC5553		09/3/08 9:35	DH	E96080
Alkalinity, Phenolphthalein		0.8 U	mg/L CaCO <sub>3</sub>	0.8	SM2320 B	WCGE29878		08/30/08 15:52	GS	E96080

<sup>1</sup>Result Qualifiers: U = Not Detected I = Analyte detected between the Laboratory Method Detection Limit and Laboratory Reporting Limit  
 Applicable Florida Department of Environmental Protection Qualifiers defined below. Statement of Estimated Uncertainty available upon request.



**HARBOR BRANCH  
ENVIRONMENTAL  
LABORATORIES, INC.**

## **Chain-of-Custody**

*and*

*Agreement to Perform Services*

Company: Boyle Engineering Corp  
Address: 3070 Palm Bay Road, Ft.

Method(s) of  
Shipment:

Phone: 510-429-1173 Fax: 510-429-8673

**Client Contact:** James Clark

Project Name: 2024

Sampled By: S. S. E. S.

e-mail: \_\_\_\_\_  
                          
Standard Laboratory  
Turn Around Time  
                          
  
Or  
  
Rush in \_\_\_\_\_ Business Days  
Requires Laboratory Approval

**USE BALL POINT PEN  
PRESS HARD  
COMPLETELY FILL OUT  
ALL NON GREYED AREAS  
PRINT LEGIBLY**

*Laboratory not responsible for omitted information*

<u>      </u> FDOH # E96080	<u>      </u> FDOH # E85370
5600 U.S. 1 North	307 Coolidge Avenue
Fort Pierce, FL 34946	Lehigh Acres, FL 33937

FDOH # E83509  
4155 St. Johns Pkwy.  
Suite 1300  
Sanford, FL 32771

FDOH # E84418  
16331 Cortez Blvd.  
Brooksville, FL 34601



**For Lab Use Only**

Temperature	Custody Seals	pH
Checked <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Intact <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Checked <input checked="" type="checkbox"/> Y <input type="checkbox"/> N

LAB # 203/953

**PRESERVATIVE**

**ANALYSES REQUESTED**

Preservation Key	
Chloric Acid	P=Phosphoric Acid
Sulfuric Acid	ST=Sodium
Nitric Acid	Thiosulfate
Lithium Hydroxide	U=Unpreserved

## COMMENTS

\* Sample Type: G=Grab C=Composite

\*\* Matrix: S=Solid SL=Sludge DW=Drinking Water GW=Ground Water SW=Surface Water WW=Wastewater M=Marine

RELINQUISHED BY	<i>11/27/03</i>	RELINQUISHED BY		RELINQUISHED BY	
DATE/TIME	<i>8/27/03 15:25</i>	DATE/TIME		DATE/TIME	
RECEIVED BY	<i>11/27/03</i>	RECEIVED BY		RECEIVED FOR HBEL CUSTODY BY	<i>11/27/03</i>
DATE/TIME	<i>8-27-03 15:25</i>	DATE/TIME		DATE/TIME	<i>8-27-03</i>

HBEL Sample: 2031953001 OKF-106#1

## Anion/Cation Balance

Referenced in The NALCO WATER HANOOK (second edition)

	Cations (from HBEL report)	Calcium Carbonate Equivalent Multiplier	
Alkalinity	100 mg/L as CaCO <sub>3</sub>	1.00	100
Silica	16 mg/L as SiO <sub>2</sub>	0.83	13.28
Chloride	670 mg/L	1.41	944.7
Sulfate	250 mg/L	1.04	260

	Anions (from HBEL Report)	Calcium Carbonate Equivalent Multiplier	
Sodium	430 mg/L	2.18	937.4
Potassium	16 mg/L	1.28	20.48
Magnesium	56 mg/L	4.1	229.6
Calcium	55 mg/L	2.5	137.5
Iron	0 mg/L	1.79	0

\*Assuming Iron is in solution as Fe+2 (Ferrous)

Anion Total 1317.98 Cation Total 1324.98

Percent Difference: 0.374561

HBEL Sample: 2031953002 OKF-106#2

## Anion/Cation Balance

Referenced in The NALCO WATER HANDOOK (second edition)

Cations (from HBEL report)		Calcium Carbonate Equivalent Multiplier	
Alkalinity	110 mg/L as CaCO <sub>3</sub>	1.00	110
Silica	16 mg/L as SiO <sub>2</sub>	0.83	13.28
Chloride	670 mg/L	1.41	944.7
Sulfate	250 mg/L	1.04	260

Anions (from HBEL Report)		Calcium Carbonate Equivalent Multiplier	
Sodium	430 mg/L	2.18	937.4
Potassium	16 mg/L	1.28	20.48
Magnesium	57 mg/L	4.1	233.7
Calcium	56 mg/L	2.5	140
Iron	0 mg/L	1.79	0

\*Assuming Iron is in solution as Fe+2 (Ferrous)

Anion Total 1327.98 Cation Total 1331.58

Percent Difference: 0.191429

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

Date issued: September 19, 2008

To: Shamus English  
Boyle Engineering  
3550 SW Corporate Parkway  
Palm City, FL 34990

Client: Boyle Engineering  
Workorder ID: L63N #1 [2031951]  
Received: 8/27/08 16:30


Dear Shamus English;

Analytical results presented in this report have been reviewed for compliance with the HBEL, Inc. Quality Systems Manual and have been determined to meet applicable Method guidelines and Standards referenced in the July 2003 National Environmental Laboratory Accreditation Program (NELAP) Quality Manual unless otherwise noted. The Analytical Results within these report pages reflect the values obtained from tests performed on Samples As Received by the laboratory unless indicated differently.

FDOH Safe Drinking Water Act, Clean Water Act and RCRA Certification #'s:  
E96080, E83509

Questions regarding this report should be directed to the Report Signatory at (772) 465-8584 referencing the HBEL Workorder ID [Number].

Respectfully submitted,



Eric Charest  
HBEL, Inc. Laboratory Manager

Note: This report is not to be copied, except in full, without the expressed written consent of HBEL, Inc.

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

## Quality Control Summary

Client: Boyle Engineering

Workorder ID: L63N #1

[2031951]

Received: 8/27/08 16:30

MB=Method Blank LCS=Laboratory Control Sample LCSD=Laboratory Control Sample Duplicate MS=Matrix Spike MSD=Matrix Spike Duplicate DUP=Sample Duplicate

### HBEL Sample

### *Method Narratives (If Applicable)*

<u>Number</u>	<u>Sample ID</u>	<u>Analytical Method</u>	<u>Description</u>
---------------	------------------	--------------------------	--------------------

### *Quality Control Summary*

<u>Method</u>	<u>HBEL Batch</u>	<u>Analyte</u>	<u>Analytical Issue</u>
---------------	-------------------	----------------	-------------------------

#### EPA 200.9

META9006

2031951001	Selenium	Accuracy - Outside acceptance limits in the MS.
2031951001	Selenium	Accuracy - Outside acceptance limits in the MSD.

#### EPA 505

PEST5184

2031951001	Decachlorobiphenyl	Surrogate - Outside acceptance Limits.
------------	--------------------	--

#### SM4500CL G

WCGE29869

2031951001	Chlorine (Residual)	Accuracy - Outside acceptance limits in the MS.
2031951001	Chlorine (Residual)	Accuracy - Outside acceptance limits in the MSD.

The above due to matrix effects. Accuracy/Precision demonstrated with other QC samples.

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
 Phone: (772) 465-8584 Fax: (772) 467-1584

## CERTIFICATE OF ANALYSIS

[2031951]

Client: Boyle Engineering

Workorder ID: L63N #1

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
<b>Laboratory ID:</b> 2031951001										
<b>Sample ID:</b> OKF-106 #1										
Gross Alpha		3.1 +/- 2.2	pCi/L		EPA 00-02	SAL1071		09/8/08 14:15	SAL	E84129
Specific Conductance		2700	umhos/cm	2.0	EPA 120.1	WCGE29884		09/1/08 10:30	EE	E96080
pH	Q	7.52	SU	0.200	EPA 150.1	WCGE29880		08/30/08 20:18	GS	E96080
Aluminum		0.020 U	mg/L	0.020	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Antimony		0.0023 U	mg/L	0.0023	EPA 200.7	META9029	09/8/08 23:41	09/8/08 23:41	DM	E96080
Arsenic		0.0026 U	mg/L	0.0026	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Barium		0.032	mg/L	0.0018	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Beryllium		0.00010 U	mg/L	0.00010	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Cadmium		0.00070 U	mg/L	0.00070	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Chromium		0.0018 U	mg/L	0.0018	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Copper		0.0030	mg/L	0.0014	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Iron		0.025 U	mg/L	0.025	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Manganese		0.0038 U	mg/L	0.0038	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Nickel		0.0020 U	mg/L	0.0020	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Silver		0.00064 U	mg/L	0.00064	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Sodium		430	mg/L	0.50	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Strontium		23	mg/L	0.0010	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Zinc		0.010 U	mg/L	0.010	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:41	DM	E96080
Lead		0.00070	mg/L	0.00061	EPA 200.9	META9009	08/28/08 10:58	08/29/08 22:42	DM	E96080
Selenium		0.0020 U	mg/L	0.0020	EPA 200.9	META9006	08/28/08 10:58	08/28/08 15:43	DM	E96080
Thallium		0.0010 U	mg/L	0.0010	EPA 200.9	META9014	08/28/08 10:58	09/3/08 14:30	DM	E96080
Mercury		0.000060 U	mg/L	0.000060	EPA 245.1	META9031	09/8/08 13:28	09/9/08 15:16	DM	E96080
Bromate		0.028 U	mg/L	0.028	EPA 300.0	IC7784		08/28/08 22:17	JL	E96080
Chloride		670	mg/L	5.0	EPA 300.0	IC7785		08/29/08 14:11	JL	E96080
Chlorite		0.58	mg/L	0.025	EPA 300.0	IC7784		08/28/08 22:17	JL	E96080
Fluoride		0.64	mg/L	0.022	EPA 300.0	IC7783		08/28/08 17:07	JL	E96080
Nitrate as N		0.0060 U	mg/L	0.0060	EPA 300.0	IC7783		08/28/08 17:07	JL	E96080
Nitrite as N		0.0044 U	mg/L	0.0044	EPA 300.0	IC7783		08/28/08 17:07	JL	E96080
Sulfate		250	mg/L	1.4	EPA 300.0	IC7785		08/29/08 14:11	JL	E96080
Ammonia, as N	Y	0.42	mg/L	0.0090	EPA 350.1	AUTO16835		09/2/08 16:29	JL	E96080
Organic Nitrogen		0.24	mg/L	0.11	EPA 351.2	CALC5540		09/5/08 15:20	DH	E96080
Total Kjeldahl Nitrogen	Y	0.66	mg/L	0.045	EPA 351.2	AUTO16847	08/29/08 11:10	08/29/08 18:14	DM	E96080
Total Phosphorus as P	Y	0.040	mg/L	0.012	EPA 365.4	AUTO16843	08/29/08 11:10	08/29/08 18:13	DM	E96080
BOD <sub>5</sub>		2.5	mg/L	2.0	EPA 405.1	WCGE29867		08/28/08 13:23	TCL	E96080
COD	Y	59	mg/L	2.6	EPA 410.4	WCGE29900		09/5/08 13:35	SP	E96080
1,2-Dibromo-3-chloropropane		0.0035 U	ug/L	0.0035	EPA 504.1	PEST5188	09/3/08 11:00	09/4/08 0:12	JL	E96080
1,2-Dibromoethane		0.0047 U	ug/L	0.0047	EPA 504.1	PEST5188	09/3/08 11:00	09/4/08 0:12	JL	E96080
Aldrin		0.044 U	ug/L	0.044	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
Chlordane		0.13 U	ug/L	0.13	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
Dieldrin		0.066 U	ug/L	0.066	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080

5600 US 1 North  
 Fort Pierce, FL 34946  
 FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
 Sanford, FL 32771  
 FDOH # E83509



# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

## CERTIFICATE OF ANALYSIS

[2031951]

Client: Boyle Engineering

Workorder ID: L63N #1

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
Endrin		0.10 U	ug/L	0.10	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
gamma-BHC (Lindane)		0.020 U	ug/L	0.020	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
Heptachlor		0.036 U	ug/L	0.036	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
Heptachlor epoxide		0.027 U	ug/L	0.027	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
Methoxychlor		0.044 U	ug/L	0.044	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
PCB		0.14 U	ug/L	0.14	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
Toxaphene		0.60 U	ug/L	0.60	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:10	JL	E96080
2,4,5-TP		0.19 U	ug/L	0.19	EPA 515.1	PEST5189	09/3/08 8:00	09/5/08 23:27	JL	E96080
2,4-D		0.22 U	ug/L	0.22	EPA 515.1	PEST5189	09/3/08 8:00	09/5/08 23:27	JL	E96080
Dalapon		2.3 U	ug/L	2.3	EPA 515.1	PEST5189	09/3/08 8:00	09/5/08 23:27	JL	E96080
Dinoseb		0.23 U	ug/L	0.23	EPA 515.1	PEST5189	09/3/08 8:00	09/5/08 23:27	JL	E96080
Pentachlorophenol		0.39 U	ug/L	0.39	EPA 515.1	PEST5189	09/3/08 8:00	09/5/08 23:27	JL	E96080
Picloram		0.23 U	ug/L	0.23	EPA 515.1	PEST5189	09/3/08 8:00	09/5/08 23:27	JL	E96080
1,1,1-Trichloroethane		0.21 U	ug/L	0.21	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
1,1,2-Trichloroethane		0.44 U	ug/L	0.44	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
1,1-Dichloroethene		0.23 U	ug/L	0.23	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
1,2,4-Trichlorobenzene		0.41 U	ug/L	0.41	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
1,2-Dichlorobenzene		0.21 U	ug/L	0.21	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
1,2-Dichloroethane		0.29 U	ug/L	0.29	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
1,2-Dichloropropane		0.40 U	ug/L	0.40	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
1,4-Dichlorobenzene		0.23 U	ug/L	0.23	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Benzene		0.20 U	ug/L	0.20	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Bromodichloromethane		0.25 U	ug/L	0.25	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Bromoform		0.41 U	ug/L	0.41	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Carbon tetrachloride		0.24 U	ug/L	0.24	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Chlorobenzene		0.30 U	ug/L	0.30	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Chloroform		0.25 U	ug/L	0.25	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
cis-1,2-Dichloroethene		0.21 U	ug/L	0.21	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Dibromochloromethane		0.30 U	ug/L	0.30	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Ethylbenzene		0.21 U	ug/L	0.21	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Methylene chloride		0.23 U	ug/L	0.23	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Styrene		0.21 U	ug/L	0.21	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Tetrachloroethylene		0.24 U	ug/L	0.24	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Toluene		0.22 U	ug/L	0.22	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Total THMs		0.25 U	ug/L	0.25	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Total Xylenes		0.46 U	ug/L	0.46	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
trans-1,2-Dichloroethene		0.35 U	ug/L	0.35	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Trichloroethylene		0.36 U	ug/L	0.36	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Vinyl chloride		0.32 U	ug/L	0.32	EPA 524.2	VOC2962		09/1/08 4:04	WR	E96080
Alachlor		0.60 U	ug/L	0.60	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 20:24	WR	E96080
Atrazine		0.47 U	ug/L	0.47	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 20:24	WR	E96080
Benzo(a)pyrene		0.069 U	ug/L	0.069	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 20:24	WR	E96080
bis(2-ethylhexyl)phthalate		0.83 U	ug/L	0.83	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 20:24	WR	E96080

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
 Phone: (772) 465-8584 Fax: (772) 467-1584

## CERTIFICATE OF ANALYSIS

[2031951]

Client: Boyle Engineering

Workorder ID: L63N #1

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
Di(2-ethylhexyl)adipate		0.67 U	ug/L	0.67	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 20:24	WR	E96080
Hexachlorobenzene		0.30 U	ug/L	0.30	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 20:24	WR	E96080
Hexachlorocyclopentadiene		0.23 U	ug/L	0.23	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 20:24	WR	E96080
Simazine		0.62 U	ug/L	0.62	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 20:24	WR	E96080
3-Hydroxycarbofuran		0.44 U	ug/L	0.44	EPA 531.1	HPLC2512		09/4/08 20:08	JJM	E96080
Aldicarb		0.54 U	ug/L	0.54	EPA 531.1	HPLC2512		09/4/08 20:08	JJM	E96080
Aldicarb sulfone		0.45 U	ug/L	0.45	EPA 531.1	HPLC2512		09/4/08 20:08	JJM	E96080
Aldicarb sulfoxide		0.36 U	ug/L	0.36	EPA 531.1	HPLC2512		09/4/08 20:08	JJM	E96080
Carbaryl		0.53 U	ug/L	0.53	EPA 531.1	HPLC2512		09/4/08 20:08	JJM	E96080
Carbofuran		0.41 U	ug/L	0.41	EPA 531.1	HPLC2512		09/4/08 20:08	JJM	E96080
Methomyl		0.42 U	ug/L	0.42	EPA 531.1	HPLC2512		09/4/08 20:08	JJM	E96080
Oxamyl		0.13 U	ug/L	0.13	EPA 531.1	HPLC2512		09/4/08 20:08	JJM	E96080
Glyphosate		13 U	ug/L	13	EPA 547	HPLC2510		09/2/08 12:02	JJM	E96080
Endothall		2.8 U	ug/L	2.8	EPA 548.1	SVOC2680	08/28/08 14:00	09/2/08 17:24	CG	E96080
Diquat		1.9 U	ug/L	1.9	EPA 549.2	HPLC2511	08/28/08 14:00	09/2/08 13:18	JJM	E96080
Dibromoacetic Acid		0.18 U	ug/L	0.18	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:17	JL	E96080
Dichloroacetic Acid		0.95	ug/L	0.66	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:17	JL	E96080
Monobromoacetic Acid		0.28 U	ug/L	0.28	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:17	JL	E96080
Monochloroacetic Acid		0.88 U	ug/L	0.88	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:17	JL	E96080
Total HAA's		0.95	ug/L	0.18	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:17	JL	E96080
Trichloroacetic acid		0.20 U	ug/L	0.20	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:17	JL	E96080
2,4,6-Trichlorophenol		1.0 U	ug/L	1.0	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 22:38	WR	E96080
2-Chlorophenol		0.79 U	ug/L	0.79	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 22:38	WR	E96080
Anthracene		0.62 U	ug/L	0.62	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 22:38	WR	E96080
Butylbenzylphthalate		0.52 U	ug/L	0.52	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 22:38	WR	E96080
Dimethyl-phthalate		2.3 U	ug/L	2.3	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 22:38	WR	E96080
Isophorone		0.40 U	ug/L	0.40	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 22:38	WR	E96080
Phenanthrene		0.28 U	ug/L	0.28	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 22:38	WR	E96080
Phenol		0.91 U	ug/L	0.91	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 22:38	WR	E96080
Radium 226		1.3 +/- 0.2	pCi/L		EPA 903.1	SAL1071		09/12/08 12:30	SAL	E84129
Radium 228		0.4 U +/- 0.2	pCi/L		EPA Alter.	SAL1071		09/15/08 14:31	SAL	E84129
Color		2.0	CU	1.8	SM2120 B	WCGE29872		08/29/08 9:15	TCL	E96080
Odor		180	T.O.N.	1.0	SM2150 B	WCGE29868		08/28/08 11:29	GG	E96080
Total Dissolved Solids		1600	mg/L	16	SM2540 C	WCGE29861		08/28/08 14:45	TCL	E96080
Chlorine (Residual)	Q	0.018 U	mg/L	0.018	SM4500CIG	WCGE29869		08/28/08 10:24	GG	E96080
Cyanide		0.0047 U	mg/L	0.0047	SM4500CN E	WCGE29915	09/4/08 12:00	09/8/08 10:48	GG	E96080
Surfactants as LAS, Mol.wt.340		0.049	mg/L	0.022	SM5540 C	WCGE29890	08/28/08 8:05	08/28/08 17:34	GG	E96080
Background on Total Coli		6.0	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080
Confirmed E. Coli		1.0 U	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080
Confirmed Fecal Coliform		1.0 U	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080
Confirmed Total Coliform		1.0 U	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080
Total Coliform		1.0 U	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080

5600 US 1 North  
 Fort Pierce, FL 34946  
 FDOH # E96080

Printed: 9/19/08

4155 St. Johns Pkwy Suite 1300  
 Sanford, FL 32771  
 FDOH # E83509



Page 5 of 7

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
 Phone: (772) 465-8584 Fax: (772) 467-1584

## CERTIFICATE OF ANALYSIS

[2031951]

Client: Boyle Engineering

Workorder ID: L63N #1

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
<b>Laboratory ID:</b> 2031951002										
<b>Sample ID:</b> Trip Blank										
					Sampled: 08/27/08 0:00	Received: 08/27/08 16:30				
					Matrix: Water	Results reported on Wet Weight Basis				
1,1,1-Trichloroethane	0.21 U	ug/L	0.21		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
1,1,2-Trichloroethane	0.44 U	ug/L	0.44		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
1,1-Dichloroethene	0.23 U	ug/L	0.23		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
1,2,4-Trichlorobenzene	0.41 U	ug/L	0.41		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
1,2-Dichlorobenzene	0.21 U	ug/L	0.21		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
1,2-Dichloroethane	0.29 U	ug/L	0.29		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
1,2-Dichloropropane	0.40 U	ug/L	0.40		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
1,4-Dichlorobenzene	0.23 U	ug/L	0.23		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Benzene	0.20 U	ug/L	0.20		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Bromodichloromethane	0.25 U	ug/L	0.25		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Bromoform	0.41 U	ug/L	0.41		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Carbon tetrachloride	0.24 U	ug/L	0.24		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Chlorobenzene	0.30 U	ug/L	0.30		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Chloroform	0.25 U	ug/L	0.25		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
cis-1,2-Dichloroethene	0.21 U	ug/L	0.21		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Dibromochloromethane	0.30 U	ug/L	0.30		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Ethylbenzene	0.21 U	ug/L	0.21		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Methylene chloride	0.23 U	ug/L	0.23		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Styrene	0.21 U	ug/L	0.21		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Tetrachloroethene	0.24 U	ug/L	0.24		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Toluene	0.22 U	ug/L	0.22		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Total THMs	0.25 U	ug/L	0.25		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Total Xylenes	0.46 U	ug/L	0.46		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
trans-1,2-Dichloroethene	0.35 U	ug/L	0.35		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Trichloroethene	0.36 U	ug/L	0.36		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	
Vinyl chloride	0.32 U	ug/L	0.32		EPA 524.2	VOC2962	09/1/08 4:37	WR	E96080	

<sup>1</sup>Result Qualifiers: U = Not Detected I = Analyte detected between the Laboratory Method Detection Limit and Laboratory Reporting Limit  
 Applicable Florida Department of Environmental Protection Qualifiers defined below. Statement of Estimated Uncertainty available upon request.

Q Sample held beyond the accepted holding time.

Y Analysis performed on an Unpreserved, or Improperly Preserved sample.

5600 US 1 North  
 Fort Pierce, FL 34946  
 FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
 Sanford, FL 32771  
 FDOH # E83509



**SOUTHERN ANALYTICAL LABORATORIES, INC.**

110 BAYVIEW BOULEVARD, OLOSMAR, FL 34677 813-855-1844 fax 813-855-2218



Harbor Branch Environmental Laboratory  
2031951, 2031952  
Sample ID: 2031951001

September 16, 2008  
Sample No.: 85512.01  
PWS ID:

**Radionuclides  
62-550.310(6)**

Contaminant ID	Contaminant Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL **	Analysis Error	Analysis Date	Analysis Time	DOH Lab Certification #
4002	Gross Alpha (Incl. Uranium)	***	pCi/L	3.1		EPA 00-02	2.8	3	2.2	09/08/08	14:15	E84129
4020	Radium-226	5*	pCi/L	1.3		EPA 903.1	0.03	1	0.2	09/12/08	12:30	E84129
4030	Radium-228	5*	pCi/L	0.4	U1	EPA RA-05	0.4	1	0.2	09/15/08	14:31	E84129

\* Combined Limit

\*\*\* If the results exceed 5 pCi/L, a measurement for radium-226 is required.

If the results exceed 15 pCi/L, measurements for radium-226 and uranium are required.

**\* Qualifiers:**

U1 Analyte was not detected; Indicated concentration is method detection limit. Radiochemistry MDL is sample specific and matrix dependent.

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

Date issued: September 19, 2008

To: Shamus English  
Boyle Engineering  
3550 SW Corporate Parkway  
Palm City, FL 34990

Client: Boyle Engineering  
Workorder ID: L63N #2 [2031952]  
Received: 8/27/08 16:30

Dear Shamus English;

Analytical results presented in this report have been reviewed for compliance with the HBEL, Inc. Quality Systems Manual and have been determined to meet applicable Method guidelines and Standards referenced in the July 2003 National Environmental Laboratory Accreditation Program (NELAP) Quality Manual unless otherwise noted. The Analytical Results within these report pages reflect the values obtained from tests performed on Samples As Received by the laboratory unless indicated differently.

FDOH Safe Drinking Water Act, Clean Water Act and RCRA Certification #'s:  
E96080, E83509

Questions regarding this report should be directed to the Report Signatory at (772) 465-8584 referencing the HBEL Workorder ID [Number].

Respectfully submitted,

Eric Charest  
HBEL, Inc. Laboratory Manager

Note: This report is not to be copied, except in full, without the expressed written consent of HBEL, Inc.

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

Printed: 9/19/08



Page 1 of 7

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

## Quality Control Summary

Client: Boyle Engineering

Workorder ID: L63N #2

Received: 8/27/08 16:30

[2031952]

MB=Method Blank LCS=Laboratory Control Sample LCSD=Laboratory Control Sample Duplicate MS=Matrix Spike MSD=Matrix Spike Duplicate DUP=Sample Duplicate

### HBEL Sample

### Method Narratives (if Applicable)

<u>Number</u>	<u>Sample ID</u>	<u>Analytical Method</u>	<u>Description</u>
---------------	------------------	--------------------------	--------------------

### Quality Control Summary

<u>Method</u>	<u>HBEL Batch</u>	<u>Analyte</u>	<u>Analytical Issue</u>
---------------	-------------------	----------------	-------------------------

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

Printed: 9/19/08



Page 2 of 7

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
 Phone: (772) 465-8584 Fax: (772) 467-1584

## CERTIFICATE OF ANALYSIS

[2031952]

Client: Boyle Engineering

Workorder ID: L63N #2

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
Laboratory ID:	2031952001				Sampled: 08/27/08 15:15		Received: 08/27/08 16:30			
Sample ID:	OKF-106 #2				Matrix: Water		Results reported on Wet Weight Basis			
Gross Alpha		7.0 +/- 2.4	pCi/L		EPA 00-02	SAL1071		09/08/08 14:15	SAL	E84129
Specific Conductance		2700	umhos/cm	2.0	EPA 120.1	WCGE29884		09/1/08 10:30	EE	E96080
pH	Q	7.53	SU	0.200	EPA 150.1	WCGE29880		08/30/08 20:18	GS	E96080
Aluminum		0.020 U	mg/L	0.020	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Antimony		0.0023 U	mg/L	0.0023	EPA 200.7	META9029	09/8/08 23:47	09/8/08 23:47	DM	E96080
Arsenic		0.0026 U	mg/L	0.0026	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Barium		0.032	mg/L	0.0018	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Beryllium		0.00010 U	mg/L	0.00010	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Cadmium		0.00070 U	mg/L	0.00070	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Chromium		0.0018 U	mg/L	0.0018	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Copper		0.0014 U	mg/L	0.0014	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Iron		0.025 U	mg/L	0.025	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Manganese		0.0038 U	mg/L	0.0038	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Nickel		0.0020 U	mg/L	0.0020	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Silver		0.00064 U	mg/L	0.00064	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Sodium		430	mg/L	0.50	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Strontium		23	mg/L	0.0010	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Zinc		0.010 U	mg/L	0.010	EPA 200.7	META9029	09/5/08 8:29	09/8/08 23:47	DM	E96080
Lead		0.00061 U	mg/L	0.00061	EPA 200.9	META9009	08/28/08 10:58	08/29/08 22:42	DM	E96080
Selenium		0.0020 U	mg/L	0.0020	EPA 200.9	META9006	08/28/08 10:58	08/28/08 15:43	DM	E96080
Thallium		0.0010 U	mg/L	0.0010	EPA 200.9	META9014	08/28/08 10:58	09/3/08 14:43	DM	E96080
Mercury		0.000060 U	mg/L	0.000060	EPA 245.1	META9031	09/8/08 13:28	09/9/08 15:16	DM	E96080
Bromate		0.028 U	mg/L	0.028	EPA 300.0	IC7784		08/28/08 23:25	JL	E96080
Chloride		670	mg/L	5.0	EPA 300.0	IC7785		08/29/08 14:21	JL	E96080
Chlorite		0.58	mg/L	0.025	EPA 300.0	IC7784		08/28/08 23:25	JL	E96080
Fluoride		0.65	mg/L	0.022	EPA 300.0	IC7783		08/28/08 17:24	JL	E96080
Nitrate as N		0.0060 U	mg/L	0.0060	EPA 300.0	IC7783		08/28/08 17:24	JL	E96080
Nitrite as N		0.0044 U	mg/L	0.0044	EPA 300.0	IC7783		08/28/08 17:24	JL	E96080
Sulfate		250	mg/L	1.4	EPA 300.0	IC7785		08/29/08 14:21	JL	E96080
Ammonia, as N		0.45	mg/L	0.0090	EPA 350.1	AUTO16835		09/2/08 16:29	JL	E96080
Organic Nitrogen		0.18	mg/L	0.11	EPA 351.2	CALC5540		09/5/08 15:20	DH	E96080
Total Kjeldahl Nitrogen		0.63	mg/L	0.045	EPA 351.2	AUTO16847	08/29/08 11:10	08/29/08 18:14	DM	E96080
Total Phosphorus as P		0.032	mg/L	0.012	EPA 365.4	AUTO16843	08/29/08 11:10	08/29/08 18:14	DM	E96080
BOD5		2.5	mg/L	2.0	EPA 405.1	WCGE29867		08/28/08 13:23	TCL	E96080
COD		52	mg/L	2.6	EPA 410.4	WCGE29900		09/5/08 13:35	SP	E96080
1,2-Dibromo-3-chloropropane		0.0035 U	ug/L	0.0035	EPA 504.1	PEST5188	09/3/08 11:00	09/4/08 0:44	JL	E96080
1,2-Dibromoethane		0.0046 U	ug/L	0.0046	EPA 504.1	PEST5188	09/3/08 11:00	09/4/08 0:44	JL	E96080
Aldrin		0.043 U	ug/L	0.043	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
Chlordane		0.13 U	ug/L	0.13	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
Dieldrin		0.065 U	ug/L	0.065	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080

5600 US 1 North  
 Fort Pierce, FL 34946  
 FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
 Sanford, FL 32771  
 FDOH # E83509



# **HBEL, Inc.**

5600 U.S. 1 North, Fort Pierce, FL 34946  
 Phone: (772) 465-8584 Fax: (772) 467-1584

## **CERTIFICATE OF ANALYSIS**

[2031952]

**Client:** Boyle Engineering

**Workorder ID:** L63N #2

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
Endrin		0.10 U	ug/L	0.10	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
gamma-BHC (Lindane)		0.020 U	ug/L	0.020	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
Heptachlor		0.036 U	ug/L	0.036	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
Heptachlor epoxide		0.027 U	ug/L	0.027	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
Methoxychlor		0.043 U	ug/L	0.043	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
PCB		0.14 U	ug/L	0.14	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
Toxaphene		0.59 U	ug/L	0.59	EPA 505	PEST5184	08/28/08 12:00	08/29/08 2:38	JL	E96080
2,4,5-TP		0.19 U	ug/L	0.19	EPA 515.1	PEST5189	09/3/08 8:00	09/6/08 0:00	JL	E96080
2,4-D		0.22 U	ug/L	0.22	EPA 515.1	PEST5189	09/3/08 8:00	09/6/08 0:00	JL	E96080
Dalapon		2.3 U	ug/L	2.3	EPA 515.1	PEST5189	09/3/08 8:00	09/6/08 0:00	JL	E96080
Dinoseb		0.23 U	ug/L	0.23	EPA 515.1	PEST5189	09/3/08 8:00	09/6/08 0:00	JL	E96080
Pentachlorophenol		0.39 U	ug/L	0.39	EPA 515.1	PEST5189	09/3/08 8:00	09/6/08 0:00	JL	E96080
Picloram		0.23 U	ug/L	0.23	EPA 515.1	PEST5189	09/3/08 8:00	09/6/08 0:00	JL	E96080
1,1,1-Trichloroethane		0.21 U	ug/L	0.21	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
1,1,2-Trichloroethane		0.44 U	ug/L	0.44	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
1,1-Dichloroethene		0.23 U	ug/L	0.23	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
1,2,4-Trichlorobenzene		0.41 U	ug/L	0.41	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
1,2-Dichlorobenzene		0.21 U	ug/L	0.21	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
1,2-Dichloroethane		0.29 U	ug/L	0.29	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
1,2-Dichloropropane		0.40 U	ug/L	0.40	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
1,4-Dichlorobenzene		0.23 U	ug/L	0.23	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Benzene		0.20 U	ug/L	0.20	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Bromodichloromethane		0.25 U	ug/L	0.25	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Bromoform		0.41 U	ug/L	0.41	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Carbon tetrachloride		0.24 U	ug/L	0.24	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Chlorobenzene		0.30 U	ug/L	0.30	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Chloroform		0.25 U	ug/L	0.25	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
cis-1,2-Dichloroelohene		0.21 U	ug/L	0.21	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Dibromochloromethane		0.30 U	ug/L	0.30	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Ethylbenzene		0.21 U	ug/L	0.21	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Methylene chloride		0.23 U	ug/L	0.23	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Styrene		0.21 U	ug/L	0.21	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Tetrachloroethylene		0.24 U	ug/L	0.24	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Toluene		0.22 U	ug/L	0.22	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Total THMs		0.25 U	ug/L	0.25	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Total Xylenes		0.46 U	ug/L	0.46	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
trans-1,2-Dichloroethylene		0.35 U	ug/L	0.35	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Trichloroethylene		0.36 U	ug/L	0.36	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Vinyl chloride		0.32 U	ug/L	0.32	EPA 524.2	VOC2963		09/2/08 15:37	WR	E96080
Alachlor		0.59 U	ug/L	0.59	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 21:02	WR	E96080
Atrazine		0.47 U	ug/L	0.47	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 21:02	WR	E96080
Benzo(a)pyrene		0.068 U	ug/L	0.068	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 21:02	WR	E96080
bis(2-ethylhexyl)phthalate		0.82 U	ug/L	0.82	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 21:02	WR	E96080

5600 US 1 North  
 Fort Pierce, FL 34946  
 FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
 Sanford, FL 32771  
 FDOH # E83509

Client: Boyle Engineering

Workorder ID: L63N #2

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
Di(2-ethylhexyl)adipate		0.66 U	ug/L	0.66	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 21:02	WR	E96080
Hexachlorobenzene		0.30 U	ug/L	0.30	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 21:02	WR	E96080
Hexachlorocyclopentadiene		0.23 U	ug/L	0.23	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 21:02	WR	E96080
Simazine		0.61 U	ug/L	0.61	EPA 525.2	SVOC2681	09/2/08 8:00	09/3/08 21:02	WR	E96080
3-Hydroxycarbofuran		0.44 U	ug/L	0.44	EPA 531.1	HPLC2512		09/4/08 20:40	JJM	E96080
Aldicarb		0.54 U	ug/L	0.54	EPA 531.1	HPLC2512		09/4/08 20:40	JJM	E96080
Aldicarb sulfone		0.45 U	ug/L	0.45	EPA 531.1	HPLC2512		09/4/08 20:40	JJM	E96080
Aldicarb sulfoxide		0.36 U	ug/L	0.36	EPA 531.1	HPLC2512		09/4/08 20:40	JJM	E96080
Carbaryl		0.53 U	ug/L	0.53	EPA 531.1	HPLC2512		09/4/08 20:40	JJM	E96080
Carbofuran		0.41 U	ug/L	0.41	EPA 531.1	HPLC2512		09/4/08 20:40	JJM	E96080
Methomyl		0.42 U	ug/L	0.42	EPA 531.1	HPLC2512		09/4/08 20:40	JJM	E96080
Oxamyl		0.13 U	ug/L	0.13	EPA 531.1	HPLC2512		09/4/08 20:40	JJM	E96080
Glyphosate		13 U	ug/L	13	EPA 547	HPLC2510		09/2/08 12:17	JJM	E96080
Endothall		2.8 U	ug/L	2.8	EPA 548.1	SVOC2680	08/28/08 14:00	09/2/08 17:46	CG	E96080
Diquat		1.9 U	ug/L	1.9	EPA 549.2	HPLC2511	08/28/08 14:00	09/2/08 13:25	JJM	E96080
Dibromoacetic Acid		0.18 U	ug/L	0.18	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:52	JL	E96080
Dichloroacetic Acid		0.81	ug/L	0.66	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:52	JL	E96080
Monobromoacetic Acid		0.28 U	ug/L	0.28	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:52	JL	E96080
Monochloroacetic Acid		0.88 U	ug/L	0.88	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:52	JL	E96080
Total HAA <sub>s</sub>		0.81	ug/L	0.18	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:52	JL	E96080
Trichloroacetic acid		0.20 U	ug/L	0.20	EPA 552.1	PEST5187	09/4/08 12:29	09/5/08 4:52	JL	E96080
2,4,6-Trichlorophenol		1.0 U	ug/L	1.0	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 23:23	WR	E96080
2-Chlorophenol		0.79 U	ug/L	0.79	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 23:23	WR	E96080
Anthracene		0.62 U	ug/L	0.62	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 23:23	WR	E96080
Butylbenzylphthalate		0.52 U	ug/L	0.52	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 23:23	WR	E96080
Dimethyl-phthalate		2.3 U	ug/L	2.3	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 23:23	WR	E96080
Isophorone		0.40 U	ug/L	0.40	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 23:23	WR	E96080
Phenanthrene		0.29 U	ug/L	0.29	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 23:23	WR	E96080
Phenol		0.91 U	ug/L	0.91	EPA 625	SVOC2682	08/28/08 8:00	09/10/08 23:23	WR	E96080
Radium 226		1.6 +/- 0.2	pCi/L		EPA 903.1	SAL1071		09/12/08 14:20	SAL	E84129
Radium 228		0.4 U +/-	pCi/L		EPA Alter.	SAL1071		09/15/08 14:32	SAL	E84129
Color		2.0	CU	1.8	SM2120 B	WCGE29872		08/29/08 9:15	TCL	E96080
Odor		160	T.O.N.	1.0	SM2150 B	WCGE29868		08/28/08 11:29	GG	E96080
Total Dissolved Solids		1600	mg/L	16	SM2540 C	WCGE29861		08/28/08 14:45	TCL	E96080
Chlorine (Residual)	Q	0.018 U	mg/L	0.018	SM4500CLG	WCGE29869		08/28/08 10:34	GG	E96080
Cyanide		0.0047 U	mg/L	0.0047	SM4500CN E	WCGE29915	09/4/08 12:00	09/6/08 10:48	GG	E96080
Surfactants as LAS, Mol.wt.340		0.036	mg/L	0.022	SM5540 C	WCGE29890	08/28/08 8:05	08/28/08 17:34	GG	E96080
Background on Total Coli		27	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080
Confirmed E. Coli		1.0 U	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080
Confirmed Fecal Coliform		1.0 U	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080
Confirmed Total Coliform		1.0 U	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080
Total Coliform		1.0 U	CFU/100mL	1.0	SM9222 B	MICR13010		08/28/08 11:10	TR	E96080

5600 US 1 North  
 Fort Pierce, FL 34946  
 FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
 Sanford, FL 32771  
 FDOH # E83509

# HBEL, Inc.

5600 U.S. 1 North, Fort Pierce, FL 34946  
Phone: (772) 465-8584 Fax: (772) 467-1584

## CERTIFICATE OF ANALYSIS

[2031952]

Client: Boyle Engineering

Workorder ID: L63N #2

Parameter	Qualifier	Result <sup>1</sup>	Units	Reporting Limit	Method	Laboratory Batch	Prep Date/Time	Analyzed Date/Time	Analyst	Lab ID
-----------	-----------	---------------------	-------	-----------------	--------	------------------	----------------	--------------------	---------	--------

<sup>1</sup>Result Qualifiers: U = Not Detected I = Analyte detected between the Laboratory Method Detection Limit and Laboratory Reporting Limit  
Applicable Florida Department of Environmental Protection Qualifiers defined below. Statement of Estimated Uncertainty available upon request.  
Q Sample held beyond the accepted holding time.

5600 US 1 North  
Fort Pierce, FL 34946  
FDOH # E96080

4155 St. Johns Pkwy Suite 1300  
Sanford, FL 32771  
FDOH # E83509

Printed: 9/19/08



Page 6 of 7



**HARBOR BRANCH  
ENVIRONMENTAL  
LABORATORIES, INC.**

## **Chain-of-Custody**

*and*

*Agreement to Perform Services*

Company: Bethel Furniture Inc.

Method(s) of Shipment: Over The

Address: 7200 Park Lane, West Palm Beach, Florida 33406

West Side Rd. Zip: 33473

Phone: 510-467-3325 Fax: 510-467-3325

**Client Contact:**  510-555-1234

Project Name: L43w

Sampled By: Sherry Gable

e-mail:  
Standard Laboratory  
Turn Around Time  

---

  
Or  
  
Rush in \_\_\_\_ Business Days  
*Requires Laboratory Approval*

**USE BALL POINT PEN  
PRESS HARD  
COMPLETELY FILL OUT  
ALL NON GREYED AREAS  
PRINT LEGIBLY**

*Laboratory not responsible for omitted information*

       FDOH # E96080             FDOH # E85370  
5600 U.S. 1 North            307 Coolidge Avenue  
Fort Pierce, FL 34946       Lehigh Acres, FL 33937



For Lab Use Only

Temperature	Custody Seals	pH
Checked <input checked="" type="checkbox"/>	Intact <input checked="" type="checkbox"/>	Checked <input checked="" type="checkbox"/>
N <input type="checkbox"/>	Y <input checked="" type="checkbox"/>	Y <input checked="" type="checkbox"/>

LAB # 203952

**PRESERVATIVE**

**ANALYSES REQUESTED**

<i>Preservation Key</i>	
Chloric Acid	P=Phosphoric Acid
Acid	ST=Sodium
uric Acid	Thiosulfate
dium Hydroxide	U=Unpreserved

\* Sample Type: G=Grab C=Composite

\*\* Matrix: S=Solid SL=Sludge DW=Drinking Water GW=Ground Water SW=Surface Water WW=Wastewater M=Marine

RELINQUISHED BY	<i>Legg</i>	RELINQUISHED BY		RELINQUISHED BY	
DATE/TIME	<i>1525 8/28/02</i>	DATE/TIME		DATE/TIME	
RECEIVED BY	<i>MJZ</i>	RECEIVED BY		RECEIVED FOR HBEL CUSTODY BY	<i>Legg 31</i>
DATE/TIME	<i>8-28-02</i>	DATE/TIME	<i>15:25</i>	DATE/TIME	<i>8-28-02</i>

**SOUTHERN ANALYTICAL LABORATORIES, INC.**

110 BAYVIEW BOULEVARD, OLDSMAR, FL 34677 813-855-1844 fax 813-855-2218



Harbor Branch Environmental Laboratory  
2031951, 2031952  
Sample ID: 2031952001

September 16, 2008  
Sample No.: 85512.02  
PWS ID: \_\_\_\_\_

**Radionuclides  
62-550.310(6)**

Contaminant ID	Contaminant Name	MCL	Units	Analysis Result	Qualifier	Analytical Method	Lab MDL	RDL **	Analysis Error	Analysis Date	Analysis Time	DOH Lab Certification #
4002	Gross Alpha (Incl. Uranium)	***	pCi/L	7.0		EPA 00-02	2.8	3	2.4	09/08/08	14:15	E84129
4020	Radium-226	5*	pCi/L	1.6		EPA 903.1	0.04	1	0.2	09/12/08	14:20	E84129
4030	Radium-228	5*	pCi/L	0.4	U1	EPA RA-05	0.4	1	0.2	09/15/08	14:32	E84129

\* Combined Limit

\*\*\* If the results exceed 5 pCi/L, a measurement for radium-226 is required.

If the results exceed 15 pCi/L, measurements for radium-226 and uranium are required.

**\* Qualifiers:**

U1 Analyte was not detected; indicated concentration is method detection limit. Radiochemistry MDL is sample specific and matrix dependent.

HBEL, Inc

**HBEL, Inc.**  
5600 U. S. 1 North, Ft. Pierce, FL 34946, 772-465-2400 ext. 292  
Fax: (772) 467-1584  
**SUBCONTRACT CHAIN OF CUSTODY RECORD**

85512

Subcontracting Form 001A  
REV 002  
Effective Date 03/17/2008

Receiving Laboratory: SAC

The samples are to be shipped by Fed. Ex to arrive on 8-29-08. TAT: Std.







**sfwmd.gov**

South Florida Water Management District  
3301 Gun Club Road  
West Palm Beach, Florida 33406  
561-686-8800 • FL WATS 1-800-432-2045  
[www.sfwmd.gov](http://www.sfwmd.gov)

MAILING ADDRESS: P.O. Box 24680  
West Palm Beach, FL 33416-4680