

## WEEKLY STA PERFORMANCE SUMMARY

**PROJECT STA-1E**





**DATE 5/6/2024**

**LATEST DATA**

**05/05/2024**

WY2025 to Date Flow-weighted Mean Conc (µg/L)		Inflow: 72	Outflow: no flow	Entire STA	W Flow-way	C Flow-way	E Flow-way
365-day Values	Inflow Volume (ac-ft)			147,778	no flow	73,411	61,519
	Inflow Load (kg)			19,062	N/A	9,315	4,919
	Inflow Flow-weighted Mean Conc (µg/L)			105	N/A	103	65
	Outflow Volume (ac-ft)			133,779	2,907	60,196	66,029
	Outflow Load (kg)			3,594	N/A	2,540	1,101
	Outflow Flow-weighted Mean Conc (µg/L)			22	N/A	34	14
<b>365-day load reduction (kg)</b>				<b>15,468</b>	<b>no flow</b>	<b>6,775</b>	<b>3,817</b>
28-day Values	Inflow Volume (ac-ft)			3,300	no flow	1,109	766
	Inflow Load (kg)			309	N/A	97	49
	Inflow Flow-weighted Mean Conc (µg/L)			76	N/A	71	52
	Outflow Volume (ac-ft)			23	-9	no flow	no flow
	Outflow Load (kg)			1	0	no flow	N/A
	Outflow Flow-weighted Mean Conc (µg/L)			24	23	no flow	N/A
7-day Values	Inflow Volume (ac-ft)			553	no flow	458	no flow
	Inflow Flow-weighted Mean Conc (µg/L)			78	no flow	62	no flow
	Outflow Volume (ac-ft)			no flow	no flow	no flow	no flow
	Outflow Flow-weighted Mean Conc (µg/L)			no flow	no flow	no flow	N/A
<b>365-day Phosphorus Loading Rate (g/m<sup>2</sup>/yr)</b>				<b>1.5</b>	<b>N/A</b>	<b>1.3</b>	<b>N/A</b>
6-month trend in outflow TP concentration (- means decrease; µg/L)				1	no flow	0	0

Redirected to STA-1 Inflow Basin for the last 365 days through G-311		Volume (ac-ft)	8,981	Load (kg)	1,144	Conc (µg/L)	103
Flow-Way Information (Research projects, stage-duration, vegetation, etc.)							
W Flow-way		C Flow-way			E Flow-way		
On-line		On-line			Off-line		
On-line with restrictions for post-construction vegetation grow in starting on 12/27/2023.				Off-line for rehydration and vegetation establishment following erosion repair effective 3/18/2024.			



The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data and revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.

## WEEKLY STA PERFORMANCE SUMMARY

**PROJECT STA-1W**

**DATE 5/6/2024**


**LATEST DATA**

**5/5/2024**


WY2025 to Date Flow-weighted Mean Conc (µg/L)		Inflow: 93	Outflow: 23	Entire STA	W Flow-way	E Flow-way	N Flow-way	Cell 6	Cell 7+8
365-day Values	Inflow Volume (ac-ft)	192,301	55,695	155,979	11,075	109,247	111,049		
	Inflow Load (kg)	28,419	7,540	19,331	2,095	3,225	3,554		
	Inflow Flow-weighted Mean Conc (µg/L)	120	110	100	153	24	26		
	Outflow Volume (ac-ft)	222,404	57,260	148,407	14,629	142,097	80,849		
	Outflow Load (kg)	4,890	1,316	5,239	224	2,788	1,807		
	Outflow Flow-weighted Mean Conc (µg/L)	18	19	29	12	16	18		
<b>365-day load reduction (kg)</b>				<b>23,529</b>	<b>6,225</b>	<b>14,092</b>	<b>1,871</b>	<b>437</b>	<b>1,747</b>
28-day Values	Inflow Volume (ac-ft)	5,442	789	3,130	no flow	1,192	3,145		
	Inflow Load (kg)	464	61	243	no flow	21	136		
	Inflow Flow-weighted Mean Conc (µg/L)	69	62	63	no flow	14	35		
	Outflow Volume (ac-ft)	3,037	291	2,854	1,192	1,118	2,181		
	Outflow Load (kg)	76	12	124	21	27	64		
	Outflow Flow-weighted Mean Conc (µg/L)	20	34	35	14	19	24		
7-day Values	Inflow Volume (ac-ft)	811	no flow	no flow	no flow	397	no flow		
	Inflow Flow-weighted Mean Conc (µg/L)	93	no flow	no flow	no flow	14	no flow		
	Outflow Volume (ac-ft)	262	no flow	no flow	397	181	no flow		
	Outflow Flow-weighted Mean Conc (µg/L)	23	no flow	no flow	14	21	no flow		
<b>365-day Phosphorus Loading Rate (g/m<sup>2</sup>/yr)</b>				<b>0.6</b>	<b>1.1</b>	<b>2.2</b>	<b>0.1</b>	<b>0.4</b>	<b>0.4</b>
6-month trend in outflow TP concentration (- means decrease; µg/L)				-1	0	0	-2	0	-1
Redirection to STA-1E over the last 365 days Volume (ac-ft)				484	Load (kg)	50	Conc (µg/L)	84	
Redirection to S-5AS over the last 365 days Volume (ac-ft)				197,776	Load (kg)	33,917	Conc (µg/L)	139	

### Flow-Way Information (Research projects, stage-duration, vegetation, etc.)


W Flow-way	E Flow-way	N Flow-way	Cells 6, 7, and 8
On-line	On-line	On-line	On-line
	Contains nest(s) of MBTA-protected species.	Contains nest(s) of MBTA-protected species.	




### Moving 365-day & 28-day TP Concentrations - Entire STA



### Moving 365-day Flows - Entire STA



### Moving 365-day TP Loads - Entire STA







The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data and revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.

## WEEKLY STA PERFORMANCE SUMMARY

PROJECT	STA-2	DATE	5/6/2024	LATEST DATA	5/5/2024				
WY2025 to Date Flow-weighted Mean Conc (µg/L)		Inflow: 34	Outflow: 14	Entire STA	Flow-way 5	Flow-way 4	Flow-way 3	Flow-way 2	Flow-way 1
365-day Values	Inflow Volume (ac-ft)			413,754	36,049	162,834	86,890	88,538	78,544
	Inflow Load (kg)			38,022	1,740	14,296	7,473	8,372	8,869
	Inflow Flow-weighted Mean Conc (µg/L)			74	39	71	70	77	92
	Outflow Volume (ac-ft)			451,347	34,198	143,385	100,563	100,463	104,103
	Outflow Load (kg)			8,785	414	1,638	2,732	2,531	1,337
	Outflow Flow-weighted Mean Conc (µg/L)			16	10	9	22	20	10
365-day load reduction (kg)				29,237	1,326	12,659	4,741	5,840	7,532
28-day Values	Inflow Volume (ac-ft)			no flow	no flow	3,715	no flow	no flow	no flow
	Inflow Load (kg)			no flow	no flow	223	no flow	no flow	no flow
	Inflow Flow-weighted Mean Conc (µg/L)			no flow	no flow	49	no flow	no flow	no flow
	Outflow Volume (ac-ft)			1,964	130	965	177	no flow	50
	Outflow Load (kg)			32	2	18	4	no flow	1
	Outflow Flow-weighted Mean Conc (µg/L)			13	10	15	20	no flow	11
7-day Values	Inflow Volume (ac-ft)			no flow	no flow	3,603	no flow	no flow	no flow
	Inflow Flow-weighted Mean Conc (µg/L)			no flow	no flow	49	no flow	no flow	no flow
	Outflow Flow-weighted Mean Conc (µg/L)			58	14	no flow	no flow	no flow	no flow
365-day phosphorus loading rate (g/m <sup>2</sup> /yr)				0.6	0.1	0.6	0.8	1.2	1.2
6-month trend in outflow TP concentration (- means decrease; µg/L)				-1	0	0	0	-5	-1

### Flow-Way Information (Research projects, stage-duration, vegetation, etc.)

Flow-way 5	Flow-way 4	Flow-way 3	Flow-way 2	Flow-way 1
On-line	On-line	On-line	On-line	On-line
	On-line with restrictions for vegetation managements activities starting on 10/28/2019.		On-line with restrictions for vegetation management activities starting on 08/14/2023.	Contains nest(s) of MBTA-protected species.



The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data or revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.

# WEEKLY STA PERFORMANCE SUMMARY

**PROJECT STA-3/4**

**DATE 5/6/2024**





**LATEST DATA**

**5/5/2024**

WY2025 to Date Flow-weighted Mean Conc (µg/L)		Inflow: 111	Outflow: 15	Entire STA	W Flow-way	C Flow-way	E Flow-way	
365-day Values	Inflow Volume (ac-ft)	502,726	212,976	259,342	30,408			
	Inflow Load (kg)	43,908	13,354	13,417	1,763			
	Inflow Flow-weighted Mean Conc (µg/L)	71	51	42	47			
	Outflow Volume (ac-ft)	448,948	198,219	208,334	42,395			
	Outflow Load (kg)	7,213	3,308	2,960	945			
	Outflow Flow-weighted Mean Conc (µg/L)	13	14	12	18			
<b>365-day load reduction (kg)</b>				<b>36,695</b>	<b>10,046</b>	<b>10,458</b>	<b>818</b>	
28-day Values	Inflow Volume (ac-ft)	27,259	8,960	9,188	9,111			
	Inflow Load (kg)	3,653	716	786	717			
	Inflow Flow-weighted Mean Conc (µg/L)	109	65	69	64			
	Outflow Volume (ac-ft)	21,015	7,884	5,876	7,255			
	Outflow Load (kg)	411	160	121	130			
	Outflow Flow-weighted Mean Conc (µg/L)	16	17	17	15			
7-day Values	Inflow Volume (ac-ft)	8,917	2,990	3,050	2,877			
	Inflow Flow-weighted Mean Conc (µg/L)	110	60	66	64			
	Outflow Volume (ac-ft)	6,761	2,539	1,922	2,300			
	Outflow Flow-weighted Mean Conc (µg/L)	16	15	19	14			
	<b>365-day Phosphorus Loading Rate (g/m<sup>2</sup>/yr)</b>				<b>0.8</b>	<b>0.7</b>	<b>0.6</b>	<b>N/A</b>
	6-month trend in outflow TP concentration (- means decrease; µg/L)				0	-1	0	-3

### Flow-Way Information (Research projects, stage-duration, vegetation, etc.)

W Flow-way	C Flow-way	E Flow-way
On-line	On-line	On-line
		On-line with restrictions for vegetation management activities effective 8/29/2023.



The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data and revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.

## WEEKLY STA PERFORMANCE SUMMARY

**PROJECT STA-5/6**

**DATE 5/6/2024**


**LATEST DATA**

**5/5/2024**


2025 to Date Flow-weighted Mean Conc (µg/L)		Inflow: no flow	Outflow: no flow	Entire STA	Flow-way 1	Flow-way 2	Flow-way 3	Flow-way 4	Flow-way 5	Flow-way 6	Flow-way 7	Flow-way 8
365-day Values	Inflow Volume (ac-ft)			208,261	23,164	55,558	41,921	12,473	49,530	31,255	4,614	2,110
	Inflow Load (kg)			60,947	5,162	13,364	14,650	3,848	13,373	5,339	982	304
	Inflow Flow-weighted Mean Conc (µg/L)			237	181	195	283	250	219	138	173	117
	Outflow Volume (ac-ft)			223,487	23,275	59,860	59,614	16,856	55,102	1,538	5,307	1,935
	Outflow Load (kg)			10,245	453	1,175	3,110	1,215	3,816	130	285	60
	Outflow Flow-weighted Mean Conc (µg/L)			37	16	16	42	58	56	68	44	25
<b>365-day load reduction (kg)</b>				<b>50,702</b>	<b>4,709</b>	<b>12,189</b>	<b>11,540</b>	<b>2,634</b>	<b>9,557</b>	<b>5,209</b>	<b>697</b>	<b>243</b>
28-day Values	Inflow Volume (ac-ft)			22	no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow
	Inflow Load (kg)			3	no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow
	Inflow Flow-weighted Mean Conc (µg/L)			119	no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow
	Outflow Volume (ac-ft)			708	no flow	144	32	70	462	no flow	no flow	no flow
	Outflow Load (kg)			21	no flow	3	1	2	15	no flow	no flow	no flow
7-day Values	Inflow Volume (ac-ft)			no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow
	Inflow Flow-weighted Mean Conc (µg/L)			no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow
	Outflow Volume (ac-ft)			no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow
	Outflow Flow-weighted Mean Conc (µg/L)			no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow	no flow
<b>365-day phosphorus loading rate (g/m<sup>2</sup>/yr)</b>				<b>1.1</b>	<b>0.5</b>	<b>1.4</b>	<b>1.6</b>	<b>0.5</b>	<b>1.3</b>	<b>0.7</b>	<b>0.4</b>	<b>0.3</b>
<b>6-month trend in outflow TP concentration (- means decrease; µg/L)</b>				<b>-1</b>	<b>0</b>	<b>-1</b>	<b>0</b>	<b>-3</b>	<b>-9</b>	<b>-122</b>	<b>3</b>	<b>3</b>
Inflows to Rotenberger over the last 365 days		Volume (ac-ft)	47	TP Load (kg)	2	TP Conc (µg/L)	39					

### Flow-Way Information (Research projects, stage-duration, vegetation, etc.)


Flow-way 1	Flow-way 2	Flow-way 3	Flow-way 4	Flow-way 5	Flow-way 6	Flow-way 7	Flow-way 8
On-line	On-line	On-line	On-line	On-line	On-line	On-line	On-line




**Moving 365-day & 28-day TP Concentrations - Entire STA** POR: 5/1/2000 - 4/30/2023



**Moving 365-day TP Loads - Entire STA** POR: 5/1/2000 - 4/30/2023



**Moving 365-day Flows - Entire STA** POR: 5/1/2000 - 4/30/2023



The data provided in this summary report were developed using a combination of provisional and quality-assured flow and water quality data. In some cases, best professional judgment was used to estimate missing data or revise questionable data. Values provided are not considered final, but are appropriate for use in STA operational decision-making. The PLRs being reported on the weekly sheets are adjusted to account for length of time and/or treatment area offline.