

INDEX

A

- Above ground impoundments, B-35, C-VIII-8 (see also "Major above ground impoundments" and "Minor above ground impoundments")
 - Design example, D-A-1, D-B-1
 - Agricultural projects, C-VIII-1
 - Additional guidance on construction, C-VIII-8
 - Design example, D-A-1, D-B-1
 - Design storm for flow leaving site, C-VIII-4
 - Environmental preservation, C-VIII-3
 - Floodplain encroachment, C-VIII-3
 - General philosophy, C-VIII-2
 - Levee criteria, C-VIII-6
 - Non-urban gravity systems, B-24
 - Off-site flows, C-VIII-4
 - Preferred surface water management method, C-VIII-5
 - Quality criteria, C-VIII-5
 - System design details, C-VIII-6, C-VIII-8
 - Agricultural site design example, D-A-1 (see also "Major above ground impoundments")
 - Allowable discharge (see also "Quantity, water")
 - C-51 Basin, A-IV-14, A-IV-27 (map)
 - Formulas, B-30
 - Non-urban gravity systems, B-24
 - Application for Development Approval
 - Conceptual agency review, B-2, B-27
 - Concurrent District conceptual review, A-II-4, B-6
 - With application for conceptual approval, A-II-2
 - Application forms
 - PA-39 (Exemption), A-II-3
 - RC-1, A-II-1, A-II-4, A-II-10 (form), B-1, B-27
 - RP-63, Notice of Intent, A-III-1, A-III-3, A-III-6 (form)
 - Application review elements lists, C-X-1
 - Association legal requirements
 - Condominium, B-9
 - Construction completion certification, B-11
 - Contents of required documents, B-10
 - Documents required, B-9
 - Homeowners, B-9
 - Master association, B-9
 - Necessary powers, B-9
 - Phased project requirements, B-10
 - Property owners, B-9
- B
- Backpumping to Lake Okeechobee or conservation areas: water quality monitoring, B-11
 - Baffles on discharge structures, B-19
 - Multi-family residential design example, D-M-11, D-M-12
 - Bank storage, C-III-4
 - Basin storage, B-14
 - "Basis of Review for Surface Water Management Permit Applications within the South Florida Water Management District - April, 1987", B-1
 - Incorporated into Chapter 40E-4, A-II-4
 - Best Management Practices, B-21
 - At landfills, B-17
 - Big Cypress area: water quality monitoring, B-11
 - Binding Letter of Interpretation, B-6
 - Borrow pits at landfills, B-17
 - Broad-crested weir flow
 - Agricultural site design example, D-A-10
 - Major impoundment design example, D-B-10
 - Broward County drainage basins map, C-IX-2
 - Broward County Wellfield Protection Ordinance, B-16
 - Buffer zone, B-45, B-49
 - Bulkheads in wet retention/detention areas, B-20

C

- C-9 (see "Western Canal 9 Basin")
- C-51 Basin
 - Allowable discharge criteria, A-IV-14, A-IV-27 (map)
 - Boundary legal descriptions, A-IV-12
 - Dry retention/detention in Western C-51 Basin, A-IV-14
 - Eastern C-51 Basin, A-IV-11, A-IV-26 (map)
 - Finished building floor elevation criteria, A-IV-14, A-IV-28 (map)
 - Floodplain encroachment criteria, A-IV-14
 - General discussion, A-IV-4
 - General Permit Rule not applicable, A-III-1, A-IV-6
 - Maps, A-IV-24 - A-IV-28
 - Soil storage reduction criteria, A-IV-14
 - Western C-51 Basin, A-IV-11, A-IV-25 (map)
- Canal storage (see "Surface storage")
- Central and Southern Florida Flood Control District, A-I-1
 - Chapter 17-25, Florida Administrative Code, B-1
 - Chapter 40E, Florida Administrative Code, A-I-1, A-I-2
 - Chapter 40E-1, Florida Administrative Code, A-II-9
 - Chapter 40E-4, Florida Administrative Code, A-I-2, A-II-1, B-1
 - Chapter 40E-40, Florida Administrative Code, A-III-1, B-1
 - Chapter 40E-41, Florida Administrative Code, A-IV-1
 - Chapter 373, Florida Statutes, A-I-1, A-I-2, B-1
 - Chapter 25270, Laws of Florida, A-I-1
 - Charlotte County drainage basins map, C-IX-3
- Checklist for surface water management permit applications, A-II-12, B-25 (see also "Application review elements lists")
- Circular control device, B-19
- Class I and Class II landfills, B-1
 - Water quality monitoring, B-12
- Class I and Class II waters
 - Dry pretreatment required, B-15
 - Water quality monitoring, B-11
- Coefficients
 - Entrance loss, C-IV-13
 - Weir flow, C-IV-25
- Collier County drainage basins maps C-IX-4, C-IX-5
- Collier County possible General Permit projects, A-III-4
- Commercial projects
 - One-owner: possible reduced protection, B-14
 - Pretreatment required, B-15
 - Sub-divided: required master system, B-14
- Community development districts, B-8
- Compensating storage (see "Floodplain encroachment")
- Compensation, B-45
- Comprehensive plan
 - Conceptual approvals, A-II-5, B-27
- Conceptual agency review, A-II-2, A-II-4, B-2, B-6, B-27
- Conceptual approvals
 - Comprehensive plan compatibility, A-II-5
 - Conditions for issuance, A-II-5
 - Definitions, A-II-1 - A-II-3, B-4
 - Duration, A-II-6
 - Effect on isolated wetlands, B-46
 - Effective date: if filed with Application for Development Approval, A-II-8
 - Expiration, A-II-1, B-3
 - Later review for construction and operation permits or modification, A-II-6
 - Master plan, B-6
 - Modification, A-II-6
 - Required information, B-28
- Conditions on permits
 - Special conditions, A-II-7

- Standard limiting conditions, A-II-7, A-III-5
 - Cones of depression of permitted public water wells: dry pretreatment, B-15
 - Conservation of water encouraged, B-14
 - Constant-head test for hydraulic conductivity
 - Derivation of equation, C-V-13
 - Discussion, C-V-2
 - Construction completion certification, B-11, B-40
 - Construction permit
 - Definition, A-II-2, B-4
 - Duration, A-II-6, A-III-4
 - Emergency authorization, A-II-9
 - For Development of Regional Impact, A-II-5
 - Modification, A-II-6, A-III-5
 - Control device, B-4
 - Dimensional criteria, B-19
 - Volume discharged, B-19
 - Control elevation, B-4
 - Achieving, C-III-1
 - Mechanisms involved, C-III-1
 - Near roadways, B-20, D-M-1
 - Wetlands, B-49
 - Coordinated reviews (see "Simultaneous reviews")
 - Credit for inlets in grassed areas, B-15, D-E-3
 - Criteria flexibility, B-2
 - Culvert flow, C-IV-1
 - Inlet control diagram, C-IV-2
 - Inlet control discussion, C-IV-1
 - Inlet control nomographs, C-IV-3
 - Outlet control diagram, C-IV-12
 - Outlet control discussion, C-IV-10
 - Outlet control nomographs, C-IV-17
 - Curve number, SCS, C-II-2, D-A-3, D-B-3, D-M-6
- D**
- Dade County drainage basins map, C-IX-6
 - Dade County possible General Permit projects, A-III-1, A-III-4
 - Dade County Wellfield Protection Ordinance, B-16
 - Dams (see "Above ground impoundments")
 - Deep lakes, B-21
 - Depression storage, C-II-5, C-II-21
 - Depth of water: above ground impoundments, B-38, B-39
 - Depth of wet retention/detention areas, B-20
 - Distance from public water supply wells, D-P-1
 - Design criteria for isolated wetlands
 - Protection, B-47
 - Reasonable assurances, B-47
 - Size, B-47
 - Design example
 - Agricultural site, D-A-1
 - Distance from public water supply wells, D-P-1
 - Exfiltration trench, D-E-1
 - Flood plain storage compensation, D-F-1
 - Industrial site, D-I-1
 - Major impoundment, D-B-1
 - Multi-family residential site, D-M-1
 - Design storm (see also "Quantity, water")
 - Agricultural projects, C-VIII-4
 - C-51 Basin projects, A-IV-14
 - Kissimmee River Basin projects, A-IV-11
 - Detention
 - Agricultural site design example, D-A-5
 - Amount of runoff treated (dry system), B-15
 - Amount of runoff treated (wet system), B-15
 - Definition, B-4
 - Discharge equation, C-IV-26
 - Industrial site design example, D-I-3
 - Major impoundment design example, D-B-5
 - Multi-family residential site design example, D-M-3
 - Required V-notch nomograph, C-IV-27
 - Detention volume, B-4, D-A-5, D-B-5; D-I-4, D-M-6
 - Development of Regional Impact
 - Application for development approval, B-6
 - Binding letter of interpretation, B-6
 - Conceptual District review, A-II-4, B-28
 - Construction and operation permits, A-II-5
 - Development order, B-6
 - Kissimmee River floodplain, A-IV-11
 - Preliminary development agreements, A-II-5, B-6
 - Surface water management permit application, B-27, B-28
 - Development order, B-6, B-27
 - Projects in Kissimmee River floodplain, A-IV-11
 - Dewatering at landfills, B-17
 - Dikes
 - Major above ground impoundments, B-37
 - Minor above ground impoundments, B-39
 - Direct discharge, B-19
 - Discharge formulas, B-30
 - Discharge structure, B-4
 - Agricultural site design example, D-A-8
 - Baffles, B-19
 - Berms unacceptable, B-19
 - Flashboard risers, B-19
 - Industrial site design example, D-I-13
 - Major impoundment design example, D-B-7
 - Multi-family residential site design example, D-M-11
 - Safety devices, B-19
 - Disturbed wetland, B-45
 - Mitigation, B-48
 - Drainage basins maps, C-IX-2 - C-IX-23
 - Drainage calculations for surface water management permit applications, B-26
 - Drainage districts as operating entities, B-8
 - Dry pretreatment, B-15, D-E-1, D-I-4, D-M-4
 - Dry retention/detention (see "Retention/detention areas (dry)")
 - Duration
 - Conceptual approval, A-II-6
 - General permit, A-III-4
 - Individual permit, A-II-6
- E**
- Easements around wet retention/detention areas, B-20
 - Eastern C-51 Basin (see "C-51 Basin")
 - Elevation, B-4
 - Emergency authorization, A-II-9
 - Encroachment (see "Floodplain encroachment")
 - Endangered species, B-8, B-49
 - Energy line (see also "Culvert flow"), C-IV-14, C-IV-15
 - Entity requirements
 - Abilities, B-10
 - Acceptable operating entities, B-8
 - Documents, B-9
 - Master association, B-11
 - Phased projects, B-10
 - Powers, B-9
 - Entrance loss, culverts
 - Definition, C-IV-10
 - Table of coefficients, C-IV-13
 - Environmental impacts
 - Features used to evaluate impacts, B-8
 - Pre-application activities, B-7
 - Staff role in determining, B-7
 - Environmental matters: agricultural sites, C-VIII-3
 - Ester Bay Aquatic Preserve: water quality monitoring B-11
 - Evapotranspiration, B-22

Exemption

- Conditions for, A-II-4
- Form PA-39, A-II-3
- Modification, A-II-4
- Required information, A-II-3
- Western C-9 Basin, A-IV-7

Exfiltration trench, C-V-1

- As a retention system, B-18, C-V-1
- Design example, D-E-1
- Design of, special cases, C-V-9
- Dry, B-18
- Field test methods, C-V-1
- General requirements, B-21
- Hydraulic conductivity, C-V-1
- Minimum dimensions, B-21
- Required length equation, C-V-8, C-V-10
- Required length equation derivation, C-V-16
- Safety factor in design, B-18, C-V-1
- Typical cross section, C-V-10

Existing systems, B-3

Existing water bodies: use of, B-18

Exporter in floodplain encroachment, D-F-1

F

Falling-head test for hydraulic conductivity

- Derivation of equation, C-V-14
- Discussion, C-V-4

Fixed head loss, B-24

Flashboard risers, B-19

Flexibility of criteria, B-2

Flood routing, C-VII-1

- Agricultural site design example, D-A-8, D-A-9
- Industrial site design example, D-I-14, D-I-15
- Major impoundment design example, D-B-7, D-B-10
- Multi-family residential site design example, D-M-13

Floodplain encroachment, B-39

- Agricultural projects, C-VIII-3
- Allowable, B-13
- C-51 Basin, A-IV-14
- Design example, D-F-1
- Exporter, D-F-1
- Importer, D-F-3
- Kissimmee River Basin, A-IV-11
- Western C-9 Basin, A-IV-7

Floor protection, B-13

- C-51 Basin, A-IV-14, A-IV-28 (map)
- Industrial site design example, D-I-14
- Multi-family residential site design example, D-M-11

Florida Administrative Code 17-7, B-16

Florida Water Resources Act of 1972, A-I-1

Flow in culverts (see "Culvert flow")

Flow over weirs (see "Weir flow")

Freeboard, above ground impoundments, B-38, B-39

Friction loss in culverts, C-IV-10

G

General permits, A-II-3, A-III-1, B-1, B-2, B-33

- Collier County projects, A-III-4
- Conditions for issuance, A-III-3
- Dade County projects, A-III-4
- Duration, A-III-4
- Modification, A-III-5
- Notice of Intent to Construct Works Pursuant to General Permit (Form RP-63), A-III-6 (form), B-2
- Palm Beach County projects, A-III-4
- Projects which may qualify, A-III-1

- Public highway projects, A-III-4
- Required information, A-III-3
- Revocation, A-III-5
- Transfer, A-III-5
- Waived in the C-51 Basin, A-IV-6
- Waived in the Kissimmee River Basin, A-IV-6
- Waived in the Western Canal 9 Basin, A-IV-6

Glades County drainage basins map, C-IX-7

Governing Board

- Overall responsibilities, A-I-1
- Role in permitting, A-I-2

Ground storage (see "Soil storage")

H

Head (see also "Headwater")

- Outlet control, C-IV-10

Headwater (see also "Culvert flow")

- Determining: for outlet control pipe flow, C-IV-10, C-IV-14

Hearings, A-I-2

Henry County drainage basins maps, C-IX-8, C-IX-9

Highlands County drainage basins maps, C-IX-10, C-IX-11

Historic discharge, B-4, B-13

Hydraulic conductivity

- Computation of: from field data, C-V-6
- Constant-head test, C-V-2, C-V-3
- Equations, C-V-3, C-V-5
- Falling-head test, C-V-4, C-V-5
- Field tests to determine, C-V-2 - C-V-5

Hydraulic grade line, C-IV-14

Hydrogeologic information at landfills, B-17

Hydrographs, C-VI-1 (see also "Flood routing")

- Other methods, C-VI-1
- Santa Barbara Urban Hydrograph, C-VI-1

I

Impervious surfaces (see "Soil storage")

Individual permits, A-II-3, B-1, B-32

- District right to require, A-III-2

Industrial sites

- Design example, D-I-1
- Pretreatment required, B-15
- Subdivided: required master system, B-14
- Water quality monitoring, B-12

Inflow hydrograph, C-VII-1

Information receipt (checklist), C-X-6

Information, surface water management permit application, B-25

Inlet control of culvert flow (see also "Culvert flow"), C-IV-1 - C-IV-9

- Definition, C-IV-1
- Design nomographs, C-IV-3

Inlets in grassed areas: credit for, B-15, D-E-3

Impervious

- Best Management Practices, B-21
- Calculating for water quality, B-16, D-E-2, D-I-3, D-I-4, D-M-3, D-M-4
- Definition, B-4
- Soil storage beneath, B-23

Importer in floodplain encroachment, D-F-3

Impoundments (see "Above ground impoundments")

Isolated wetland, B-44

- Buffer zones, B-49
- Control elevation, B-49
- Design criteria, B-47

Mitigation, B-48
Review criteria, B-47
Review not normally required, B-45
Review procedures, B-46

K

Kissimmee River Basin, A-IV-8
Boundary legal description, A-IV-8
Detailed technical criteria, A-IV-11
General discussion, A-IV-3
General Permit Rule not applicable, A-IV-6
Maps, A-IV-18 - A-IV-23
Project as Development of Regional Impact, A-IV-11

L

Lake (see "Retention/detention area (wet)")
Lake Okeechobee: water quality monitoring, B-11
Lake storage (see "Surface storage")
Land use element of comprehensive plan, A-II-5
Landfills
Benches, B-16
Best Management Practices, B-17
Borrow pit, B-17
Dewatering, B-17
Erosion, B-16
Hydrogeologic information, B-17
Leachate, B-17
Operation entity, B-9
Runoff velocities, B-16
Simultaneous review, B-2
Slopes, B-16
Special criteria, B-16
Swales, B-16
Technical Advisory Committee, B-18
Leachate from landfills, B-17
Lee County drainage basins map, C-IX-12
Legal information for surface water management permit application, B-27
Letter of conceptual approval (see "Conceptual approvals")
Littoral zone, B-20
Local government units as operating entities, B-8
Lower Kissimmee River: water quality monitoring, B-11

M

Maintenance easements, B-7, B-20
Maintenance of wetlands, B-45
Major above ground impoundments, B-36, B-37 - B-39
Design example, D-B-1
Design water depth, B-38
Dikes, B-37
Freeboard, B-38
Maximum water depth, B-38
Martin County drainage basins map, C-IX-13
Master associations, B-11
Master drainage plan for surface water management permit application, B-25
Maximum water depth
Major above ground impoundments, B-38
Minor above ground impoundments, B-39
Minimum depth of wet retention/detention areas, B-20
Minimum distance between public water supply wells and retention/detention areas, B-16
Minimum drainage, B-13
Minimum sideslope of wet retention/detention areas, B-20
Minimum size of wet retention/detention areas, B-20

Minimum width of wet retention/detention areas,
Minor above ground impoundments, B-36, B-39
Design example, D-A-1
Dikes, B-39
Freeboard, B-39
Maximum water depth, B-39
Mitigation, B-45, B-48
Information required, B-46
Monitoring, B-50
Modification of conceptual approval, A-II-6
Modification of permit
General, A-III-5
Individual, A-II-6
Moisture storage in soils (see "Soil storage")
Monitoring mitigating/compensating wetlands, B-50
Monitoring water quality, B-11, B-12
Monroe County drainage basins map, C-IX-14
Mosquito control ditches, B-20
Multi-family residential site design example, D-M-1

N

Nomographs
Culvert flow (inlet control), C-IV-3 - C-IV-9
Culvert flow (outlet control), C-IV-17 - C-IV-23
Non-profit corporations as operation entities, B-8
(see also "Association legal requirements")
Non-urban gravity systems, B-24
Notice of Intent to Construct Works Pursuant to General Permit (RP-63), A-III-6 (form), B-2

O

Okeechobee County drainage basins map, C-IX-15
One-day rainfall distribution, C-I-8 - C-I-10
Open-hole test (see "Constant head test")
Operation permit
Definition, A-II-2, B-4
Duration, A-II-6
Existing system, B-3
Modification, A-II-6
Operating entity (see "Entity requirements")
Orange County drainage basins map, C-IX-16
Orange County rainfall distribution, C-I-13
Orifice
Agricultural site design example, D-A-7
Flow equations, C-IV-26, C-IV-28
Industrial site design example, D-I-13
Major impoundment design example, D-B-7
Minimum dimensions, C-IV-28
Osceola County drainage basins maps, C-IX-17, C-IX-18
Other applicable laws, B-2, B-3
Other permits, B-2
Outflow hydrograph, C-VII-1
Outlet control of culvert flow (see also "Culvert flow"), C-IV-10
Definition, C-IV-10
Design nomographs C-IV-17 - C-IV-23
Outstanding Florida Waters
Dry pretreatment required, B-15, D-M-4
Water quality monitoring, B-12
Overdrainage prohibited, B-14
Overflow structure, D-A-9, D-B-9
Overflow swales, B-19
Owner as permittee, B-9

P

Palm Beach County drainage basins maps, C-IX-19, C-IX-20
Palm Beach County possible General Permit projects,
A-III-1, A-III-4

Parking lot protection (see "Road protection")
Percolation tests (see "Exfiltration trench")

Permits

Conditions for issuance, A-II-5, A-III-3
Duration, A-II-6, A-III-4
Existing systems, B-3
From other agencies, B-2
Modification, A-II-6, A-III-5
Revocation, A-II-7, A-III-5
Simultaneous surface water management and water
use, B-7

Transfer, A-II-7, A-III-5

Pervious surfaces (see "Soil storage")

Phased project master plan, B-6

Polk County drainage basins maps, C-IX-21, C-IX-22

Pre- versus post- (see "Historic discharge")

Pre-application meeting, B-1, B-2

Precipitation (see "Rainfall")

Preliminary development agreement, A-II-5, A-II-14,
B-6, B-27

Preserving wetlands, B-18, B-43

Pretreatment

Amount provided, B-15

Exfiltration trench design example, D-E-3

Industrial site design example, D-I-4

Near sensitive receiving waters, B-15

Projects which must provide, B-15

Western C-51 Basin, A-IV-14

Professional Engineer: signed and sealed plans, A-II-3,
A-II-5, B-1, B-36, B-37

Property owner as permittee, B-9

Protected wetland, B-45

Protection from flooding

Floors, B-13

Roads, B-13

Public highway project, A-III-4

Definition, A-III-2

Public water supply wells: distance from
retention/detention areas, D-P-1

Pumped control device, B-20

Pumped discharge, B-19

Pumps, B-38

Q

Quality, water

Agricultural site design example, D-A-5

Class I and II landfills, B-12

Exfiltration trench design example, D-E-1 - D-E-3

Industrial site design example, D-I-3

Industrial sites, B-12

Major impoundment design example, D-B-5

Monitoring, B-11

Multi-family residential site design example, D-M-3

Pretreatment, A-IV-14, B-15

Reasons for monitoring, B-12

Sensitive areas, B-11, B-12

State standards, B-15

Quantity, water

Agricultural site design example, D-A-8

C-51 Basin, A-IV-14, A-IV-27 (map)

Floodplain encroachment, B-13

Floor protection, B-13

Industrial site design example, D-I-13

Major impoundment design example, D-B-7

Multi-family residential site design example,
D-M-11, D-M-13

Non-urban gravity systems, B-24

Off-site discharge (design storm): amount, B-13

Off-site discharge (design storm): frequency and
duration, B-13, B-30

Road protection, B-13

R

Rainfall

Amount, C-I-1

Distribution, B-22, C-I-8 - C-I-13

Major above ground impoundments, B-38

Maps, C-I-2 - C-I-7

Orange County distribution, C-I-13

SFMD distribution, C-I-8 - C-I-12

Receiving body (see "Receiving water stage")

Receiving water stage, B-24, D-E-1, D-I-2, D-M-1

Reporting

Impoundment conditions, B-40, B-42

Mitigating/compensating wetland conditions, B-50

Retention, B-5

Amount of runoff treated, B-15

Distance from public water supply wells, B-16,
D-P-1

Possible required method, B-16

Retention/detention area (dry)

C-51 Basin, A-IV-14

Definition, B-5

Designed features, B-20

Distance to public water wells, B-16, D-P-1

Distance to sewage treatment percolation ponds,
B-18

Required, B-15

Retention/detention area (wet)

Bulkhead, B-20

Definition, B-5

Depth, B-20

Distance to public water wells, B-16, D-P-1

Distance to sewage treatment percolation ponds,
B-18

Distance to wetlands, B-18, B-48

Maintenance easement, B-20

Side slope, B-20

Size, B-20

Width, B-20

Return overflow structure, B-38, B-40, (see also
"Overflow structure")

Revocation of permits

General, A-III-5

Individual, A-II-7

Road protection, B-13

Near control structures, B-20

Industrial site design example, D-I-14

Multi-family residential site design example,
D-M-13

Roofs included for dry pretreatment, D-E-3, D-I-4,
D-M-4

Routing (see "Flood routing")

Rules of the South Florida Water Management District
(see "Chapter 40E")

Runoff, B-24, C-II-1

SCS equation, C-II-1

Runoff curves (District), C-II-5 - C-II-21

Runoff hydrographs (see "Hydrographs")

Safety devices on discharge structures, B-19
 Santa Barbara Urban Hydrograph Method (see "Hydrographs")
 Savannas: water quality monitoring, B-11
 SCS curve number, C-II-2, D-A-3, D-B-3, D-M-5
 SCS Runoff Equation, C-II-1
 Graphical solution, C-II-3 - C-II-4
 In design examples, D-I-11, D-I-14, D-M-9, D-M-11
 Sensitive receiving waters, B-15, B-16
 Compute required dry pretreatment, D-M-4
 Setbacks, perimeter dikes, B-39, C-VIII-4, D-A-2, D-B-2
 Sewage treatment ponds: distance from water bodies and dry areas, B-18
 Sharp-created weir flow, C-IV-24
 Commonly-used coefficients, C-IV-24
 Free discharge equation, C-IV-24
 Multi-family residential site design example, D-M-9
 Orifice flow, C-IV-26, D-A-7, D-B-6, D-I-13
 Submerged discharge equation, C-IV-24
 Triangular orifice flow, C-IV-26, D-A-7, D-B-6, D-I-13
 V-notch flow, C-IV-26, D-A-6, D-I-9, D-M-10
 V-notch minimum dimensions, C-IV-26
 V-notch required size, C-IV-26, C-IV-27 (nomograph), D-A-6, D-B-6, D-I-9, D-M-10
 Sheetflow runoff curves (District), C-II-5 - C-II-21
 Limitations, C-II-5
 Side slopes of major above ground impoundment dikes, B-37
 Side slopes of minor above ground impoundment dikes, B-39
 Side slopes of wet retention/detention areas, B-20
 Simultaneous reviews, B-2
 Development of Regional Impact, B-2
 Landfills, B-2
 Site information for surface water management permit applications, B-25
 Six Mile Cypress: water quality monitoring, B-11
 Size of wet retention/detention areas, B-20
 Soil moisture storage (S), C-II-1
 In SCS runoff equation, C-II-1
 Relation to initial abstraction (Ia), C-II-1
 Weighted, C-II-1, D-A-3, D-B-3, D-I-11, D-M-5
 Soil storage, B-23, C-III-1
 Amount, based on depth to water table, B-23, C-III-1, C-III-3
 Beneath impervious surfaces, B-23
 Effect of impervious surfaces, C-III-1, C-III-2
 Effect of soil compaction, B-23, C-III-1, C-III-3
 In design examples, D-A-3, D-B-3, D-I-10, D-M-5
 Solid waste facilities (see "Landfills")
 South Florida Water Management District
 Authority, A-I-1
 Basins, A-I-1
 Boundary map, A-I-4
 Creation, A-I-1
 Governing Board, A-I-1
 Permit programs, A-I-1
 Rules, A-I-2
 Special assessment districts, B-8
 Special conditions on a permit, A-II-7
 Spreader swales, B-19
 St. Lucie County drainage basins map, C-IX-23
 Staff report
 Definition, B-5
 Water quality monitoring, B-12
 Stage-storage curve, C-III-6, D-I-8, D-M-8
 Stagnant water, B-21
 Standard limiting conditions, A-II-7
 State Water Policy, A-II-5

Sub associations, B-11
 Submerged discharge equation, C-IV-24
 Surface storage, C-III-4
 Agricultural site design example, D-A-4
 In lakes and canals, C-III-4
 Industrial site design example, D-I-5
 Major impoundment design example, D-B-3
 Multi-family residential site design example, D-M-6
 On graded land, C-III-4, C-III-5
 Surface water management permit (see also "Conceptual approvals", "Construction permit", "Exemption", "General permits", "Individual permits", "Operation permit", and "Permits")
 Definition, A-II-2
 Surface water management systems (see "Protection from flooding", "Quality, water" and "Quantity, water")
 SWM reviewer checklist, C-X-2

T

Tailwater (see "Receiving water stage"), (see also "Submerged discharge equation")
 Technical Advisory Committee, B-18
 Three-day rainfall distribution, B-22, C-I-8, C-I-11, C-I-12
 Topographic map, A-II-12, B-7, B-25
 Transfer of permits
 General, A-III-5
 Individual, A-II-7
 Trash screens on discharge structures, B-19, B-38
 Trench (see "Exfiltration trench")
 Triangular orifice
 Flow equation, C-IV-26
 In design example, D-A-7, D-B-7, D-I-13
 Minimum dimensions, C-IV-28

U

Urban retention/detention, B-31

V

Velocity head in culverts, C-IV-10
 V-notch weir
 Design nomograph, C-IV-27
 General flow equation, C-IV-26
 In design example, D-M-10
 In orifice flow, C-IV-26, C-IV-28
 Minimum dimensions, B-19, C-IV-26
 To meet detention requirements, B-19, C-IV-26, C-IV-27

W

Water depth, maximum
 Major above ground impoundments, B-38
 Minor above ground impoundments, B-39
 Water depth, minimum (see "Retention/detention area (wet)")
 Water management areas
 Definition, B-5
 Legally reserved, B-7
 Maintenance easements, B-7
 Water quality (see "Quality, water")
 Water quantity (see "Quantity, water")
 Water table: effect on soil storage, A-II-12, B-25, C-III-1, C-III-3
 Water table: maintaining, B-14

Water use, B-7, B-25
Weir flow, C-IV-24
Coefficients, C-IV-25
Free discharge equation, C-IV-24
In design example, D-A-10, D-B-11, D-M-9
Orifice flow, C-IV-26, D-A-7, D-B-6, D-I-13
Submerged discharge equation, C-IV-24
V-notch, C-IV-26, D-M-10
Wellfield protection ordinances, B-16
Wells, public water supply
Distance from retention/detention areas, B-16,
D-P-1
Dry pretreatment, B-15
Western C-51 Basin (see "C-51 Basin")
Western Canal 9 Basin
Boundary legal description, A-IV-6
Detailed technical criteria, A-IV-7
Encroachment, A-IV-7
Exemptions, A-IV-7
General discussion, A-IV-1
General Permit Rule not applicable, A-III-1,
A-IV-6
Map, A-IV-16
Wet retention/detention (see "Retention/detention
area (wet)")
Wetlands
Definition, B-5, B-44
Isolated, B-44 (see also "Isolated wetland")
Preservation, B-18
Protected, B-45
Separation from lakes, B-18
Width of major above ground impoundment dikes, B-37
Width of minor above ground impoundment dikes, B-39
Width of wet retention/detention areas, B-20

Z

Zoning: construction permit, A-II-5, A-II-14, B-6, B-27
Zuider Zee formula, D-B-11