# September 2013 Kissimmee Basin Environmental and Restoration Features







Torrential rain storms continue to sweep across the Kissimmee Valley through September.



MacArthur Phase I restoration area inundated floodplain



Micco Run and Oak Creek in the Phase I restoration area



Phase I restoration area floodplain




Kissimmee River and floodplain in the Phase IVB restoration area



Nearly 2000 birds were observed in a massive foraging flock of wading birds (ibis, egret, herons, woodstorks, spoonbill, etc. were observed in the Phase IVB restoration area in the Avon Park Air Force range area.



Phase IV restoration area



Green treefrog



High densities of the exotic apple snail eggs were observed in the Phase IVB restoration area. This is the first that we have seen of high densities of either exotic or native apple snails in the restoration area.




More exotic snail eggs in the Phase IVB restoration area



The high density of apple snails has attracted snail kites into the area. More than 78 snail kites were observed in only a 1-2 mile stretch of the northern most reach of the Phase IVB backfill on Avon Park Air Force Range. Four snail kites can be seen in this image alone.



The snail kit density is noteworthy because only two other snail kites have been observed by SFWMD scientists in the restoration area to date during the past 10 years since restoration began.



Google earth image of the observed snail kite foraging area



Although most observed snail kites were juveniles, a couple of adult birds were seen in the mix including this adult male trying to fit in with the dragonflies.



Juvenile snail kite in the Phase IVB restoration area perches on the Avon Park Air Force Range fence line and waits patiently for his next meal to hatch.



Exotic apple snail eggs and snail kites on the Avon Park Air Force Range fence line



A group of six snail kites flying above the floodplain along the Avon Park Air Force Range fence line.



September 17, 2013

A snail kite with an apple snail above the floodplain along the Avon Park Air Force Range fence line



A snail kite with an apple snail above the floodplain along the Avon Park Air Force Range fence line



A snail kite with an apple snail above the floodplain along the Avon Park Air Force Range fence line



A group of young roseate spoonbills forage along the Avon Park Air Force Range fence line in the Phase IVB restoration area.



Blue-winged teal have begun to migrate south and are beginning to show up on the Kissimmee River floodplain.

This flock was observed in the Phase IVB restoration area.