

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 12/11/2017 (ENSO La Nina Condition)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of Neutral years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of Neutral ENSO Years <sup>3**</sup>		Sub-sampling of AMO Warm + Neutral ENSO Years <sup>4</sup>	
	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>
Current (Dec-May)	N/A	N/A	0.15	Dry	-0.15	Dry	-0.36	Dry
Multi Seasonal (Dec-Oct)	N/A	N/A	2.51	Wet	2.59	Wet	2.14	Normal

\*Croley's Method Not Produced For This Report

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

\*\*Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

### [Tributary Hydrologic Conditions Graph:](#)

**284 cfs** 14-day running average for Lake Okeechobee Net Inflow through 12/10/2017. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Dry.

**1.84** for Palmer Index on 12/9/2017.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Wet.

The wetter of the two conditions above is **Wet**.

### [LORS2008 Classification Tables:](#)

#### Lake Okeechobee Stage on 12/11/2017

Lake Okeechobee Stage: **15.88 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.25	
Operational Band	High sub-band	16.88	
	Intermediate sub-band	16.25	
	Low sub-band	14.34	← 15.88
Base Flow sub-band		12.69	
Beneficial Use sub-band		12.32	
Water Shortage Management Band			

### **[Part C of LORS2008: Discharge to WCA's](#)**

Release Guidance Flow Chart Outcome: Up to maximum practicable releases to the WCAs if desirable or with minimum everglades impacts, otherwise no releases.

### **[Part D of LORS2008: Discharge to Tidewater](#)**

Release Guidance Flow Chart Outcome: S-77 Up to 3000 cfs & S-80 Up to 1170 cfs

### **Technical Input Summaries from:**

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Environmental Conditions for Systems Operations](#)

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)

## LORS2008 Implementation on 12/11/2017 (ENSO Neutral Condition):

### Status for week ending 12/11/2017:

District wide, Raindar rainfall was 1.02 inches for the week. Lake stage on 12/11/2017 was 15.88 ft, down 0.10 ft from last week.

The updated December 2017 SFWMM Dynamic Position Analysis [percentile graph](#) for Lake Okeechobee show that the current lake stage is in the Low Operational Sub-Band.

The 2008 LORS Tributary Hydrologic Condition (THC) tributary is classified as **Normal**. The PDSI indicates Normal condition and the LONIN is Dry. The THC classification is based on the wetter of the two [indices](#).

### Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub Band	M
	Palmer Index for LOK Tributary Conditions	-0.17 (Normal)	L
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Below Normal	M
	LOK Seasonal Net Inflow Outlook	-0.15 ft (Extremely Dry)	H
	ENSO La Nina Years		
	LOK Multi-Seasonal Net Inflow Outlook	2.59 ft (Normal)	M
	ENSO La Nina Years		
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Above Line 1 (17.38 ft)	L
	WCA 2A: Site 2-17 HW	Above Line 1 (13.22 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (11.13 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


# Lake Okeechobee SFWMM December 2017 Position Analysis




(See assumptions on the Position Analysis Results website)

# Tributary Basin Condition Indicators as of December 11 2017

## Palmer Index



## Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Tue Dec 12 14:10:51 2017

# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3




# 2008 LORS

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79


Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued



# Lake Okeechobee Water Level History and Projected Stages



LORS-2008

Adopted by USACE 28-April-2008

Projected Stage Percentiles From  
SFWMD-HESM Position Analysis

U. S. Army Corps of Engineers, Jacksonville District  
 Lake Okeechobee and Vicinity Report  
 \*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours    11 DEC 2017

---

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	15.84	14.62	14.76 (Official Elv)
Bottom of High Lake Mngmt= 17.25    Top of Water Short Mngmt= 12.31			
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	13.67
Difference from Average LORS2008	2.17

11DEC (1965-2007) Period of Record Average	14.74
Difference from POR Average	1.10

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 9.78'

++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 7.98'

Bridge Clearance = -NR-'

---

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
15.76	-NR-	15.90	15.82	15.92	16.01	15.82	15.69

\*Combination Okeechobee Avg-Daily Lake Average = 15.84  
 (\*See Note)

---

Okeechobee Inflows (cfs):

S65E	0	S65EX1	840	Fisheating Cr	70
S154	0	S191	181	S135 Pumps	0
S84	592	S133 Pumps	100	S2 Pumps	0
S84X	0	S127 Pumps	64	S3 Pumps	0
S71	145	S129 Pumps	38	S4 Pumps	0
S72	99	S131 Pumps	0	C5	0
Total Inflows:		2129			

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	2121
S127 Culverts	0	S351	0	S308	-NR-
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	5		
Total Outflows: No Report Due To Missing S77 or S308 Discharge Data					



S3 Pumps:	9.66	15.85	0	0	0	0		(cfs)
S354:	15.85	9.66	0	0.0	0.0			
S2 Pumps:	10.20	15.86	0	0	0	0	0	(cfs)
S351:	15.86	10.20	0	0.0	0.0	0.0		
S352:	15.97	9.84	0	0.0	0.0			
C10A:	-NR-	12.94		8.0	8.0	8.0	0.0	0.0
L8 Canal PT		12.76	5					

---

S351 and S352 Temporary Pumps/S354 Spillway

---

S351:	10.20	15.86	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	9.84	15.97	0	-NR-	-NR-	-NR-	-NR-		
S354:	9.66	15.85	0	-NR-	-NR-	-NR-	-NR-		

---

Caloosahatchee River (S77, S78, S79)

S47B:	13.70	11.02		0.0	0.0
S47D:	11.05	11.04	117	6.6	

S77:

Spillway and Sector Flow:

15.71	11.10	*****	0.0	2.5	2.5	2.5
-------	-------	-------	-----	-----	-----	-----

Flow Due to Lockages+: 5

S77 Below USGS Flow Gage 2115

S78:

Spillway and Sector Flow:

10.87	2.92	2490	0.0	3.5	3.5	0.0
-------	------	------	-----	-----	-----	-----

Flow Due to Lockages+: 12

S79:

Spillway and Sector Flow:

3.01	1.55	3388	1.0	1.0	1.0	2.0	2.0	1.0	1.0
------	------	------	-----	-----	-----	-----	-----	-----	-----

1.0

Flow Due to Lockages+: 6

Percent of flow from S77 62%

Chloride (ppm) 52

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Flow:

-NR-	-NR-	-NR-	2.3	2.3	2.3	2.3
------	------	------	-----	-----	-----	-----

Flow Due to Lockages+: -NR-

S308 Below USGS Flow Gage 1239

S153:	18.91	14.19	78	0.5	0.0
-------	-------	-------	----	-----	-----

S80:

Spillway and Sector Flow:

14.06	0.90	1348	0.0	1.5	0.0	0.0	1.5	0.0	1.0
-------	------	------	-----	-----	-----	-----	-----	-----	-----

Flow Due to Lockages+: 18

Percent of flow from S308 -NR-%

Steele Point Top Salinity (mg/ml) -N

Steele Point Bottom Salinity (mg/ml) -N

Speedy Point Top Salinity (mg/ml) 8436  
 Speedy Point Bottom Salinity (mg/ml) \*\*\*\*

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

---

				----- Wind ---	
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.00	0.65	0.88	285	5
S78:	0.00	0.77	1.00	213	2
S79:	0.00	0.04	1.02	270	0
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.00	0.03	0.10	-NR-	-NR-
S80:	0.00	0.00	0.00	187	1
Okeechobee Average	0.00	0.05	0.08		
(Sites S78, S79 and S80 not included)					
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

---



---

Okeechobee Lake Elevations	11 DEC 2017	15.84	Difference from
11DEC17			
11DEC17 -1 Day =	10 DEC 2017	15.88	0.04
11DEC17 -2 Days =	09 DEC 2017	15.90	0.06
11DEC17 -3 Days =	08 DEC 2017	15.86	0.02
11DEC17 -4 Days =	07 DEC 2017	15.83	-0.01
11DEC17 -5 Days =	06 DEC 2017	15.87	0.03
11DEC17 -6 Days =	05 DEC 2017	15.91	0.07
11DEC17 -7 Days =	04 DEC 2017	15.94	0.10
11DEC17 -30 Days =	11 NOV 2017	16.72	0.88
11DEC17 -1 Year =	11 DEC 2016	14.62	-1.22
11DEC17 -2 Year =	11 DEC 2015	14.76	-1.08

---

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = 2.21

---

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days					Avg-Daily Flow
11DEC17	Today =	11 DEC 2017	975183	TUE	-NR-
11DEC17	-1 Day =	10 DEC 2017	905266	MON	-478
11DEC17	-2 Days =	09 DEC 2017	905024	SUN	12715
11DEC17	-3 Days =	08 DEC 2017	903834	SAT	11138
11DEC17	-4 Days =	07 DEC 2017	903237	FRI	-2321
11DEC17	-5 Days =	06 DEC 2017	903593	THU	-2012
11DEC17	-6 Days =	05 DEC 2017	903940	WED	*****
11DEC17	-7 Days =	04 DEC 2017	-412	TUE	-1140
11DEC17	-8 Days =	03 DEC 2017	-916	MON	-335
11DEC17	-9 Days =	02 DEC 2017	-852	SUN	-620
11DEC17	-10 Days =	01 DEC 2017	-758	SAT	-2470
11DEC17	-11 Days =	30 NOV 2017	-371	FRI	-1226
11DEC17	-12 Days =	29 NOV 2017	-532	THU	-3410
11DEC17	-13 Days =	28 NOV 2017	-390	WED	-606

---

S65E

Average Flow over previous 14 days					Avg-Daily Flow
11DEC17	Today=	11 DEC 2017	495	TUE	0
11DEC17	-1 Day =	10 DEC 2017	591	MON	0
11DEC17	-2 Days =	09 DEC 2017	690	SUN	0
11DEC17	-3 Days =	08 DEC 2017	790	SAT	0
11DEC17	-4 Days =	07 DEC 2017	894	FRI	0
11DEC17	-5 Days =	06 DEC 2017	1000	THU	0
11DEC17	-6 Days =	05 DEC 2017	1105	WED	0
11DEC17	-7 Days =	04 DEC 2017	1201	TUE	558
11DEC17	-8 Days =	03 DEC 2017	1253	MON	762
11DEC17	-9 Days =	02 DEC 2017	1290	SUN	880
11DEC17	-10 Days =	01 DEC 2017	1321	SAT	1089
11DEC17	-11 Days =	30 NOV 2017	1342	FRI	1149
11DEC17	-12 Days =	29 NOV 2017	1369	THU	1217
11DEC17	-13 Days =	28 NOV 2017	1397	WED	1272

---

S65EX1

Average Flow over previous 14 days					Avg-Daily Flow
11DEC17	Today=	11 DEC 2017	356	TUE	840
11DEC17	-1 Day =	10 DEC 2017	296	MON	783
11DEC17	-2 Days =	09 DEC 2017	240	SUN	921
11DEC17	-3 Days =	08 DEC 2017	175	SAT	550
11DEC17	-4 Days =	07 DEC 2017	143	FRI	564
11DEC17	-5 Days =	06 DEC 2017	110	THU	532
11DEC17	-6 Days =	05 DEC 2017	82	WED	598
11DEC17	-7 Days =	04 DEC 2017	62	TUE	201
11DEC17	-8 Days =	03 DEC 2017	84	MON	0
11DEC17	-9 Days =	02 DEC 2017	125	SUN	0
11DEC17	-10 Days =	01 DEC 2017	166	SAT	0
11DEC17	-11 Days =	30 NOV 2017	208	FRI	0
11DEC17	-12 Days =	29 NOV 2017	249	THU	0
11DEC17	-13 Days =	28 NOV 2017	290	WED	0

Lake Okeechobee Outlets Last 14 Days

			S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
11 DEC 2017			4061	4194	4935	6712
10 DEC 2017			4287	4789	6179	7794
09 DEC 2017			5174	5484	6015	8913
08 DEC 2017			6376	6634	6568	7351
07 DEC 2017			8187	8485	7938	10283
06 DEC 2017			8237	8323	7919	10643
05 DEC 2017			8217	*****	7983	9595
04 DEC 2017			8228	8671	8057	9766
03 DEC 2017			8333	8521	7986	9970
02 DEC 2017			8452	8692	7890	9864
01 DEC 2017			9637	9695	9081	11176
30 NOV 2017			12055	11875	11819	13936
29 NOV 2017			12109	11984	11859	14270
28 NOV 2017			12177	12072	11843	14137

			S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
11 DEC 2017			12	-NR-	0	0	10
10 DEC 2017			212	-NR-	0	0	8
09 DEC 2017			76	-NR-	0	0	59
08 DEC 2017			12	-NR-	0	0	6
07 DEC 2017			99	-NR-	0	0	15
06 DEC 2017			178	-NR-	99	452	9
05 DEC 2017			31	147208	676	652	23
04 DEC 2017			18	254197	301	682	21
03 DEC 2017			17	-85142	0	700	12
02 DEC 2017			96	*****	0	718	21
01 DEC 2017			195	0	0	880	17
30 NOV 2017			112	0	0	629	16
29 NOV 2017			48	23167	0	500	13
28 NOV 2017			93	138064	232	1053	14

			S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
11 DEC 2017			-NR-	2457	2709
10 DEC 2017			3858	2854	3097
09 DEC 2017			3477	2474	3273
08 DEC 2017			3379	2550	2876
07 DEC 2017			4102	3247	3532
06 DEC 2017			4097	3626	3531
05 DEC 2017			4035	-NR-	3555
04 DEC 2017			4116	-NR-	3593
03 DEC 2017			4175	1827	3650
02 DEC 2017			3985	2011	3649
01 DEC 2017			4537	2406	4175
30 NOV 2017			5464	3039	5485
29 NOV 2017			5417	3224	5495



28 NOV 2017      5461              2852              5491

\*\*\* NOTE:            Discharge (ALL DAY) is computed using Spillway, Sector Gate  
and  
                     Lockages Discharges from 0015 hrs to 2400 hrs.

---

—  
(I) - Flows preceded by "I" signify an instantaneous  
      flow computed from the single value reported for the day

---


—  
\* On 11 May 1999, Lake Okeechobee Elevation was switched from  
  Instantaneous 2400 value to an average-daily lake average.  
  On 14 Mar 2001, due to the isolation of various gages within the  
standard  
  10 stations, the average of the interior 4 station gages was used  
  as the Lake Okeechobee Elevation.  
  On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage  
  mix of interior and edge gages to obtain a more reliable representation  
  of the lake level.  
  On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage  
  mix of interior and edge gages to obtain a more reliable representation  
  of the lake level due to isolation of S135 from low lake levels.  
  Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge  
stations  
  ++ For more information see the Jacksonville District Navigation website  
  at <http://www.saj.usace.army.mil/>  
  \$ For information regarding Lake Okeechobee Service Area water  
restrictions  
  please refer to [www.sfwmd.gov](http://www.sfwmd.gov)

---

—  
Report Generated 12DEC2017 @ 07:50    \*\* Preliminary Data - Subject to Revision  
\*\*

# Lake Okeechobee

12DEC17 07:45:32



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction [million acre-feet]</b>	<b>Equivalent Depth** [feet]</b>	<b>Lake Okeechobee Net Inflow Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b>  <b>[million acre-feet]</b>	<b>Equivalent Depth**</b>  <b>[feet]</b>	<b>Lake Okeechobee  Net Inflow  Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

**6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**



Under Construction