

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 1/8/2018 (ENSO La Nina Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of Neutral ENSO Years ^{3**}		Sub-sampling of AMO Warm + Neutral ENSO Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Jan-Jun)	N/A	N/A	0.36	Dry	0.30	Dry	0.26	Dry
Multi Seasonal (Jan-Oct)	N/A	N/A	2.53	Wet	2.96	Wet	2.20	Normal

***Croley's Method Not Produced For This Report**

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

****Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.**

[Tributary Hydrologic Conditions Graph:](#)

-2320 cfs 14-day running average for Lake Okeechobee Net Inflow through 1/7/2018.
According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Dry.

0.68 for Palmer Index on 1/6/2018.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Normal.

The wetter of the two conditions above is **Normal**.

[LORS2008 Classification Tables:](#)

Lake Okeechobee Stage on 1/8/2018

Lake Okeechobee Stage: **15.34 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.25	
Operational Band	High sub-band	16.86	
	Intermediate sub-band	16.21	
	Low sub-band	13.94	← 15.34
Base Flow sub-band		12.60	
Beneficial Use sub-band		12.12	
Water Shortage Management Band			

[Part C of LORS2008: Discharge to WCA's](#)

Release Guidance Flow Chart Outcome: Up to maximum practicable releases to the WCAs if desirable or with minimum everglades impacts, otherwise no releases.

[Part D of LORS2008: Discharge to Tidewater](#)

Release Guidance Flow Chart Outcome: S-79 Up to 450 cfs & S-80 Up to 200 cfs

Technical Input Summaries from:

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Environmental Conditions for Systems Operations](#)

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)

LORS2008 Implementation on 1/8/2018 (ENSO La Nina Condition):

Status for week ending 1/8/2018:

District wide, Raindar rainfall was 0.37 inches for the week. Lake stage on 1/8/2018 was 15.34 ft, NGVD, down 0.15 ft from last week.

The updated January 2018 SFWMM Dynamic Position Analysis [percentile graph](#) for Lake Okeechobee show that the current lake stage is in the Low Operational Sub-Band. The 2008 LORS Tributary Hydrologic Condition (THC) tributary is classified as **Normal**. The PDSI indicates Normal condition and the LONIN is Dry. The THC classification is based on the wetter of the two [indices](#) .

Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub Band	M
	Palmer Index for LOK Tributary Conditions	0.68 (Normal)	L
	CPC Precipitation Outlook	1 month: Below Normal	M
		3 months: Below Normal	H
	LOK Seasonal Net Inflow Outlook	-0.02 ft (Extremely Dry)	H
	ENSO La Nina Years		H
	LOK Multi-Seasonal Net Inflow Outlook	2.35 ft (Normal)	M
	ENSO La Nina Years		
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Above Line 1 (17.20 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (12.50 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (10.41 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)

Lake Okeechobee SFWMM Jan 2018 Position Analysis



(See assumptions on the Position Analysis Results website)


Tue Jan 9 09:05:15 2018

1/9/2018


DRAFT

Tributary Basin Condition Indicators as of January 8 2018

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon Jan 08 15:05:18 EST 2018

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3


Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

*When conducting Base Flow releases,
flows can be distributed East and West
up to 650 cfs as needed
to minimize impacts or provide benefits
through S-80 and S-79*

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



Lake Okeechobee Water Level History and Projected Stages



LORS-2008

Adopted by USACE 28-April-2008

Projected Stage Percentiles From
SFWMD-HESM Position Analysis

U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 07 JAN 2018

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	15.34	14.19	14.73 (Official Elv)
Bottom of High Lake Mngmt= 17.25 Top of Water Short Mngmt= 12.12			
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	13.60
Difference from Average LORS2008	1.74

07JAN (1965-2007) Period of Record Average	14.73
Difference from POR Average	0.61

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 9.28'

++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 7.48'

Bridge Clearance = 48.82'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
15.16	15.35	15.44	15.33	15.56	15.51	15.28	15.08

*Combination Okeechobee Avg-Daily Lake Average = 15.34
 (*See Note)

Okeechobee Inflows (cfs):

S65E	0	S65EX1	740	Fisheating Cr	21
S154	0	S191	0	S135 Pumps	0
S84	119	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	30	S129 Pumps	0	S4 Pumps	0
S72	83	S131 Pumps	0	C5	0
Total Inflows:	992				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	241	S77	931
S127 Culverts	0	S351	338	S308	1
S129 Culverts	0	S352	20		
S131 Culverts	0	L8 Canal Pt	3		
Total Outflows:	1534				

****S77 below flow meter is being used to compute Total Outflow.
 ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77 0.11 S308 0.16
 Average Pan Evap x 0.75 Pan Coefficient = 0.10" = 0.01'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'

Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

Lake Okeechobee (Change in Storage) Flow is -4336 cfs or -8600 AC-FT

—

—

	Headwater	Tailwater		----- Gate Positions -----						
---	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7
#8	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
(ft)										
	(I) see note at bottom									
North East Shore										
S133 Pumps:	13.56	15.23	0	0	0	0	0	0	0	(cfs)
S193:										
S191:	19.22	15.20	0	0.0	0.0	0.0				
S135 Pumps:	13.52	15.23	0	0	0	0	0			(cfs)
S135 Culverts:			0	0.0	0.0					
North West Shore										
S65E:	21.00	15.06	0	0.0	0.0	0.0	0.0	0.0	0.0	
S65EX1:	21.00	15.06	740							
S127 Pumps:	13.66	15.28	0	0	0	0	0	0	0	(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	12.90	15.32	0	0	0	0				(cfs)
S129 Culvert:			0	0.0						
S131 Pumps:	12.91	15.36	0	0	0					(cfs)
S131 Culvert:			0							
Fisheating Creek										
nr Palmdale		29.04	21							
nr Lakeport										
C5:		-NR-	0	-NR-	-NR-	-NR-				
South Shore										
S4 Pumps:	11.43	15.45	0	0	0	0				(cfs)
S169:	15.46	11.41	2	0.0	0.1	0.0				
S310:	15.35		33							

S3 Pumps:	10.95	15.46	0	0	0	0		(cfs)
S354:	15.46	10.95	241	0.3	0.5			
S2 Pumps:	10.72	15.44	0	0	0	0	0	(cfs)
S351:	15.44	10.72	338	0.2	0.4	0.3		
S352:	15.50	10.62	20	0.0	0.0			
C10A:	-NR-	13.39		8.0	8.0	8.0	0.0	0.0
L8 Canal PT		13.22	3					

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.72	15.44	338	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	10.62	15.50	20	-NR-	-NR-	-NR-	-NR-		
S354:	10.95	15.46	241	-NR-	-NR-	-NR-	-NR-		

Caloosahatchee River (S77, S78, S79)

S47B:	12.52	11.31		0.0	0.0
S47D:	11.35	11.35	83	6.6	

S77:

Spillway and Sector Flow:

15.31	11.41	928.45	0.5	0.0	2.5	0.5
-------	-------	--------	-----	-----	-----	-----

Flow Due to Lockages+: 2

S77 Below USGS Flow Gage 928

S78:

Spillway and Sector Flow:

11.27	3.05	671	1.5	0.0	0.0	0.0
-------	------	-----	-----	-----	-----	-----

Flow Due to Lockages+: 6

S79:

Spillway and Sector Flow:

3.20	0.52	1083	0.0	0.5	0.5	0.5	0.5	0.5	0.0
------	------	------	-----	-----	-----	-----	-----	-----	-----

0.0

Flow Due to Lockages+: 9

Percent of flow from S77 86%

Chloride (ppm) 55

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Flow:

15.33	14.68	0.00	0.0	0.0	0.0	0.0
-------	-------	------	-----	-----	-----	-----

Flow Due to Lockages+: 1

S308 Below USGS Flow Gage 53

S153:	19.04	14.51	22	0.1	0.0
-------	-------	-------	----	-----	-----

S80:

Spillway and Sector Flow:

14.70	0.64	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-------	------	---	-----	-----	-----	-----	-----	-----	-----

Flow Due to Lockages+: 24

Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****
 Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

				----- Wind ---	
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.00	0.00	0.08	38	9
S78:	0.00	0.00	0.05	19	1
S79:	0.00	0.00	0.08	174	2
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.00	0.00	0.03	352	3
S80:	0.00	0.00	0.00	106	5
Okeechobee Average	0.00	0.00	0.01		
(Sites S78, S79 and S80 not included)					

Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations	07 JAN 2018	15.34	Difference from
07JAN18			
07JAN18 -1 Day =	06 JAN 2018	15.36	0.02
07JAN18 -2 Days =	05 JAN 2018	15.40	0.06
07JAN18 -3 Days =	04 JAN 2018	15.45	0.11
07JAN18 -4 Days =	03 JAN 2018	15.48	0.14
07JAN18 -5 Days =	02 JAN 2018	15.44	0.10
07JAN18 -6 Days =	01 JAN 2018	15.48	0.14
07JAN18 -7 Days =	31 DEC 2017	15.49	0.15
07JAN18 -30 Days =	08 DEC 2017	15.86	0.52
07JAN18 -1 Year =	07 JAN 2017	14.19	-1.15
07JAN18 -2 Year =	07 JAN 2016	14.73	-0.61

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = 1.87

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days					Avg-Daily Flow
07JAN18	Today =	07 JAN 2018	-2338	MON	-2806
07JAN18	-1 Day =	06 JAN 2018	-2134	SUN	-7118
07JAN18	-2 Days =	05 JAN 2018	-1612	SAT	-9388
07JAN18	-3 Days =	04 JAN 2018	-811	FRI	-4999
07JAN18	-4 Days =	03 JAN 2018	-568	THU	10110
07JAN18	-5 Days =	02 JAN 2018	-1205	WED	-7558
07JAN18	-6 Days =	01 JAN 2018	-562	TUE	-647
07JAN18	-7 Days =	31 DEC 2017	-520	MON	-4778
07JAN18	-8 Days =	30 DEC 2017	-126	SUN	-95
07JAN18	-9 Days =	29 DEC 2017	-258	SAT	-139
07JAN18	-10 Days =	28 DEC 2017	-213	FRI	-1948
07JAN18	-11 Days =	27 DEC 2017	-101	THU	2745
07JAN18	-12 Days =	26 DEC 2017	-754	WED	-3189
07JAN18	-13 Days =	25 DEC 2017	-480	TUE	-2918

S65E

Average Flow over previous 14 days					Avg-Daily Flow
07JAN18	Today=	07 JAN 2018	0	MON	0
07JAN18	-1 Day =	06 JAN 2018	0	SUN	0
07JAN18	-2 Days =	05 JAN 2018	0	SAT	0
07JAN18	-3 Days =	04 JAN 2018	0	FRI	0
07JAN18	-4 Days =	03 JAN 2018	0	THU	0
07JAN18	-5 Days =	02 JAN 2018	0	WED	0
07JAN18	-6 Days =	01 JAN 2018	0	TUE	0
07JAN18	-7 Days =	31 DEC 2017	0	MON	0
07JAN18	-8 Days =	30 DEC 2017	0	SUN	0
07JAN18	-9 Days =	29 DEC 2017	0	SAT	0
07JAN18	-10 Days =	28 DEC 2017	0	FRI	0
07JAN18	-11 Days =	27 DEC 2017	0	THU	0
07JAN18	-12 Days =	26 DEC 2017	0	WED	0
07JAN18	-13 Days =	25 DEC 2017	2	TUE	0

S65EX1

Average Flow over previous 14 days					Avg-Daily Flow
07JAN18	Today=	07 JAN 2018	764	MON	740
07JAN18	-1 Day =	06 JAN 2018	772	SUN	745
07JAN18	-2 Days =	05 JAN 2018	780	SAT	740
07JAN18	-3 Days =	04 JAN 2018	790	FRI	765
07JAN18	-4 Days =	03 JAN 2018	795	THU	778
07JAN18	-5 Days =	02 JAN 2018	799	WED	742
07JAN18	-6 Days =	01 JAN 2018	805	TUE	747
07JAN18	-7 Days =	31 DEC 2017	816	MON	768
07JAN18	-8 Days =	30 DEC 2017	821	SUN	768
07JAN18	-9 Days =	29 DEC 2017	824	SAT	767
07JAN18	-10 Days =	28 DEC 2017	831	FRI	765
07JAN18	-11 Days =	27 DEC 2017	842	THU	756
07JAN18	-12 Days =	26 DEC 2017	853	WED	786
07JAN18	-13 Days =	25 DEC 2017	858	TUE	827

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
07 JAN 2018	2286	1841	1293	2157
06 JAN 2018	2383	1827	2253	3050
05 JAN 2018	1712	1393	1724	2212
04 JAN 2018	1833	1510	852	1110
03 JAN 2018	1839	1859	1916	1740
02 JAN 2018	1848	1519	1975	2623
01 JAN 2018	2522	2323	2327	2910
31 DEC 2017	3113	2776	2812	3739
30 DEC 2017	3316	3202	2397	4443
29 DEC 2017	2837	2940	3422	4078
28 DEC 2017	3301	3364	2343	3566
27 DEC 2017	4272	4246	3844	4572
26 DEC 2017	4416	4655	4080	5351
25 DEC 2017	4903	4942	4508	6583

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
07 JAN 2018	65	-NR-	24	426	6
06 JAN 2018	110	-NR-	50	357	6
05 JAN 2018	106	-NR-	163	373	12
04 JAN 2018	73	-NR-	0	547	-6
03 JAN 2018	15	-NR-	32	595	0
02 JAN 2018	70	-NR-	0	293	7
01 JAN 2018	87	-NR-	0	339	2
31 DEC 2017	46	-NR-	0	194	10
30 DEC 2017	21	-NR-	0	375	5
29 DEC 2017	61	-NR-	56	313	7
28 DEC 2017	512	-NR-	0	480	8
27 DEC 2017	99	-NR-	0	234	5
26 DEC 2017	109	-NR-	0	379	16
25 DEC 2017	108	-NR-	0	486	8

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
07 JAN 2018	2	105	47
06 JAN 2018	3	43	43
05 JAN 2018	3	174	42
04 JAN 2018	2	38	19
03 JAN 2018	2	84	22
02 JAN 2018	1	19	18
01 JAN 2018	2	-24	31
31 DEC 2017	3	108	19
30 DEC 2017	3	-47	42
29 DEC 2017	253	359	53
28 DEC 2017	954	576	232
27 DEC 2017	1128	609	798
26 DEC 2017	1680	1081	1050

25 DEC 2017 2034 1136 1461

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate
and
 Lockages Discharges from 0015 hrs to 2400 hrs.


—
(I) - Flows preceded by "I" signify an instantaneous
 flow computed from the single value reported for the day

—
* On 11 May 1999, Lake Okeechobee Elevation was switched from
 Instantaneous 2400 value to an average-daily lake average.
 On 14 Mar 2001, due to the isolation of various gages within the
standard
 10 stations, the average of the interior 4 station gages was used
 as the Lake Okeechobee Elevation.
 On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage
 mix of interior and edge gages to obtain a more reliable representation
 of the lake level.
 On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage
 mix of interior and edge gages to obtain a more reliable representation
 of the lake level due to isolation of S135 from low lake levels.
 Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge
stations
 ++ For more information see the Jacksonville District Navigation website
 at <http://www.saj.usace.army.mil/>
 \$ For information regarding Lake Okeechobee Service Area water
restrictions
 please refer to www.sfwmd.gov

—
Report Generated 08JAN2018 @ 14:15 ** Preliminary Data - Subject to Revision
**

Lake Okeechobee

08JAN18 14:30:32



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction