Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 3/2/2018 (ENSO La Nina Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method[1], the SFWMD empirical method[2], a sub-sampling of Neutral years[3] and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years[4]. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method[1*]		SFWMD Empirical Method[2]		Sub-sampling of Neutral ENSO Years[3**]		Sub-sampling of AMO Warm + Neutral ENSO Years[4]	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Mar-Aug)	N/A	N/A	1.08	Normal	0.97	Normal	0.89	Normal
Multi Seasonal (Mar-Oct)	N/A	N/A	2.22	Normal	2.35	Normal	2.14	Normal

*Croley's Method Not Produced For This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

Tributary Hydrologic Conditions Graph:

-2909 cfs 14-day running average for Lake Okeechobee Net Inflow through 3/4/2018.
According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

-1.18 for Palmer Index on 3/3/2018.
According to the classification in Tributary Hydrologic Conditions table, this condition is Normal.

The wetter of the two conditions above is **Normal**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 3/4/2018

Lake Okeechobee Stage: **14.68 feet**

USACE Report for Lake Okeechobee

Lake Okeechobee Stage Hydrograph

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.25	
Operational Band	High sub-band	16.62	
	Intermediate sub-band	15.73	
	Low sub-band	13.50	← 14.68
Base Flow sub-band		12.60	
Beneficial Use sub-band		11.84	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCA's

Release Guidance Flow Chart Outcome: Up to maximum practicable releases to the WCAs if desirable or with minimum everglades impacts, otherwise no releases.

Part D of LORS2008: Discharge to Tidewater

Release Guidance Flow Chart Outcome: S-79 Up to 450 cfs & S-80 Up to 200 cfs

Technical Input Summaries from:

- **Lake Okeechobee Division**
- **Coastal Ecosystems**
- **Everglades Ecosystems Division**
- **Water Supply Department**
- **Water Resource Management Release Recommendation**
- **Kissimmee Watershed Environmental Conditions**
- **Environmental Conditions for Systems Operations**

Back to Lake Okeechobee Operations Main Page

Back to U.S. Army Corps of Engineers LORSS Homepage

LORS2008 Implementation on 3/2/2018 (ENSO La Nina Condition):

Status for week ending 3/2/2018:

District wide, Raindar rainfall was 0.02 inches for the week. Lake stage on 3/2/2018 was 14.68 ft, NGVD, down 0.25 ft from last week.

The updated February 2018 SFWMM Dynamic Position Analysis percentile graph for Lake Okeechobee show that the current lake stage is in the Low Operational Sub-Band.

The 2008 LORS Tributary Hydrologic Condition (THC) tributary is classified as **Normal**. The PDSI indicates Normal condition and the LONIN is Dry. The THC classification is based on the wetter of the two indices .

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub Band	M
	Palmer Index for LOK Tributary Conditions	-1.18 (Normal)	L
	CPC Precipitation Outlook	1 month: Below Normal	M
		3 months: Below Normal	M
	LOK Seasonal Net Inflow Outlook	0.97 ft (Dry)	M
	ENSO La Nina Years		
	LOK Multi-Seasonal Net Inflow Outlook	2.35 ft (Normal)	M
	ENSO La Nina Years		
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Above Line 1 (16.41 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (11.59 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (9.56 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

Back to Lake Okeechobee Operations Main Page
Back to U.S. Army Corps of Engineers LORSS Homepage

Lake Okeechobee SFWMM Feb 2018 Position Analysis



(See assumptions on the Position Analysis Results website)

Mon Mar 05 17:35:31 EST 2018

Tributary Basin Condition Indicators as of March 2 2018



Mon Mar 5 18:04:30 2018

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas



Figure 7-3

2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



Figure 7-4

**** Very Dry Conditions may require that releases to tide (estuaries) be discontinued***

Lake Okeechobee Water Level History and Projected Stages



LORS-2008
Adopted by USACE 28-April-2008

Projected Stage Percentiles From
SFWMD-HESM Position Analysis

U. S. Army Corps of Engineers, Jacksonville District
Lake Okeechobee and Vicinity Report
** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 04 MAR 2018

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	14.68	13.30	15.76 (Official Elv)

Bottom of High Lake Mngmt= 17.25 Top of Water Short Mngmt= 11.84
Currently in Operational Management Band

Simulated Average LORS2008 [1965-2000] 13.29
Difference from Average LORS2008 1.39

04MAR (1965-2007) Period of Record Average 14.50
Difference from POR Average 0.18

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 8.62'
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 6.82'
Bridge Clearance = 49.41'

---

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.46	14.71	14.84	14.70	14.96	14.89	14.59	14.32

*Combination Okeechobee Avg-Daily Lake Average = 14.68 (*See Note)

Okeechobee Inflows (cfs):

S65E	0	S65EX1	566	Fisheating Cr	8
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	152	S129 Pumps	0	S4 Pumps	0
S72	64	S131 Pumps	0	C5	0

Total Inflows: 791

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	440	S77	1475
S127 Culverts	0	S351	1107	S308	1
S129 Culverts	0	S352	589		
S131 Culverts	0	L8 Canal Pt	278		

Total Outflows: 3890

****S77 structure flow is being used to compute Total Outflow.
****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):
  S77 0.15 S308 0.30
  Average Pan Evap x 0.75 Pan Coefficient = 0.17" = 0.01'

Lake Average Precipitation using NEXRAD: = 0.00" = 0.00'

Evaporation - Precipitation: = 0.17" = 0.01'
Evaporation - Precipitation using Lake Area of 730 square miles
  is equal to 3312 cfs out of the lake.
Lake Okeechobee (Change in Storage) Flow is -12705 cfs or -25200 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	Gate Positions #1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
			(I) see note at bottom								
North East Shore											
S133 Pumps:	13.74	14.15	0	0	0	0	0	0	(cfs)		
S193:	_____										
S191:	19.30	14.15	0	0.0	0.0	0.0					
S135 Pumps:	13.27	14.29	0	0	0	0	0		(cfs)		
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	21.09	13.96	0	0.0	0.0	0.0	0.0	0.0	0.0		
S65EX1:	21.09	13.96	566								
S127 Pumps:	13.41	14.30	0	0	0	0	0	0	(cfs)		
S127 Culvert:			0	0.0							
S129 Pumps:	13.15	14.62	0	0	0	0			(cfs)		
S129 Culvert:			0	0.0							
S131 Pumps:	12.88	14.52	0	0	0				(cfs)		
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		28.40	8								
nr Lakeport		0.00									
C5:	_____	-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	10.79	15.04	0	0	0	0			(cfs)		
S169:	15.11	10.81	0	0.0	0.0	0.0					
S310:	14.98		39								

```
  S3 Pumps:    11.09     15.26       0      0    0    0            (cfs)
  S354:        15.26     11.09     440    1.1  1.1
  S2 Pumps:    11.17     15.21       0      0    0    0    0       (cfs)
  S351:        15.21     11.17    1107    1.6  1.8  1.6
  S352:        14.87     11.09     589    0.9  1.1
  C10A:         -NR-     13.92            8.0   8.0   8.0   0.0   0.0
  L8 Canal PT            13.76     278
```

S351 and S352 Temporary Pumps/S354 Spillway

```
  S351:        11.17     15.21    1107  -NR--NR--NR--NR--NR--NR-
  S352:        11.09     14.87     589  -NR--NR--NR--NR-
  S354:        11.09     15.26     440  -NR--NR--NR--NR-
```

```
Caloosahatchee River (S77, S78, S79)
  S47B:        13.66     10.88            0.0  0.0
  S47D:        10.93     10.92      87    6.5
  S77:
    Spillway and Sector Flow:
                14.66     10.97  ******  0.0  3.0  2.5  0.5
    Flow Due to Lockages+:           8

  S77 Below USGS Flow Gage        1366

  S78:
    Spillway and Sector Flow:
                10.80      3.17    1100    2.0  0.0  0.0  1.5
    Flow Due to Lockages+:          17

  S79:
    Spillway and Sector Flow:
                 3.28      0.33    1155    0.0  0.0  0.0  1.0  1.0  1.0  0.0
0.0
    Flow Due to Lockages+:          15
    Percent of flow from S77       127%
    Chloride            (ppm)     53


St. Lucie Canal (S308, S80)
  S308:
    Spillway and Sector Flow:
                14.57     14.09    0.00  0.0  0.0  0.0  0.0
    Flow Due to Lockages+:           1

  S308 Below USGS Flow Gage         52
  S153:        18.91     13.89       0    0.0  0.0
  S80:
    Spillway and Sector Flow:
                14.14      2.59       0    0.0  0.0  0.0  0.0  0.0  0.0  0.0
    Flow Due to Lockages+:          25
    Percent of flow from S308   NA  %

  Steele Point Top Salinity    (mg/ml) ****
  Steele Point Bottom Salinity (mg/ml) ****
```

Speedy Point Top Salinity (mg/ml) ****
Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	Wind Direction (Degø)	Wind Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.00	0.00	0.00	10	11
S78:	0.00	0.00	0.00	309	1
S79:	-46.86	-46.86	-46.86	185	3
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.00	0.00	0.01	335	6
S80:	0.00	0.00	0.00	353	4
Okeechobee Average (Sites S78, S79 and S80 not included)	0.00	0.00	0.00		
Oke Nexrad Basin Avg	0.00	0.00	0.00		

Okeechobee Lake Elevations 04 MAR 2018 14.68 Difference from 04MAR18

04MAR18 -1 Day =	03 MAR 2018	14.74	0.06
04MAR18 -2 Days =	02 MAR 2018	14.82	0.14
04MAR18 -3 Days =	01 MAR 2018	14.84	0.16
04MAR18 -4 Days =	28 FEB 2018	14.86	0.18
04MAR18 -5 Days =	27 FEB 2018	14.88	0.20
04MAR18 -6 Days =	26 FEB 2018	14.92	0.24
04MAR18 -7 Days =	25 FEB 2018	14.93	0.25
04MAR18 -30 Days =	02 FEB 2018	15.22	0.54
04MAR18 -1 Year =	04 MAR 2017	13.30	-1.38
04MAR18 -2 Year =	04 MAR 2016	15.76	1.08

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = 2.83

Lake Okeechobee Net Inflow (LONIN)

		Average Flow over the previous 14 days			Avg-Daily Flow
04MAR18	Today =	04 MAR 2018	-2786	MON	-8825
04MAR18	-1 Day =	03 MAR 2018	-2385	SUN	-12835
04MAR18	-2 Days =	02 MAR 2018	-1532	SAT	-678
04MAR18	-3 Days =	01 MAR 2018	-1383	FRI	-1341
04MAR18	-4 Days =	28 FEB 2018	-1081	THU	-702
04MAR18	-5 Days =	27 FEB 2018	-1092	WED	-5327
04MAR18	-6 Days =	26 FEB 2018	-771	TUE	993
04MAR18	-7 Days =	25 FEB 2018	-818	MON	-955
04MAR18	-8 Days =	24 FEB 2018	-719	SUN	1516
04MAR18	-9 Days =	23 FEB 2018	-974	SAT	-1037
04MAR18	-10 Days =	22 FEB 2018	-592	FRI	-3571
04MAR18	-11 Days =	21 FEB 2018	-365	THU	-1480
04MAR18	-12 Days =	20 FEB 2018	-280	WED	809
04MAR18	-13 Days =	19 FEB 2018	-415	TUE	-5573

S65E

		Average Flow over previous 14 days			Avg-Daily Flow
04MAR18	Today=	04 MAR 2018	0	MON	0
04MAR18	-1 Day =	03 MAR 2018	0	SUN	0
04MAR18	-2 Days =	02 MAR 2018	0	SAT	0
04MAR18	-3 Days =	01 MAR 2018	0	FRI	0
04MAR18	-4 Days =	28 FEB 2018	0	THU	0
04MAR18	-5 Days =	27 FEB 2018	0	WED	0
04MAR18	-6 Days =	26 FEB 2018	0	TUE	0
04MAR18	-7 Days =	25 FEB 2018	0	MON	0
04MAR18	-8 Days =	24 FEB 2018	0	SUN	0
04MAR18	-9 Days =	23 FEB 2018	0	SAT	0
04MAR18	-10 Days =	22 FEB 2018	0	FRI	0
04MAR18	-11 Days =	21 FEB 2018	0	THU	0
04MAR18	-12 Days =	20 FEB 2018	0	WED	0
04MAR18	-13 Days =	19 FEB 2018	0	TUE	0

S65EX1

		Average Flow over previous 14 days			Avg-Daily Flow
04MAR18	Today=	04 MAR 2018	913	MON	566
04MAR18	-1 Day =	03 MAR 2018	959	SUN	652
04MAR18	-2 Days =	02 MAR 2018	993	SAT	703
04MAR18	-3 Days =	01 MAR 2018	1027	FRI	699
04MAR18	-4 Days =	28 FEB 2018	1051	THU	814
04MAR18	-5 Days =	27 FEB 2018	1062	WED	937
04MAR18	-6 Days =	26 FEB 2018	1062	TUE	791
04MAR18	-7 Days =	25 FEB 2018	1072	MON	964
04MAR18	-8 Days =	24 FEB 2018	1069	SUN	965
04MAR18	-9 Days =	23 FEB 2018	1068	SAT	1005
04MAR18	-10 Days =	22 FEB 2018	1068	FRI	1164
04MAR18	-11 Days =	21 FEB 2018	1057	THU	1187
04MAR18	-12 Days =	20 FEB 2018	1044	WED	1155
04MAR18	-13 Days =	19 FEB 2018	1029	TUE	1177

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
04 MAR 2018	2924	2708	2213	2303
03 MAR 2018	2956	2804	2199	3139
02 MAR 2018	2336	1792	2192	1638
01 MAR 2018	915	944	27	77
28 FEB 2018	1619	1399	402	421
27 FEB 2018	1768	1575	617	1024
26 FEB 2018	1163	******	636	1345
25 FEB 2018	2064	2244	621	1996
24 FEB 2018	3087	3271	2509	2608
23 FEB 2018	3004	1731	1830	1399
22 FEB 2018	678	684	39	97
21 FEB 2018	1400	1004	117	461
20 FEB 2018	1736	1155	755	999
19 FEB 2018	1695	1713	1088	1376

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
04 MAR 2018	77	2194	1031	654	551
03 MAR 2018	195	2359	1212	436	561
02 MAR 2018	133	2666	1214	311	566
01 MAR 2018	58	2423	1301	533	560
28 FEB 2018	96	2241	1128	642	542
27 FEB 2018	132	2005	1305	547	545
26 FEB 2018	******	2119	1037	508	554
25 FEB 2018	56	2118	1021	492	554
24 FEB 2018	84	1730	1261	359	555
23 FEB 2018	119	1870	1269	381	547
22 FEB 2018	123	2058	1392	474	544
21 FEB 2018	23	1825	1321	728	531
20 FEB 2018	32	1748	1138	290	519
19 FEB 2018	30	2199	962	563	507

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
04 MAR 2018	2	102	50
03 MAR 2018	743	570	64
02 MAR 2018	5	-134	69
01 MAR 2018	2	-296	50
28 FEB 2018	782	624	31
27 FEB 2018	6	128	58
26 FEB 2018	551	429	60
25 FEB 2018	6	-63	63
24 FEB 2018	5	207	64
23 FEB 2018	361	443	68
22 FEB 2018	264	541	56
21 FEB 2018	5	298	71
20 FEB 2018	1766	853	54

19 FEB 2018 5 235 35

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and
Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceeded by "I" signify an instantaneous
flow computed from the single value reported for the day

---

* On 11 May 1999, Lake Okeechobee Elevation was switched from
Instantaneous 2400 value to an average-daily lake average.
On 14 Mar 2001, due to the isolation of various gages within the standard
10 stations, the average of the interior 4 station gages was used
as the Lake Okeechobee Elevation.
On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage
mix of interior and edge gages to obtain a more reliable representation
of the lake level.
On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage
mix of interior and edge gages to obtain a more reliable representation
of the lake level due to isolation of S135 from low lake levels.
Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
++ For more information see the Jacksonville District Navigation website
at http://www.saj.usace.army.mil/
$ For information regarding Lake Okeechobee Service Area water restrictions
please refer to www.sfwmd.gov

Report Generated 05MAR2018 @ 17:15 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

05MAR18 17:17:27



Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- Class Limits for Tributary Hydrologic Conditions

Table K-2 in the Lake Okeechobee Water Control Plan

- 6-15 Day Precipitation Outlook Categories

Table ?? in the Lake Okeechobee Water Control Plan

- Classification of Lake Okeechobee Net Inflow for Seasonal Outlook

Table K-3 in the Lake Okeechobee Water Control Plan

- Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook

Table K-4 in the Lake Okeechobee Water Control Plan

Back to Lake Okeechobee Operations Main Page

Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater >= 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	**Equivalent Depth** [feet]**	**Lake Okeechobee Net Inflow Multi-Seasonal Outlook**
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction