

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 4/23/2018 (La Nina Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of La Nina Years ³		Sub-sampling of AMO Warm + La Nina Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Apr-Sep)	N/A	N/A	1.51	Wet	1.93	Wet	1.55	Wet
Multi Seasonal (Apr-Oct)	N/A	N/A	2.06	Normal	2.43	Normal	2.19	Normal

*Croley's Method Not Produced For This Report

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

[Tributary Hydrologic Conditions Graph:](#)

-2963 cfs 14-day running average for Lake Okeechobee Net Inflow through 4/22/2018. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Dry.

-1.64 for Palmer Index on 4/21/2018.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Dry.

The wetter of the two conditions above is **Dry**.

[LORS2008 Classification Tables:](#)

Lake Okeechobee Stage on 4/23/2018

Lake Okeechobee Stage: **13.22 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.78	
Operational Band	High sub-band	16.12	
	Intermediate sub-band	15.31	
	Low sub-band	13.40	
Base Flow sub-band		12.60	← 13.22
Beneficial Use sub-band		11.20	
Water Shortage Management Band			

[Part C of LORS2008: Discharge to WCA's](#)

Release Guidance Flow Chart Outcome: No releases to the WCAs.

[Part D of LORS2008: Discharge to Tidewater](#)

Release Guidance Flow Chart Outcome: S-79 Up to 450 cfs & S-80 Up to 200 cfs.

Technical Input Summaries from:

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Operations Department](#)

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)

LORS2008 Implementation on 4/23/2018 (ENSO La Nina Condition):

Status for week ending 4/23/2018:

District wide, Raindar rainfall was 0.61 inches for the week. Lake stage on 4/23/2018 was 13.22 ft, NGVD, down 0.21 ft from last week.

The updated April 2018 SFWMM Dynamic Position Analysis [percentile graph](#) for Lake Okeechobee show that the current lake stage is in the Base Flow Sub-Band.

The 2008 LORS Tributary Hydrologic Condition (THC) tributary is classified as **Dry**. The PDSI indicates dry condition and the LONIN is Dry. The THC classification is based on the wetter of the two [indices](#) .

Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Beneficial Use Sub Band	H
	Palmer Index for LOK Tributary Conditions	-1.64 (Dry)	M
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Outlook	1.93 ft	L
	ENSO La Nina Years	(Normal to Extremely Wet)	
	LOK Multi-Seasonal Net Inflow Outlook	2.43 ft (Normal)	M
	ENSO Conditions		
WCAs	WCA 1: Station Average (Site 1-7, Site 1-8T, Site 1-9)	Above Line 1 (16.12 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (11.54 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (8.82 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


Lake Okeechobee SFWMM Apr 2018 Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of April 23 2018

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon Apr 23 15:07:38 EDT 2018

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

*When conducting Base Flow releases,
flows can be distributed East and West
up to 650 cfs as needed
to minimize impacts or provide benefits
through S-80 and S-79*


Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



*** Very Dry Conditions may require that releases to tide (estuaries) be discontinued**

Figure 7-4

Lake Okeechobee Water Level History and Projected Stages



LORS-2008

Adopted by USACE 28-April-2008

Projected Stage Percentiles From
SFWMD-HESM Position Analysis

U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 22 APR 2018

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	13.22	11.73	14.48 (Official Elv)
Bottom of High Lake Mngmt= 16.82 Top of Water Short Mngmt= 11.15			
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]		12.59	
Difference from Average LORS2008		0.63	
22APR (1965-2007) Period of Record Average		13.81	
Difference from POR Average		-0.59	

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 7.16'

++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 5.36'

Bridge Clearance = 50.47'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
13.20	13.34	13.22	13.15	13.28	13.31	13.10	13.14

*Combination Okeechobee Avg-Daily Lake Average = 13.22
 (*See Note)

Okeechobee Inflows (cfs):

S65E	0	S65EX1	293	Fisheating Cr	2
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	103	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0
Total Inflows:	398				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	501	S77	1860
S127 Culverts	0	S351	370	S308	288
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	120		
Total Outflows:	3139				

****S77 structure flow is being used to compute Total Outflow.
 ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77 0.20 S308 0.30
 Average Pan Evap x 0.75 Pan Coefficient = 0.19" = 0.02'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'

Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

Lake Okeechobee (Change in Storage) Flow is -2118 cfs or -4200 AC-FT

—

—

	Headwater	Tailwater		----- Gate Positions -----						
	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7
	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

#8										
(ft)										
			(I) see note at bottom							
North East Shore										
S133 Pumps:	13.59	13.36	0	0	0	0	0	0		(cfs)
S193:										
S191:	18.07	13.34	0	0.0	0.0	0.0				
S135 Pumps:	12.83	13.13	0	0	0	0	0			(cfs)
S135 Culverts:			0	0.0	0.0					
North West Shore										
S65E:	21.10	13.16	0	0.0	0.0	0.0	0.0	0.0	0.0	
S65EX1:	21.10	13.16	293							
S127 Pumps:	12.89	13.34	0	0	0	0	0	0		(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	12.77	13.31	0	0	0	0				(cfs)
S129 Culvert:			0	0.0						
S131 Pumps:	12.84	13.32	0	0	0					(cfs)
S131 Culvert:			0							
Fisheating Creek										
nr Palmdale		28.15	2							
nr Lakeport										
C5:		-NR-	0	-NR-	-NR-	-NR-				
South Shore										
S4 Pumps:	11.42	13.23	0	0	0	0				(cfs)
S169:	13.17	11.41	0	0.0	0.0	0.0				
S310:	13.10		23							

S3 Pumps:	10.55	13.16	0	0	0	0		(cfs)
S354:	13.16	10.55	501	0.0	0.0			
S2 Pumps:	10.50	13.25	0	0	0	0	0	(cfs)
S351:	13.25	10.50	370	0.3	0.2	0.3		
S352:	13.25	10.63	0	0.0	0.0			
C10A:	-NR-	13.28		8.0	8.0	8.0	0.0	0.0
L8 Canal PT		13.10	120					

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.50	13.25	370	-NR--NR--NR--NR--NR--NR-
S352:	10.63	13.25	0	-NR--NR--NR--NR-
S354:	10.55	13.16	501	-NR--NR--NR--NR-

Caloosahatchee River (S77, S78, S79)

S47B:	12.69	11.23		0.0	0.0
S47D:	11.29	11.28	20	6.6	

S77:

Spillway and Sector Flow:

13.29	11.18	*****	1.0	3.0	3.0	1.5
-------	-------	-------	-----	-----	-----	-----

Flow Due to Lockages+: 5

S77 Below USGS Flow Gage 1720

S78:

Spillway and Sector Flow:

11.15	3.11	1097	1.5	2.5	0.0	0.0
-------	------	------	-----	-----	-----	-----

Flow Due to Lockages+: 23

S79:

Spillway and Sector Flow:

3.27	1.38	1242	0.0	0.0	0.0	1.0	1.0	1.0	1.0
------	------	------	-----	-----	-----	-----	-----	-----	-----

0.0

Flow Due to Lockages+: 14

Percent of flow from S77 149%

Chloride (ppm) 56

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Flow:

13.11	13.03	288.00	0.0	0.0	0.0	0.0
-------	-------	--------	-----	-----	-----	-----

Flow Due to Lockages+: 0

S308 Below USGS Flow Gage 291

S153:	18.67	12.82	0	0.0	0.0
-------	-------	-------	---	-----	-----

S80:

Spillway and Sector Flow:

13.04	-0.18	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-------	-------	---	-----	-----	-----	-----	-----	-----	-----

Flow Due to Lockages+: 19

Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) *****
 Speedy Point Bottom Salinity (mg/ml) *****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

				----- Wind ---	
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	1.34	1.34	1.34	116	6
S78:	4.00	4.00	4.00	76	3
S79:	-43.97	-43.97	-43.97	201	1
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.09	0.09	0.09	87	1
S80:	0.00	0.00	0.00	67	2
Okeechobee Average	0.72	0.11	0.11		
(Sites S78, S79 and S80 not included)					

Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations	22 APR 2018	13.22	Difference from
22APR18			
22APR18 -1 Day =	21 APR 2018	13.23	0.01
22APR18 -2 Days =	20 APR 2018	13.27	0.05
22APR18 -3 Days =	19 APR 2018	13.31	0.09
22APR18 -4 Days =	18 APR 2018	13.34	0.12
22APR18 -5 Days =	17 APR 2018	13.36	0.14
22APR18 -6 Days =	16 APR 2018	13.41	0.19
22APR18 -7 Days =	15 APR 2018	13.43	0.21
22APR18 -30 Days =	23 MAR 2018	14.13	0.91
22APR18 -1 Year =	22 APR 2017	11.73	-1.49
22APR18 -2 Year =	22 APR 2016	14.48	1.26

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = 4.36

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days					Avg-Daily Flow
22APR18	Today =	22 APR 2018	-2817	MON	1016
22APR18	-1 Day =	21 APR 2018	-3175	SUN	-4387
22APR18	-2 Days =	20 APR 2018	-2896	SAT	-5110
22APR18	-3 Days =	19 APR 2018	-2723	FRI	-3477
22APR18	-4 Days =	18 APR 2018	-2970	THU	-1626
22APR18	-5 Days =	17 APR 2018	-3164	WED	-8612
22APR18	-6 Days =	16 APR 2018	-2592	TUE	-2331
22APR18	-7 Days =	15 APR 2018	-2528	MON	1691
22APR18	-8 Days =	14 APR 2018	-2783	SUN	-2789
22APR18	-9 Days =	13 APR 2018	-2672	SAT	-3914
22APR18	-10 Days =	12 APR 2018	-2489	FRI	-7286
22APR18	-11 Days =	11 APR 2018	-1906	THU	-1140
22APR18	-12 Days =	10 APR 2018	-1983	WED	-NR-
22APR18	-13 Days =	09 APR 2018	-2166	TUE	1342

—

—

S65E					Avg-Daily Flow
Average Flow over previous 14 days					
22APR18	Today=	22 APR 2018	24	MON	0
22APR18	-1 Day =	21 APR 2018	33	SUN	0
22APR18	-2 Days =	20 APR 2018	42	SAT	0
22APR18	-3 Days =	19 APR 2018	54	FRI	0
22APR18	-4 Days =	18 APR 2018	66	THU	0
22APR18	-5 Days =	17 APR 2018	79	WED	0
22APR18	-6 Days =	16 APR 2018	91	TUE	0
22APR18	-7 Days =	15 APR 2018	104	MON	0
22APR18	-8 Days =	14 APR 2018	116	SUN	0
22APR18	-9 Days =	13 APR 2018	131	SAT	0
22APR18	-10 Days =	12 APR 2018	148	FRI	0
22APR18	-11 Days =	11 APR 2018	166	THU	91
22APR18	-12 Days =	10 APR 2018	176	WED	126
22APR18	-13 Days =	09 APR 2018	184	TUE	125

—

—

S65EX1					Avg-Daily Flow
Average Flow over previous 14 days					
22APR18	Today=	22 APR 2018	316	MON	293
22APR18	-1 Day =	21 APR 2018	308	SUN	294
22APR18	-2 Days =	20 APR 2018	300	SAT	295
22APR18	-3 Days =	19 APR 2018	290	FRI	279
22APR18	-4 Days =	18 APR 2018	281	THU	302
22APR18	-5 Days =	17 APR 2018	270	WED	379
22APR18	-6 Days =	16 APR 2018	254	TUE	387
22APR18	-7 Days =	15 APR 2018	237	MON	482
22APR18	-8 Days =	14 APR 2018	214	SUN	389
22APR18	-9 Days =	13 APR 2018	197	SAT	391
22APR18	-10 Days =	12 APR 2018	179	FRI	278
22APR18	-11 Days =	11 APR 2018	167	THU	268
22APR18	-12 Days =	10 APR 2018	156	WED	196
22APR18	-13 Days =	09 APR 2018	150	TUE	189

—

Lake Okeechobee Outlets Last 14 Days

		S-77	Below S-77	S-78	S-79
		Discharge	Discharge	Discharge	Discharge
		(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
22 APR 2018		3674	3412	2222	2497
21 APR 2018		4544	3612	1802	2822
20 APR 2018		3389	2522	2401	2069
19 APR 2018		2243	1984	625	199
18 APR 2018		1752	1555	613	572
17 APR 2018		375	597	602	821
16 APR 2018		827	1168	961	1686
15 APR 2018		2077	2176	1801	2216
14 APR 2018		3120	2865	2188	3056
13 APR 2018		3092	2221	2097	2114
12 APR 2018		442	734	240	22
11 APR 2018		1466	1360	618	160
10 APR 2018		2217	1796	613	691
09 APR 2018		1606	1491	793	1269

		S-310	S-351	S-352	S-354	L8 Canal Pt
		Discharge	Discharge	Discharge	Discharge	Discharge
		(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
22 APR 2018		46	734	0	831	238
21 APR 2018		61	935	61	1503	348
20 APR 2018		112	746	684	1547	419
19 APR 2018		157	560	785	1342	420
18 APR 2018		102	360	678	1120	389
17 APR 2018		35	365	716	1218	332
16 APR 2018		53	0	512	968	492
15 APR 2018		80	242	145	228	395
14 APR 2018		297	462	777	1043	404
13 APR 2018		279	0	329	758	492
12 APR 2018		232	98	5	773	406
11 APR 2018		139	1752	525	1267	442
10 APR 2018		111	455	22	486	479
09 APR 2018		107	2471	549	992	495

		S-308	Below S-308	S-80
		Discharge	Discharge	Discharge
		(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)
22 APR 2018		538	577	38
21 APR 2018		488	167	53
20 APR 2018		1013	417	30
19 APR 2018		1	-11	48
18 APR 2018		515	262	55
17 APR 2018		498	86	41
16 APR 2018		507	-67	54
15 APR 2018		751	198	30
14 APR 2018		576	519	80
13 APR 2018		1354	513	68
12 APR 2018		348	219	59
11 APR 2018		288	-130	57
10 APR 2018		-NR-	-152	37

09 APR 2018 448 -40 60

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate
and
 Lockages Discharges from 0015 hrs to 2400 hrs.


—
(I) - Flows preceeded by "I" signify an instantaneous
 flow computed from the single value reported for the day

—
* On 11 May 1999, Lake Okeechobee Elevation was switched from
 Instantaneous 2400 value to an average-daily lake average.
 On 14 Mar 2001, due to the isolation of various gages within the
standard
 10 stations, the average of the interior 4 station gages was used
 as the Lake Okeechobee Elevation.
 On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage
 mix of interior and edge gages to obtain a more reliable representation
 of the lake level.
 On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage
 mix of interior and edge gages to obtain a more reliable representation
 of the lake level due to isolation of S135 from low lake levels.
 Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge
stations
 ++ For more information see the Jacksonville District Navigation website
 at <http://www.saj.usace.army.mil/>
 \$ For information regarding Lake Okeechobee Service Area water
restrictions
 please refer to www.sfwmd.gov

—
Report Generated 23APR2018 @ 14:39 ** Preliminary Data - Subject to Revision
**

Lake Okeechobee

23APR18 14:30:22



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction