

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 5/7/2018 (La Nina Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of La Nina Years ³		Sub-sampling of AMO Warm + La Nina Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (May-Oct)	N/A	N/A	2.23	Very Wet	2.62	Very Wet	2.35	Very Wet
Multi Seasonal (May-Apr)	N/A	N/A	2.69	Wet	3.05	Wet	2.04	Normal

***Croley's Method Not Produced For This Report**

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

****Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.**

[Tributary Hydrologic Conditions Graph:](#)

-2130 cfs 14-day running average for Lake Okeechobee Net Inflow through 5/6/2018. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Dry.

-1.84 for Palmer Index on 5/5/2018.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Dry.

The wetter of the two conditions above is **Dry**.

[LORS2008 Classification Tables:](#)

Lake Okeechobee Stage on 5/7/2018

Lake Okeechobee Stage: **12.97 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.53	
Operational Band	High sub-band	15.93	
	Intermediate sub-band	15.20	
	Low sub-band	13.27	
Base Flow sub-band		12.60	← 12.97
Beneficial Use sub-band		10.86	
Water Shortage Management Band			

[Part C of LORS2008: Discharge to WCA's](#)

Release Guidance Flow Chart Outcome: No releases to the WCAs.

[Part D of LORS2008: Discharge to Tidewater](#)

Release Guidance Flow Chart Outcome: S-79 Up to 450 cfs & S-80 Up to 200 cfs.

Technical Input Summaries from:

- [Lake Okeechobee Division](#)
- [Coastal Ecosystems](#)
- [Everglades Ecosystems Division](#)
- [Water Supply Department](#)
- [Water Resource Management Release Recommendation](#)
- [Kissimmee Watershed Environmental Conditions](#)
- [Operations Department](#)

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)

LORS2008 Implementation on 5/7/2018 (ENSO La Nina Condition):

Status for week ending 5/7/2018:

District wide, Raindar rainfall was 0.52 inches for the week. Lake stage on 5/7/2018 was 12.97 ft, NGVD, down 0.21 ft from last week.

The updated May 2018 SFWMM Dynamic Position Analysis [percentile graph](#) for Lake Okeechobee show that the current lake stage is in the Base Flow Sub-Band.

The 2008 LORS Tributary Hydrologic Condition (THC) tributary is classified as **Dry**. The PDSI indicates dry condition and the LONIN is Dry. The THC classification is based on the wetter of the two [indices](#) .

Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Beneficial Use Sub Band	M
	Palmer Index for LOK Tributary Conditions	-1.84 (Dry)	M
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Outlook	2.62 ft	L
	ENSO La Nina Years	(Normal to Extremely Wet)	
	LOK Multi-Seasonal Net Inflow Outlook	3.05 ft (Normal)	M
	ENSO Conditions		
WCAs	WCA 1: Station Average (Site 1-7, Site 1-8T, Site 1-9)	Above Line 1 (16.04 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (11.75 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (8.76 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)


Lake Okeechobee SFWMM May 2018 Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of May 7 2018

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon May 07 17:12:11 EDT 2018

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

*When conducting Base Flow releases,
flows can be distributed East and West
up to 650 cfs as needed
to minimize impacts or provide benefits
through S-80 and S-79*


Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



*** Very Dry Conditions may require that releases to tide (estuaries) be discontinued**

Figure 7-4

Lake Okeechobee Water Level History and Projected Stages



LORS-2008

Adopted by USACE 28-April-2008

Projected Stage Percentiles From
SFWMD-HESM Position Analysis

U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 06 MAY 2018

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	12.97	11.68	14.03 (Official Elv)
Bottom of High Lake Mngmt= 16.53 Top of Water Short Mngmt= 10.86			
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]		12.26	
Difference from Average LORS2008		0.71	
06MAY (1965-2007) Period of Record Average		13.48	
Difference from POR Average		-0.51	

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 6.91'

++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 5.11'

Bridge Clearance = 50.55'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
13.02	13.04	12.95	12.91	12.90	13.06	12.90	12.96

*Combination Okeechobee Avg-Daily Lake Average = 12.97
 (*See Note)

Okeechobee Inflows (cfs):

S65E	0	S65EX1	446	Fisheating Cr	0
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	86	S131 Pumps	0	C5	0
Total Inflows:	531				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	585
S127 Culverts	0	S351	0	S308	258
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	113		
Total Outflows:	956				

****S77 below flow meter is being used to compute Total Outflow.
 ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77 0.17 S308 0.16
 Average Pan Evap x 0.75 Pan Coefficient = 0.12" = 0.01'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'

Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

Lake Okeechobee (Change in Storage) Flow is 0 cfs or 0 AC-FT

—

—

	Headwater	Tailwater		----- Gate Positions -----						
	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7
	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

#8										
(ft)										
			(I) see note at bottom							
North East Shore										
S133 Pumps:	13.60	12.82	0	0	0	0	0	0		(cfs)
S193:										
S191:	18.63	12.85	0	0.0	0.0	0.0				
S135 Pumps:	12.58	12.87	0	0	0	0	0			(cfs)
S135 Culverts:			0	0.0	0.0					
North West Shore										
S65E:	20.87	12.34	0	0.0	0.0	0.0	0.0	0.0	0.0	
S65EX1:	20.87	12.34	446							
S127 Pumps:	12.79	12.91	0	0	0	0	0	0		(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	12.57	13.01	0	0	0	0				(cfs)
S129 Culvert:			0	0.0						
S131 Pumps:	12.48	13.04	0	0	0					(cfs)
S131 Culvert:			0							
Fisheating Creek										
nr Palmdale		27.70	0							
nr Lakeport										
C5:		-NR-	0	-NR-	-NR-	-NR-				
South Shore										
S4 Pumps:	11.26	12.89	0	0	0	0				(cfs)
S169:	12.97	11.25	0	0.0	0.0	0.0				
S310:	12.90		36							

S3 Pumps:	10.65	12.96	0	0	0	0		(cfs)
S354:	12.96	10.65	0	0.0	0.0			
S2 Pumps:	10.48	12.92	0	0	0	0	0	(cfs)
S351:	12.92	10.48	0	0.0	0.0	0.0		
S352:	13.17	10.60	0	0.0	0.0			
C10A:	-NR-	13.14		8.0	8.0	8.0	0.0	0.0
L8 Canal PT		12.98	113					

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.48	12.92	0	-NR--NR--NR--NR--NR--NR-
S352:	10.60	13.17	0	-NR--NR--NR--NR-
S354:	10.65	12.96	0	-NR--NR--NR--NR-

Caloosahatchee River (S77, S78, S79)

S47B:	12.35	11.21		0.0	0.0
S47D:	11.25	11.25	33	6.5	

S77:

Spillway and Sector Flow:

	12.84	11.15	582.24	1.0	3.0	2.5	1.0
--	-------	-------	--------	-----	-----	-----	-----

Flow Due to Lockages+: 3

S77 Below USGS Flow Gage 582

S78:

Spillway and Sector Flow:

	11.02	3.01	1370	1.0	2.5	0.0	1.0
--	-------	------	------	-----	-----	-----	-----

Flow Due to Lockages+: 18

S79:

Spillway and Sector Flow:

	3.15	1.05	1158	0.0	0.0	0.0	1.0	1.0	1.0	0.0
--	------	------	------	-----	-----	-----	-----	-----	-----	-----

0.0

Flow Due to Lockages+: 14

Percent of flow from S77 50%

Chloride (ppm) 60

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Flow:

	12.98	12.95	258.00	0.0	0.0	0.0	0.0
--	-------	-------	--------	-----	-----	-----	-----

Flow Due to Lockages+: 0

S308 Below USGS Flow Gage -12

S153:	18.74	12.77	0	0.0	0.0
-------	-------	-------	---	-----	-----

S80:

Spillway and Sector Flow:

	12.90	-0.32	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
--	-------	-------	---	-----	-----	-----	-----	-----	-----	-----

Flow Due to Lockages+: 25

Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) *****

Steele Point Bottom Salinity (mg/ml) *****

Speedy Point Top Salinity (mg/ml) *****
 Speedy Point Bottom Salinity (mg/ml) *****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

----- Wind -----					
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	1.70	1.70	1.70	197	2
S78:	1.21	2.17	2.17	297	2
S79:	-43.52	-43.43	-43.43	270	0
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.15	0.15	0.15	136	3
S80:	0.00	0.00	0.00	189	4
Okeechobee Average	0.93	0.14	0.14		
(Sites S78, S79 and S80 not included)					
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations	06 MAY 2018	12.97	Difference from
06MAY18			
06MAY18 -1 Day =	05 MAY 2018	12.97	0.00
06MAY18 -2 Days =	04 MAY 2018	12.99	0.02
06MAY18 -3 Days =	03 MAY 2018	13.03	0.06
06MAY18 -4 Days =	02 MAY 2018	13.07	0.10
06MAY18 -5 Days =	01 MAY 2018	13.12	0.15
06MAY18 -6 Days =	30 APR 2018	13.16	0.19
06MAY18 -7 Days =	29 APR 2018	13.19	0.22
06MAY18 -30 Days =	06 APR 2018	13.65	0.68
06MAY18 -1 Year =	06 MAY 2017	11.68	-1.29
06MAY18 -2 Year =	06 MAY 2016	14.03	1.06

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = 4.72

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days					Avg-Daily Flow
06MAY18	Today =	06 MAY 2018	-1955	MON	953
06MAY18	-1 Day =	05 MAY 2018	-1950	SUN	-2445
06MAY18	-2 Days =	04 MAY 2018	-2089	SAT	-6240
06MAY18	-3 Days =	03 MAY 2018	-2008	FRI	-6071
06MAY18	-4 Days =	02 MAY 2018	-1823	THU	-7925
06MAY18	-5 Days =	01 MAY 2018	-1373	WED	-6687
06MAY18	-6 Days =	30 APR 2018	-1510	TUE	-4525
06MAY18	-7 Days =	29 APR 2018	-1354	MON	-4182
06MAY18	-8 Days =	28 APR 2018	-934	SUN	288
06MAY18	-9 Days =	27 APR 2018	-1154	SAT	-3895
06MAY18	-10 Days =	26 APR 2018	-1155	FRI	-4694
06MAY18	-11 Days =	25 APR 2018	-1340	THU	1087
06MAY18	-12 Days =	24 APR 2018	-1499	WED	11547
06MAY18	-13 Days =	23 APR 2018	-2503	TUE	5425

—

—

S65E					Avg-Daily Flow
Average Flow over previous 14 days					
06MAY18	Today=	06 MAY 2018	0	MON	0
06MAY18	-1 Day =	05 MAY 2018	0	SUN	0
06MAY18	-2 Days =	04 MAY 2018	0	SAT	0
06MAY18	-3 Days =	03 MAY 2018	0	FRI	0
06MAY18	-4 Days =	02 MAY 2018	0	THU	0
06MAY18	-5 Days =	01 MAY 2018	0	WED	0
06MAY18	-6 Days =	30 APR 2018	0	TUE	0
06MAY18	-7 Days =	29 APR 2018	0	MON	0
06MAY18	-8 Days =	28 APR 2018	0	SUN	0
06MAY18	-9 Days =	27 APR 2018	0	SAT	0
06MAY18	-10 Days =	26 APR 2018	0	FRI	0
06MAY18	-11 Days =	25 APR 2018	0	THU	0
06MAY18	-12 Days =	24 APR 2018	6	WED	0
06MAY18	-13 Days =	23 APR 2018	16	TUE	0

—

—

S65EX1					Avg-Daily Flow
Average Flow over previous 14 days					
06MAY18	Today=	06 MAY 2018	284	MON	446
06MAY18	-1 Day =	05 MAY 2018	273	SUN	229
06MAY18	-2 Days =	04 MAY 2018	277	SAT	229
06MAY18	-3 Days =	03 MAY 2018	282	FRI	203
06MAY18	-4 Days =	02 MAY 2018	288	THU	232
06MAY18	-5 Days =	01 MAY 2018	292	WED	253
06MAY18	-6 Days =	30 APR 2018	302	TUE	255
06MAY18	-7 Days =	29 APR 2018	311	MON	272
06MAY18	-8 Days =	28 APR 2018	326	SUN	295
06MAY18	-9 Days =	27 APR 2018	333	SAT	275
06MAY18	-10 Days =	26 APR 2018	341	FRI	262
06MAY18	-11 Days =	25 APR 2018	342	THU	286
06MAY18	-12 Days =	24 APR 2018	341	WED	398
06MAY18	-13 Days =	23 APR 2018	326	TUE	336

—

Lake Okeechobee Outlets Last 14 Days

		S-77	Below S-77	S-78	S-79
		Discharge	Discharge	Discharge	Discharge
		(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
06 MAY 2018		2864	1155	2753	2281
05 MAY 2018		3091	1314	2763	3361
04 MAY 2018		2934	1242	2477	2350
03 MAY 2018		3546	1519	2411	227
02 MAY 2018		3290	1469	2510	1295
01 MAY 2018		2534	1152	2468	1845
30 APR 2018		2437	1733	2393	1499
29 APR 2018		2706	2513	2336	2239
28 APR 2018		3535	3213	2340	2829
27 APR 2018		3045	2698	1669	1922
26 APR 2018		9	271	632	315
25 APR 2018		10	204	628	1409
24 APR 2018		49	346	611	1620
23 APR 2018		1120	1639	1133	1991

		S-310	S-351	S-352	S-354	L8 Canal Pt
		Discharge	Discharge	Discharge	Discharge	Discharge
		(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
06 MAY 2018		71	0	0	4	224
05 MAY 2018		81	188	52	432	262
04 MAY 2018		89	607	331	1005	250
03 MAY 2018		94	607	0	1630	240
02 MAY 2018		118	937	0	1989	237
01 MAY 2018		115	0	0	1450	254
30 APR 2018		111	0	0	1083	183
29 APR 2018		-2	0	0	793	78
28 APR 2018		23	0	0	617	-300
27 APR 2018		6	265	65	767	85
26 APR 2018		-3	935	323	1499	-47
25 APR 2018		-50	0	486	1011	-483
24 APR 2018		-63	13	787	416	-236
23 APR 2018		-23	107	333	553	-27

		S-308	Below S-308	S-80
		Discharge	Discharge	Discharge
		(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)
06 MAY 2018		539	-24	51
05 MAY 2018		576	494	52
04 MAY 2018		622	460	49
03 MAY 2018		587	450	45
02 MAY 2018		594	375	55
01 MAY 2018		583	449	51
30 APR 2018		414	-76	53
29 APR 2018		516	-68	65
28 APR 2018		508	-41	62
27 APR 2018		525	158	47
26 APR 2018		242	-167	37
25 APR 2018		378	-157	51
24 APR 2018		420	-213	40

23 APR 2018 0 112 40

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate
and
 Lockages Discharges from 0015 hrs to 2400 hrs.

—

(I) - Flows preceded by "I" signify an instantaneous
 flow computed from the single value reported for the day


—

* On 11 May 1999, Lake Okeechobee Elevation was switched from
Instantaneous 2400 value to an average-daily lake average.
On 14 Mar 2001, due to the isolation of various gages within the
standard
10 stations, the average of the interior 4 station gages was used
as the Lake Okeechobee Elevation.
On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage
mix of interior and edge gages to obtain a more reliable representation
of the lake level.
On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage
mix of interior and edge gages to obtain a more reliable representation
of the lake level due to isolation of S135 from low lake levels.
Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge
stations
++ For more information see the Jacksonville District Navigation website
at <http://www.saj.usace.army.mil/>
\$ For information regarding Lake Okeechobee Service Area water
restrictions
please refer to www.sfwmd.gov

—
Report Generated 07MAY2018 @ 16:38 ** Preliminary Data - Subject to Revision
**

Lake Okeechobee

07MAY18 16:45:22



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction