

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 8/6/2018 (ENSO Neutral Condition)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of Neutral years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of ENSO Years <sup>3</sup>		Sub-sampling of AMO Warm + ENSO Years <sup>4</sup>	
	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>	Value (ft)	<a href="#">Condition</a>
Current (Jul-Dec)	N/A	N/A	2.17	Very Wet	3.04	Very Wet	2.19	Very Wet
Multi Seasonal (Jul-Apr)	N/A	N/A	2.69	Wet	3.99	Wet	1.86	Normal

\*Croley's Method Not Produced For This Report

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

\*\*Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

### [Tributary Hydrologic Conditions Graph:](#)

**4027 cfs** 14-day running average for Lake Okeechobee Net Inflow through 8/5/2018. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Wet.

**2.01** for Palmer Index on 8/4/2018.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Wet.

The wetter of the two conditions above is **Wet**.

### [LORS2008 Classification Tables:](#)

#### Lake Okeechobee Stage on 8/6/2018

Lake Okeechobee Stage: **14.39 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.31	
Operational Band	High sub-band	15.89	
	Intermediate sub-band	15.46	
	Low sub-band	13.62	← 14.39
Base Flow sub-band		12.60	
Beneficial Use sub-band		11.86	
Water Shortage Management Band			

**[Part C of LORS2008: Discharge to WCA's](#)**

Release Guidance Flow Chart Outcome: Up to maximum practicable releases to the WCAs if desirable or with minimum everglades impacts; otherwise no releases.

**[Part D of LORS2008: Discharge to Tidewater](#)**

Release Guidance Flow Chart Outcome: S-79 Up to 3000 cfs & S-80 Up to 1170 cfs.

**[Back to Lake Okeechobee Operations Main Page](#)**

**[Back to U.S. Army Corps of Engineers Homepage](#)**

## LORS2008 Implementation on 8/6/2018 (ENSO Neutral Condition):

### **Status for week ending 8/6/2018:**

District wide, Raindar rainfall was 0.74 inches for the week. Lake stage on 8/6/2018 was 14.39 ft, NGVD, up 0.06 ft from last week.

The updated August 2018 SFWMM Dynamic Position Analysis [percentile graph](#) for Lake Okeechobee show that the current lake stage is in the Low Flow Sub-Band.

The 2008 LORS Tributary Hydrologic Condition (THC) is classified as **Wet**. The PDSI indicates wet conditions and the LONIN is wet. The THC classification is based on the wetter of the two [indices](#) .

### **Water Supply Risk Evaluation**


Area	Indicator	Value	Color Coded Scoring Scheme
<b>LOK</b>	Projected LOK Stage for the next two months	Low Flow Sub Band	L
	Palmer Index for LOK Tributary Conditions	2.01 (Normal to Extremely Wet)	L
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Outlook	3.04 ft	L
	ENSO Years	(Normal to Extremely Wet)	
	LOK Multi-Seasonal Net Inflow Outlook	3.99 ft (Wet)	L
	ENSO Conditions		
<b>WCAs</b>	WCA 1: Station Average (Site 1-7, Site 1-8T, Site 1-9)	Above Line 1 (16.26 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (13.57 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (10.51 ft)	L
<b>LEC</b>	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Homepage](#)

# Lake Okeechobee SFWMM Aug 2018 Position Analysis



(See assumptions on the Position Analysis Results website)


Mon Aug 6 17:27:05 2018

8/7/2018


DRAFT

# Tributary Basin Condition Indicators as of August 6 2018

## Palmer Index



## Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon Aug 06 16:08:33 EDT 2018

# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79


Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



\* Very Dry Conditions may require that releases to tide (estuaries) be discontinued



# Lake Okeechobee Water Level History and Projected Stages



LORS-2008  
Adopted by USACE 28-April-2008

Projected Stage Percentiles From  
SFWMD-HESM Position Analysis

U. S. Army Corps of Engineers, Jacksonville District  
 Lake Okeechobee and Vicinity Report  
 \*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours    05 AUG 2018

---

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	14.39	13.09	14.62 (Official Elv)
Bottom of High Lake Mngmt= 16.31    Top of Water Short Mngmt= 11.84			
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]		12.76	
Difference from Average LORS2008		1.63	
05AUG (1965-2007) Period of Record Average		13.83	
Difference from POR Average		0.56	

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 8.33'

++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 6.53'

Bridge Clearance = 49.70'

---

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.34	14.51	14.41	14.34	14.49	14.49	14.26	14.29

\*Combination Okeechobee Avg-Daily Lake Average = 14.39  
 (\*See Note)

---

Okeechobee Inflows (cfs):

S65E	0	S65EX1	5011	Fisheating Cr	834
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	163	S127 Pumps	0	S3 Pumps	0
S71	248	S129 Pumps	0	S4 Pumps	0
S72	42	S131 Pumps	0	C5	0
Total Inflows:		6297			

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	822	S77	597
S127 Culverts	0	S351	473	S308	1
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	0		
Total Outflows:		1892			

\*\*\*\*S77 structure flow is being used to compute Total Outflow.  
 \*\*\*\*S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77                    0.27                    S308                    0.37  
 Average Pan Evap x 0.75 Pan Coefficient = 0.24" = 0.02'

Lake Average Precipitation using NEXRAD: = 0.02" = 0.00'

Evaporation - Precipitation:                    = 0.22" = 0.02'

Evaporation - Precipitation using Lake Area of 730 square miles  
 is equal to 4318 cfs out of the lake.

Lake Okeechobee (Change in Storage) Flow is                    0 cfs or                    0 AC-FT

---

—

---

—

	Headwater	Tailwater		----- Gate Positions -----						
	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7
	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
---										
#8										
(ft)										
			(I) see note at bottom							
North East Shore										
S133 Pumps:	13.55	14.26	0	0	0	0	0	0		(cfs)
S193:										
S191:	18.92	14.27	0	0.0	0.0	0.0				
S135 Pumps:	13.14	14.23	0	0	0	0	0			(cfs)
S135 Culverts:			0	0.0	0.0					
North West Shore										
S65E:	21.04	14.18	0	0.0	0.0	0.0	0.0	-0.0	0.0	
S65EX1:	21.04	14.18	5011							
S127 Pumps:	13.41	14.36	0	0	0	0	0	0		(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	12.99	14.48	0	0	0	0				(cfs)
S129 Culvert:			0	0.0						
S131 Pumps:	12.77	14.63	0	0	0					(cfs)
S131 Culvert:			0							
Fisheating Creek										
nr Palmdale		32.74	834							
nr Lakeport										
C5:		-NR-	0	-NR-	-NR-	-NR-				
South Shore										
S4 Pumps:	11.07	14.51	0	0	0	0				(cfs)
S169:	14.52	11.05	0	0.0	0.0	0.0				
S310:	14.43		-7							

S3 Pumps:	10.31	14.42	0	0	0	0		(cfs)
S354:	14.42	10.31	822	1.4	1.4			
S2 Pumps:	10.14	14.39	0	0	0	0	0	(cfs)
S351:	14.39	10.14	473	0.4	0.4	0.6		
S352:	14.47	9.86	0	0.0	0.0			
C10A:	-NR-	12.56		8.0	8.0	8.0	0.0	0.0
L8 Canal PT		12.40	0					

---

S351 and S352 Temporary Pumps/S354 Spillway

---

S351:	10.14	14.39	473	-NR--NR--NR--NR--NR--NR-
S352:	9.86	14.47	0	-NR--NR--NR--NR-
S354:	10.31	14.42	822	-NR--NR--NR--NR-

---

Caloosahatchee River (S77, S78, S79)

S47B:	14.50	11.65		0.0	0.0
S47D:	11.04	11.04	23	6.5	

S77:

Spillway and Sector Flow:

14.56	10.94	593.00	0.0	0.0	2.5	0.0
-------	-------	--------	-----	-----	-----	-----

Flow Due to Lockages+: 4

S77 Below USGS Flow Gage 790

S78:

Spillway and Sector Flow:

10.84	2.76	1044	0.0	0.0	3.0	0.0
-------	------	------	-----	-----	-----	-----

Flow Due to Lockages+: 5

S79:

Spillway and Sector Flow:

2.82	1.61	3039	1.0	1.0	2.0	2.0	2.5	2.0	1.0
------	------	------	-----	-----	-----	-----	-----	-----	-----

0.0

Flow Due to Lockages+: 8

Percent of flow from S77 20%

Chloride (ppm) 42

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Flow:

14.22	13.80	0.00	0.0	0.0	0.0	0.0
-------	-------	------	-----	-----	-----	-----

Flow Due to Lockages+: 1

S308 Below USGS Flow Gage 142

S153:	18.63	13.63	52	0.0	0.0
-------	-------	-------	----	-----	-----

S80:

Spillway and Sector Flow:

13.87	0.12	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-------	------	---	-----	-----	-----	-----	-----	-----	-----

Flow Due to Lockages+: 13

Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) \*\*\*\*\*

Steele Point Bottom Salinity (mg/ml) \*\*\*\*\*

Speedy Point Top Salinity (mg/ml) 6650  
 Speedy Point Bottom Salinity (mg/ml) 9048

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

---

				----- Wind ---	
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Degø)	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	8.97	9.00	9.21	69	4
S78:	23.91	24.00	24.22	86	2
S79:	-19.91	-18.41	-17.95	270	0
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.21	0.23	0.26	48	1
S80:	0.00	0.00	0.00	99	3
Okeechobee Average	4.59	0.71	0.73		
(Sites S78, S79 and S80 not included)					
-----					
Oke Nexrad Basin Avg	0.02	0.09	0.53		
-----					

---



---

Okeechobee Lake Elevations	05 AUG 2018	14.39	Difference from
05AUG18			
05AUG18 -1 Day =	04 AUG 2018	14.39	0.00
05AUG18 -2 Days =	03 AUG 2018	14.38	-0.01
05AUG18 -3 Days =	02 AUG 2018	14.38	-0.01
05AUG18 -4 Days =	01 AUG 2018	14.37	-0.02
05AUG18 -5 Days =	31 JUL 2018	14.36	-0.03
05AUG18 -6 Days =	30 JUL 2018	14.36	-0.03
05AUG18 -7 Days =	29 JUL 2018	14.33	-0.06
05AUG18 -30 Days =	06 JUL 2018	14.37	-0.02
05AUG18 -1 Year =	05 AUG 2017	13.09	-1.30
05AUG18 -2 Year =	05 AUG 2016	14.62	0.23

---

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = 4.52

---

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days					Avg-Daily Flow
05AUG18	Today =	05 AUG 2018	3695	MON	1888
05AUG18	-1 Day =	04 AUG 2018	3585	SUN	4399
05AUG18	-2 Days =	03 AUG 2018	3281	SAT	3103
05AUG18	-3 Days =	02 AUG 2018	3144	FRI	5965
05AUG18	-4 Days =	01 AUG 2018	3602	THU	6033
05AUG18	-5 Days =	31 JUL 2018	3632	WED	2886
05AUG18	-6 Days =	30 JUL 2018	3654	TUE	8403
05AUG18	-7 Days =	29 JUL 2018	3125	MON	3428
05AUG18	-8 Days =	28 JUL 2018	2874	SUN	2416
05AUG18	-9 Days =	27 JUL 2018	3605	SAT	2149
05AUG18	-10 Days =	26 JUL 2018	3778	FRI	1178
05AUG18	-11 Days =	25 JUL 2018	3941	THU	846
05AUG18	-12 Days =	24 JUL 2018	4082	WED	126
05AUG18	-13 Days =	23 JUL 2018	4242	TUE	8916

—

—

S65E					Avg-Daily Flow
Average Flow over previous 14 days					
05AUG18	Today=	05 AUG 2018	0	MON	0
05AUG18	-1 Day =	04 AUG 2018	0	SUN	0
05AUG18	-2 Days =	03 AUG 2018	0	SAT	0
05AUG18	-3 Days =	02 AUG 2018	0	FRI	0
05AUG18	-4 Days =	01 AUG 2018	0	THU	0
05AUG18	-5 Days =	31 JUL 2018	0	WED	0
05AUG18	-6 Days =	30 JUL 2018	0	TUE	0
05AUG18	-7 Days =	29 JUL 2018	0	MON	0
05AUG18	-8 Days =	28 JUL 2018	0	SUN	0
05AUG18	-9 Days =	27 JUL 2018	0	SAT	0
05AUG18	-10 Days =	26 JUL 2018	0	FRI	0
05AUG18	-11 Days =	25 JUL 2018	0	THU	0
05AUG18	-12 Days =	24 JUL 2018	0	WED	0
05AUG18	-13 Days =	23 JUL 2018	0	TUE	0

—

—

S65EX1					Avg-Daily Flow
Average Flow over previous 14 days					
05AUG18	Today=	05 AUG 2018	3506	MON	5011
05AUG18	-1 Day =	04 AUG 2018	3317	SUN	5001
05AUG18	-2 Days =	03 AUG 2018	3139	SAT	5022
05AUG18	-3 Days =	02 AUG 2018	2966	FRI	4780
05AUG18	-4 Days =	01 AUG 2018	2821	THU	4559
05AUG18	-5 Days =	31 JUL 2018	2710	WED	4168
05AUG18	-6 Days =	30 JUL 2018	2628	TUE	3764
05AUG18	-7 Days =	29 JUL 2018	2581	MON	3000
05AUG18	-8 Days =	28 JUL 2018	2580	SUN	2593
05AUG18	-9 Days =	27 JUL 2018	2594	SAT	2269
05AUG18	-10 Days =	26 JUL 2018	2614	FRI	2270
05AUG18	-11 Days =	25 JUL 2018	2603	THU	2161
05AUG18	-12 Days =	24 JUL 2018	2600	WED	2213
05AUG18	-13 Days =	23 JUL 2018	2593	TUE	2271

—

Lake Okeechobee Outlets Last 14 Days

			S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
05	AUG	2018	1186	1567	2080	6040
04	AUG	2018	1170	1419	-NR-	6377
03	AUG	2018	1191	1256	2373	6387
02	AUG	2018	408	956	3052	7778
01	AUG	2018	5	914	3082	8690
31	JUL	2018	3	697	3147	9307
30	JUL	2018	4	788	3073	10009
29	JUL	2018	1016	1393	3194	7710
28	JUL	2018	3130	3222	3531	6670
27	JUL	2018	2605	2752	-NR-	5793
26	JUL	2018	922	1094	-NR-	4110
25	JUL	2018	4627	4356	-NR-	6526
24	JUL	2018	6119	5870	5515	9096
23	JUL	2018	6813	5672	-NR-	8286

			S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
05	AUG	2018	-14	938	0	1422	0
04	AUG	2018	-88	1116	0	1352	3
03	AUG	2018	-49	1328	0	462	7
02	AUG	2018	-41	2682	0	833	6
01	AUG	2018	-98	2272	0	1618	2
31	JUL	2018	-91	980	0	1178	-1
30	JUL	2018	-163	711	0	1168	1
29	JUL	2018	-250	771	0	708	9
28	JUL	2018	-287	752	0	180	8
27	JUL	2018	-163	157	0	79	7
26	JUL	2018	28	476	0	827	-7
25	JUL	2018	61	10	0	1031	9
24	JUL	2018	17	49	0	1130	-7
23	JUL	2018	21	307	0	1660	-2

			S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
05	AUG	2018	1	281	27
04	AUG	2018	713	949	713
03	AUG	2018	3024	3096	2671
02	AUG	2018	3644	3846	3128
01	AUG	2018	3650	4052	3905
31	JUL	2018	3264	3740	3852
30	JUL	2018	2038	2003	2211
29	JUL	2018	1	67	24
28	JUL	2018	667	963	692
27	JUL	2018	1480	1981	1616
26	JUL	2018	0	73	20
25	JUL	2018	1	41	12
24	JUL	2018	1258	1052	1005

23 JUL 2018      4043              4334              3912

\*\*\* NOTE:            Discharge (ALL DAY) is computed using Spillway, Sector Gate  
and  
                      Lockages Discharges from 0015 hrs to 2400 hrs.

---

—

(I) - Flows preceded by "I" signify an instantaneous  
      flow computed from the single value reported for the day

---

—

\* On 11 May 1999, Lake Okeechobee Elevation was switched from  
Instantaneous 2400 value to an average-daily lake average.  
On 14 Mar 2001, due to the isolation of various gages within the  
standard  
10 stations, the average of the interior 4 station gages was used  
as the Lake Okeechobee Elevation.  
On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage  
mix of interior and edge gages to obtain a more reliable representation  
of the lake level.  
On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage  
mix of interior and edge gages to obtain a more reliable representation  
of the lake level due to isolation of S135 from low lake levels.  
Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge  
stations  
++ For more information see the Jacksonville District Navigation website  
at <http://www.saj.usace.army.mil/>  
\$ For information regarding Lake Okeechobee Service Area water  
restrictions  
please refer to [www.sfwmd.gov](http://www.sfwmd.gov)


---

—  
Report Generated 06AUG2018 @ 15:38    \*\* Preliminary Data - Subject to Revision  
\*\*



# Lake Okeechobee

06AUG18 16:00:21



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction [million acre-feet]</b>	<b>Equivalent Depth** [feet]</b>	<b>Lake Okeechobee Net Inflow Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b>  <b>[million acre-feet]</b>	<b>Equivalent Depth**</b>  <b>[feet]</b>	<b>Lake Okeechobee  Net Inflow  Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

**6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction