

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 12/24/2018 (ENSO Neutral Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of Neutral ENSO Years ³		Sub-sampling of AMO Warm + Neutral ENSO Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Dec-May)	N/A	N/A	0.31	Dry	1.12	Normal	-0.40	Dry
Multi Seasonal (Dec-Oct)	N/A	N/A	2.98	Wet	3.88	Wet	2.10	Normal

*Croley's Method Not Produced For This Report

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

[Tributary Hydrologic Conditions Graph:](#)

-429 cfs 14-day running average for Lake Okeechobee Net Inflow through 12/24/2018. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Dry.

-2.07 for Palmer Index on 12/15/2018.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Dry.

The wetter of the two conditions above is **Dry**.

[LORS2008 Classification Tables:](#)

Lake Okeechobee Stage on 12/24/2018

Lake Okeechobee Stage: **12.74 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.25	
Operational Band	High sub-band	16.88	
	Intermediate sub-band	16.25	
	Low sub-band	14.13	
Base Flow sub-band		12.64	← 12.74
Beneficial Use sub-band		12.22	
Water Shortage Management Band			

[Part C of LORS2008: Discharge to WCA's](#)

Release Guidance Flow Chart Outcome: No releases to the WCAs.

[Part D of LORS2008: Discharge to Tidewater](#)

Release Guidance Flow Chart Outcome: S-79 Up to 450 cfs & S-80 Up to 200 cfs.

[Adaptive Protocol's Release Guidance: Caloosahatchee Estuary](#)

Release Guidance Flow Chart Outcome: No releases.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers LORSS Homepage](#)

LORS2008 Implementation on 12/24/2018 (ENSO Neutral Condition):

Status for week ending 12/24/2018:


District wide, Raindar rainfall was 1.03 inches for the week. Lake stage on 12/24/2018 was 12.74 ft, NGVD, down 0.05 ft from last week. The updated December Mid-Month 2018 SFWMM Dynamic Position Analysis [percentile graph](#) for Lake Okeechobee show that the current lake stage is in the Base Flow Sub-band. The LORS2008 Tributary Hydrologic Condition (THC) is classified as **Dry**. The PDSI indicates dry conditions and the LONIN is dry. The THC classification is based on the wetter of the two [indices](#).

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Beneficial Use Sub-Band	H
	Palmer Index for LOK Tributary Conditions	-2.07 (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	1.12 ft (Normal)	L
	ENSO Forecast (positive)		
	LOK Multi-Seasonal Net Inflow Outlook	3.88 ft (Wet)	L
	ENSO Forecast (positive)		
WCAs	WCA 1: Site 1-7, Site 1-8T, & Site 1-9 Average	Line 1- Line 2 (16.24 ft)	M
	WCA 2A: Site 2-17 HW	Above Line 1 (12.12 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (9.51 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.


Lake Okeechobee SFWMM Dec 2018 Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of December 24 2018

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Wed Dec 26 14:31:11 EST 2018

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3


Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

*When conducting Base Flow releases,
flows can be distributed East and West
up to 650 cfs as needed
to minimize impacts or provide benefits
through S-80 and S-79*

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



¹The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

²Estuary “needs” water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

³LOWSM = Lake Okeechobee Water Shortage Management.


⁴Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

⁵Can release less than the “up to” limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

⁶After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

⁷Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

Lake Okeechobee Water Level History and Projected Stages



LORS-2008

Adopted by USACE 28-April-2008

Projected Stage Percentiles From
SFWMD-HESM Position Analysis

U. S. Army Corps of Engineers, Jacksonville District
Lake Okeechobee and Vicinity Report
** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 23 DEC 2018

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	12.74	15.64	14.44 (Official Elv)
Bottom of High Lake Mngmt=	17.25	Top of Water Short Mngmt=	12.22
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000] 13.57
Difference from Average LORS2008 -0.83

23DEC (1965-2007) Period of Record Average 14.68
Difference from POR Average -1.94

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 6.68'
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 4.88'
Bridge Clearance = 50.20'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
12.70	12.81	12.78	12.71	12.82	-NR-	12.73	12.65

*Combination Okeechobee Avg-Daily Lake Average = 12.74
(*See Note)

Okeechobee Inflows (cfs):

S65E	88	S65EX1	153	Fisheating Cr	7
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0
Total Inflows:	247				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	159	S77	998
S127 Culverts	0	S351	134	S308	-1
S129 Culverts	0	S352	381		
S131 Culverts	0	L8 Canal Pt	130		
Total Outflows:	1802				

****S77 structure flow is being used to compute Total Outflow.
****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77 0.08 S308 0.12
Average Pan Evap x 0.75 Pan Coefficient = 0.07" = 0.01'

Lake Average Precipitation using NEXRAD: = 0.00" = 0.00'

Evaporation - Precipitation: = 0.07" = 0.01'
 Evaporation - Precipitation using Lake Area of 730 square miles
 is equal to 1472 cfs out of the lake.
 Lake Okeechobee (Change in Storage) Flow is -1966 cfs or -3900 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
			(I) see note at bottom								
North East Shore											
S133 Pumps:	12.74	12.66	0	0	0	0	0	0	(cfs)		
S193:											
S191:	18.12	12.65	0	0.0	0.0	0.0					
S135 Pumps:	12.64	12.63	0	0	0	0	0		(cfs)		
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	20.89	12.52	88	0.0	0.0	0.2	0.0	0.0	0.0		
S65EX1:	20.89	12.52	153								
S127 Pumps:	12.85	12.70	0	0	0	0	0	0	(cfs)		
S127 Culvert:			0	0.0							
S129 Pumps:	13.06	12.94	0	0	0	0			(cfs)		
S129 Culvert:			0	0.0							
S131 Pumps:	13.14	12.73	0	0	0				(cfs)		
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		28.40	7								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	12.79	12.75	0	0	0	0			(cfs)		
S169:	12.81	12.80	69	5.0	5.0	5.0					
S310:	12.71		42								
S3 Pumps:	11.19	12.79	0	0	0	0			(cfs)		
S354:	12.79	11.19	159	2.2	2.2						
S2 Pumps:	10.95	-NR-	0	0	0	0	0		(cfs)		
S351:	-NR-	10.95	134	2.0	1.8	2.2					
S352:		11.17	381	1.2	1.4						
C10A:	-NR-	12.92		8.0	8.0	8.0	0.0	0.0			
L8 Canal PT		12.74	130								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.95	-NR-	134	-NR--NR--NR--NR--NR--NR-
S352:	11.17		381	-NR--NR--NR--NR-
S354:	11.19	12.79	159	-NR--NR--NR--NR-

Caloosahatchee River (S77, S78, S79)

S47B:	14.37	11.37		0.0	0.0
S47D:	11.39	11.40	-52	6.5	

S77:
 Spillway and Sector Preferred Flow:
 12.80 11.27 995 1.5 2.5 0.0 0.0
 Flow Due to Lockages+: 3

S78:
 Spillway and Sector Flow:
 11.20 3.02 1031 0.5 2.5 0.0 0.0
 Flow Due to Lockages+: 16

S79:
 Spillway and Sector Flow:
 3.18 0.67 1368 0.0 0.0 0.0 1.0 1.0 1.0 1.0 0.0
 Flow Due to Lockages+: 8
 Percent of flow from S77 73%
 Chloride (ppm) 58

St. Lucie Canal (S308, S80)

S308:
 Spillway and Sector Preferred Flow:
 12.73 13.30 0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: -1

S153: 18.90 13.08 0 0.0 0.0
 S80:
 Spillway and Sector Flow:
 13.33 0.83 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: 13
 Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) ****
 Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****
 Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.
 ++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

	1-Day	3-Day	7-Day	----- Wind -----	
Daily Precipitation Totals	(inches)	(inches)	(inches)	Direction (DegØ)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.00	0.00	0.00	28	4
S78:	1.28	1.38	2.27	17	1
S79:	1.85	2.15	3.28	270	0
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.39	0.39	0.70	77	4
S80:	0.52	0.54	1.04	349	1
Okeechobee Average	0.19	0.03	0.05		

(Sites S78, S79 and S80 not included)

Oke Nexrad Basin Avg 0.00 0.06 0.79

Okeechobee Lake Elevations	23 DEC 2018	12.74	Difference from 23DEC18
23DEC18 -1 Day =	22 DEC 2018	12.75	0.01
23DEC18 -2 Days =	21 DEC 2018	12.78	0.04
23DEC18 -3 Days =	20 DEC 2018	12.77	0.03
23DEC18 -4 Days =	19 DEC 2018	12.73	-0.01
23DEC18 -5 Days =	18 DEC 2018	12.74	0.00
23DEC18 -6 Days =	17 DEC 2018	12.75	0.01
23DEC18 -7 Days =	16 DEC 2018	12.79	0.05
23DEC18 -30 Days =	23 NOV 2018	13.27	0.53
23DEC18 -1 Year =	23 DEC 2017	15.64	2.90
23DEC18 -2 Year =	23 DEC 2016	14.44	1.70

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = 2.01

Lake Okeechobee Net Inflow (LONIN)				
Average Flow over the previous 14 days				Avg-Daily Flow
23DEC18	Today =	23 DEC 2018	-347 MON	-167
23DEC18	-1 Day =	22 DEC 2018	-395 SUN	-4826
23DEC18	-2 Days =	21 DEC 2018	73 SAT	2434
23DEC18	-3 Days =	20 DEC 2018	110 FRI	8012
23DEC18	-4 Days =	19 DEC 2018	-703 THU	-1071
23DEC18	-5 Days =	18 DEC 2018	-1024 WED	703
23DEC18	-6 Days =	17 DEC 2018	-1042 TUE	-4822
23DEC18	-7 Days =	16 DEC 2018	-620 MON	628
23DEC18	-8 Days =	15 DEC 2018	-719 SUN	2438
23DEC18	-9 Days =	14 DEC 2018	-781 SAT	291
23DEC18	-10 Days =	13 DEC 2018	-875 FRI	3971
23DEC18	-11 Days =	12 DEC 2018	-1543 THU	-1260
23DEC18	-12 Days =	11 DEC 2018	-2265 WED	-6345
23DEC18	-13 Days =	10 DEC 2018	-2040 TUE	-4844

S65E				
Average Flow over previous 14 days				Avg-Daily Flow
23DEC18	Today=	23 DEC 2018	90 MON	103
23DEC18	-1 Day =	22 DEC 2018	83 SUN	93
23DEC18	-2 Days =	21 DEC 2018	76 SAT	0
23DEC18	-3 Days =	20 DEC 2018	76 FRI	6
23DEC18	-4 Days =	19 DEC 2018	76 THU	163
23DEC18	-5 Days =	18 DEC 2018	64 WED	160
23DEC18	-6 Days =	17 DEC 2018	53 TUE	110
23DEC18	-7 Days =	16 DEC 2018	45 MON	165
23DEC18	-8 Days =	15 DEC 2018	33 SUN	218
23DEC18	-9 Days =	14 DEC 2018	18 SAT	119
23DEC18	-10 Days =	13 DEC 2018	9 FRI	38
23DEC18	-11 Days =	12 DEC 2018	6 THU	75
23DEC18	-12 Days =	11 DEC 2018	1 WED	16
23DEC18	-13 Days =	10 DEC 2018	0 TUE	0

S65EX1				
Average Flow over previous 14 days				Avg-Daily Flow
23DEC18	Today=	23 DEC 2018	182 MON	153
23DEC18	-1 Day =	22 DEC 2018	193 SUN	172
23DEC18	-2 Days =	21 DEC 2018	200 SAT	242

23DEC18	-3 Days =	20 DEC 2018	199	FRI		416
23DEC18	-4 Days =	19 DEC 2018	187	THU		18
23DEC18	-5 Days =	18 DEC 2018	211	WED		159
23DEC18	-6 Days =	17 DEC 2018	225	TUE		166
23DEC18	-7 Days =	16 DEC 2018	233	MON		97
23DEC18	-8 Days =	15 DEC 2018	249	SUN		0
23DEC18	-9 Days =	14 DEC 2018	270	SAT		166
23DEC18	-10 Days =	13 DEC 2018	277	FRI		198
23DEC18	-11 Days =	12 DEC 2018	276	THU		214
23DEC18	-12 Days =	11 DEC 2018	285	WED		261
23DEC18	-13 Days =	10 DEC 2018	292	TUE		278

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
23 DEC 2018	1950	1894	2063	2736
22 DEC 2018	1525	1411	1994	3552
21 DEC 2018	0	200	966	2629
20 DEC 2018	1	-179	404	642
19 DEC 2018	802	665	402	964
18 DEC 2018	2387	2143	1433	1710
17 DEC 2018	2353	2204	2058	2484
16 DEC 2018	2361	2317	2086	2693
15 DEC 2018	2452	2334	2079	3473
14 DEC 2018	1661	1316	1472	2336
13 DEC 2018	244	210	319	166
12 DEC 2018	1240	910	318	773
11 DEC 2018	2419	1904	822	1613
10 DEC 2018	2426	2233	1809	2252

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
23 DEC 2018	84	266	-NR-	176	258
22 DEC 2018	57	0	-NR-	0	179
21 DEC 2018	-69	0	-NR-	0	259
20 DEC 2018	-86	0	-NR-	0	169
19 DEC 2018	111	209	-NR-	16	265
18 DEC 2018	203	1137	-NR-	383	295
17 DEC 2018	145	1498	-NR-	571	318
16 DEC 2018	30	787	-NR-	438	330
15 DEC 2018	31	603	-NR-	-NR-	312
14 DEC 2018	55	1104	-NR-	230	226
13 DEC 2018	83	1750	-NR-	478	289
12 DEC 2018	131	2016	-NR-	605	344
11 DEC 2018	152	1884	-NR-	490	365
10 DEC 2018	96	1417	-NR-	313	371

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
23 DEC 2018	-2	21	26
22 DEC 2018	-3	-42	34
21 DEC 2018	-0	-594	11
20 DEC 2018	-160	-63	7
19 DEC 2018	-300	6	17
18 DEC 2018	-0	-12	31

17 DEC 2018	-0	-93	24
16 DEC 2018	-314	-201	41
15 DEC 2018	-339	-231	49
14 DEC 2018	-222	86	27
13 DEC 2018	-305	270	30
12 DEC 2018	-301	74	30
11 DEC 2018	-169	19	27
10 DEC 2018	-101	6	38

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.

On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.

On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.

On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.

Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations


++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 24DEC2018 @ 23:38 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

26DEC18 14:17:20



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[**Back to Lake Okeechobee Operations Main Page**](#)

[**Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage**](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook^{*}

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth^{**} [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

^{}Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction