

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 07/27/2020 (ENSO Neutral Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of Neutral ENSO Years ³		Sub-sampling of AMO Warm + Neutral ENSO Years ⁴	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Jul-Dec)	N/A	N/A	2.46	Very Wet	2.57	Very Wet	3.85	Very Wet
Multi Seasonal (Jul-Apr)	N/A	N/A	2.98	Wet	2.64	Wet	4.04	Wet

*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

Tributary Hydrologic Conditions Graph:

5800 cfs 14-day running average for Lake Okeechobee Net Inflow through 07/27/2020. According to the classification in Tributary Hydrologic Conditions table, this condition is **Wet**.

-2.16 for Palmer Drought Index on 07/25/2020.

According to the classification in Tributary Hydrologic Conditions table, this condition is **Dry**.

The wetter of the two conditions above is **Wet**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 07/27/2020:

Lake Okeechobee Stage: **12.93 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.26	
Operational Band	High sub-band	15.83	
	Intermediate sub-band	15.39	
	Low sub-band	13.52	
Base Flow sub-band		12.60	← 12.93 ft
Beneficial Use sub-band		11.64	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCAs

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise no releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

Adaptive Protocol's Release Guidance: Caloosahatchee Estuary

The SFWMD's Lake Okeechobee Adaptive Protocol's Release Guidance suggests no S-77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.

LORS2008 Implementation on 07/27/2020 (ENSO Neutral Condition):


Status for week ending 7/27/2020:

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Base Flow sub band	M
	Palmer Index for LOK Tributary Conditions	-2.16 (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	2.57 ft	L
	ENSO Forecast (positive)	Normal to Extremely Wet	
	LOK Multi-Seasonal Net Inflow Outlook	2.64 ft	M
	ENSO Forecast (positive)	Normal	
WCAs	WCA 1: 3 Station Average (Site 1-7, 1-8T and 1-9)	Above Line 1 (16.43 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (11.98 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (10.60 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.


Lake Okeechobee SFWMM July 2020 Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of July 27 2020

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon Jul 27 23:27:25 EDT 2020

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)


Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



¹The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

²Estuary "needs" water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

³LOWSM = Lake Okeechobee Water Shortage Management.


⁴Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

⁵Can release less than the "up to" limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

⁶After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

⁷Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 26 JUL 2020

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	12.93	11.54	14.32 (Official Elv)
Bottom of High Lake Mngmt= 16.26 Top of Water Short Mngmt= 11.64			
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	12.64
Difference from Average LORS2008	0.29

26JUL (1965-2007) Period of Record Average	13.72
Difference from POR Average	-0.79

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 6.87'
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 5.07'
 Bridge Clearance = 50.55'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
12.99	13.00	12.89	12.89	12.88	13.03	12.79	12.98

*Combination Okeechobee Avg-Daily Lake Average = 12.93
 (*See Note)

Okeechobee Inflows (cfs):

S65E	3484	S65EX1	1600	Fisheating Cr	81
S154	43	S191	0	S135 Pumps	126
S84	1106	S133 Pumps	0	S2 Pumps	0
S84X	336	S127 Pumps	0	S3 Pumps	0
S71	106	S129 Pumps	0	S4 Pumps	0
S72	170	S131 Pumps	17	C5	0
Total Inflows:	7069				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	79
S127 Culverts	0	S351	0	S308	-203
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	22		
Total Outflows:	-101				

****S77 structure flow is being used to compute Total Outflow.
 ****S308 below flow meter is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	0.00	S308	0.36
Average Pan Evap x 0.75 Pan Coefficient = 0.14" = 0.01'			

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR- = -NR-'
 Evaporation - Precipitation using Lake Area of 730 square miles
 is equal to -NR-
 Lake Okeechobee (Change in Storage) Flow is 3933 cfs or 7800 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
(I) see note at bottom											
North East Shore											
S133 Pumps:	13.38	13.00	0	0	0	0	0	0	0	0	(cfs)
S193:											
S191:	18.89	13.03	0	0.0	0.0	0.0					
S135 Pumps:	13.32	12.93	126	0	-NR-	-NR-	-NR-				(cfs)
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	21.10	13.11	3484	1.6	1.5	1.5	1.5	1.5	1.5		
S65EX1:	21.10	13.11	1600								
S127 Pumps:	13.29	12.94	0	0	0	0	0	0	0		(cfs)
S127 Culvert:			0	0.0							
S129 Pumps:	12.92	13.05	0	0	0	0					(cfs)
S129 Culvert:			0	0.0							
S131 Pumps:	12.87	13.15	17	19	0						(cfs)
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		30.48	81								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	12.78	12.89	0	0	0	0					(cfs)
S169:	12.88	12.85	152	5.2	5.0	5.1					
S310:	12.97		138								
S3 Pumps:	9.25	12.95	0	0	0	0					(cfs)
S354:	12.95	9.25	0	0.0	0.0						
S2 Pumps:	10.03	-NR-	0	0	0	0	0				(cfs)
S351:	-NR-	10.03	0	0.0	0.0	0.0					
S352:	13.23	9.37	0	0.0	0.0						
C10A:	-NR-	13.26		8.0	8.0	8.0	0.0	0.0			
L8 Canal PT		12.91	22								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.03	-NR-	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	9.37	13.23	0	-NR-	-NR-	-NR-	-NR-		
S354:	9.25	12.95	0	-NR-	-NR-	-NR-	-NR-		

Caloosahatchee River (S77, S78, S79)

S47B:	12.81	11.05		0.0	0.0
S47D:	11.07	11.07	20	4.6	

S77:

Spillway and Sector Preferred Flow:

12.62 10.94 78 0.0 0.0 0.5 0.0
Flow Due to Lockages+: 1

S78:

Spillway and Sector Flow:

10.96 2.75 746 1.0 0.0 0.0 1.0
Flow Due to Lockages+: 4

S79:

Spillway and Sector Flow:

2.88 1.70 2385 0.0 3.0 3.0 3.0 0.0 0.0 0.0 0.0
Flow Due to Lockages+: -NR-
Percent of flow from S77 3%
Chloride (ppm) -N

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

12.80 12.95 -203 3.0 3.0 3.0 3.0
Flow Due to Lockages+: 0

S153: 19.06 12.83 0 0.0 0.0

S80:

Spillway and Sector Flow:

13.22 -0.11 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Flow Due to Lockages+: 11
Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****

Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

	1-Day	3-Day	7-Day	Direction	Speed
Daily Precipitation Totals	(inches)	(inches)	(inches)	(DegØ)	(mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	37.11	37.15	38.27	168	5
S78:	21.82	22.82	23.86	166	2
S79:	6.20	7.65	9.87	1	3
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	1.09	1.09	1.69	83	4
S80:	0.08	1.09	2.58	109	1
Okeechobee Average	19.10	2.94	3.07		

(Sites S78, S79 and S80 not included)

Oke Nexrad Basin Avg -NR- 0.08 1.40

Okeechobee Lake Elevations	26 JUL 2020	12.93	Difference from 26JUL20
26JUL20 -1 Day =	25 JUL 2020	12.91	-0.02
26JUL20 -2 Days =	24 JUL 2020	12.89	-0.04
26JUL20 -3 Days =	23 JUL 2020	12.85	-0.08
26JUL20 -4 Days =	22 JUL 2020	12.81	-0.12
26JUL20 -5 Days =	21 JUL 2020	12.77	-0.16
26JUL20 -6 Days =	20 JUL 2020	12.75	-0.18
26JUL20 -7 Days =	19 JUL 2020	12.69	-0.24
26JUL20 -30 Days =	26 JUN 2020	12.38	-0.55
26JUL20 -1 Year =	26 JUL 2019	11.54	-1.39
26JUL20 -2 Year =	26 JUL 2018	14.32	1.39

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)					
Average Flow over the previous 14 days					Avg-Daily Flow
26JUL20	Today =	26 JUL 2020	6087	MON	4032
26JUL20	-1 Day =	25 JUL 2020	6238	SUN	3959
26JUL20	-2 Days =	24 JUL 2020	6684	SAT	7740
26JUL20	-3 Days =	23 JUL 2020	6018	FRI	7737
26JUL20	-4 Days =	22 JUL 2020	5645	THU	7944
26JUL20	-5 Days =	21 JUL 2020	6082	WED	4012
26JUL20	-6 Days =	20 JUL 2020	6241	TUE	11819
26JUL20	-7 Days =	19 JUL 2020	5690	MON	5859
26JUL20	-8 Days =	18 JUL 2020	5586	SUN	4042
26JUL20	-9 Days =	17 JUL 2020	5382	SAT	6017
26JUL20	-10 Days =	16 JUL 2020	4871	FRI	9979
26JUL20	-11 Days =	15 JUL 2020	3946	THU	4150
26JUL20	-12 Days =	14 JUL 2020	3644	WED	2035
26JUL20	-13 Days =	13 JUL 2020	2861	TUE	5899

S65E					
Average Flow over previous 14 days					Avg-Daily Flow
26JUL20	Today=	26 JUL 2020	2274	MON	3794
26JUL20	-1 Day =	25 JUL 2020	2109	SUN	3197
26JUL20	-2 Days =	24 JUL 2020	1982	SAT	2992
26JUL20	-3 Days =	23 JUL 2020	1868	FRI	2566
26JUL20	-4 Days =	22 JUL 2020	1776	THU	2562
26JUL20	-5 Days =	21 JUL 2020	1682	WED	2432
26JUL20	-6 Days =	20 JUL 2020	1588	TUE	2281
26JUL20	-7 Days =	19 JUL 2020	1504	MON	2032
26JUL20	-8 Days =	18 JUL 2020	1425	SUN	1940
26JUL20	-9 Days =	17 JUL 2020	1352	SAT	1752
26JUL20	-10 Days =	16 JUL 2020	1293	FRI	1692
26JUL20	-11 Days =	15 JUL 2020	1236	THU	1742
26JUL20	-12 Days =	14 JUL 2020	1175	WED	1266
26JUL20	-13 Days =	13 JUL 2020	1149	TUE	1583

S65EX1					
Average Flow over previous 14 days					Avg-Daily Flow
26JUL20	Today=	26 JUL 2020	921	MON	1600
26JUL20	-1 Day =	25 JUL 2020	834	SUN	1444
26JUL20	-2 Days =	24 JUL 2020	762	SAT	1381

26JUL20	-3 Days =	23 JUL 2020	694	FRI		1172
26JUL20	-4 Days =	22 JUL 2020	643	THU		745
26JUL20	-5 Days =	21 JUL 2020	621	WED		722
26JUL20	-6 Days =	20 JUL 2020	606	TUE		761
26JUL20	-7 Days =	19 JUL 2020	586	MON		855
26JUL20	-8 Days =	18 JUL 2020	556	SUN		812
26JUL20	-9 Days =	17 JUL 2020	530	SAT		729
26JUL20	-10 Days =	16 JUL 2020	515	FRI		764
26JUL20	-11 Days =	15 JUL 2020	495	THU		609
26JUL20	-12 Days =	14 JUL 2020	488	WED		816
26JUL20	-13 Days =	13 JUL 2020	452	TUE		488

Lake Okeechobee Outlets Last 14 Days

	S-77	Below S-77	S-78	S-79	
	Discharge	Discharge	Discharge	Discharge	
	(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)	
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	
26 JUL 2020	158	876	1475	-NR-	
25 JUL 2020	155	960	1451	-NR-	
24 JUL 2020	157	963	1471	-NR-	
23 JUL 2020	151	766	1710	-NR-	
22 JUL 2020	147	614	824	1336	
21 JUL 2020	160	691	776	1817	
20 JUL 2020	145	749	1020	1701	
19 JUL 2020	222	783	821	1922	
18 JUL 2020	418	976	1277	2277	
17 JUL 2020	412	995	1218	2205	
16 JUL 2020	400	928	1075	1880	
15 JUL 2020	418	931	609	1545	
14 JUL 2020	143	1133	595	1871	
13 JUL 2020	4	987	614	1762	

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
26 JUL 2020	273	0	0	0	43
25 JUL 2020	374	0	0	0	-123
24 JUL 2020	220	0	0	0	-510
23 JUL 2020	203	0	0	0	-223
22 JUL 2020	206	0	0	0	111
21 JUL 2020	320	0	0	0	-64
20 JUL 2020	301	0	0	0	-120
19 JUL 2020	269	0	0	0	-105
18 JUL 2020	236	0	0	0	-199
17 JUL 2020	305	0	0	0	125
16 JUL 2020	145	0	0	0	1
15 JUL 2020	70	0	0	0	15
14 JUL 2020	26	0	0	0	-24
13 JUL 2020	-237	0	0	0	-185

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
26 JUL 2020	3230	-402	21
25 JUL 2020	3834	-333	21
24 JUL 2020	4354	-436	28
23 JUL 2020	4558	-563	-NR-
22 JUL 2020	3434	-321	7
21 JUL 2020	-NR-	-499	14

20 JUL 2020	-NR-	-316	34
19 JUL 2020	-NR-	-535	30
18 JUL 2020	-NR-	-548	27
17 JUL 2020	-NR-	-330	37
16 JUL 2020	-NR-	-545	33
15 JUL 2020	-394	-388	24
14 JUL 2020	-919	-572	45
13 JUL 2020	-162	-637	17

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.


(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
 On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
 Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
 ++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>
 \$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 27JUL2020 @ 08:07 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

27JUL20 23:17:23



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction