

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 5/3/2021 (ENSO Condition: La Niña Advisory)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of La Nina years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of La Nina ENSO Years ³		Sub-sampling of AMO Warm + La Nina ENSO Years ⁴	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (May-Oct)	N/A	N/A	2.47	Very Wet	2.65	Very Wet	3.69	Very Wet
Multi Seasonal (May-Apr)	N/A	N/A	3.14	Wet	2.98	Wet	4.32	Very Wet

***Croley's Method Not Produced for This Report.** See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

****Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.**

Tributary Hydrologic Conditions Graph:

346 cfs 14-day running average for Lake Okeechobee Net Inflow through 5/2/2021.
According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

-0.78 for Palmer Drought Index on 5/1/2021.
According to the classification in Tributary Hydrologic Conditions table, this condition is Normal.

The wetter of the two conditions above is **Normal**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 5/3/2021:

Lake Okeechobee Stage: **13.97 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.61	
Operational Band	High sub-band	15.99	
	Intermediate sub-band	15.24	
	Low sub-band	13.32	← 13.97 ft
Base Flow sub-band		12.60	
Beneficial Use sub-band		10.92	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCAs

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise no releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 3000 cfs at S-79 and up to 1170 cfs at S-80.

LORS2008 Implementation on 5/3/2021 (ENSO Condition- La Nina Advisory):

Status for week ending 5/3/2021:


Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-band	L
	Palmer Drought Index for LOK Tributary Conditions	-0.78 (Normal to Extremely Wet)	L
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	2.65 ft	L
	ENSO Forecast	Normal to Extremely Wet	L
	LOK Multi-Seasonal Net Inflow Outlook	2.98 ft	M
	ENSO Forecast	Normal	
WCAs	WCA 1: 3 Station Average (Site 1-7, 1-8T and 1-9)	Above Line 1 (16.05 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (11.51 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (9.04 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

Lake Okeechobee SFWMM Apr 2021 Position Analysis


Percentiles PA_HABS




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of May 3 2021

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon May 03 12:56:03 EDT 2021

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)


Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 02 MAY 2021

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	13.97	11.41	11.17 (Official Elv)
Bottom of High Lake Mngmt= 16.61 Top of Water Short Mngmt= 10.92			
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	12.36
Difference from Average LORS2008	1.61

02MAY (1965-2007) Period of Record Average	13.57
Difference from POR Average	0.40

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 7.91'
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 6.11'
 Bridge Clearance = 49.83'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.00	14.02	13.94	13.93	13.87	14.04	13.98	13.96

*Combination Okeechobee Avg-Daily Lake Average = 13.97
 (*See Note)

Okeechobee Inflows (cfs):

S65E	827	S65EX1	0	Fisheating Cr	44
S154	0	S191	0	S135 Pumps	0
S84	1	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0
Total Inflows:		872			

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	1113	S77	1705
S127 Culverts	0	S351	1116	S308	1
S129 Culverts	0	S352	645		
S131 Culverts	0	L8 Canal Pt	-NR-		
Total Outflows:		4580			

****S77 structure flow is being used to compute Total Outflow.
 ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	0.22	S308	-NR-
Average Pan Evap x 0.75 Pan Coefficient = -NR- = -NR-'			

Lake Average Precipitation using NEXRAD: = -NR- = -NR-'

Evaporation - Precipitation: = -NR- = -NR-'
 Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-
 Lake Okeechobee (Change in Storage) Flow is -4235 cfs or -8400 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
(I) see note at bottom											
North East Shore											
S133 Pumps:	13.50	13.69	0	0	0	0	0	0	0	0	(cfs)
S193:											
S191:	18.21	13.73	0	0.0	0.0	0.0					
S135 Pumps:	13.08	13.77	0	0	0	0	0				(cfs)
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	21.15	13.65	827	0.4	0.4	0.4	0.0	0.6	0.5		
S65EX1:	21.15	13.65	0								
S127 Pumps:	13.46	13.86	0	0	0	0	0	0			(cfs)
S127 Culvert:			0	0.0							
S129 Pumps:	12.96	13.98	0	0	0	0					(cfs)
S129 Culvert:			0	0.0							
S131 Pumps:	13.21	13.88	0	0	0						(cfs)
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		29.43	44								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	11.66	13.90	0	0	0	0					(cfs)
S169:	13.91	11.73	-NR-	0.0	-NR-	0.0					
S310:	13.77		60								
S3 Pumps:	10.33	13.93	0	0	0	0					(cfs)
S354:	13.93	10.33	1113	2.0	2.0						
S2 Pumps:	10.77	-NR-	0	0	0	0	0				(cfs)
S351:	-NR-	10.77	1116	1.5	1.4	1.7					
S352:	13.96	10.94	645	0.9	1.1						
C10A:	-NR-	13.77		8.0	8.0	8.0	0.0	0.0			
L8 Canal PT			-NR-								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.77	-NR-	1116	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	10.94	13.96	645	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S354:	10.33	13.93	1113	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-

Caloosahatchee River (S77, S78, S79)

S47B:	13.29	12.69		2.2	2.2		
S47D:	12.55	11.16	100	1.0			
S77:							
Spillway and Sector Preferred Flow:							
	13.58	11.13	1700	0.0	3.0	2.5	2.5
Flow Due to Lockages+:			5				

S78:

Spillway and Sector Flow:

11.08 3.18 1469 2.0 0.0 2.5 0.0
Flow Due to Lockages+: 19

S79:

Spillway and Sector Flow:

3.31 1.84 1763 0.0 1.0 1.2 1.2 1.2 1.2 1.2 1.0
Flow Due to Lockages+: 12
Percent of flow from S77 96%
Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

13.93 13.67 0 0.0 0.0 0.0 0.0
Flow Due to Lockages+: 1

S153: 18.78 13.32 0 0.0 0.0

S80:

Spillway and Sector Flow:

13.60 -0.05 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Flow Due to Lockages+: 28
Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****

Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	2.03	2.30	2.70	122	2
S78:	14.28	14.28	15.21	74	1
S79:	3.92	3.92	4.32	58	1
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	19.45	19.45	19.51	207	6
S80:	0.36	0.58	0.72	177	2
Okeechobee Average (Sites S78, S79 and S80 not included)	10.74	1.67	1.71		

Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations 02 MAY 2021 13.97 Difference from 02MAY21
02MAY21 -1 Day = 01 MAY 2021 13.99 0.02

02MAY21	-2 Days =	30 APR 2021	14.03	0.06
02MAY21	-3 Days =	29 APR 2021	14.01	0.04
02MAY21	-4 Days =	28 APR 2021	14.03	0.06
02MAY21	-5 Days =	27 APR 2021	14.07	0.10
02MAY21	-6 Days =	26 APR 2021	14.12	0.15
02MAY21	-7 Days =	25 APR 2021	14.17	0.20
02MAY21	-30 Days =	02 APR 2021	14.37	0.40
02MAY21	-1 Year =	02 MAY 2020	11.41	-2.56
02MAY21	-2 Year =	02 MAY 2019	11.17	-2.80

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days				Avg-Daily Flow
02MAY21	Today =	02 MAY 2021	352 MON	442
02MAY21	-1 Day =	01 MAY 2021	166 SUN	-3588
02MAY21	-2 Days =	30 APR 2021	405 SAT	9983
02MAY21	-3 Days =	29 APR 2021	-332 FRI	1446
02MAY21	-4 Days =	28 APR 2021	-418 THU	-3577
02MAY21	-5 Days =	27 APR 2021	-363 WED	-5379
02MAY21	-6 Days =	26 APR 2021	86 TUE	-6623
02MAY21	-7 Days =	25 APR 2021	1993 MON	1279
02MAY21	-8 Days =	24 APR 2021	2348 SUN	1122
02MAY21	-9 Days =	23 APR 2021	2235 SAT	-1188
02MAY21	-10 Days =	22 APR 2021	1890 FRI	-7710
02MAY21	-11 Days =	21 APR 2021	2311 THU	-1946
02MAY21	-12 Days =	20 APR 2021	2299 WED	15057
02MAY21	-13 Days =	19 APR 2021	974 TUE	5615

S65E

Average Flow over previous 14 days				Avg-Daily Flow
02MAY21	Today=	02 MAY 2021	1028 MON	944
02MAY21	-1 Day =	01 MAY 2021	1024 SUN	820
02MAY21	-2 Days =	30 APR 2021	1041 SAT	1031
02MAY21	-3 Days =	29 APR 2021	1030 FRI	1005
02MAY21	-4 Days =	28 APR 2021	1014 THU	1013
02MAY21	-5 Days =	27 APR 2021	992 WED	1029
02MAY21	-6 Days =	26 APR 2021	958 TUE	1052
02MAY21	-7 Days =	25 APR 2021	918 MON	1064
02MAY21	-8 Days =	24 APR 2021	892 SUN	1066
02MAY21	-9 Days =	23 APR 2021	844 SAT	1059
02MAY21	-10 Days =	22 APR 2021	811 FRI	1112
02MAY21	-11 Days =	21 APR 2021	775 THU	1143
02MAY21	-12 Days =	20 APR 2021	733 WED	-NR-
02MAY21	-13 Days =	19 APR 2021	700 TUE	-NR-

S65EX1

Average Flow over previous 14 days				Avg-Daily Flow
02MAY21	Today=	02 MAY 2021	44 MON	0
02MAY21	-1 Day =	01 MAY 2021	44 SUN	0
02MAY21	-2 Days =	30 APR 2021	44 SAT	0
02MAY21	-3 Days =	29 APR 2021	44 FRI	0
02MAY21	-4 Days =	28 APR 2021	44 THU	0
02MAY21	-5 Days =	27 APR 2021	44 WED	0
02MAY21	-6 Days =	26 APR 2021	44 TUE	0
02MAY21	-7 Days =	25 APR 2021	44 MON	0
02MAY21	-8 Days =	24 APR 2021	44 SUN	0
02MAY21	-9 Days =	23 APR 2021	44 SAT	0
02MAY21	-10 Days =	22 APR 2021	44 FRI	0
02MAY21	-11 Days =	21 APR 2021	44 THU	0
02MAY21	-12 Days =	20 APR 2021	54 WED	223
02MAY21	-13 Days =	19 APR 2021	72 TUE	400

Lake Okeechobee Outlets Last 14 Days

	S-77	Below S-77	S-78	S-79
	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
02 MAY 2021	3374	3877	2950	3514
01 MAY 2021	3544	3998	2975	3911
30 APR 2021	4618	4896	3158	4121
29 APR 2021	4981	4953	3541	3899
28 APR 2021	3715	3738	3155	4063
27 APR 2021	4861	5162	2920	4206
26 APR 2021	3634	3720	3312	3670
25 APR 2021	2139	2302	1891	2942
24 APR 2021	1606	1630	1513	2179
23 APR 2021	184	388	644	1171
22 APR 2021	588	942	796	1451
21 APR 2021	10	455	1319	3666
20 APR 2021	343	836	1726	2501
19 APR 2021	2134	2187	1670	2576

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
02 MAY 2021	120	2213	1279	2207	-NR-
01 MAY 2021	135	2335	1262	2201	-NR-
30 APR 2021	169	2640	1094	2185	-NR-
29 APR 2021	285	2657	1061	2065	-NR-
28 APR 2021	352	2528	970	1955	-NR-
27 APR 2021	173	2561	909	1604	-NR-
26 APR 2021	117	2156	825	1525	-NR-
25 APR 2021	33	1855	0	2019	-NR-
24 APR 2021	15	2331	51	2055	-NR-
23 APR 2021	1	3173	630	1908	-NR-
22 APR 2021	19	82	476	79	-NR-
21 APR 2021	-65	0	0	0	-NR-
20 APR 2021	-59	0	0	0	-NR-
19 APR 2021	-34	273	0	44	-NR-

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
02 MAY 2021	2	-61	55
01 MAY 2021	162	28	56
30 APR 2021	765	442	59
29 APR 2021	349	169	57
28 APR 2021	416	651	61
27 APR 2021	383	467	46
26 APR 2021	0	218	40
25 APR 2021	249	-175	64
24 APR 2021	163	171	54
23 APR 2021	4	223	60
22 APR 2021	3	53	50
21 APR 2021	278	-149	62
20 APR 2021	3	-327	607
19 APR 2021	2	125	871

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.


(I) - Flows preceeded by "I" signify an instantaneous flow computed from the single value reported for the day

-
- * On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
 - On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
 - Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
- ++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>
- \$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 03MAY2021 @ 23:39 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

04MAY21 07:30:48



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook^{*}

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth^{**} [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

^{}Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction