

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 6/28/2021 (ENSO Condition: ENSO-neutral)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of ENSO Neutral years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with ENSO Neutral years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of ENSO Neutral Years <sup>3</sup>		Sub-sampling of AMO Warm + ENSO Neutral Years <sup>4</sup>	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Jun-Nov)	N/A	N/A	2.49	Very Wet	2.62	Very Wet	3.77	Very Wet
Multi Seasonal (Jun-Apr)	N/A	N/A	3.02	Wet	2.75	Wet	4.08	Wet

**\*Croley's Method Not Produced for This Report.** See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**\*\*Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.**

## ***Tributary Hydrologic Conditions Graph:***

**2887 cfs** 14-day running average for Lake Okeechobee Net Inflow through 6/27/2021. According to the classification in Tributary Hydrologic Conditions table, this condition is **Wet**.

**-2.17** for Palmer Drought Index on 6/19/2021.

According to the classification in Tributary Hydrologic Conditions table, this condition is **Dry**.

The wetter of the two conditions above is **Wet**.

## **LORS2008 Classification Tables:**

### **Lake Okeechobee Stage on 6/28/2021:**

Lake Okeechobee Stage: **12.66 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.12	
Operational Band	High sub-band	15.65	
	Intermediate sub-band	15.19	
	Low sub-band	13.25	
Base Flow sub-band		12.60	← 12.66 ft
Beneficial Use sub-band		11.04	
Water Shortage Management Band			

**Part C of LORS2008: Discharge to WCAs**

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise no releases to WCAs.

**Part D of LORS2008: Discharge to Tide**

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

**Adaptive Protocol's Release Guidance: Caloosahatchee Estuary**

No S-77 release to the Estuary unless the Governing Board recommends otherwise.

## LORS2008 Implementation on 6/28/2021 (ENSO Condition- ENSO-neutral):

Status for week ending 6/28/2021:


### Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Base Flow Sub-band	M
	Palmer Drought Index for LOK Tributary Conditions	-2.17 (19 June 2021) (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Outlook	2.62 ft	L
	ENSO Forecast	Normal to Extremely Wet	L
	LOK Multi-Seasonal Net Inflow Outlook	2.75 ft	M
	ENSO Forecast	Normal	M
WCAs	WCA 1: Site 1-8C	Above Line 1 (15.61 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (11.84 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Line 1- Line 2 (8.70 ft)	M
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

---


# Lake Okeechobee SFWMM Jun 2021 Position Analysis




(See assumptions on the Position Analysis Results website)

# Tributary Basin Condition Indicators as of June 28 2021

## Palmer Index



## Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.


When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis





# Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



<sup>1</sup>The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

<sup>2</sup>Estuary “needs” water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

<sup>3</sup>LOWSM = Lake Okeechobee Water Shortage Management.


<sup>4</sup>Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

<sup>5</sup>Can release less than the “up to” limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

<sup>6</sup>After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

<sup>7</sup>Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item

# Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District  
 Lake Okeechobee and Vicinity Report  
 \*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours 27 JUN 2021

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	12.66	12.36	11.23 (Official Elv)
Bottom of High Lake Mngmt= 16.12 Top of Water Short Mngmt= 11.04			
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	12.20
Difference from Average LORS2008	0.46

27JUN (1965-2007) Period of Record Average	13.35
Difference from POR Average	-0.69

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1  $\diamond$  6.60'  
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2  $\diamond$  4.80'  
 Bridge Clearance = 50.20'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
-NR-	12.82	12.59	12.61	12.78	12.70	12.61	12.54

\*Combination Okeechobee Avg-Daily Lake Average = 12.66  
 (\*See Note)

Okeechobee Inflows (cfs):

S65E	648	S65EX1	0	Fisheating Cr	7
S154	29	S191	0	S135 Pumps	0
S84	2	S133 Pumps	0	S2 Pumps	0
S84X	1	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	29	C5	0
Total Inflows: 715					

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	683
S127 Culverts	0	S351	0	S308	-1
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	-NR-		
Total Outflows: 683					

\*\*\*\*S77 structure flow is being used to compute Total Outflow.  
 \*\*\*\*S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	0.31	S308	0.28
Average Pan Evap x 0.75 Pan Coefficient = 0.22" = 0.02'			

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'  
 Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-  
 Lake Okeechobee (Change in Storage) Flow is 0 cfs or 0 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
(I) see note at bottom											
<b>North East Shore</b>											
S133 Pumps:	13.36	12.52	0	0	0	0	0	0	0	0	(cfs)
S193:											
S191:	18.80	12.48	0	0.0	0.0	0.0					
S135 Pumps:	13.37	12.44	0	0	0	0	0				(cfs)
S135 Culverts:			0	0.0	0.0						
<b>North West Shore</b>											
S65E:	21.15	12.25	648	0.4	0.1	0.2	0.2	0.6	0.2		
S65EX1:	21.15	12.25	0								
S127 Pumps:	13.33	12.55	0	0	0	0	0	0			(cfs)
S127 Culvert:			0	0.0							
S129 Pumps:	13.08	13.07	0	0	0	0					(cfs)
S129 Culvert:			0	0.0							
S131 Pumps:	12.90	13.01	29	-NR-	0						(cfs)
S131 Culvert:			0								
<b>Fisheating Creek</b>											
nr Palmdale		28.38	7								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
<b>South Shore</b>											
S4 Pumps:	12.81	12.71	0	0	0	0					(cfs)
S169:		-NR-	-NR-	5.0	-NR-	-NR-					
S310:	12.70		-22								
S3 Pumps:	9.25	12.68	0	0	0	0					(cfs)
S354:	12.68	9.25	0	0.0	0.0						
S2 Pumps:	9.46	-NR-	0	0	0	0	0				(cfs)
S351:	-NR-	9.46	0	0.0	0.0	0.0					
S352:	12.69	9.15	0	0.0	0.0						
C10A:	-NR-	12.52		8.0	8.0	8.0	0.0	0.0			
L8 Canal PT			-NR-								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	9.46	-NR-	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	9.15	12.69	0	-NR-	-NR-	-NR-	-NR-		
S354:	9.25	12.68	0	-NR-	-NR-	-NR-	-NR-		

Caloosahatchee River (S77, S78, S79)

S47B:	12.73	12.29		0.5	1.0		
S47D:	12.27	11.02	0	0.0			
S77:							
Spillway and Sector Preferred Flow:							
	12.64	10.90	680	0.0	3.0	2.5	2.5
Flow Due to Lockages+:			3				

S78:

## Spillway and Sector Flow:

10.93 3.14 802 2.0 0.0 0.0 2.0  
 Flow Due to Lockages+: 12

## S79:

## Spillway and Sector Flow:

3.25 1.26 1116 0.0 1.0 1.5 1.0 0.0 1.0 1.0 0.0  
 Flow Due to Lockages+: 11  
 Percent of flow from S77 61%  
 Chloride (ppm) 0

## St. Lucie Canal (S308, S80)

## S308:

## Spillway and Sector Preferred Flow:

12.61 13.30 0 0.0 0.0 0.0 0.0  
 Flow Due to Lockages+: -1

S153: 18.67 12.92 58 0.0 0.0

## S80:

## Spillway and Sector Flow:

13.21 0.76 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0  
 Flow Due to Lockages+: 9  
 Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) \*\*\*\*

Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) \*\*\*\*

Speedy Point Bottom Salinity (mg/ml) \*\*\*\*

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.28	0.29	0.31	66	8
S78:	18.23	18.24	19.17	107	4
S79:	10.46	10.51	11.73	5	4
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	27.43	28.12	28.65	50	1
S80:	7.32	7.54	9.49	119	3
Okeechobee Average (Sites S78, S79 and S80 not included)	13.86	2.19	2.23		
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations 27 JUN 2021 12.66 Difference from 27JUN21  
 27JUN21 -1 Day = 26 JUN 2021 12.66 0.00

27JUN21	-2 Days =	25 JUN 2021	12.65	-0.01
27JUN21	-3 Days =	24 JUN 2021	12.63	-0.03
27JUN21	-4 Days =	23 JUN 2021	12.59	-0.07
27JUN21	-5 Days =	22 JUN 2021	12.57	-0.09
27JUN21	-6 Days =	21 JUN 2021	12.57	-0.09
27JUN21	-7 Days =	20 JUN 2021	12.56	-0.10
27JUN21	-30 Days =	28 MAY 2021	12.86	0.20
27JUN21	-1 Year =	27 JUN 2020	12.36	-0.30
27JUN21	-2 Year =	27 JUN 2019	11.23	-1.43

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

#### Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days				Avg-Daily Flow
27JUN21	Today =	27 JUN 2021	2891 MON	680
27JUN21	-1 Day =	26 JUN 2021	2645 SUN	1916
27JUN21	-2 Days =	25 JUN 2021	2528 SAT	3991
27JUN21	-3 Days =	24 JUN 2021	1843 FRI	8179
27JUN21	-4 Days =	23 JUN 2021	900 THU	5003
27JUN21	-5 Days =	22 JUN 2021	294 WED	1565
27JUN21	-6 Days =	21 JUN 2021	1 TUE	2735
27JUN21	-7 Days =	20 JUN 2021	-418 MON	-1201
27JUN21	-8 Days =	19 JUN 2021	-568 SUN	-1259
27JUN21	-9 Days =	18 JUN 2021	-390 SAT	2236
27JUN21	-10 Days =	17 JUN 2021	-416 FRI	12531
27JUN21	-11 Days =	16 JUN 2021	-1183 THU	5372
27JUN21	-12 Days =	15 JUN 2021	-1470 WED	-634
27JUN21	-13 Days =	14 JUN 2021	-1501 TUE	-635

#### S65E

Average Flow over previous 14 days				Avg-Daily Flow
27JUN21	Today=	27 JUN 2021	426 MON	761
27JUN21	-1 Day =	26 JUN 2021	391 SUN	653
27JUN21	-2 Days =	25 JUN 2021	365 SAT	517
27JUN21	-3 Days =	24 JUN 2021	349 FRI	489
27JUN21	-4 Days =	23 JUN 2021	333 THU	545
27JUN21	-5 Days =	22 JUN 2021	310 WED	451
27JUN21	-6 Days =	21 JUN 2021	300 TUE	505
27JUN21	-7 Days =	20 JUN 2021	286 MON	258
27JUN21	-8 Days =	19 JUN 2021	290 SUN	288
27JUN21	-9 Days =	18 JUN 2021	294 SAT	306
27JUN21	-10 Days =	17 JUN 2021	298 FRI	332
27JUN21	-11 Days =	16 JUN 2021	301 THU	300
27JUN21	-12 Days =	15 JUN 2021	306 WED	271
27JUN21	-13 Days =	14 JUN 2021	313 TUE	288

#### S65EX1

Average Flow over previous 14 days				Avg-Daily Flow
27JUN21	Today=	27 JUN 2021	0 MON	0
27JUN21	-1 Day =	26 JUN 2021	0 SUN	0
27JUN21	-2 Days =	25 JUN 2021	0 SAT	0
27JUN21	-3 Days =	24 JUN 2021	0 FRI	0
27JUN21	-4 Days =	23 JUN 2021	0 THU	0
27JUN21	-5 Days =	22 JUN 2021	5 WED	0
27JUN21	-6 Days =	21 JUN 2021	5 TUE	0
27JUN21	-7 Days =	20 JUN 2021	5 MON	0
27JUN21	-8 Days =	19 JUN 2021	5 SUN	0
27JUN21	-9 Days =	18 JUN 2021	5 SAT	0
27JUN21	-10 Days =	17 JUN 2021	5 FRI	0
27JUN21	-11 Days =	16 JUN 2021	5 THU	0
27JUN21	-12 Days =	15 JUN 2021	5 WED	0
27JUN21	-13 Days =	14 JUN 2021	5 TUE	0

## Lake Okeechobee Outlets Last 14 Days

DATE	S-77	Below S-77	S-78	S-79
	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
27 JUN 2021	1389	1420	1623	2289
26 JUN 2021	3	-52	317	1302
25 JUN 2021	297	455	516	1282
24 JUN 2021	919	1069	1019	1676
23 JUN 2021	2063	2091	1266	2348
22 JUN 2021	3080	3277	2056	2916
21 JUN 2021	1548	1609	2242	2997
20 JUN 2021	1490	1743	1321	2524
19 JUN 2021	1428	1538	1278	1947
18 JUN 2021	513	457	989	1503
17 JUN 2021	1176	1262	861	2494
16 JUN 2021	2490	2795	1593	3287
15 JUN 2021	2521	2674	1825	2115
14 JUN 2021	1585	1763	946	1583

DATE	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
27 JUN 2021	-43	0	0	0	-NR-
26 JUN 2021	-90	0	0	0	-NR-
25 JUN 2021	-93	0	0	0	-NR-
24 JUN 2021	-100	0	0	0	-NR-
23 JUN 2021	199	0	0	0	-NR-
22 JUN 2021	62	0	0	0	-NR-
21 JUN 2021	128	0	0	0	-NR-
20 JUN 2021	32	0	0	0	-NR-
19 JUN 2021	-154	0	0	0	-NR-
18 JUN 2021	-188	0	0	0	-NR-
17 JUN 2021	-32	0	0	0	-NR-
16 JUN 2021	239	0	0	0	-NR-
15 JUN 2021	142	0	0	0	-NR-
14 JUN 2021	147	263	165	388	-NR-

DATE	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
	(AC-FT)	(AC-FT)	(AC-FT)
27 JUN 2021	-1	129	18
26 JUN 2021	-1	82	32
25 JUN 2021	-1	-2	18
24 JUN 2021	0	-NR-	32
23 JUN 2021	0	33	21
22 JUN 2021	0	-147	28
21 JUN 2021	0	-NR-	21
20 JUN 2021	0	-134	45
19 JUN 2021	-0	-104	38
18 JUN 2021	-0	50	27
17 JUN 2021	114	125	47
16 JUN 2021	197	201	49
15 JUN 2021	1	-195	30
14 JUN 2021	100	-337	31

\*\*\* NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceeded by "I" signify an instantaneous flow computed from the single value reported for the day

- 
- \* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
  - On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
  - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
  - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
  - Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
- ++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>
- \$ For information regarding Lake Okeechobee Service Area water restrictions please refer to [www.sfwmd.gov](http://www.sfwmd.gov)


---

Report Generated 28JUN2021 @ 23:39 \*\* Preliminary Data - Subject to Revision \*\*



# Lake Okeechobee

29JUN21 06:00:57



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction [million acre-feet]</b>	<b>Equivalent Depth** [feet]</b>	<b>Lake Okeechobee Net Inflow Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook<sup>\*</sup>

<b>Lake Net Inflow Prediction</b>  <b>[million acre-feet]</b>	<b>Equivalent Depth<sup>**</sup></b>  <b>[feet]</b>	<b>Lake Okeechobee  Net Inflow  Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**<sup>\*\*</sup>Volume-depth conversion based on average lake surface area of 467,000 acres**

**6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction