

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 7/12/2021 (ENSO Condition: ENSO-neutral)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of ENSO Neutral years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with ENSO Neutral years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of ENSO Neutral Years <sup>3</sup>		Sub-sampling of AMO Warm + ENSO Neutral Years <sup>4</sup>	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Jul-Dec)	N/A	N/A	2.70	Very Wet	2.65	Very Wet	3.95	Very Wet
Multi Seasonal (Jul-Apr)	N/A	N/A	3.15	Wet	2.63	Wet	4.14	Wet

**\*Croley's Method Not Produced for This Report.** See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**\*\*Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.**

## ***Tributary Hydrologic Conditions Graph:***

**9150 cfs** 14-day running average for Lake Okeechobee Net Inflow through 7/11/2021. According to the classification in Tributary Hydrologic Conditions table, this condition is Very Wet.

**-0.81** for Palmer Drought Index on 7/10/2021.

According to the classification in Tributary Hydrologic Conditions table, this condition is Normal.

The wetter of the two conditions above is **Very Wet**.

## **LORS2008 Classification Tables:**

### **Lake Okeechobee Stage on 7/12/2021:**

Lake Okeechobee Stage: **13.30 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.20	
Operational Band	High sub-band	15.75	
	Intermediate sub-band	15.30	
	Low sub-band	13.40	
Base Flow sub-band		12.60	← 13.30 ft
Beneficial Use sub-band		11.34	
Water Shortage Management Band			

**Part C of LORS2008: Discharge to WCAs**

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise no releases to WCAs.

**Part D of LORS2008: Discharge to Tide**

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

**Adaptive Protocol's Release Guidance: Caloosahatchee Estuary**

No S-77 release to the Estuary unless the Governing Board recommends otherwise.

## LORS2008 Implementation on 7/12/2021 (ENSO Condition- ENSO-neutral):

Status for week ending 7/12/2021:


### Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-band	L
	Palmer Drought Index for LOK Tributary Conditions	-0.81 (Normal to Extremely Wet)	L
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Outlook	2.65 ft	L
	ENSO Forecast	Normal to Extremely Wet	L
	LOK Multi-Seasonal Net Inflow Outlook	2.63 ft	M
	ENSO Forecast	Normal	
WCAs	WCA 1: 3 Station Average (Site 1-7, 1-8T and 1-9)	Above Line 1 (16.00 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (12.41 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Line 1- Line 2 (8.89 ft)	M
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

---


# Lake Okeechobee SFWMM July 2021 Position Analysis




(See assumptions on the Position Analysis Results website)

# Tributary Basin Condition Indicators as of July 12 2021

## Palmer Index



## Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)


*When conducting Base Flow releases,  
flows can be distributed East and West  
up to 650 cfs as needed  
to minimize impacts or provide benefits  
through S-80 and S-79*

*Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis*





# Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



<sup>1</sup>The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

<sup>2</sup>Estuary "needs" water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

<sup>3</sup>LOWSM = Lake Okeechobee Water Shortage Management.


<sup>4</sup>Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

<sup>5</sup>Can release less than the "up to" limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

<sup>6</sup>After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

<sup>7</sup>Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

# Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District  
Lake Okeechobee and Vicinity Report  
\*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours 11 JUL 2021

---

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	13.30	12.47	11.43 (Official Elv)
Bottom of High Lake Mngmt= 16.19 Top of Water Short Mngmt= 11.33			
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]	12.44		
Difference from Average LORS2008	0.86		

11JUL (1965-2007) Period of Record Average 13.56  
Difference from POR Average -0.26

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ♦ 7.24'  
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ♦ 5.44'  
Bridge Clearance = 49.69'

---

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
-NR-	13.37	13.23	13.26	13.31	13.41	13.33	13.20

\*Combination Okeechobee Avg-Daily Lake Average = 13.30  
(\*See Note)

---

Okeechobee Inflows (cfs):

S65E	1140	S65EX1	0	Fisheating Cr	122
S154	70	S191	240	S135 Pumps	246
S84	578	S133 Pumps	169	S2 Pumps	0
S84X	190	S127 Pumps	104	S3 Pumps	0
S71	559	S129 Pumps	47	S4 Pumps	0
S72	176	S131 Pumps	47	C5	0
Total Inflows: 3687					

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	3
S127 Culverts	0	S351	0	S308	-269
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	-NR-		
Total Outflows: -267					

\*\*\*\*S77 structure flow is being used to compute Total Outflow.  
\*\*\*\*S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	0.10	S308	0.17
Average Pan Evap x 0.75 Pan Coefficient = 0.10" = 0.01'			

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'  
Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-  
Lake Okeechobee (Change in Storage) Flow is 6353 cfs or 12600 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)

(I) see note at bottom

#### North East Shore

S133 Pumps:	13.36	13.17	169	-NR-	0	-NR-	-NR-	0	(cfs)
S193:									
S191:	19.66	13.15	240	0.5	0.5	0.5			
S135 Pumps:	13.37	13.14	246	-NR-	-NR-	-NR-	-NR-		(cfs)
S135 Culverts:			0	0.0	0.0				

#### North West Shore

S65E:	21.12	12.96	1140	0.4	0.5	0.5	0.7	0.7	-0.0
S65EX1:	21.12	12.96	0						
S127 Pumps:	13.36	13.27	104	18	19	72	0	0	(cfs)
S127 Culvert:			0	0.0					
S129 Pumps:	12.85	13.46	47	0	50	0			(cfs)
S129 Culvert:			0	0.0					
S131 Pumps:	12.84	13.55	47	50	0				(cfs)
S131 Culvert:			0						

#### Fisheating Creek nr Palmdale nr Lakeport

C5:		31.24	122						
		-NR-	0	-NR-	-NR-	-NR-			

#### South Shore

S4 Pumps:	11.42	13.31	0	0	0	0			(cfs)
S169:		-NR-	-NR-	5.0	-NR-	-NR-			
S310:	13.26		-NR-						
S3 Pumps:	9.76	13.34	0	0	0	0			(cfs)
S354:	13.34	9.76	0	0.0	0.0				
S2 Pumps:	9.78	-NR-	0	0	0	0	0		(cfs)
S351:	-NR-	9.78	0	0.0	0.0	0.0			
S352:	13.41	9.59	0	0.0	0.0				
C10A:	-NR-	12.68		8.0	8.0	8.0	0.0	0.0	
L8 Canal PT			-NR-						

#### S351 and S352 Temporary Pumps/S354 Spillway

S351:	9.78	-NR-	0	-NR-	-NR-	-NR-	-NR-	-NR-	
S352:	9.59	13.41	0	-NR-	-NR-	-NR-	-NR-		
S354:	9.76	13.34	0	-NR-	-NR-	-NR-	-NR-		

#### Caloosahatchee River (S77, S78, S79)

S47B:	13.35	12.47		0.5	0.5				
S47D:	12.48	10.79	24	0.0					
S77:									
Spillway and Sector Preferred Flow:									
	13.21	10.68	0	0.0	0.0	0.0	0.0		
Flow Due to Lockages+:			3						

S78:

Spillway and Sector Flow:  
10.71 2.92 1844 0.0 0.0 2.5 2.0  
Flow Due to Lockages+: -NR-

S79:

Spillway and Sector Flow:  
3.00 0.94 3459 0.0 2.0 2.0 2.0 0.0 2.0 2.0 2.0  
Flow Due to Lockages+: -NR-  
Percent of flow from S77 0%  
Chloride (ppm) -N

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:  
13.31 13.81 -268 0.0 0.0 0.0 0.0  
Flow Due to Lockages+: -1

S153: 18.62 13.49 77 0.0 0.0

S80:

Spillway and Sector Flow:  
13.76 1.12 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0  
Flow Due to Lockages+: 19  
Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) \*\*\*\*  
Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) \*\*\*\*  
Speedy Point Bottom Salinity (mg/ml) \*\*\*\*

+ Flow Due to lockages is computed utilizing average daily headwater and  
tailwater along with total number of lockages for the day to calculate  
a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.76	1.83	3.83	249	0
S78:	0.00	1.81	2.58	167	2
S79:	0.35	1.63	3.88	344	3
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.23	0.43	2.97	220	4
S80:	0.40	1.44	2.43	102	2
Okeechobee Average (Sites S78, S79 and S80 not included)	0.49	0.17	0.52		
-----					
Oke Nexrad Basin Avg	-NR-	0.00	0.00		
-----					

Okeechobee Lake Elevations	11 JUL 2021	13.30	Difference from 11JUL21
11JUL21 -1 Day =	10 JUL 2021	13.27	-0.03

11JUL21	-2 Days =	09 JUL 2021	13.23	-0.07
11JUL21	-3 Days =	08 JUL 2021	13.19	-0.11
11JUL21	-4 Days =	07 JUL 2021	13.14	-0.16
11JUL21	-5 Days =	06 JUL 2021	13.09	-0.21
11JUL21	-6 Days =	05 JUL 2021	12.95	-0.35
11JUL21	-7 Days =	04 JUL 2021	12.87	-0.43
11JUL21	-30 Days =	11 JUN 2021	12.55	-0.75
11JUL21	-1 Year =	11 JUL 2020	12.47	-0.83
11JUL21	-2 Year =	11 JUL 2019	11.43	-1.87

---

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

---

Lake Okeechobee Net Inflow (LONIN)					
Average Flow over the previous 14 days					Avg-Daily Flow
11JUL21	Today =	11 JUL 2021	9530	MON	6353
11JUL21	-1 Day =	10 JUL 2021	9094	SUN	8471
11JUL21	-2 Days =	09 JUL 2021	8590	SAT	-NR-
11JUL21	-3 Days =	08 JUL 2021	8261	FRI	10588
11JUL21	-4 Days =	07 JUL 2021	8089	THU	10588
11JUL21	-5 Days =	06 JUL 2021	7690	WED	28889
11JUL21	-6 Days =	05 JUL 2021	5739	TUE	15579
11JUL21	-7 Days =	04 JUL 2021	4821	MON	3922
11JUL21	-8 Days =	03 JUL 2021	4455	SUN	2266
11JUL21	-9 Days =	02 JUL 2021	4204	SAT	3832
11JUL21	-10 Days =	01 JUL 2021	4090	FRI	9730
11JUL21	-11 Days =	30 JUN 2021	4290	THU	13869
11JUL21	-12 Days =	29 JUN 2021	3683	WED	6613
11JUL21	-13 Days =	28 JUN 2021	3165	TUE	3196

---

S65E					
Average Flow over previous 14 days					Avg-Daily Flow
11JUL21	Today=	11 JUL 2021	1118	MON	1298
11JUL21	-1 Day =	10 JUL 2021	1080	SUN	1314
11JUL21	-2 Days =	09 JUL 2021	1033	SAT	1123
11JUL21	-3 Days =	08 JUL 2021	990	FRI	1391
11JUL21	-4 Days =	07 JUL 2021	925	THU	1219
11JUL21	-5 Days =	06 JUL 2021	877	WED	1174
11JUL21	-6 Days =	05 JUL 2021	826	TUE	1035
11JUL21	-7 Days =	04 JUL 2021	788	MON	1153
11JUL21	-8 Days =	03 JUL 2021	724	SUN	1005
11JUL21	-9 Days =	02 JUL 2021	673	SAT	1105
11JUL21	-10 Days =	01 JUL 2021	616	FRI	959
11JUL21	-11 Days =	30 JUN 2021	571	THU	924
11JUL21	-12 Days =	29 JUN 2021	526	WED	878
11JUL21	-13 Days =	28 JUN 2021	483	TUE	1078

---

S65EX1					
Average Flow over previous 14 days					Avg-Daily Flow
11JUL21	Today=	11 JUL 2021	0	MON	0
11JUL21	-1 Day =	10 JUL 2021	0	SUN	0
11JUL21	-2 Days =	09 JUL 2021	0	SAT	0
11JUL21	-3 Days =	08 JUL 2021	0	FRI	0
11JUL21	-4 Days =	07 JUL 2021	0	THU	0
11JUL21	-5 Days =	06 JUL 2021	0	WED	0
11JUL21	-6 Days =	05 JUL 2021	0	TUE	0
11JUL21	-7 Days =	04 JUL 2021	0	MON	0
11JUL21	-8 Days =	03 JUL 2021	0	SUN	0
11JUL21	-9 Days =	02 JUL 2021	0	SAT	0
11JUL21	-10 Days =	01 JUL 2021	0	FRI	0
11JUL21	-11 Days =	30 JUN 2021	0	THU	0
11JUL21	-12 Days =	29 JUN 2021	0	WED	0
11JUL21	-13 Days =	28 JUN 2021	0	TUE	0

---

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
11 JUL 2021	5	1037	-NR-	-NR-
10 JUL 2021	6	1156	-NR-	7775
09 JUL 2021	-NR-	985	2550	5417
08 JUL 2021	-NR-	1039	2680	3465
07 JUL 2021	-NR-	1073	3194	5785
06 JUL 2021	1	678	2626	5362
05 JUL 2021	-NR-	503	1646	3432
04 JUL 2021	176	883	1393	3100
03 JUL 2021	721	1253	1570	2997
02 JUL 2021	6	814	2203	4754
01 JUL 2021	6	539	2181	4529
30 JUN 2021	206	824	1996	3263
29 JUN 2021	1661	2100	2000	3396
28 JUN 2021	2519	2513	2210	3336

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
11 JUL 2021	-NR-	0	0	0	-NR-
10 JUL 2021	0	0	0	0	-NR-
09 JUL 2021	-240	0	0	0	-NR-
08 JUL 2021	-NR-	0	0	0	-NR-
07 JUL 2021	-361	0	0	0	-NR-
06 JUL 2021	-421	0	0	0	-NR-
05 JUL 2021	-114	0	0	0	-NR-
04 JUL 2021	-158	0	0	0	-NR-
03 JUL 2021	-189	0	0	0	-NR-
02 JUL 2021	-226	0	0	0	-NR-
01 JUL 2021	-286	0	0	0	-NR-
30 JUN 2021	-132	0	0	0	-NR-
29 JUN 2021	-107	0	0	0	-NR-
28 JUN 2021	-93	0	0	0	-NR-

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
11 JUL 2021	-506	-788	38
10 JUL 2021	-433	-596	19
09 JUL 2021	-490	-534	31
08 JUL 2021	-550	-880	35
07 JUL 2021	-509	-773	30
06 JUL 2021	-1301	-1442	15
05 JUL 2021	-434	-542	29
04 JUL 2021	-1042	-1328	30
03 JUL 2021	-2612	-2287	56
02 JUL 2021	-251	-555	64
01 JUL 2021	-4	-189	34
30 JUN 2021	-4	-1	48
29 JUN 2021	-2	-53	33
28 JUN 2021	-5	-18	18

\*\*\* NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.


(I) - Flows preceeded by "I" signify an instantaneous flow computed from the single value reported for the day

- 
- \* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
  - On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
  - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
  - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
  - Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations
  - ++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>
  - \$ For information regarding Lake Okeechobee Service Area water restrictions please refer to [www.sfwmd.gov](http://www.sfwmd.gov)



# Lake Okeechobee

13JUL21 06:01:00



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction [million acre-feet]</b>	<b>Equivalent Depth** [feet]</b>	<b>Lake Okeechobee Net Inflow Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b>  <b>[million acre-feet]</b>	<b>Equivalent Depth**</b>  <b>[feet]</b>	<b>Lake Okeechobee  Net Inflow  Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

**6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction