Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 11/8/2021 (ENSO Condition: La Nina watch)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of ENSO Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with ENSO Neutral years⁴. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of La Nina Years ³		Sub-sampling of AMO Warm + La Nina Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Oct-Mar)	N/A	N/A	0.57	Dry	-0.12	Dry	-0.17	Dry
Multi Seasonal (Oct-Apr)	N/A	N/A	3.24	Wet	2.48	Normal	2.29	Normal

^{*}Croley's Method Not Produced for This Report. See <u>Seasonal</u> and <u>Multi-Seasonal</u> tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

^{**}Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

Tributary Hydrologic Conditions Graph:

2905 cfs 14-day running average for Lake Okeechobee Net Inflow through 11/8/2021. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Wet.

-2.41 for Palmer Drought Index on 11/06/2021.

According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Dry.

The wetter of the two conditions above is Wet.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 11/8/2021:

Lake Okeechobee Stage: 16.02 feet

	ee Management /Band	Bottom Elevation	Current Lake
Zone	Danu	(feet, NGVD)	Stage
High Lake Manage	ement Band	17.25	
	High sub-band	16.88	
Operational Band	Intermediate sub-band	16.25	
	Low sub-band	14.50	← 16.02 ft
Base Flow sub-band		12.84	
Beneficial Use sub-band		12.71	
Water Shortage M	lanagement Band		

Part C of LORS2008: Discharge to WCAs

Up to Maximum Practicable to the WCAs if Desirable or with Minimum Everglades Impacts; otherwise no releases.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

LORS2008 Implementation on 11/08/2021 (ENSO Condition- La Nina Watch):


Status for week ending 11/08/2021:

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme	
	Projected LOK Stage for the next two months	Low Sub-band	M	
	Palmer Drought Index for LOK Tributary Conditions	-2.41 (Extremely Dry)	Н	
	CPC Precipitation Outlook	1 month: Below Normal	M	
LOK	CF C Frecipitation Outlook	3 months: Below Normal	M	
	LOK Seasonal Net Inflow Outlook	-0.12 ft	Н	
	ENSO Forecast	Extremely Dry		
	LOK Multi-Seasonal Net Inflow Outlook	2.48 ft		
	ENSO Forecast	Normal	M	
	WCA 1: 3 Station Average (Sites 1-7, 1-8T and 1-9)	Above Line 1 (17.50 ft)	L	
WCAs	WCA 2A: Site 2-17	Above Line 1 (13.66 ft)	L	
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (10.51 ft)	L	
	Service Area 1	Year-Round Irrigation Rule in effect	L	
LEC	Service Area 2	Year-Round Irrigation Rule in effect	L	
	Service Area 3	Year-Round Irrigation Rule in effect	L	


Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.


Lake Okeechobee SFWMM Nov 2021 Position Analysis



(See assumptions on the Position Analysis Results website)


Tributary Basin Condition Indicators as of November 8 2021






2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)



Lake Okeechobee Water Level History and Projected Stages



Data Ending 2400 hours 07 NOV 2021

Okeechobee Lake Regulation Elevation Last Year 2YRS Ago (ft-NGVD) (ft-NGVD) (ft-NGVD) *Okeechobee Lake Elevation 16.02 16.06 13.35 (Official Elv) Bottom of High Lake Mngmt= 17.25 Top of Water Short Mngmt= 12.71 Currently in Operational Management Band Simulated Average LORS2008 [1965-2000] 13.96 Difference from Average LORS2008 2.06 07NOV (1965-2007) Period of Record Average 15.03 Difference from POR Average 0.99 Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations ++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 9.96' ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 8.16' Bridge Clearance = -NR-' 4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values): L001 L005 L006 LZ40 **S4** S352 S308 S133 15.85 15.90 16.10 16.01 16.04 16.27 16.07 15.79 *Combination Okeechobee Avg-Daily Lake Average = 16.02 (*See Note) Okeechobee Inflows (cfs): S65E 1513 S65EX1 0 Fisheating Cr 177 S154 77 S191 178 S135 Pumps 0 1156 116 S2 Pumps S84 S133 Pumps 0 S84X 324 S127 Pumps 93 S3 Pumps 0 421 S4 Pumps 199 S71 S129 Pumps 0 S72 176 S131 Pumps 0 C5 0 Total Inflows: 4430 Okeechobee Outflows (cfs): S135 Culverts -NR-S354 0 S77 -NR-S127 Culverts 0 S351 0 S308 -NR-S129 Culverts 0 a 5352 S131 Culverts 0 L8 Canal Pt -NR-Total Outflows: No Report Due To Missing S77 or S308 Discharge Data ****S77 structure flow is being used to compute Total Outflow. ****S308 below flow meter is being used to compute Total Outflow. Okeechobee Pan Evaporation (inches): -NR-S308 0.24 S77 Average Pan Evap x 0.75 Pan Coefficient = -NR-'' = -NR-'Lake Average Precipitation using NEXRAD: = -NR-" = -NR-" Evaporation - Precipitation:

Evaporation - Precipitation using Lake Area of 730 square miles

	Headwater	Tailwater				- Gat	te Pos	sitio	ns		
	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7	#8
	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
		(1	:) see i	note at	bott	:om					
North East S	hore										
S133 Pumps	: 13.36	15.49	116	12	51	34	0	0	(cfs))	
S193:											
S191:	19.52	15.52	178	0.5	0.0	0.0					
S135 Pumps	: 13.35	15.72	0	0	0	0	0		(cfs))	
S135 Culve	rts:		-NR-	-NR -	-NR -						
North West S	hore										
S65E:	20.86	15.18	1513	1.1	0.4	1.1	0.8	0.5	0.4		
S65EX1:	20.86	15.18	0								
S127 Pumps	: 13.43	15.72	93	48	49	0	0	0	(cfs))	
S127 Culve	rt:		0	0.0							
S129 Pumps	: 13.07	15.91	0	0	0	0			(cfs))	
S129 Culve	rt:		0	0.0							
S131 Pumps		15.84	0	0	0				(cfs))	
S131 Culve	rt:		0								
Fisheating	Creek										
nr Palmd	ale	31.67	177								
nr Lakep	ort										
C5:		-NR -	0	- NF	RNR	t – NF	₹-				
South Shore											
S4 Pumps:	12.90	16.18	199	0	163	0			(cfs))	
S169:	14.85	14.88	-NR-	-NR -	-NR-	-NR -					
S310:	16.18		168								
S3 Pumps:	9.97	16.44	0	0	0	0			(cfs))	
S354:	16.44	9.97	0	0.0	0.0						
S2 Pumps:	9.58	-NR -	0	-NR-	-NR-	-NR-	-NR-		(cfs))	
S351:	-NR-	9.58	0	0.0	0.0	0.0					
S352:	16.32	9.93	0	0.1							
C10A:	-NR-	16.27		8.0	8.6	8.	.0	0.0	0.0		
L8 Canal P	Т		-NR-								
	S35:	1 and S352	Tempora	ary Pun	nps/S3	54 Sr	illwa	эу			
			•	-				-			
S351:	9.58	-NR-	0	-NRN	IR NR	NR	NR	-NR-			
S352:	9.93	16.32	0	-NRN	IR – – NR	NR	-				
S354:	9.97	16.44	0	-NRN	IR NR	NR	-				
Caloosahatch	ee River (S77, S78, S	579)								
S47B:	13.26	12.50		1.8	1.8						
S47D:	12.52	11.01	105	0.0							
S77:											
Spillwav	and Secto	r Preferred	Flow:								
,	15.84	10.87		0.0).0 e	0.0	0.0				
Flow Due	to Lockage		-NR-	•		•					

Spillway and Sector Flow:

1982 0.0 2.5 2.5 1.0 10.85 3.04

Flow Due to Lockages+: 13

S79:

Spillway and Sector Flow:

1.43 4063 0.0 0.0 3.0 3.0 3.0 2.5 2.5 0.0 3.13

Flow Due to Lockages+: 5 Percent of flow from S77 0% Chloride (ppm)

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

-NR- 0.0 0.0 0.0 0.0 15.91 -NR-

-NR-Flow Due to Lockages+:

S153: 18.82 14.04 55 0.0 0.0

S80:

Spillway and Sector Flow:

14.34 172 0.0 0.0 0.0 0.0 0.0 0.0 0.0 2.91

Flow Due to Lockages+: 14 Percent of flow from S308 -NR-%

(mg/ml) **** Steele Point Top Salinity Steele Point Bottom Salinity (mg/ml) ****

(mg/ml) **** Speedy Point Top Salinity Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

				Wi	nd
Daily Precipitation Totals	1-Day	3 - Day	7 - Day	Directio	n Speed
	(inches)	(inches)	(inches)	(Degø)	(mph)
S133 Pump Station:	-NR -	0.00	0.00		
S193:	-NR -	0.00	0.00	-NR -	-NR-
Okeechobee Field Station:	-NR -	0.00	0.00		
S135 Pump Station:	-NR -	0.00	0.00		
S127 Pump Station:	-NR -	0.00	0.00		
S129 Pump Station:	-NR -	0.00	0.00		
S131 Pump Station:	-NR -	0.00	0.00		
S77:	0.00	0.04	0.10	31	7
S78:	0.00	0.79	1.62	325	2
S79:	0.00	1.13	1.76	273	3
S4 Pump Station:	-NR -	0.00	0.00		
Clewiston Field Station:	-NR -	0.00	0.00		
S3 Pump Station:	-NR -	0.00	0.00		
S2 Pump Station:	-NR -	0.00	0.00		
S308:	0.00	0.85	1.31	346	13
S80:	0.00	0.84	1.36	26	4
Okeechobee Average	0.00	0.07	0.11		
(Sites S78, S79 and	S80 not inc	:luded)			
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

07NOV21	-2	Days =	05	NOV	2021		15.92	-0.10
07NOV21		Days =			2021		15.83	-0.19
07NOV21		Days =		NOV	2021		15.83	-0.19
07NOV21		Days =			2021		15.8 3	-0.19
07NOV21		Days =			2021		15.85	-0.17
07NOV21		Days =			2021		15.87	-0.15
07NOV21							15.66	-0.36
07NOV21		Year =			2020		16.06	0.04
07NOV21		Year =			2019		13.35	-2.67
07140421	_	rcui –	07	1101	2015		13.33	2.07
Long Term Me	ean	30day A	Avearge E	T foi	^ Lake	Alfred (]	nches) =	-NR-
J		•	J			`	•	
			Lake (Okee	chobee	Net Inflo	w (LONIN)	
		Ave	erage Flow	N OV	er the	previous	14 days	Avg-Daily Flow
07NOV21	7	Today =	07	NOV	2021	1770	MON	-NR-
07NOV21	-1	Day =	06	NOV	2021	1816	SUN	NR-
07NOV21		Days =			2021	1701	SAT	19517
07NOV21		Days =	04	NOV	2021	480	FRI	408
07NOV21		Days =	93	NOV	2021	481	THU	718
07NOV21		Days =			2021	300	WED	-3607
07NOV21		Days =			2021	274	TUE	-2474
07NOV21		Days =			2021	169	MON	-5886
07NOV21		Days =			2021	590	SUN	-3967
		Days =				873	SAT	9038
07NOV21 07NOV21				OCT	2021	537	FRI	393
07NOV21	_11	Days -	20	OCT	2021	509	THU	-1776
07NOV21 ·	12	Days =	27	OCT	2021	946		•
07NOV21 - 07NOV21 -	-12	Days =	27 26 25	OCT	2021		WED	4454
0/NUVZI -	-13	Days =	25	UCI	2021	782	TUE	4422
07NOV21 07NOV21 07NOV21 07NOV21 07NOV21 07NOV21 07NOV21 07NOV21 07NOV21 07NOV21 07NOV21 07NOV21	-2 -3 -4 -5 -6 -7 -8 -9 -10 -11	Days = Days = Days = Days = Days =	97 96 95 94 93 92 91 31 39 29 28 27	NOV NOV NOV NOV NOV OCT OCT OCT OCT OCT	2021 2021 2021 2021 2021 2021 2021 2021	previous 1677 1692 1701 1701 1737 1763 1796 1826 1854 1882 1909 1929 1949 1957	MON SUN SAT FRI THU WED TUE MON SUN SAT FRI THU	Avg-Daily Flow 1663 1765 1741 1364 1551 1532 1603 1648 1674 1678 1757 1789 1841 1871
					55EX1	•	44 !	l a . p : 1 = 1
071101104		т. Л.				previous	_	Avg-Daily Flow
07NOV21		Today=			2021	0	MON	0
07NOV21		Day =			2021	0	SUN	0
07NOV21		Days =			2021	0	SAT	0
07NOV21		Days =			2021	0	FRI	0
07NOV21		Days =			2021	0	THU	0
07NOV21		Days =			2021	0	WED	0
07NOV21	-6	Days =	01		2021	0	TUE	0
07NOV21	-7	Days =	31		2021	0	MON	0
07NOV21	-8	Days =	30	OCT	2021	0	SUN	0
07NOV21	-9	Davs =	29	OCT	2021	0	SAT	0
07NOV21	-10	Days =	28	OCT	2021	0	FRI	0
07NOV21	-11	Davs =	27	ОСТ	2021	0	THU	0
07NOV21				ост	2021	0	WED	i 0
			25			0	TUE	i ø
3,113121		,-	23			J		•

DATE 07 NOV 2022 06 NOV 2022 05 NOV 2022 04 NOV 2022 03 NOV 2022 01 NOV 2022 31 OCT 2022 30 OCT 2022	1 15 1 12 1 323 1 644 1 732 1 748 1 727 1 686	Below S-77 Discharge (ALL-DAY) (AC-FT) 526 383 1033 920 861 1015 1021 1235 1022	S-78 Discharge (ALL DAY) (AC-FT) 3954 3999 2736 1292 1149 910 1574 2388 2379	S-79 Discharge (ALL DAY) (AC-FT) 7983 10922 6112 2223 2016 1677 3445 2541 4723	
29 OCT 2021 28 OCT 2021		1051 1127	-NR- -NR-	3392 2225	
27 OCT 2021	l 760	1023	1252	2513	
26 OCT 2023		294	1201	2605	
25 OCT 2021	1 112	428	1083	3405	
	S-310 Discharge	S-351 Discharge	S-352 Discharge	S-354 Discharge	L8 Canal Pt Discharge
DATE	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE 07 NOV 2021	(AC-FT) L 332	(AC-FT) 0	(AC-FT) 0	(AC-FT) Ø	(AC-FT) -NR-
06 NOV 2021		0	0	0	-NR-
05 NOV 2021		0	12	ø	-NR-
04 NOV 2021		0	41	0	-NR-
03 NOV 2021	l - 9	135	41	65	-NR-
02 NOV 2021		360	101	264	-NR-
01 NOV 2021		1430	575	694	-NR-
31 OCT 2021		0	58	454	-NR-
30 OCT 2021 29 OCT 2021		0 0	59 60	0 0	– NR – – NR –
28 OCT 2021		0	59	0	-NR-
27 OCT 2021		0	59	ø	-NR-
26 OCT 2021		0	59	0	-NR-
25 OCT 2021	1 11	0	59	0	-NR-
	S-308	Below S-308	S-80		
	Discharge	Discharge		9	
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)		
DATE	(AC-FT)	(AC-FT)	(AC-FT)		
07 NOV 2021		-NR -	349		
06 NOV 2021		-NR-	1045		
05 NOV 2021 04 NOV 2021		- NR - - NR -	223 46		
03 NOV 2021		-NR -	46 35		
02 NOV 2021		-NR -	43		
01 NOV 2021		-NR-	29		
31 OCT 2023		-NR -	40		
30 OCT 2021		-NR -	44		
29 OCT 2021		-NR -	45		
28 OCT 2021		-NR-	29		
27 OCT 2021 26 OCT 2021		-NR - -NR -	52 138		
25 OCT 2021		-NR -	345		
	- •		٠.5		


*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

⁽I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

- * On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.

 On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
- Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations ++ For more information see the Jacksonville District Navigation website at http://www.saj.usace.army.mil/
- \$ For information regarding Lake Okeechobee Service Area water restrictions
 please refer to www.sfwmd.gov

Report Generated 08NOV2021 @ 11:49 ** Preliminary Data - Subject to Revision **



Classification Tables

Supplemental Tables used in conjunction with the LORS2008

Release

Guidance Flow Charts

• Class Limits for Tributary Hydrologic Conditions

Table K-2 in the Lake Okeechobee Water Control Plan

• 6-15 Day Precipitation Outlook Categories

Table ?? in the Lake Okeechobee Water Control Plan

• Classification of Lake Okeechobee Net Inflow for Seasonal

Outlook

Table K-3 in the Lake Okeechobee Water Control Plan

Classification of Lake Okeechobee Net Inflow for Multi-

Seasonal Outlook

Table K-4 in the Lake Okeechobee Water Control Plan

Back to Lake Okeechobee Operations Main Page

Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage

Tributary Hydrologic	Palmer Index	2-wk Mean L.O. Net
Classification*	Class Limits	Inflow Class Limits
Very Wet	3.0 or greater	Greater >= 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

^{*} use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
	2000	Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

^{**}Volume-depth conversion based on average lake surface area of 467,000 acres

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
		Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

^{**}Volume-depth conversion based on average lake surface area of 467,000 acres

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

^{*} Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan

Under Construction