

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 08/08/2022 (ENSO Condition: La Niña)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of La Niña years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Niña ENSO years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of La Niña ENSO Years <sup>3</sup>		Sub-sampling of AMO Warm + La Niña ENSO Years <sup>4</sup>	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Jun-Nov)	N/A	N/A	1.81	Wet	1.71	Wet	1.47	Normal
Multi Seasonal (Jun-Apr)	N/A	N/A	2.18	Normal	1.68	Normal	1.16	Normal

\*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

\*\*Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

## ***Tributary Hydrologic Conditions Graph:***

**-1840 cfs** 14-day running average for Lake Okeechobee Net Inflow through 08/08/2022. According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

**-3.21** for Palmer Drought Index on 08/06/2022. According to the classification in Tributary Hydrologic Conditions table, this condition is Very Dry.

The wetter of the two conditions above is **Dry**.

## **LORS2008 Classification Tables:**

### **Lake Okeechobee Stage on 08/08/2022:**

Lake Okeechobee Stage: **12.89 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.32	
Operational Band	High sub-band	15.90	
	Intermediate sub-band	15.48	
	Low sub-band	13.64	
Base Flow sub-band		12.60	← 12.89 ft
Beneficial Use sub-band		11.88	
Water Shortage Management Band			

**Part C of LORS2008: Discharge to WCAs**

No releases to WCAs.

**Part D of LORS2008: Discharge to Tide**

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

**Lake Okeechobee Releases to the Caloosahatchee Estuary  
for 2008 LORS Baseflow & for Environmental Water Supply**

Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.


**LORS2008 Implementation on 08/08/2022 (ENSO Condition- La Niña Watch):****Status for week ending 08/08/2022:****Water Supply Risk Evaluation**

Area	Indicator	Value	Color Coded Scoring Scheme
<b>LOK</b>	Projected LOK Stage for the next two months	Base Flow	M
	Palmer Drought Index for LOK Tributary Conditions	-3.21 (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	1.71 ft	L
	ENSO Forecast	Normal to extremely wet	
	LOK Multi-Seasonal Net Inflow Outlook	1.68 ft	M
	ENSO Forecast	Normal	
<b>WCAs</b>	WCA 1: Station Average (Sites 1-7, 1-8T, and 1-9)	Above Line 1 (16.44 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (12.39 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (9.74 ft)	L
<b>LEC</b>	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.



---

# Lake Okeechobee SFWMM August 2022 Position Analysis



(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of August 07 2022



# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)


*When conducting Base Flow releases,  
flows can be distributed East and West  
up to 650 cfs as needed  
to minimize impacts or provide benefits  
through S-80 and S-79*

*Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis*





# Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



<sup>1</sup>The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

<sup>2</sup>Estuary “needs” water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

<sup>3</sup>LOWSM = Lake Okeechobee Water Shortage Management.


<sup>4</sup>Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

<sup>5</sup>Can release less than the “up to” limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

<sup>6</sup>After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

<sup>7</sup>Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

# Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District  
Lake Okeechobee and Vicinity Report  
\*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours 07 AUG 2022

---

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	12.89	13.97	13.50 (Official Elv)
Bottom of High Lake Mngmt= 16.32 Top of Water Short Mngmt= 11.88			
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]	12.79		
Difference from Average LORS2008	0.10		

07AUG (1965-2007) Period of Record Average 13.86  
Difference from POR Average -0.97

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 6.83'  
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 5.03'  
Bridge Clearance = 49.33'

---

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
12.87	13.00	12.92	12.90	12.98	12.94	12.72	12.80

\*Combination Okeechobee Avg-Daily Lake Average = 12.89  
(\*See Note)

---

Okeechobee Inflows (cfs):

S65E	68	S65EX1	0	Fisheating Cr	12
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0
Total Inflows:		80			

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	251	S77	-NR-
S127 Culverts	0	S351	483	S308	-3
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	-NR-		
Total Outflows: No Report Due To Missing S77 or S308 Discharge Data					

\*\*\*\*S77 structure flow is being used to compute Total Outflow.  
\*\*\*\*S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	-NR-	S308	0.27
Average Pan Evap x 0.75 Pan Coefficient = -NR- = -NR-'			

Lake Average Precipitation using NEXRAD: = -NR- = -NR-'

Evaporation - Precipitation: = -NR- = -NR-'  
Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-  
Lake Okeechobee (Change in Storage) Flow is -5848 cfs or -11600 AC-FT

	Headwater	Tailwater		----- Gate Positions -----							
	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7	#8
	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
	(I) see note at bottom										
North East Shore											
S133 Pumps:	13.00	12.66	0	0	0	0	0	0	(cfs)		
S193:											
S191:	18.33	12.67	0	0.0	0.0	0.0					
S135 Pumps:	13.45	12.68	0	0	0	0	0		(cfs)		
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	20.96	12.53	68	0.1	0.0	0.0	0.0	0.0	0.0		
S65EX1:	20.96	12.53	0								
S127 Pumps:	12.82	12.79	0	0	0	0	0	0	(cfs)		
S127 Culvert:			0	0.0							
S129 Pumps:	12.87	13.03	0	0	0	0			(cfs)		
S129 Culvert:			0	0.0							
S131 Pumps:	13.01	13.10	0	0	0				(cfs)		
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		28.58	12								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	12.87	-NR-	0	0	0	0			(cfs)		
S169:	12.93	12.97	-NR-	-NR-	-NR-	-NR-					
S310:	12.75		10								
S3 Pumps:	10.03	12.89	0	0	0	0			(cfs)		
S354:	12.89	10.03	251	0.2	0.2						
S2 Pumps:	9.50	12.77	0	0	0	0	0		(cfs)		
S351:	12.77	9.50	483	0.4	0.7	0.5					
S352:	13.01	9.42	0	0.0	0.0						
C10A:	-NR-	12.73		8.0	8.0	8.0	0.0	0.0			
L8 Canal PT		12.74	-NR-								

---

S351 and S352 Temporary Pumps/S354 Spillway

S351:	9.50	12.77	483	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	9.42	13.01	0	-NR-	-NR-	-NR-	-NR-		
S354:	10.03	12.89	251	-NR-	-NR-	-NR-	-NR-		

---

Caloosahatchee River (S77, S78, S79)

S47B:	12.82	11.12		0.0	0.0				
S47D:	11.08	11.09	-105	5.0					
S77:									
Spillway and Sector Preferred Flow:									
	12.78	11.02	435	0.0	2.5	0.0	0.0		
Flow Due to Lockages+:			-NR-						

S78:

Spillway and Sector Flow:  
11.04 2.83 148 0.5 0.0 0.0 0.0  
Flow Due to Lockages+: 14

S79:

Spillway and Sector Flow:  
3.11 1.14 883 0.0 0.0 0.0 1.0 2.0 1.0 0.0 0.0  
Flow Due to Lockages+: 11  
Percent of flow from S77 49%  
Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:  
12.75 14.17 0 0.0 0.0 0.0 0.0  
Flow Due to Lockages+: -3

S153: 18.68 13.97 49 0.0 0.0

S80:

Spillway and Sector Flow:  
14.24 0.35 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0  
Flow Due to Lockages+: 18  
Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) \*\*\*\*

Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) \*\*\*\*

Speedy Point Bottom Salinity (mg/ml) \*\*\*\*

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind ----- Direction Speed (Deg) (mph)
S133 Pump Station:	-NR-	0.00	0.00	
S193:	-NR-	0.00	0.00	-NR- -NR-
Okeechobee Field Station:	-NR-	0.00	0.00	
S135 Pump Station:	-NR-	0.00	0.00	
S127 Pump Station:	-NR-	0.00	0.00	
S129 Pump Station:	-NR-	0.00	0.00	
S131 Pump Station:	-NR-	0.00	0.00	
S77:	6.18	6.33	7.06	47 3
S78:	0.13	0.13	0.25	21 1
S79:	1.20	1.30	2.97	3 2
S4 Pump Station:	-NR-	0.00	0.00	
Clewiston Field Station:	-NR-	0.00	0.00	
S3 Pump Station:	-NR-	0.00	0.00	
S2 Pump Station:	-NR-	0.00	0.00	
S308:	0.00	0.00	0.00	63 4
S80:	0.07	0.07	0.07	126 1
Okeechobee Average (Sites S78, S79 and S80 not included)	3.09	0.49	0.54	
-----				
Oke Nexrad Basin Avg	-NR-	0.00	0.00	
-----				

Okeechobee Lake Elevations	07 AUG 2022	12.89	Difference from 07AUG22
07AUG22 -1 Day =	06 AUG 2022	12.92	0.03

07AUG22	-2 Days =	05 AUG 2022	12.95	0.06
07AUG22	-3 Days =	04 AUG 2022	12.96	0.07
07AUG22	-4 Days =	03 AUG 2022	12.98	0.09
07AUG22	-5 Days =	02 AUG 2022	12.93	0.04
07AUG22	-6 Days =	01 AUG 2022	12.94	0.05
07AUG22	-7 Days =	31 JUL 2022	12.96	0.07
07AUG22	-30 Days =	08 JUL 2022	12.88	-0.01
07AUG22	-1 Year =	07 AUG 2021	13.97	1.08
07AUG22	-2 Year =	07 AUG 2020	13.50	0.61

---

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

---

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days				Avg-Daily Flow
07AUG22	Today =	07 AUG 2022	-1809 MON	-4603
07AUG22	-1 Day =	06 AUG 2022	-1479 SUN	-4740
07AUG22	-2 Days =	05 AUG 2022	-1140 SAT	-1705
07AUG22	-3 Days =	04 AUG 2022	-1321 FRI	-3641
07AUG22	-4 Days =	03 AUG 2022	-1211 THU	10512
07AUG22	-5 Days =	02 AUG 2022	-2113 WED	-1541
07AUG22	-6 Days =	01 AUG 2022	-2003 TUE	-3792
07AUG22	-7 Days =	31 JUL 2022	-1279 MON	-3664
07AUG22	-8 Days =	30 JUL 2022	-120 SUN	-3917
07AUG22	-9 Days =	29 JUL 2022	585 SAT	-4191
07AUG22	-10 Days =	28 JUL 2022	747 FRI	-4181
07AUG22	-11 Days =	27 JUL 2022	767 THU	4262
07AUG22	-12 Days =	26 JUL 2022	604 WED	49
07AUG22	-13 Days =	25 JUL 2022	741 TUE	-4176

---

S65E

Average Flow over previous 14 days				Avg-Daily Flow
07AUG22	Today=	07 AUG 2022	200 MON	86
07AUG22	-1 Day =	06 AUG 2022	201 SUN	106
07AUG22	-2 Days =	05 AUG 2022	202 SAT	101
07AUG22	-3 Days =	04 AUG 2022	201 FRI	128
07AUG22	-4 Days =	03 AUG 2022	198 THU	74
07AUG22	-5 Days =	02 AUG 2022	198 WED	446
07AUG22	-6 Days =	01 AUG 2022	174 TUE	348
07AUG22	-7 Days =	31 JUL 2022	160 MON	402
07AUG22	-8 Days =	30 JUL 2022	149 SUN	407
07AUG22	-9 Days =	29 JUL 2022	127 SAT	311
07AUG22	-10 Days =	28 JUL 2022	113 FRI	172
07AUG22	-11 Days =	27 JUL 2022	112 THU	71
07AUG22	-12 Days =	26 JUL 2022	115 WED	103
07AUG22	-13 Days =	25 JUL 2022	124 TUE	50

---

S65EX1

Average Flow over previous 14 days				Avg-Daily Flow
07AUG22	Today=	07 AUG 2022	0 MON	0
07AUG22	-1 Day =	06 AUG 2022	0 SUN	0
07AUG22	-2 Days =	05 AUG 2022	0 SAT	0
07AUG22	-3 Days =	04 AUG 2022	0 FRI	0
07AUG22	-4 Days =	03 AUG 2022	0 THU	0
07AUG22	-5 Days =	02 AUG 2022	0 WED	0
07AUG22	-6 Days =	01 AUG 2022	0 TUE	0
07AUG22	-7 Days =	31 JUL 2022	0 MON	0
07AUG22	-8 Days =	30 JUL 2022	0 SUN	0
07AUG22	-9 Days =	29 JUL 2022	0 SAT	0
07AUG22	-10 Days =	28 JUL 2022	0 FRI	0
07AUG22	-11 Days =	27 JUL 2022	0 THU	0
07AUG22	-12 Days =	26 JUL 2022	0 WED	0
07AUG22	-13 Days =	25 JUL 2022	0 TUE	0

---

Lake Okeechobee Outlets Last 14 Days

		S-77	Below S-77	S-78	S-79
		Discharge	Discharge	Discharge	Discharge
		(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
07 AUG 2022		-NR-	961	321	1786
06 AUG 2022		-NR-	904	200	889
05 AUG 2022		-NR-	-168	300	1382
04 AUG 2022		-NR-	489	423	1765
03 AUG 2022		830	1042	554	1448
02 AUG 2022		-NR-	1059	153	1008
01 AUG 2022		202	1087	450	633
31 JUL 2022		468	772	103	949
30 JUL 2022		3	-146	300	1310
29 JUL 2022		-NR-	-218	326	-NR-
28 JUL 2022		1	-63	292	1560
27 JUL 2022		2	38	299	739
26 JUL 2022		-NR-	-9	310	1418
25 JUL 2022		-NR-	-183	504	2992

		S-310	S-351	S-352	S-354	L8 Canal Pt
		Discharge	Discharge	Discharge	Discharge	Discharge
		(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
07 AUG 2022		19	957	0	497	-NR-
06 AUG 2022		48	850	0	625	-NR-
05 AUG 2022		-62	147	0	264	-NR-
04 AUG 2022		-99	0	0	243	-NR-
03 AUG 2022		129	0	0	438	-NR-
02 AUG 2022		307	0	0	0	-NR-
01 AUG 2022		158	0	0	0	-NR-
31 JUL 2022		99	0	0	0	-NR-
30 JUL 2022		71	0	0	0	-NR-
29 JUL 2022		135	0	0	0	-NR-
28 JUL 2022		19	0	0	0	-NR-
27 JUL 2022		-304	0	0	0	-NR-
26 JUL 2022		-201	0	0	0	-NR-
25 JUL 2022		-87	0	0	0	-NR-

		S-308	Below S-308	S-80
		Discharge	Discharge	Discharge
		(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE		(AC-FT)	(AC-FT)	(AC-FT)
07 AUG 2022		-5	-NR-	35
06 AUG 2022		-2	-NR-	19
05 AUG 2022		-2	-NR-	31
04 AUG 2022		-343	-NR-	32
03 AUG 2022		-2	-NR-	20
02 AUG 2022		-2	-NR-	27
01 AUG 2022		-237	-NR-	32
31 JUL 2022		-1	-NR-	28
30 JUL 2022		-1	-NR-	32
29 JUL 2022		-267	-NR-	36
28 JUL 2022		-2	-NR-	28
27 JUL 2022		-1	-NR-	35
26 JUL 2022		-0	-NR-	18
25 JUL 2022		-0	-NR-	33

\*\*\* NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceeded by "I" signify an instantaneous flow computed from the single value reported for the day

---

\* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.  
On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.  
On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.  
On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.  
Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations


++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to [www.sfwmd.gov](http://www.sfwmd.gov)



# Lake Okeechobee

08AUG22 09:00:25



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[\*\*Back to Lake Okeechobee Operations Main Page\*\*](#)

[\*\*Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage\*\*](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

## Classification of Lake Okeechobee Net Inflow Seasonal Outlook\*

<b>Lake Net Inflow Prediction  [million acre-feet]</b>	<b>Equivalent Depth**  [feet]</b>	<b>Lake Okeechobee  Net Inflow  Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b>  <b>[million acre-feet]</b>	<b>Equivalent Depth**</b>  <b>[feet]</b>	<b>Lake Okeechobee  Net Inflow  Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## **6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**