Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 08/22/2022 (ENSO Condition: La Niña)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of La Niña years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Niña ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of La Niña ENSO Years ³		Sub-sampling of AMO Warm + La Niña ENSO Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Aug-Jan)	N/A	N/A	1.21	Normal	1.12	Normal	0.92	Normal
Multi Seasonal (Aug-Apr)	N/A	N/A	1.50	Normal	1.08	Dry	0.61	Dry

^{*}Croley's Method Not Produced for This Report

See <u>Seasonal</u> and <u>Multi-Seasonal</u> tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

Tributary Hydrologic Conditions Graph:

- **-1878 cfs** 14-day running average for Lake Okeechobee Net Inflow through 08/22/2022. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Dry.
- **-4.00** for Palmer Drought Index on 08/20/2022. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Very Dry.

The wetter of the two conditions above is **Dry**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 08/22/2022:

Lake Okeechobee Stage: 12.67 feet

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Manage	ement Band	16.38	
	High sub-band	15.98	
Operational Band	Intermediate sub-band	15.57	
	Low sub-band	13.77	
Base Flow sub-band		12.60	← 12.67 ft
Beneficial Use sub-band		12.17	
Water Shortage M	lanagement Band		

Part C of LORS2008: Discharge to WCAs

No releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

<u>Lake Okeechobee Releases to the Caloosahatchee Estuary</u> for 2008 LORS Baseflow & for Environmental Water Supply

Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.


LORS2008 Implementation on 08/22/2022 (ENSO Condition- La Niña Watch): Status for week ending 08/22/2022:

Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
	Projected LOK Stage for the next two months	Base Flow	M
	Palmer Drought Index for LOK Tributary Conditions	-4.00 (Extremely Dry)	Н
	CPC Precipitation Outlook	1 month: Normal	L
LOK	Of Of recipitation Outlook	3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	1.12 ft	
	ENSO Forecast	Normal to extremely wet	_
	LOK Multi-Seasonal Net Inflow Outlook	1.08 ft	
	ENSO Forecast	Dry	Н
	WCA 1: Station Average (Sites 1-7, 1-8T, and 1-9)	Above Line 1 (16.40 ft)	L
WCAs	WCA 2A: Site 2-17	Above Line 1 (12.26 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (9.51 ft)	L
	Service Area 1	Year-Round Irrigation Rule in effect	L
LEC	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

Lake Okeechobee SFWMM August 2022 Position Analysis




(See assumptions on the Position Analysis Results website)




2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)



Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



¹The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

²Estuary "needs" water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

³LOWSM = Lake Okeechobee Water Shortage Management.


⁴Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

⁵Can release less than the "up to" limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

⁶After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

⁷Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

Lake Okeechobee Water Level History and Projected Stages



Data Ending 2400 hours 21 AUG 2022

Okeechobee Lake Regulation 2YRS Ago Elevation Last Year (ft-NGVD) (ft-NGVD) (ft-NGVD) *Okeechobee Lake Elevation 12.67 14.45 14.05 (Official Elv) Bottom of High Lake Mngmt= 16.38 Top of Water Short Mngmt= 12.17 Currently in Operational Management Band Simulated Average LORS2008 [1965-2000] 13.06 Difference from Average LORS2008 -0.39 21AUG (1965-2007) Period of Record Average 14.06 Difference from POR Average -1.39 Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations ++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ♦ 6.61' ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ♦ 4.81' Bridge Clearance = 50.72' 4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values): L001 L005 L006 LZ40 S4 S352 S308 S133 12.66 12.74 12.68 12.68 12.72 12.74 12.53 12.60 *Combination Okeechobee Avg-Daily Lake Average = 12.67 (*See Note) Okeechobee Inflows (cfs): S65E 163 S65EX1 0 Fisheating Cr 27 S154 0 S191 0 S135 Pumps a S2 Pumps S84 3 S133 Pumps 0 a S84X 1 S127 Pumps 0 S3 Pumps 0 S71 0 S129 Pumps 0 S4 Pumps 0 S131 Pumps 0 **C5** 572 40 0 Total Inflows: 235 Okeechobee Outflows (cfs): S135 Culverts S354 134 S77 0 1 S127 Culverts 0 S351 485 S308 -NR-S129 Culverts 0 S352 212 S131 Culverts L8 Canal Pt 0 -NR-Total Outflows: No Report Due To Missing S77 or S308 Discharge Data ****S77 structure flow is being used to compute Total Outflow. ****S308 structure flow is being used to compute Total Outflow. Okeechobee Pan Evaporation (inches): 0.33 S308 -NR-Average Pan Evap x 0.75 Pan Coefficient = -NR-" = -NR-' Lake Average Precipitation using NEXRAD: = -NR-" = -NR-" = -NR-" = -NR-' Evaporation - Precipitation: Evaporation - Precipitation using Lake Area of 730 square miles

	Headwater	Tailwater				- Gat	ta Do	:itio	ns ==:		
		Elevation	Disch		#2	#3	#4	#5	#6	#7	#8
	(TL-MSI)	(ft-msl)					(TL)	(TL)	(TL)	(TL)	(TL)
		(1	.) see	note at	υοττ	om					
North East Sh											
S133 Pumps:	: 13.11	12.57	0	0	0	0	0	0	(cf:	5)	
S193:											
S191:	18.42	12.56	0	0.0	0.0	0.0					
S135 Pumps:	12.90	12.49	0	0	0	0	0		(cf	5)	
S135 Culver			0	0.0	0.0				•	•	
North West Sh	nore										
S65E:	21.03	12.37	163	0.4	0.0	a a	0.0	a a	0.2		
S65EX1:	21.03		103	0.4	0.0	0.0	0.0	0.0	0.2		
		12.37		0	0	0		_	/ - C	- \	
S127 Pumps:		12.60	0	0	0	0	0	0	(cf	5)	
S127 Culver	τ:		0	0.0							
S129 Pumps:		13.12	0	0	0	0			(cf	5)	
S129 Culver	rt:		0	0.0							
S131 Pumps:	12.98	12.85	0	0	0				(cf:	5)	
S131 Culver			0						•	,	
Fisheating	Creek										
nr Palmda		29.17	27								
nr Lakepo		20.17	21								
•	JI-C	- ND	0	NIC	NID	N KIT	,				
C5:		-NR -	0	- N H	RNR	(NI	₹-				
South Shore											
	40.70	ND	•	ND	ND	ND			/ - C	- \	
S4 Pumps:	12.70	-NR-	0		-NR-				(cf	5)	
S169:	12.70	12.73	-NR-	-NR-	-NR-	-NR-					
S310:	12.63		1								
S3 Pumps:	9.99	12.70	0	0	0	0			(cf:	5)	
S354:	12.70	9.99	134	0.0	0.0						
S2 Pumps:	9.42	12.68	0	0	0	0	0		(cf	5)	
S351:	12.68	9.42	485	0.4	0.6	0.5			,	•	
S352:	12.74	10.18	212	0.6							
C10A:	-NR-	12.47		8.0	8.0		.0 (0.6	0.0		
		12.50	_ND_	0.0	0.0	, 0			0.0		
L8 Canal P	I	12.50	-NR-								
-	635	1 and C252	Tomicai	2 P	nc /c 2) F. 4 . C :					
	535.	1 and S352	rempor	ary Puli	ıh2/23	54 5)TTTM9	a y			
S351:	9.42	12.68	485	-NRN	JR NP	NR	- NR -	-NR-			
S351:	10.18	12.74	212					1417 -			
S354:	9.99	12.70	134	-NRN	IK – – INK	(NK	_				
Caloosahatch	e River (577. 578 5	579)								
S47B:	12.75	10.94	,	0.0	0.0						
			60		0.0						
S47D:	10.92	10.92	-68	5.0							
S77:		5 6									
Spillway		r Preferred									
	12.65	10.83	0	0.0	0.0	0.0	9.0				
Flow Due	to Lockage	es+:	1								

Spillway and Sector Flow:

85 10.88 2.76 0.5 0.0 0.0 0.0

Flow Due to Lockages+: 11

S79:

Spillway and Sector Flow:

0.0 0.0 0.0 1.0 1.0 0.0 0.0 0.0 2.95 566

Flow Due to Lockages+: -NR-Percent of flow from S77 0% Chloride (ppm) -N

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

12.78 0 0.0 0.0 0.0 0.0 12.51

Flow Due to Lockages+: -NR-

S153: 19.08 12.55 0 0.0 0.0

S80:

Spillway and Sector Flow:

0.0 0.0 0.0 0.0 0.0 0.0 0.0 12.80 0.59 0

Flow Due to Lockages+: -NR-Percent of flow from S308 NA %

(mg/ml) **** Steele Point Top Salinity Steele Point Bottom Salinity (mg/ml) ****

(mg/ml) **** Speedy Point Top Salinity Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

		·	·	Wi	.nd
aily Precipitation Totals	1 - Day	3 - Day	7 - Day	Directio	n Speed
	(inches)	(inches)	(inches)	(Deg�)	(mph)
S133 Pump Station:	-NR -	0.00	0.00		
S193:	-NR -	0.00	0.00	-NR -	-NR -
Okeechobee Field Station:	-NR -	0.00	0.00		
S135 Pump Station:	-NR -	0.00	0.00		
S127 Pump Station:	-NR -	0.00	0.00		
S129 Pump Station:	-NR -	0.00	0.00		
S131 Pump Station:	-NR -	0.00	0.00		
S77:	7.96	8.08	8.11	118	4
S78:	0.39	0.39	0.41	76	4
S79:	1.88	1.88	2.03	0	3
S4 Pump Station:	-NR -	0.00	0.00		
Clewiston Field Station:	-NR -	0.00	0.00		
S3 Pump Station:	-NR -	0.00	0.00		
S2 Pump Station:	-NR -	0.00	0.00		
S308:	0.00	0.00	0.00	72	2
S80:	2.20	2.20	3.90	61	0
Okeechobee Average	3.98	0.62	0.62		
(Sites S78, S79 and	S80 not in	luded)			
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

21AUG22 -2 [Days = 19	AUG 2022		12.71	0.04
		AUG 2022		12.73	0.06
21AUG22 -4 [Days = 17	AUG 2022		12.75	0.08
	Days = 16	AUG 2022		12.77	0.10
	Days = 15	AUG 2022		12.78	0.11
21AUG22 -7 [Days = 14	AUG 2022		12.79	0.12
21AUG22 -30 [Davs = 22	JUL 2022		13.04	0.37
21AUG22 -1	Vear = 21	ALIG 2021		14.45	1.78
21AUG22 1	/car 21	JUL 2022 AUG 2021 AUG 2020			
21AUG22 -2 \	Year = 21	AUG 2020		14.05	1.38
Long Term Mean 3	30day Avearge ET	for Lake	Altred ([nches) =	-NR-
	Lake C	keechobee	Net Inflo	ow (LONTN)	
	Average Flow				Avg-Daily Flow
24 AUG 22 T					
	•	AUG 2022		MON	-4770
21AUG22 -1 [Day = 20	AUG 2022	-1876	SUN	-976
21AUG22 -2 [Days = 19	AUG 2022	-2145	SAT	-2878
21AUG22 -3 [Days = 18	AUG 2022	-2061		-3108
21MUU22 4 5	Days = 18 Days = 17	AUC 2022	2001		
					-3077
	Days = 16			WED	-1212
21AUG22 -6 [Days = 15	AUG 2022	-1152	TUE	-898
21AUG22 -7 [AUG 2022		MON	6601
21/11/22 0 5	20y5 - 14 20y6 - 12	AUG 2022	7002		
21AUG22 -8 [Jays = 13	AUG 2022	-2092	SUN	- 2599
21AUG22 -9 [Days = 12	AUG 2022	-2186	SAT	-1680
21AUG22 -10 [Days = 11	AUG 2022	-2365	FRI	- 3822
21AHG22 -11 F	Days = 12 Days = 11 Days = 10	AUG 2022	-2391		-2328
21/1/022 11 0	Days = 09	AUG 2022	1020		
					-2628
21AUG22 -13 [Days = 08	AUG 2022	-1 729	TUE	-2912
-		S65E			
			.	44 4 1	A D. 11
		Flow over			Avg-Daily Flow
21AUG22 7	Today= 21	AUG 2022	96	MON	191
21AUG22 -1 [Day = 20	AUG 2022	88	SUN	144
		AUG 2022	85		191
		AUG 2022	79		0
21AUG22 -4 [Days = 17	AUG 2022	88	THU	0
21AUG22 -5 [Days = 16	AUG 2022	93	WED	0
		AUG 2022	126	TUE	66
	-				
21AUG22 -7 [AUG 2022	146	MON	85
21AUG22 -8 [Days = 13	AUG 2022	168	SUN	91
21AUG22 -9 [Days = 12	AUG 2022	191	SAT	116
21AUG22 -10 [Davs = 11	AUG 2022	205		123
21/10/27 10 1	2015 - 12	AUG 2022		-	
21AUG22 -11 [AUG 2022	208	THU	135
21AUG22 -1 2 [AUG 2022		WED	128
21AUG22 -13 [Days = 08	AUG 2022	202	TUE	69
	*			•	
		66==:::			
		S65EX1			
	Average	Flow over	previous	14 days	Avg-Daily Flow
21AUG22		AUG 2022	. 6		I 0
	-	AUG 2022	6		i õ
	=				
		AUG 2022			26
		AUG 2022	4	FRI	0
21AUG22 -4 [Days = 17	AUG 2022	4	THU	j 0
21AUG22 -5 [AUG 2022	4		21
21MUU22 C 5	Days - 10				
21AUG22 -6 [Jays = 15	AUG 2022	2		32
21AUG22 -/ L	Jays = 14	AUG 2022	0	MON	0
21AUG22 -8 [Days = 13	AUG 2022	0	SUN	0
21AUG22 -9 [AUG 2022	0	SAT	j 0
			_		
21AUG22 -10 [AUG 2022	0	FRI	0
21AUG22 -11 [AUG 2022	0	THU	0
21AUG22 -12 [AUG 2022	0	WED	0
	Days = 08		0	TUE	i 0
21W0055 -13 F	Juy 3 - 00	700 2022	Ð	IOL	1

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)	
21 AUG 2022	2 2	97	194	-NR -	
20 AUG 2022	2 4	27	14	1470	
19 AUG 2022	2 4	190	16	1450	
18 AUG 2022	2 4	14	404	2146	
17 AUG 2022	2 1	149	451	1842	
16 AUG 2022	2 2	97	5	1584	
15 AUG 2022		422	602	2320	
14 AUG 2022		790	1109	2841	
13 AUG 2022		927	604	1635	
12 AUG 2022		1264	596	1541	
11 AUG 2022		953	583	1240	
10 AUG 2022		400	617	1620	
09 AUG 2022		808	300	1139	
08 AUG 2022	2 1	-91	304	1498	
	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	`(AC-FT)´	`(AC-FT)´	`(AC-FT)	`(AC-FT)´	`(AC-FT)
21 AUG 2022		962	421	267	-NR-
20 AUG 2022		1213	478	0	-NR-
19 AUG 2022		830	999	0	-NR -
18 AUG 2022	188	611	903	0	-NR -
17 AUG 2022	2 161	816	769	30	-NR -
16 AUG 2022	103	836	563	0	-NR -
15 AUG 2022	-58	910	772	0	-NR -
14 AUG 2022		353	167	0	-NR -
13 AUG 2022		927	428	454	-NR -
12 AUG 2022		1641	795	1121	-NR -
11 AUG 2022		1561	839	956	-NR -
10 AUG 2022		1309	564	656	-NR -
09 AUG 2022		1073	261	764	-NR -
08 AUG 2022	2 150	1038	0	570	-NR -
	S-308	Below S-308	S-80		
	Discharge			2	
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)		
DATE	`(AC-FT)	`(AC-FT)´	`(AC-FT)		
21 AUG 2022	2 -NR-	-NR-	-NR-		
20 AUG 2022	2 -NR-	-NR-	-NR -		
19 AUG 2022	2 -NR-	-NR-	-NR -		
18 AUG 2022	2 -NR-	-NR-	-NR -		
17 AUG 2022		-NR-	-NR -		
16 AUG 2022	2 -NR-	-NR-	-NR -		
15 AUG 2022		-NR-	-NR -		
14 AUG 2022		-NR-	-NR -		
13 AUG 2022		-NR -	-NR -		
12 AUG 2022		-NR-	-NR -		
11 AUG 2022		-NR-	-NR -		
10 AUG 2022		-NR-	-NR -		
09 AUG 2022		-NR-	-NR -		
08 AUG 2022	<u>-</u> 4	-NR-	28		

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.


⁽I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

- * On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.

 On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.

 Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
- ++ For more information see the Jacksonville District Navigation website at http://www.saj.usace.army.mil/
- \$ For information regarding Lake Okeechobee Service Area water restrictions
 please refer to www.sfwmd.gov

Report Generated 22AUG2022 @ 11:39 ** Preliminary Data - Subject to Revision **



Classification Tables

Supplemental Tables used in conjunction with the LORS2008

Release

Guidance Flow Charts

• Class Limits for Tributary Hydrologic Conditions

Table K-2 in the Lake Okeechobee Water Control Plan

• 6-15 Day Precipitation Outlook Categories

Table ?? in the Lake Okeechobee Water Control Plan

Classification of Lake Okeechobee Net Inflow for Seasonal

Outlook

Table K-3 in the Lake Okeechobee Water Control Plan

Classification of Lake Okeechobee Net Inflow for Multi-

Seasonal Outlook

Table K-4 in the Lake Okeechobee Water Control Plan

Back to Lake Okeechobee Operations Main Page

Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage

Tributary Hydrologic	Palmer Index	2-wk Mean L.O. Net
Classification*	Class Limits	Inflow Class Limits
Very Wet	3.0 or greater	Greater >= 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

^{*} use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
[[1001]	Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

^{**}Volume-depth conversion based on average lake surface area of 467,000 acres

<u>Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook</u>*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
[[root]	Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

^{**}Volume-depth conversion based on average lake surface area of 467,000 acres

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

^{*} Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan