Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 10/03/2022 (ENSO Condition: La Niña)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of La Niña years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Niña ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley	's Method ^{1*}	En	SFWMD Empirical Method ²		Sub-sampling of La Niña ENSO Years ³		Sub-sampling of AMO Warm + La Niña ENSO Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	
Current (Oct-Mar)	N/A	N/A	0.97	Normal	0.56	Dry	0.42	Dry	
Multi Seasonal (Oct-Apr)	N/A	N/A	1.04	Dry	0.47	Dry	0.32	Dry	

^{*}Croley's Method Not Produced for This Report

See <u>Seasonal</u> and <u>Multi-Seasonal</u> tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

Tributary Hydrologic Conditions Graph:

15324 cfs 14-day running average for Lake Okeechobee Net Inflow through 10/03/2022. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Very Wet.

-3.38 for Palmer Drought Index on 10/01/2022. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Very Dry.

The wetter of the two conditions above is Very Wet.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 10/03/2022:

Lake Okeechobee Stage: 13.97 feet

	ee Management /Band	Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Manage	ement Band	16.77	
On anational	High sub-band	16.40	
Operational Band	Intermediate sub-band	15.93	
	Low sub-band	14.50	
Base Flow sub-ba	nd	13.00	← 13.97 ft
Beneficial Use sub	o-band	12.99	
Water Shortage M	lanagement Band		

Part C of LORS2008: Discharge to WCAs

No releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

<u>Lake Okeechobee Releases to the Caloosahatchee Estuary</u> for 2008 LORS Baseflow & for Environmental Water Supply

Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.


LORS2008 Implementation on 10/03/2022 (ENSO Condition- La Niña Watch)*: Status for week ending 10/03/2022:

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
	Projected LOK Stage for the next two months	Base Flow Sub-band	M
	Palmer Drought Index for LOK Tributary Conditions	-3.38 (Extremely Dry)	Н
	CPC Procinitation Outlook	1 month: Normal	L
LOK	CPC Precipitation Outlook	3 months: Normal	L
	LOK Seasonal Net Inflow Outlook	0.56 ft	М
	ENSO Forecast	Dry	IVI
	LOK Multi-Seasonal Net Inflow Outlook	0.47 ft	11
	ENSO Forecast	Dry	Н
	WCA 1: 3 Station Average (Sites 1-7, 1-8T, 1-9)	Above Line 1 (17.09 ft)	L
WCAs	WCA 2A: Site 2-17	Above Line 1 (13.85 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (10.54 ft)	L
	Service Area 1	Year-Round Irrigation Rule in effect	L
LEC	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

Lake Okeechobee SFWMM October 2022 Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of October 02 2022 Normal < Very Wet < Wet > Dry > Very Dry 2 Index -2 -4505000 205.00 16 825000 405.06.18 80.70.702 202.00.520. 205.500.40 2027-10.09 \$05.70.70 2021.10.30 5021.1200 2021.11.20 2021.12.50 p 87.7.7.7.7.7.8.18 2027. S.S. S.S.S. 10,702502 80,70,50 \$6250-15 2020 62.00 50.50.50 2020 62.00.00 2020.00 25.00 20250 STS 35.00.55 A 2020 COA 502000 2020.00 05.50 × 30 10.50.00 40.505.74 4030.5502 20.50 S. 12. 2020,000 97.70.20 50000 2020 30.50.50 202508-13 505000 2021.10 2021.13 40,77.70 2020 20250 C. 255 C. 255 55.00 Date 15000 < Very Wet < Wet > Very Dry 10000 Normal Normal Flow (cfs) 5000 0 -500040250 80,70,702 2020/25 05. 10. 20 A 402500 402.00.40 2021.10.09 97.707. 2021.40.23 2021.2030 30,77,700 2021.13 2021.120 2021.4.25 40.57.75° 20,202.02 \$0.70.70 20250 55,000 20250 2500 202025 67.00.70 20202 20.50.50 os 50,500 202505-49 2022 2023 50,000 20550 A 32.00.20 20250 x30 405000 A 40550549 402000 \$550.75 \$65.00.75 \$0.50°50° 40520041 20250 SSS 50,000 97.702.70 405500 2025 P. 108.13 2000 Color 20250 P 405,007 40000 5052.70.01

Date


2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)



Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



¹The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

²Estuary "needs" water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

³LOWSM = Lake Okeechobee Water Shortage Management.


⁴Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

⁵Can release less than the "up to" limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

⁶After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

⁷Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

Lake Okeechobee Water Level History and Projected Stages



Data Ending 2400 hours 02 OCT 2022

Okeechobee Lake Regulation Elevation 2YRS Ago Last Year (ft-NGVD) (ft-NGVD) (ft-NGVD) *Okeechobee Lake Elevation 13.97 15.57 15.58 (Official Elv) Bottom of High Lake Mngmt= 16.77 Top of Water Short Mngmt= 12.99 Currently in Operational Management Band Simulated Average LORS2008 [1965-2000] 13.80 Difference from Average LORS2008 0.17 020CT (1965-2007) Period of Record Average 14.91 Difference from POR Average -0.94 Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations ++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ❖ 7.91' ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ♦ 6.11' Bridge Clearance = 49.41' 4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values): L001 L005 L006 LZ40 S4 S352 S308 S133 11.31 14.02 13.99 13.98 14.12 13.88 13.86 *Combination Okeechobee Avg-Daily Lake Average = 13.97 (*See Note) Okeechobee Inflows (cfs): S65E 9025 S65EX1 296 Fisheating Cr 3975 S154 22 S191 380 S135 Pumps 101 S84 2604 S133 Pumps 0 S2 Pumps 329 S84X 617 S127 Pumps 35 S3 Pumps 1016 S71 1257 S129 Pumps 95 S4 Pumps 0 S131 Pumps 28 C5 0 572 310 Total Inflows: 20090 Okeechobee Outflows (cfs): S135 Culverts S354 a S77 -NR-0 S127 Culverts 0 S351 0 S308 -0 S129 Culverts S352 0 0 S131 Culverts L8 Canal Pt a -920 Total Outflows: No Report Due To Missing S77 or S308 Discharge Data ****S77 structure flow is being used to compute Total Outflow. ****S308 structure flow is being used to compute Total Outflow. Okeechobee Pan Evaporation (inches): 0.21 -NR-S308 Average Pan Evap x 0.75 Pan Coefficient = -NR-" = -NR-" Lake Average Precipitation using NEXRAD: = -NR-" = = -NR-" = -NR-' Evaporation - Precipitation:

Evaporation - Precipitation using Lake Area of 730 square miles

	Headwater	Tailwater				- Gat	e Pos	sitio	ns		
		Elevation				#3	#4	#5	#6	#7	#8
	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
		(1	I) see i	note at	bott	om					
North East Sh	ore										
S133 Pumps:	13.53	13.75	0	0	0	0	0	0	(cfs	5)	
S193:											
S191:	19.32	13.78	380	0.0	0.0	0.5					
S135 Pumps:	13.55	13.81	101	25	0	32	44		(cfs	;)	
S135 Culver	rts:		0	0.0	0.0				·	•	
North West Sh	ore										
S65E:	21.12	14.43	9025	3.6	4.3	3.8	4.3	4.3	3.8		
S65EX1:	21.12	14.43	296								
S127 Pumps:		13.96	35	24	0	0	0	0	(cfs	()	
S127 Culver			0	0.0	_	_	_	_	(,	
JII, Caive.			ŭ	0.0							
S129 Pumps:	12.88	13.94	95	31	0	68			(cfs	:)	
S129 Culver		13.3	0	0.0	Ū	00			(′ /	
SIZS CUIVE			Ů	0.0							
S131 Pumps:	12 89	13.93	28	31	0				(cfs	:)	
S131 Culver		13.33	0	71	Ü				(0.5	, ,	
JIJI CUIVCI			U								
Fisheating	Creek										
nr Palmda		34.90	3975								
nr Lakepo		34.50	3373								
· ·)1°C	ND.	0	NID	tNR	, NIE)				
C5:		-NR-	0	-1415	INF	. – INF	\ -				
South Shore											
S4 Pumps:	13.15	-NR-	0	_ND_	-NR-	_ NID _			(cfs	. \	
5169:	14.08	14.13	-NR-		-NR-				(013	, ,	
S310:		14.13		-1417 -	- IVIN -	- INIX -					
	13.94	14.26	-199	0	404	F11			(- 5 -		
S3 Pumps:	10.65	14.26	1016	0		511			(cfs	•)	
S354:	14.26	10.65	0	0.0		_	_		, ,		
S2 Pumps:	10.62	14.22	329	0		0	0		(cfs	;)	
S351:	14.22	10.62	0	0.0		0.0					
S352:	14.20	9.89	0	0.0							
C10A:	- NR -	14.26		8.0	8.0	8.	.0 6	0.0	0.0		
L8 Canal PT	='	14.29	- 920								
	S35:	1 and S352	Tempora	ary Pum	ıps/S3	54 Sp	oillwa	эу			
			_								
S351:	10.62	14.22	0					-NR -			
S352:	9.89	14.20	0	-NRN	IR – – NR	:NR-	•				
S354:	10.65	14.26	0	-NRN	IR – – NR	:NR-	•				
			>								
Caloosahatche			5/9)		- -						
S47B:	13.08	10.96		0.5	0.5						
S47D:	10.90	10.89	141	6.5							
S77:	_										
Spillway		r Preferred									
	13.77	10.77	0	0.0	0.0	.0	0.0				
Flow Due	to Lockage	es+:	-NR -								

Spillway and Sector Flow:

10.76 2.86 2787 2.5 3.0 2.5 0.0

Flow Due to Lockages+: -NR-

S79:

Spillway and Sector Flow:

2.91 2.21 9132 0.0 0.0 6.0 7.0 8.0 7.0 0.0 0.0

Flow Due to Lockages+: 2
Percent of flow from S77 0%
Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

14.00 14.09 0 0.0 0.0 0.0 0.0

Flow Due to Lockages+: -0

S153: 18.77 13.84 346 0.5 1.0

S80:

Spillway and Sector Flow:

14.15 1.54 248 0.0 0.0 0.0 0.0 0.0 0.0 0.0

Flow Due to Lockages+: 19
Percent of flow from S308 0%

Steele Point Top Salinity (mg/ml) ****
Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) 3544 Speedy Point Bottom Salinity (mg/ml) 8843

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

				Wi	nd
aily Precipitation Totals	1 - Day	3 - Day	7 - Day	Directio	n Speed
	(inches)	(inches)	(inches)	(Deg�)	(mph
S133 Pump Station:	-NR -	0.00	0.00		
S193:	-NR -	0.00	0.00	- NR -	-NR -
Okeechobee Field Station:	-NR -	0.00	0.00		
S135 Pump Station:	-NR -	0.00	0.00		
S127 Pump Station:	-NR -	0.00	0.00		
S129 Pump Station:	-NR -	0.00	0.00		
S131 Pump Station:	-NR -	0.00	0.00		
S77:	0.00	0.00	5.21	307	2
S78:	0.00	0.00	0.73	303	3
S79:	0.00	0.00	5.14	1	3
S4 Pump Station:	-NR -	0.00	0.00		
Clewiston Field Station:	-NR -	0.00	0.00		
S3 Pump Station:	-NR -	0.00	0.00		
S2 Pump Station:	-NR -	0.00	0.00		
S308:	0.00	0.00	0.00	204	5
S80:	0.00	0.00	7.02	251	0
Okeechobee Average	0.00	0.00	0.40		
(Sites S78, S79 and	S80 not inc	:luded)			
Oke Nexrad Basin Avg	-NR -	0.00	0.00		

020CT22 2 Days	20 CED 2022	12.76	0.21
020CT22 -2 Days = 020CT22 -3 Days =	30 SEP 2022 29 SEP 2022	13.76 13.65	-0.21 -0.32
020CT22 -3 Days = 020CT22 -4 Days =	28 SEP 2022	13.50	-0.47
020CT22 -4 Days =	27 SEP 2022	13.27	-0.70
020CT22 -5 Days =	26 SEP 2022	13.17	-0.80
020CT22 -0 Days =	25 SEP 2022	13.11	-0.86
020CT22 -7 Days =	02 SEP 2022	12.57	-1.40
020CT22 -30 Days = 020CT22 -1 Year =	02 3EP 2022 02 OCT 2021	15.57	1.60
020CT22 -1 Year =	02 OCT 2021 02 OCT 2020	15.58	1.61
020C122 -2 Teal =	02 001 2020	10.08	1.01
Long Term Mean 30day Avea	rge ET for Lake Alf	red (Inches) =	-NR-
	Lake Okeechobee Net	Inflow (LONIN)	
	e Flow over the pre		Avg-Daily Flow
020CT22 Today =		16998 MON	21175
020CT22 -1 Day =		16177 SUN	23293
020CT22 -2 Days =		15637 SAT	23293
020CT22 -3 Days =		14931 FRI	31763
020CT22 -4 Days =		13213 THU	48198
020CT22 -5 Days =		10196 WED	21175
020CT22 -6 Days =	26 SEP 2022	8686 TUE	12705
020CT22 -7 Days =	25 SEP 2022	7919 MON	14823
020CT22	24 SEP 2022	6862 SUN	10436
020CT22 -8 Days =	23 SEP 2022	6403 SAT	5899
020CT22 - 10 Days =	22 SEP 2022	6129 FRI	3933
020CT22 -10 Days =		6017 THU	9781
020CT22		5222 WED	5748
020CT22 -12 Days =		4725 TUE	5748 5748
020C122 -13 Days -	19 3LF 2022	4/23 TOL] 3/40
	S65E		
Av	erage Flow over pre	vious 14 days	Avg-Daily Flow
020CT22 Today=	02 OCT 2022	4897 MON	9278
020CT22 -1 Day =	01 OCT 2022	4323 SUN	9079
020CT22 -2 Days =	30 SEP 2022	3754 SAT	8613
020CT22 -3 Days =	29 SEP 2022	3208 FRI	7666
020CT22 -4 Days =	28 SEP 2022	2719 THU	6720
020CT22 -5 Days =	27 SEP 2022	2295 WED	5526
020CT22 -6 Days =	26 SEP 2022	1922 TUE	5325
020CT22 -7 Days =	25 SEP 2022	1555 MON	4248
020CT22 -8 Days =	24 SEP 2022	1265 SUN	3186
020CT22 -9 Days =	23 SEP 2022	1051 SAT	2382
020CT22 - 10 Days =	22 SEP 2022	893 FRI	1866
020CT22 - 11 Days =	21 SEP 2022	781 THU	1685
020CT22 - 12 Days =	20 SEP 2022	684 WED	1575

020CT22	-11 Days =	21 SEP 2022	781 THU	1685
020CT22	-12 Days =	20 SEP 2022	684 WED	1575
020CT22	-1 3 Days =	19 SEP 2022	596 TUE	1406
		S65EX1		
		Average Flow over	previous 14 days	Avg-Daily Flow
020CT22	Today=	Average Flow over 02 OCT 2022	previous 14 days 229 MON	Avg-Daily Flow 296
020CT22 020CT22		02 OCT 2022	'	•

020CT22	-1	Day	=	01	OCT	2022	208	SUN	299	
020CT22	-2	Days	=	30	SEP	2022	187	SAT	302	
020CT22	- 3	Days	=	29	SEP	2022	165	FRI	351	
020CT22	-4	Days	=	28	SEP	2022	140	THU	1036	
020CT22	- 5	Days	=	27	SEP	2022	66	WED	923	
020CT22	-6	Days	=	26	SEP	2022	0	TUE	0	
020CT22	-7	Days	=	25	SEP	2022	0	MON	0	
020CT22	-8	Days	=	24	SEP	2022	0	SUN	0	
020CT22	- 9	Days	=	23	SEP	2022	0	SAT	0	
020CT22	-10	Days	=	22	SEP	2022	0	FRI	0	
020CT22	-11	Days	=	21	SEP	2022	0	THU	0	
020CT22	-12	Days	=	20	SEP	2022	0	WED	0	
020CT22	-13	Days	=	19	SEP	2022	0	TUE	0	

DATE 02 OCT 2022 01 OCT 2022 30 SEP 2022 29 SEP 2022 27 SEP 2022 26 SEP 2022 24 SEP 2022 24 SEP 2022 22 SEP 2022 21 SEP 2022 20 SEP 2022 19 SEP 2022	2 0 2 0 2 10 2 4 2 0 2 2 3 1 2 0 2 1	Below S-77 Discharge (ALL-DAY) (AC-FT) 979 1090 1020 863 -413 424 1 -49 183 217 -14 297 444 430	S-78 Discharge (ALL DAY) (AC-FT) -NR- 6389 8806 8459 8856 -NR- 2973 2084 3273 2695 3593 4337 4213 5010	S-79 Discharge (ALL DAY) (AC-FT) 17900 20390 26683 48441 14845 -NR- 11359 10027 12466 12198 15099 15855 17166 18282	
DATE 02 OCT 2022 01 OCT 2022 30 SEP 2022 29 SEP 2022 27 SEP 2022 26 SEP 2022 24 SEP 2022 24 SEP 2022 23 SEP 2022 21 SEP 2022 20 SEP 2022 19 SEP 2022	2 -406 2 -479 2 -234 2 -4 2 -185 2 -200 2 24 2 134 2 -131 2 -56 2 -285 2 -517	S-351 Discharge (ALL DAY) (AC-FT) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S-352 Discharge (ALL DAY) (AC-FT) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	S-354 Discharge (ALL DAY) (AC-FT) 0 0 0 -266 0 0 0 0 0 0 0 0	L8 Canal Pt Discharge (ALL DAY) (AC-FT) -1825 -1928 -1902 -1613 -1715 -1448 -1121 -870 -486 -358 -317 -345 -359 -NR-
DATE 02 OCT 2022 01 OCT 2022 30 SEP 2022 29 SEP 2022 28 SEP 2022 26 SEP 2022 25 SEP 2022 24 SEP 2022 23 SEP 2022 24 SEP 2022 25 SEP 2022 26 SEP 2022 27 SEP 2022 28 SEP 2022 29 SEP 2022 20 SEP 2022	2 -206 2 0 2 0 2 -1281 2 -2074 2 -646 2 -675 2 -759 2 -796 2 -602 2 -791	Below S-308 Discharge (ALL-DAY) (AC-FT) -NRNRNRNRNRNRNRNR	Discharge		


*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

⁽I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

- * On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.

 On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
- Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations ++ For more information see the Jacksonville District Navigation website
- ++ For more information see the Jacksonville District Navigation website at http://www.saj.usace.army.mil/
- \$ For information regarding Lake Okeechobee Service Area water restrictions
 please refer to www.sfwmd.gov

Report Generated 030CT2022 @ 10:15 ** Preliminary Data - Subject to Revision **



Classification Tables

Supplemental Tables used in conjunction with the LORS2008

Release

Guidance Flow Charts

• Class Limits for Tributary Hydrologic Conditions

Table K-2 in the Lake Okeechobee Water Control Plan

• <u>6-15 Day Precipitation Outlook Categories</u>

Table ?? in the Lake Okeechobee Water Control Plan

Classification of Lake Okeechobee Net Inflow for Seasonal

Outlook

Table K-3 in the Lake Okeechobee Water Control Plan

Classification of Lake Okeechobee Net Inflow for Multi-

Seasonal Outlook

Table K-4 in the Lake Okeechobee Water Control Plan

Back to Lake Okeechobee Operations Main Page

Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage

Tributary Hydrologic	Palmer Index	2-wk Mean L.O. Net
Classification*	Class Limits	Inflow Class Limits
Very Wet	3.0 or greater	Greater >= 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

^{*} use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
[minori doro root]	[1001]	Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

^{**}Volume-depth conversion based on average lake surface area of 467,000 acres

<u>Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook</u>*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
[[root]	Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

^{**}Volume-depth conversion based on average lake surface area of 467,000 acres

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

^{*} Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan