

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 06/27/2022 (ENSO Condition: La Niña)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method<sup>1</sup>, the SFWMD empirical method<sup>2</sup>, a sub-sampling of La Nina years<sup>3</sup> and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years<sup>4</sup>. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method <sup>1*</sup>		SFWMD Empirical Method <sup>2</sup>		Sub-sampling of La Nina ENSO Years <sup>3</sup>		Sub-sampling of AMO Warm + La Nina ENSO Years <sup>4</sup>	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Jun-Nov)	N/A	N/A	2.85	Very Wet	2.82	Very Wet	2.77	Very Wet
Multi Seasonal (Jun-Apr)	N/A	N/A	3.41	Wet	3.03	Wet	2.46	Normal

\*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

\*\*Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

## ***Tributary Hydrologic Conditions Graph:***

**-1464 cfs** 14-day running average for Lake Okeechobee Net Inflow through 06/27/2022. According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

**-3.08** for Palmer Drought Index on 06/25/2022. According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

The wetter of the two conditions above is **Dry**.

## **LORS2008 Classification Tables:**

### **Lake Okeechobee Stage on 06/27/2022:**

Lake Okeechobee Stage: **12.91 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.12	
Operational Band	High sub-band	15.65	
	Intermediate sub-band	15.18	
	Low sub-band	13.24	
Base Flow sub-band		12.60	← 12.91 ft
Beneficial Use sub-band		11.02	
Water Shortage Management Band			

**Part C of LORS2008: Discharge to WCAs**

No releases to WCAs.

**Part D of LORS2008: Discharge to Tide**

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

**Lake Okeechobee Releases to the Caloosahatchee Estuary  
for 2008 LORS Baseflow & for Environmental Water Supply**

Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.


**LORS2008 Implementation on 06/27/2022 (ENSO Condition- La Nina Watch):****Status for week ending 06/27/2022:****Water Supply Risk Evaluation**

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Base Flow	M
	Palmer Drought Index for LOK Tributary Conditions	-3.08 (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Normal	L
	LOK Seasonal Net Inflow Outlook	2.82 ft	L
	ENSO Forecast	Normal to extremely wet	
	LOK Multi-Seasonal Net Inflow Outlook	3.03 ft	M
	ENSO Forecast	Normal	
WCAs	WCA 1: Site 1-8C	Above Line 1 (16.37 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (12.88 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (9.98 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.



---

# Lake Okeechobee SFWMM June 2022 Position Analysis



(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of June 26 2022



# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)


*When conducting Base Flow releases,  
flows can be distributed East and West  
up to 650 cfs as needed  
to minimize impacts or provide benefits  
through S-80 and S-79*

*Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis*





# Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



<sup>1</sup>The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

<sup>2</sup>Estuary "needs" water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

<sup>3</sup>LOWSM = Lake Okeechobee Water Shortage Management.

<sup>4</sup>Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.


<sup>5</sup>Can release less than the "up to" limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

<sup>6</sup>After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

<sup>7</sup>Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

# Lake Okeechobee

27JUN22 14:00:22





U. S. Army Corps of Engineers, Jacksonville District  
Lake Okeechobee and Vicinity Report  
\*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours    27 JUN 2022

---

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	12.92	12.66	12.36 (Official Elv)
Bottom of High Lake Mngmt= 16.12    Top of Water Short Mngmt= 11.04			
Currently in Operational Management Band			
Simulated Average LORS2008 [1965-2000]		12.20	
Difference from Average LORS2008		0.72	
27JUN (1965-2007) Period of Record Average		13.35	
Difference from POR Average		-0.43	

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1  6.86'  
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2  5.06'  
Bridge Clearance = 49.37'

---

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
12.91	12.96	12.94	12.93	12.91	12.99	12.89	12.86

\*Combination Okeechobee Avg-Daily Lake Average = 12.92  
(\*See Note)

---

Okeechobee Inflows (cfs):

S65E	385	S65EX1	0	Fisheating Cr	91
S154	0	S191	0	S135 Pumps	194
S84	53	S133 Pumps	0	S2 Pumps	0
S84X	34	S127 Pumps	0	S3 Pumps	0
S71	135	S129 Pumps	53	S4 Pumps	0
S72	79	S131 Pumps	0	C5	0
Total Inflows:		1024			

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	248	S77	-NR-
S127 Culverts	0	S351	0	S308	-733
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	-NR-		

Total Outflows: No Report Due To Missing S77 or S308 Discharge Data

\*\*\*\*S77 below flow meter is being used to compute Total Outflow.

\*\*\*\*S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77 0.30 S308 0.15

Average Pan Evap x 0.75 Pan Coefficient = 0.17" = 0.01'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'

Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

Lake Okeechobee (Change in Storage) Flow is 1966 cfs or 3900 AC-FT

-----  
-----  
-----

	Headwater	Tailwater		----- Gate Positions -----						
---	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7
#8	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
(ft)										
			(I) see note at bottom							
North East Shore										
S133 Pumps:	13.41	12.84	0	0	0	0	0	0		(cfs)
S193:										
S191:	18.25	12.82	0	0.0	0.0	0.0				
S135 Pumps:	13.35	12.82	194	-NR-	-NR-	-NR-	-NR-			(cfs)
S135 Culverts:			0	0.0	0.0					
North West Shore										
S65E:	21.15	12.53	385	0.2	0.0	0.2	0.2	0.2	0.2	
S65EX1:	21.15	12.53	0							
S127 Pumps:	13.37	12.80	0	0	0	0	0	0		(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	12.81	13.30	53	12	44	0				(cfs)
S129 Culvert:			0	0.0						
S131 Pumps:	13.04	13.02	0	0	0					(cfs)
S131 Culvert:			0							
Fisheating Creek										
nr Palmdale		27.11	91							
nr Lakeport										
C5:		-NR-	0	-NR-	-NR-	-NR-				
South Shore										
S4 Pumps:	12.83	-NR-	0	-NR-	-NR-	-NR-				(cfs)
S169:	12.86	12.88	-NR-	-NR-	-NR-	-NR-				

S310:	12.82		-105						
S3 Pumps:	10.16	12.92	0	0	0	0			(cfs)
S354:	12.92	10.16	248	0.0	0.0				
S2 Pumps:	10.03	13.14	0	0	0	0	0		(cfs)
S351:	13.14	10.03	0	0.0	0.0	0.0			
S352:	13.05	9.79	0	0.0	0.0				
C10A:	-NR-	12.85		8.0	8.0	8.0	0.0	0.0	
L8 Canal PT		12.82	-NR-						

---

S351 and S352 Temporary Pumps/S354 Spillway

---

S351:	10.03	13.14	0	-NR--NR--NR--NR--NR--NR-
S352:	9.79	13.05	0	-NR--NR--NR--NR-
S354:	10.16	12.92	248	-NR--NR--NR--NR-

---

Caloosahatchee River (S77, S78, S79)

S47B:	12.82	11.00		0.0	0.0
S47D:	10.98	11.00	-82	5.0	

S77:

Spillway and Sector Preferred Flow:

-NR-	-NR-	-NR-	0.0	0.0	0.0	0.0
Flow Due to Lockages+:			-NR-			

S78:

Spillway and Sector Flow:

10.93	2.98	388	1.0	0.0	0.0	0.0
Flow Due to Lockages+:			9			

S79:

Spillway and Sector Flow:

3.24	0.87	2443	0.0	0.0	1.5	1.5	2.0	1.5	1.5
Flow Due to Lockages+:			4						
Percent of flow from S77			-NR-%						
Chloride (ppm)			0						

0.0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

12.87	14.13	-729	0.0	3.0	0.0	0.0
Flow Due to Lockages+:			-4			

S153:	18.68	13.97	55	0.0	0.0
-------	-------	-------	----	-----	-----

S80:

Spillway and Sector Flow:

14.33	1.86	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Flow Due to Lockages+:			16						
Percent of flow from S308			NA	%					

Steele Point Top Salinity	(mg/ml)	****
Steele Point Bottom Salinity	(mg/ml)	****

Speedy Point Top Salinity	(mg/ml)	****
Speedy Point Bottom Salinity	(mg/ml)	****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.  
 ++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

----- Wind -----					
Daily Precipitation Totals	1-Day	3-Day	7-Day	Direction	
Speed	(inches)	(inches)	(inches)	(Deg $\diamond$ )	
(mph)					
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	-NR-	2.31	2.31	-NR-	-NR-
S78:	0.00	0.02	0.03	58	2
S79:	0.00	1.87	1.88	52	2
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.00	0.03	0.55	69	2
S80:	0.07	0.92	0.97	173	3
Okeechobee Average	0.00	0.18	0.22		
(Sites S78, S79 and S80 not included)					
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations	27 JUN 2022	12.92	Difference from
27JUN22			
27JUN22 -1 Day =	26 JUN 2022	12.91	-0.01
27JUN22 -2 Days =	25 JUN 2022	12.90	-0.02
27JUN22 -3 Days =	24 JUN 2022	12.91	-0.01
27JUN22 -4 Days =	23 JUN 2022	12.93	0.01
27JUN22 -5 Days =	22 JUN 2022	12.94	0.02
27JUN22 -6 Days =	21 JUN 2022	12.96	0.04
27JUN22 -7 Days =	20 JUN 2022	12.94	0.02
27JUN22 -30 Days =	28 MAY 2022	12.58	-0.34
27JUN22 -1 Year =	27 JUN 2021	12.66	-0.26
27JUN22 -2 Year =	27 JUN 2020	12.36	-0.56

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days					Avg-Daily Flow
27JUN22	Today =	27 JUN 2022	-1860	TUE	-NR-
27JUN22	-1 Day =	26 JUN 2022	-1716	MON	-NR-
27JUN22	-2 Days =	25 JUN 2022	-1291	SUN	-1903
27JUN22	-3 Days =	24 JUN 2022	796	SAT	-3746
27JUN22	-4 Days =	23 JUN 2022	2166	FRI	-1538
27JUN22	-5 Days =	22 JUN 2022	2557	THU	-3728
27JUN22	-6 Days =	21 JUN 2022	2823	WED	3933
27JUN22	-7 Days =	20 JUN 2022	2683	TUE	13
27JUN22	-8 Days =	19 JUN 2022	2682	MON	-1853
27JUN22	-9 Days =	18 JUN 2022	3235	SUN	-1825
27JUN22	-10 Days =	17 JUN 2022	4604	SAT	-3790
27JUN22	-11 Days =	16 JUN 2022	5426	FRI	-3813
27JUN22	-12 Days =	15 JUN 2022	5997	THU	-2049
27JUN22	-13 Days =	14 JUN 2022	5736	WED	-2015

—

—

S65E Average Flow over previous 14 days					Avg-Daily Flow
27JUN22	Today=	27 JUN 2022	348	TUE	-NR-
27JUN22	-1 Day =	26 JUN 2022	348	MON	-NR-
27JUN22	-2 Days =	25 JUN 2022	351	SUN	-NR-
27JUN22	-3 Days =	24 JUN 2022	361	SAT	-NR-
27JUN22	-4 Days =	23 JUN 2022	363	FRI	202
27JUN22	-5 Days =	22 JUN 2022	374	THU	402
27JUN22	-6 Days =	21 JUN 2022	370	WED	553
27JUN22	-7 Days =	20 JUN 2022	354	TUE	243
27JUN22	-8 Days =	19 JUN 2022	364	MON	232
27JUN22	-9 Days =	18 JUN 2022	376	SUN	321
27JUN22	-10 Days =	17 JUN 2022	384	SAT	328
27JUN22	-11 Days =	16 JUN 2022	388	FRI	384
27JUN22	-12 Days =	15 JUN 2022	386	THU	401
27JUN22	-13 Days =	14 JUN 2022	392	WED	413

—

—

S65EX1 Average Flow over previous 14 days					Avg-Daily Flow
27JUN22	Today=	27 JUN 2022	0	TUE	0
27JUN22	-1 Day =	26 JUN 2022	0	MON	0
27JUN22	-2 Days =	25 JUN 2022	0	SUN	0
27JUN22	-3 Days =	24 JUN 2022	0	SAT	0
27JUN22	-4 Days =	23 JUN 2022	0	FRI	0
27JUN22	-5 Days =	22 JUN 2022	0	THU	0
27JUN22	-6 Days =	21 JUN 2022	0	WED	0
27JUN22	-7 Days =	20 JUN 2022	0	TUE	0
27JUN22	-8 Days =	19 JUN 2022	0	MON	0
27JUN22	-9 Days =	18 JUN 2022	0	SUN	0
27JUN22	-10 Days =	17 JUN 2022	0	SAT	0
27JUN22	-11 Days =	16 JUN 2022	0	FRI	0
27JUN22	-12 Days =	15 JUN 2022	0	THU	0
27JUN22	-13 Days =	14 JUN 2022	0	WED	0

—

Lake Okeechobee Outlets Last 14 Days

			S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
27 JUN 2022			-NR-	36	782	4871
26 JUN 2022			-NR-	171	729	3148
25 JUN 2022			3	86	324	1790
24 JUN 2022			231	901	304	1575
23 JUN 2022			836	1302	315	1997
22 JUN 2022			1204	406	1373	4099
21 JUN 2022			4	112	551	3402
20 JUN 2022			4	-56	639	2662
19 JUN 2022			5	-50	533	3503
18 JUN 2022			8	56	904	3537
17 JUN 2022			5	507	1690	4964
16 JUN 2022			5	726	1590	4621
15 JUN 2022			5	707	1832	6854
14 JUN 2022			4	1220	3277	6492

			S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
27 JUN 2022			-207	0	0	492	-NR-
26 JUN 2022			16	0	0	0	-NR-
25 JUN 2022			158	0	0	0	-NR-
24 JUN 2022			211	0	0	0	-NR-
23 JUN 2022			149	0	0	0	-NR-
22 JUN 2022			103	0	0	0	-NR-
21 JUN 2022			62	0	0	0	-NR-
20 JUN 2022			75	0	0	0	-NR-
19 JUN 2022			69	0	0	0	-NR-
18 JUN 2022			-63	0	0	0	-NR-
17 JUN 2022			6	0	0	0	-NR-
16 JUN 2022			-133	0	0	0	-NR-
15 JUN 2022			33	0	0	0	-NR-
14 JUN 2022			-157	0	0	0	-NR-

			S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
27 JUN 2022			-1443	-NR-	31
26 JUN 2022			-825	-NR-	-NR-
25 JUN 2022			-280	-NR-	35
24 JUN 2022			-486	-NR-	16
23 JUN 2022			-4	-NR-	27
22 JUN 2022			-501	-NR-	53
21 JUN 2022			-292	-NR-	30
20 JUN 2022			-1013	-NR-	38
19 JUN 2022			-7	-NR-	35
18 JUN 2022			-4	-NR-	56
17 JUN 2022			-4	-NR-	44
16 JUN 2022			-5	-NR-	45
15 JUN 2022			-6	-NR-	46



14 JUN 2022

-3

-NR-

31

\*\*\* NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate  
and

Lockages Discharges from 0015 hrs to 2400 hrs.

---

-

(I) - Flows preceded by "I" signify an instantaneous  
flow computed from the single value reported for the day

---


-

\* On 11 May 1999, Lake Okeechobee Elevation was switched from  
Instantaneous 2400 value to an average-daily lake average.  
On 14 Mar 2001, due to the isolation of various gages within the  
standard  
10 stations, the average of the interior 4 station gages was used  
as the Lake Okeechobee Elevation.  
On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage  
mix of interior and edge gages to obtain a more reliable representation  
of the lake level.  
On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage  
mix of interior and edge gages to obtain a more reliable representation  
of the lake level due to isolation of S135 from low lake levels.  
Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge  
stations  
++ For more information see the Jacksonville District Navigation website  
at <http://www.saj.usace.army.mil/>  
\$ For information regarding Lake Okeechobee Service Area water  
restrictions  
please refer to [www.sfwmd.gov](http://www.sfwmd.gov)

---

Report Generated 28JUN2022 @ 07:45 \*\* Preliminary Data - Subject to Revision  
\*\*

# Lake Okeechobee Water Level History and Projected Stages



# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[\*\*Back to Lake Okeechobee Operations Main Page\*\*](#)

[\*\*Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage\*\*](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

**Classification of Lake Okeechobee Net Inflow Seasonal Outlook\***

<b>Lake Net Inflow Prediction  [million acre-feet]</b>	<b>Equivalent Depth**  [feet]</b>	<b>Lake Okeechobee  Net Inflow  Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b>  <b>[million acre-feet]</b>	<b>Equivalent Depth**</b>  <b>[feet]</b>	<b>Lake Okeechobee  Net Inflow  Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## **6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**