

# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 01/02/2023 (ENSO Condition: La Niña)

## Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using methods described in the LORS2008 Water Control Plan: Croley's method, the SFWMD empirical method, a sub-sampling of La Niña years and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Niña ENSO years. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method*		SFWMD Empirical Method		Sub-sampling of La Niña ENSO Years**		Sub-sampling of AMO Warm + La Niña ENSO Years***	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Jan-Jun)	N/A	N/A	0.26	Dry	0.27	Dry	0.19	Dry
Multi Seasonal (Jan-Oct)	N/A	N/A	2.43	Normal	2.65	Wet	2.13	Normal

\*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

\*\*Sub-sampling is a weighted average of ENSO conditions based on the IRI ENSO forecast published.

\*\*\*Sub-sampling based on combination of ENSO and AMO conditions. For this predominant ENSO categorization is used instead of weights.

### **Tributary Hydrologic Conditions:**

**75 cfs** 14-day running average for Lake Okeechobee Net Inflow through 01/02/2023.  
According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

**0.74** for Palmer Drought Index on 12/31/2022.  
According to the classification in Tributary Hydrologic Conditions table, this condition is Near Normal.

The wetter of the two conditions above is **Normal**.

### **LORS2008 Classification Tables:**

#### **Lake Okeechobee Stage on 01/02/2023:**

Lake Okeechobee Stage: **16.36 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.25	
Operational Band	High sub-band	16.88	
	Intermediate sub-band	16.25	← 16.36 ft
	Low sub-band	14.00	
Base Flow sub-band		12.60	
Beneficial Use sub-band		12.15	
Water Shortage Management Band			

**Part C of LORS2008: Discharge to WCAs**

Maximum practicable to WCAs if “All downstream WCAs < max. of upper schedule + 0.25 ft”. Currently, all WCAs have the potential to receive regulatory releases from Lake Okeechobee.

**Part D of LORS2008: Discharge to Tide**

Up to 4000 cfs at S-77 and up to 1800 cfs at S-80.


**LORS2008 Implementation on 01/02/2023 (ENSO Condition- La Niña Watch):****Status for week ending 01/02/2023:****Water Supply Risk Evaluation**

Area	Indicator	Value	Color Coded Scoring Scheme
<b>LOK</b>	Projected LOK Stage for the next two months	Intermediate Sub-band	L
	Palmer Drought Index for LOK Tributary Conditions	0.74 (Normal to Extremely Wet)	L
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Below Normal	M
	LOK Seasonal Net Inflow Outlook	0.27 ft	M
	ENSO Forecast	Dry	
	LOK Multi-Seasonal Net Inflow Outlook	2.65 ft	M
	ENSO Forecast	Normal	
<b>WCAs</b>	WCA 1: 3 Station Average (Sites 1-8C)	Above Line 1 (17.36 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (12.47 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (10.21 ft)	L
<b>LEC</b>	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.



---

# Lake Okeechobee SFWMM December 2022 Position Analysis



(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of January 01 2023



# 2008 LORS

## Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


# 2008 LORS

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.


When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis





# Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District  
Lake Okeechobee and Vicinity Report  
\*\* Preliminary Data - Subject to Revision \*\*

Data Ending 2400 hours 01 JAN 2023

---

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	16.36	15.50	15.81 (Official Elv)

Bottom of High Lake Mngmt= 17.25 Top of Water Short Mngmt= 12.15  
Currently in Operational Management Band

Simulated Average LORS2008 [1965-2000] 13.62  
Difference from Average LORS2008 2.74

01JAN (1965-2007) Period of Record Average 14.74  
Difference from POR Average 1.62

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ♦ 10.30'  
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ♦ 8.50'  
Bridge Clearance = 49.88'

---

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
16.40	16.37	-NR-	16.29	16.34	16.46	16.37	16.30

\*Combination Okeechobee Avg-Daily Lake Average = 16.36  
(\*See Note)

---

Okeechobee Inflows (cfs):

S65E	1491	S65EX1	0	Fisheating Cr	76
S154	0	S191	0	S135 Pumps	0
S84	289	S133 Pumps	0	S2 Pumps	0
S84X	70	S127 Pumps	0	S3 Pumps	0
S71	129	S129 Pumps	0	S4 Pumps	0
S72	64	S131 Pumps	0	C5	0

Total Inflows: 2119

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	17	S77	2025
S127 Culverts	0	S351	543	S308	3
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	4		

Total Outflows: 2592

\*\*\*\*S77 structure flow is being used to compute Total Outflow.  
\*\*\*\*S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	0.20	S308	0.12
-----	------	------	------

Average Pan Evap x 0.75 Pan Coefficient = 0.12" = 0.01'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'  
Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-  
Lake Okeechobee (Change in Storage) Flow is 0 cfs or 0 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)

(I) see note at bottom

#### North East Shore

S133 Pumps:	13.62	16.29	0	0	0	0	0	0	0	(cfs)
S193:										
S191:	19.11	16.28	0	0.0	0.0	0.0				
S135 Pumps:	13.36	16.24	0	0	0	0	0			(cfs)
S135 Culverts:			0	0.0	0.0					

#### North West Shore

S65E:	21.13	16.05	1491	0.5	0.5	1.2	0.6	0.5	1.2	
S65EX1:	21.13	16.05	0							
S127 Pumps:	13.60	16.26	0	0	0	0	0	0		(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	13.07	16.34	0	0	0	0				(cfs)
S129 Culvert:			0	0.0						
S131 Pumps:	13.03	16.36	0	0	0					(cfs)
S131 Culvert:			0							

Fisheating Creek  
nr Palmdale  
nr Lakeport

C5:		30.25	76							
		-NR-	0	-NR-	-NR-	-NR-				

#### South Shore

S4 Pumps:	12.24	-NR-	0	0	0	0				(cfs)
S169:		-NR-	-NR-	-NR-	-NR-	-NR-				
S310:	16.30		2							
S3 Pumps:	10.43	16.36	0	0	0	0				(cfs)
S354:	16.36	10.43	17	0.0	0.1					
S2 Pumps:	10.74	16.39	0	0	0	0	0			(cfs)
S351:	16.39	10.74	543	0.4	0.4	0.5				
S352:	16.44	10.63	0	0.0	0.0					
C10A:	-NR-	-NR-		-NR-	-NR-	-NR-	-NR-	-NR-		
L8 Canal PT		14.44	4							

#### S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.74	16.39	543	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	10.63	16.44	0	-NR-	-NR-	-NR-	-NR-		
S354:	10.43	16.36	17	-NR-	-NR-	-NR-	-NR-		

#### Caloosahatchee River (S77, S78, S79)

S47B:	14.56	12.82		1.0	1.5				
S47D:	12.82	11.23	0	0.0					
S77:									
Spillway and Sector Preferred Flow:									
	16.11	11.12	2021	2.5	3.0	3.0	2.5		
Flow Due to Lockages+:			4						

S78:

Spillway and Sector Flow:  
11.07 2.99 1994 1.0 2.5 2.5 2.0  
Flow Due to Lockages+: 6

S79:

Spillway and Sector Flow:  
3.13 2.25 2820 0.0 0.0 2.0 3.0 3.0 2.0 2.0 0.0  
Flow Due to Lockages+: 6  
Percent of flow from S77 72%  
Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:  
16.37 13.62 0 0.0 0.0 0.0 0.0  
Flow Due to Lockages+: 3

S153: 19.07 13.86 3 0.0 0.5

S80:

Spillway and Sector Flow:  
14.10 0.07 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0  
Flow Due to Lockages+: -NR-  
Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) \*\*\*\*  
Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) \*\*\*\*  
Speedy Point Bottom Salinity (mg/ml) \*\*\*\*

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	-NR-	0.00	0.00	98	4
S78:	-NR-	0.00	0.00	88	3
S79:	-NR-	0.00	0.00	1	0
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	-NR-	0.00	0.00	77	2
S80:	-NR-	0.00	0.00	116	0
Okeechobee Average (Sites S78, S79 and S80 not included)	-NR-	0.00	0.00		
-----					
Oke Nexrad Basin Avg	-NR-	0.00	0.00		
-----					

Okeechobee Lake Elevations	01 JAN 2023	16.36	Difference from 01JAN23
01JAN23 -1 Day =	31 DEC 2022	16.36	0.00

01JAN23	-2 Days =	30 DEC 2022	16.36	0.00
01JAN23	-3 Days =	29 DEC 2022	16.35	-0.01
01JAN23	-4 Days =	28 DEC 2022	16.35	-0.01
01JAN23	-5 Days =	27 DEC 2022	16.35	-0.01
01JAN23	-6 Days =	26 DEC 2022	16.35	-0.01
01JAN23	-7 Days =	25 DEC 2022	16.38	0.02
01JAN23	-30 Days =	02 DEC 2022	16.49	0.13
01JAN23	-1 Year =	01 JAN 2022	15.50	-0.86
01JAN23	-2 Year =	01 JAN 2021	15.81	-0.55

---

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

---

Lake Okeechobee Net Inflow (LONIN)					
Average Flow over the previous 14 days				Avg-Daily Flow	
01JAN23	Today =	01 JAN 2023	80 MON	2584	
01JAN23	-1 Day =	31 DEC 2022	-134 SUN	1149	
01JAN23	-2 Days =	30 DEC 2022	-123 SAT	2902	
01JAN23	-3 Days =	29 DEC 2022	-4 FRI	1196	
01JAN23	-4 Days =	28 DEC 2022	291 THU	284	
01JAN23	-5 Days =	27 DEC 2022	272 WED	1283	
01JAN23	-6 Days =	26 DEC 2022	52 TUE	-3822	
01JAN23	-7 Days =	25 DEC 2022	1332 MON	-5833	
01JAN23	-8 Days =	24 DEC 2022	1706 SUN	-8706	
01JAN23	-9 Days =	23 DEC 2022	2476 SAT	1841	
01JAN23	-10 Days =	22 DEC 2022	2259 FRI	4632	
01JAN23	-11 Days =	21 DEC 2022	1918 THU	2858	
01JAN23	-12 Days =	20 DEC 2022	1730 WED	3642	
01JAN23	-13 Days =	19 DEC 2022	1458 TUE	-2896	

---

S65E					
Average Flow over previous 14 days				Avg-Daily Flow	
01JAN23	Today=	01 JAN 2023	1703 MON	1629	
01JAN23	-1 Day =	31 DEC 2022	1713 SUN	1640	
01JAN23	-2 Days =	30 DEC 2022	1714 SAT	1729	
01JAN23	-3 Days =	29 DEC 2022	1718 FRI	1678	
01JAN23	-4 Days =	28 DEC 2022	1718 THU	1572	
01JAN23	-5 Days =	27 DEC 2022	1726 WED	1575	
01JAN23	-6 Days =	26 DEC 2022	1735 TUE	1732	
01JAN23	-7 Days =	25 DEC 2022	1733 MON	1758	
01JAN23	-8 Days =	24 DEC 2022	1732 SUN	1760	
01JAN23	-9 Days =	23 DEC 2022	1731 SAT	1783	
01JAN23	-10 Days =	22 DEC 2022	1731 FRI	1767	
01JAN23	-11 Days =	21 DEC 2022	1730 THU	1787	
01JAN23	-12 Days =	20 DEC 2022	1741 WED	1712	
01JAN23	-13 Days =	19 DEC 2022	1765 TUE	1717	

---

S65EX1					
Average Flow over previous 14 days				Avg-Daily Flow	
01JAN23	Today=	01 JAN 2023	0 MON	0	
01JAN23	-1 Day =	31 DEC 2022	0 SUN	0	
01JAN23	-2 Days =	30 DEC 2022	0 SAT	0	
01JAN23	-3 Days =	29 DEC 2022	0 FRI	0	
01JAN23	-4 Days =	28 DEC 2022	0 THU	0	
01JAN23	-5 Days =	27 DEC 2022	0 WED	0	
01JAN23	-6 Days =	26 DEC 2022	0 TUE	0	
01JAN23	-7 Days =	25 DEC 2022	0 MON	0	
01JAN23	-8 Days =	24 DEC 2022	0 SUN	0	
01JAN23	-9 Days =	23 DEC 2022	0 SAT	0	
01JAN23	-10 Days =	22 DEC 2022	0 FRI	0	
01JAN23	-11 Days =	21 DEC 2022	0 THU	0	
01JAN23	-12 Days =	20 DEC 2022	0 WED	0	
01JAN23	-13 Days =	19 DEC 2022	0 TUE	0	

---

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
01 JAN 2023	4182	4678	4028	5595
31 DEC 2022	638	1595	2027	3273
30 DEC 2022	930	2174	1431	2013
29 DEC 2022	2375	3075	2591	2787
28 DEC 2022	372	1170	1646	3153
27 DEC 2022	1659	2482	2087	4215
26 DEC 2022	4752	5827	3611	5460
25 DEC 2022	4771	5490	4780	6683
24 DEC 2022	2979	3647	3369	5221
23 DEC 2022	687	1382	762	1760
22 DEC 2022	1058	1128	1152	2342
21 DEC 2022	1121	1127	1608	2838
20 DEC 2022	2728	2873	2624	3786
19 DEC 2022	3273	2944	3649	5451

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
01 JAN 2023	4	1077	0	33	8
31 DEC 2022	19	1444	0	218	-3
30 DEC 2022	11	132	0	174	3
29 DEC 2022	7	0	0	115	-2
28 DEC 2022	-0	0	88	123	-2
27 DEC 2022	13	105	568	130	1
26 DEC 2022	15	331	674	135	-8
25 DEC 2022	11	603	724	349	-8
24 DEC 2022	13	1117	843	385	-9
23 DEC 2022	11	1446	1133	386	-9
22 DEC 2022	-NR-	1848	812	976	-9
21 DEC 2022	-NR-	0	0	0	2
20 DEC 2022	9	0	0	1	-4
19 DEC 2022	8	0	6	0	0

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
01 JAN 2023	6	-NR-	-NR-
31 DEC 2022	10	-NR-	30
30 DEC 2022	15	-NR-	175
29 DEC 2022	14	-NR-	485
28 DEC 2022	9	-NR-	496
27 DEC 2022	3	-NR-	169
26 DEC 2022	3	-NR-	19
25 DEC 2022	0	-NR-	0
24 DEC 2022	1	-NR-	11
23 DEC 2022	4	-NR-	29
22 DEC 2022	9	-NR-	42
21 DEC 2022	8	-NR-	475
20 DEC 2022	10	-NR-	829
19 DEC 2022	6	-NR-	30


\*\*\* NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceeded by "I" signify an instantaneous flow computed from the single value reported for the day

- 
- \* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
  - On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
  - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
  - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
  - Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations
  - ++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>
  - \$ For information regarding Lake Okeechobee Service Area water restrictions please refer to [www.sfwmd.gov](http://www.sfwmd.gov)

# Lake Okeechobee

02JAN23 09:00:20



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management



# Classification Tables

---

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

---

[\*\*Back to Lake Okeechobee Operations Main Page\*\*](#)

[\*\*Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage\*\*](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater $\geq$ 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

\* use the wettest of the two indicators

## Classification of Lake Okeechobee Net Inflow Seasonal Outlook\*

<b>Lake Net Inflow Prediction  [million acre-feet]</b>	<b>Equivalent Depth**  [feet]</b>	<b>Lake Okeechobee  Net Inflow  Seasonal Outlook</b>
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook\*

<b>Lake Net Inflow Prediction</b>  <b>[million acre-feet]</b>	<b>Equivalent Depth**</b>  <b>[feet]</b>	<b>Lake Okeechobee  Net Inflow  Multi-Seasonal Outlook</b>
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**\*\*Volume-depth conversion based on average lake surface area of 467,000 acres**

## **6-15 Day Precipitation Outlook Categories\***

<b>6-15 Day Precipitation Outlook Categories</b>	<b>WSE Decision Tree Categories</b>
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

**\* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**