

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 02/20/2023 (ENSO Condition: La Niña)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using methods described in the LORS2008 Water Control Plan: Croley's method, the SFWMD empirical method, a sub-sampling of La Niña years and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Niña ENSO years. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method*		SFWMD Empirical Method		Sub-sampling of La Niña ENSO Years**		Sub-sampling of AMO Warm + La Niña ENSO Years***	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Feb-Jul)	N/A	N/A	0.56	Dry	0.66	Dry	0.55	Dry
Multi Seasonal (Feb-Oct)	N/A	N/A	2.21	Normal	2.61	Wet	2.17	Normal

*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the IRI ENSO forecast published.

***Sub-sampling based on combination of ENSO and AMO conditions. For this predominant ENSO categorization is used instead of weights.

Tributary Hydrologic Conditions:

-815 cfs 14-day running average for Lake Okeechobee Net Inflow through 02/20/2023. According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

-0.63 for Palmer Drought Index on 02/18/2023. According to the classification in Tributary Hydrologic Conditions table, this condition is Near Normal.

The wetter of the two conditions above is **Normal**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 02/20/2023:

Lake Okeechobee Stage: **15.72 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.25	
Operational Band	High sub-band	16.67	
	Intermediate sub-band	15.84	
	Low sub-band	13.50	← 15.72 ft
Base Flow sub-band		12.60	
Beneficial Use sub-band		11.90	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCAs

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise no releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

Lake Okeechobee Releases to the Caloosahatchee Estuary for LORS 2008 Baseflow & for Environmental Water Supply

Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.

LORS2008 Implementation on 02/20/2023 (ENSO Condition- La Niña Watch):
Status for week ending 02/20/2023*:


Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-band	M
	Palmer Drought Index for LOK Tributary Conditions	-0.63 (Normal to Extremely Wet)	L
	CPC Precipitation Outlook	1 month: Below Normal	M
		3 months: Below Normal	M
	LOK Seasonal Net Inflow Outlook	0.63 ft	M
	ENSO Forecast	Dry	
	LOK Multi-Seasonal Net Inflow Outlook	2.58 ft	M
	ENSO Forecast	Normal	
WCAs	WCA 1: 3 Station Average (Sites 1-8C)	Above Line 1 (16.79 ft)	L
	WCA 2A: Site S11B	Above Line 1 (12.01 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (9.46 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.



*- S77 flow data for Feb 17,18,19 is not available from the USACE Daily Reports and was substituted with alternative data sources on DBHYDRO

Lake Okeechobee SFWMM February 2023 Position Analysis



(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of February 19 2023



2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3


Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

*When conducting Base Flow releases,
flows can be distributed East and West
up to 650 cfs as needed
to minimize impacts or provide benefits
through S-80 and S-79*

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



¹The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

²Estuary "needs" water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

³LOWSM = Lake Okeechobee Water Shortage Management.


⁴Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

⁵Can release less than the "up to" limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

⁶After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

⁷Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 19 FEB 2023

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	15.72	14.76	15.51 (Official Elv)
Bottom of High Lake Mngmt= 17.25 Top of Water Short Mngmt= 11.90			
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	13.38
Difference from Average LORS2008	2.34

19FEB (1965-2007) Period of Record Average	14.56
Difference from POR Average	1.16

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ♦ 9.66'
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ♦ 7.86'
 Bridge Clearance = 49.60'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
15.74	15.73	15.71	15.75	15.68	15.83	15.51	15.63

*Combination Okeechobee Avg-Daily Lake Average = 15.72
 (*See Note)

Okeechobee Inflows (cfs):

S65E	1255	S65EX1	0	Fisheating Cr	4
S154	0	S191	0	S135 Pumps	0
S84	1	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0

Total Inflows: 1260

Okeechobee Outflows (cfs):

S135 Culverts	-NR-	S354	212	S77	-NR-
---------------	------	------	-----	-----	------

S127 Culverts	0	S351	530	S308	481
S129 Culverts	0	S352	87		
S131 Culverts	0	L8 Canal Pt	296		

Total Outflows: No Report Due To Missing S77 or S308 Discharge Data

***S77 below flow meter is being used to compute Total Outflow.

***S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	-NR-	S308	0.16
Average Pan Evap x 0.75 Pan Coefficient = -NR-" = -NR-'			

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'

Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

Lake Okeechobee (Change in Storage) Flow is -2168 cfs or -4300 AC-FT

Headwater	Tailwater		----- Gate Positions -----							
Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7	#8
(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

(I) see note at bottom

North East Shore

S133 Pumps:	13.81	15.47	0	0	0	0	0	0	0	(cfs)
S193:										
S191:	19.30	15.48	0	0.0	0.0	0.0				
S135 Pumps:	13.32	15.34	0	0	0	0	0			(cfs)
S135 Culverts:			-NR-	-NR-	0.0					

North West Shore

S65E:	20.96	15.26	1255	1.1	0.4	0.5	0.9	0.4	0.4	
S65EX1:	20.96	15.26	0							
S127 Pumps:	13.55	15.56	0	0	0	0	0	0		(cfs)
S127 Culvert:			0	0.0						
S129 Pumps:	13.27	15.61	0	0	0	0				(cfs)
S129 Culvert:			0	0.0						
S131 Pumps:	13.24	-NR-	0	0	0					(cfs)
S131 Culvert:			0							

Fisheating Creek
nr Palmdale

28.22	4
-------	---

nr Lakeport									
C5:		-NR-	0	-NR-	-NR-	-NR-			
South Shore									
S4 Pumps:	12.13	-NR-	0	0	0	0			(cfs)
S169:		-NR-	-NR-	-NR-	-NR-	-NR-			
S310:	15.72		-6						
S3 Pumps:	10.76	15.84	0	0	0	0			(cfs)
S354:	15.84	10.76	212	0.2	0.2				
S2 Pumps:	10.58	15.95	0	0	0	0	0		(cfs)
S351:	15.95	10.58	530	0.8	0.8	0.6			
S352:	15.95	10.54	87	0.0	0.4				
C10A:	-NR-	-NR-		-NR-	-NR-	-NR-	-NR-	-NR-	
L8 Canal PT		14.67	296						

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.58	15.95	530	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	10.54	15.95	87	-NR-	-NR-	-NR-	-NR-		
S354:	10.76	15.84	212	-NR-	-NR-	-NR-	-NR-		

Caloosahatchee River (S77, S78, S79)

S47B:	14.42	12.17		1.0	1.0				
S47D:	12.16	11.27	0	0.0					

S77:

Spillway and Sector Preferred Flow:

-NR- -NR- -NR- 3.5 3.5 3.5 0.0

Flow Due to Lockages+: -NR-

S78:

Spillway and Sector Flow:

11.40 2.86 889 0.0 0.0 2.5 0.0

Flow Due to Lockages+: -NR-

S79:

Spillway and Sector Flow:

3.08 1.45 1300 0.0 0.0 1.0 1.5 1.0 1.0 0.0 0.0

Flow Due to Lockages+: 10

Percent of flow from S77 -NR-%

Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

15.36 13.90 478 0.0 0.0 0.0 0.0

Flow Due to Lockages+: 3

S153: 19.07 13.74 3 0.5 0.0

S80:

Spillway and Sector Flow:

13.96 0.95 842 0.0 0.0 0.0 0.0 0.0 0.0 0.0

Flow Due to Lockages+: 25

Percent of flow from S308 57%

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****

Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg \diamond)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	-NR-	0.00	0.00	-NR-	-NR-
S78:	-NR-	0.00	0.00	327	2
S79:	-NR-	0.00	0.00	342	2
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	-NR-	0.00	0.00	-NR-	-NR-
S80:	-NR-	0.00	0.00	220	1
Okeechobee Average (Sites S78, S79 and S80 not included)	-NR-	0.00	0.00		

Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations	19 FEB 2023	15.72	Difference from 19FEB23
19FEB23 -1 Day =	18 FEB 2023	15.73	0.01
19FEB23 -2 Days =	17 FEB 2023	15.78	0.06

19FEB23	-3 Days =	16 FEB 2023	15.79	0.07
19FEB23	-4 Days =	15 FEB 2023	15.80	0.08
19FEB23	-5 Days =	14 FEB 2023	15.83	0.11
19FEB23	-6 Days =	13 FEB 2023	15.87	0.15
19FEB23	-7 Days =	12 FEB 2023	15.93	0.21
19FEB23	-30 Days =	20 JAN 2023	16.09	0.37
19FEB23	-1 Year =	19 FEB 2022	14.76	-0.96
19FEB23	-2 Year =	19 FEB 2021	15.51	-0.21

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days				Avg-Daily Flow
19FEB23	Today =	19 FEB 2023	-515 MON	-NR-
19FEB23	-1 Day =	18 FEB 2023	391 SUN	-NR-
19FEB23	-2 Days =	17 FEB 2023	-311 SAT	-NR-
19FEB23	-3 Days =	16 FEB 2023	-384 FRI	1444
19FEB23	-4 Days =	15 FEB 2023	-500 THU	-1992
19FEB23	-5 Days =	14 FEB 2023	-186 WED	-4702
19FEB23	-6 Days =	13 FEB 2023	108 TUE	-9816
19FEB23	-7 Days =	12 FEB 2023	987 MON	2644
19FEB23	-8 Days =	11 FEB 2023	811 SUN	2764
19FEB23	-9 Days =	10 FEB 2023	686 SAT	266
19FEB23	-10 Days =	09 FEB 2023	104 FRI	421
19FEB23	-11 Days =	08 FEB 2023	162 THU	-1663
19FEB23	-12 Days =	07 FEB 2023	313 WED	1861
19FEB23	-13 Days =	06 FEB 2023	375 TUE	3111

S65E

Average Flow over previous 14 days				Avg-Daily Flow
19FEB23	Today=	19 FEB 2023	1500 MON	1392
19FEB23	-1 Day =	18 FEB 2023	1514 SUN	1430
19FEB23	-2 Days =	17 FEB 2023	1521 SAT	1558
19FEB23	-3 Days =	16 FEB 2023	1521 FRI	1425
19FEB23	-4 Days =	15 FEB 2023	1529 THU	1436
19FEB23	-5 Days =	14 FEB 2023	1535 WED	1437
19FEB23	-6 Days =	13 FEB 2023	1531 TUE	1503
19FEB23	-7 Days =	12 FEB 2023	1549 MON	1514
19FEB23	-8 Days =	11 FEB 2023	1556 SUN	1504
19FEB23	-9 Days =	10 FEB 2023	1557 SAT	1508
19FEB23	-10 Days =	09 FEB 2023	1560 FRI	1552
19FEB23	-11 Days =	08 FEB 2023	1561 THU	1604
19FEB23	-12 Days =	07 FEB 2023	1563 WED	1602
19FEB23	-13 Days =	06 FEB 2023	1556 TUE	1533

S65EX1

Average Flow over previous 14 days | Avg-Daily Flow

19FEB23	Today=	19 FEB 2023	0	MON	0
19FEB23	-1 Day =	18 FEB 2023	0	SUN	0
19FEB23	-2 Days =	17 FEB 2023	0	SAT	0
19FEB23	-3 Days =	16 FEB 2023	0	FRI	0
19FEB23	-4 Days =	15 FEB 2023	0	THU	0
19FEB23	-5 Days =	14 FEB 2023	0	WED	0
19FEB23	-6 Days =	13 FEB 2023	0	TUE	0
19FEB23	-7 Days =	12 FEB 2023	0	MON	0
19FEB23	-8 Days =	11 FEB 2023	0	SUN	0
19FEB23	-9 Days =	10 FEB 2023	0	SAT	0
19FEB23	-10 Days =	09 FEB 2023	0	FRI	0
19FEB23	-11 Days =	08 FEB 2023	0	THU	0
19FEB23	-12 Days =	07 FEB 2023	0	WED	0
19FEB23	-13 Days =	06 FEB 2023	0	TUE	0

Lake Okeechobee Outlets Last 14 Days

	S-77	Below S-77	S-78	S-79
	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
19 FEB 2023	-NR-	2329	-NR-	2593
18 FEB 2023	-NR-	2907	1915	2934
17 FEB 2023	-NR-	2883	2111	2898
16 FEB 2023	-NR-	2618	2207	3094
15 FEB 2023	-NR-	4211	3052	3771
14 FEB 2023	-NR-	5664	-NR-	4586
13 FEB 2023	-NR-	4162	-NR-	5345
12 FEB 2023	3158	3355	3103	4079
11 FEB 2023	-NR-	3169	2624	3338
10 FEB 2023	3315	3571	2682	3809
09 FEB 2023	3738	4273	3853	4965
08 FEB 2023	3819	4582	3816	5559
07 FEB 2023	1921	2269	2169	4014
06 FEB 2023	1360	1800	1741	3297

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
19 FEB 2023	-12	1051	173	421	586
18 FEB 2023	-5	1233	216	373	565
17 FEB 2023	8	1748	508	408	591
16 FEB 2023	2	1867	489	647	635
15 FEB 2023	3	1987	438	719	642
14 FEB 2023	14	1135	426	340	669
13 FEB 2023	*****	692	154	560	486
12 FEB 2023	0	575	0	130	382
11 FEB 2023	0	805	35	374	296

10 FEB 2023	245	0	0	221	334
09 FEB 2023	379	0	0	147	324
08 FEB 2023	692	0	0	192	260
07 FEB 2023	110	0	0	0	564
06 FEB 2023	18	0	0	0	40

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
19 FEB 2023	881	-NR-	1692
18 FEB 2023	826	-NR-	854
17 FEB 2023	910	-NR-	666
16 FEB 2023	898	-NR-	859
15 FEB 2023	923	-NR-	553
14 FEB 2023	973	-NR-	962
13 FEB 2023	892	-NR-	960
12 FEB 2023	1109	-NR-	940
11 FEB 2023	955	-NR-	859
10 FEB 2023	-NR-	-NR-	957
09 FEB 2023	-NR-	-NR-	768
08 FEB 2023	-NR-	-NR-	551
07 FEB 2023	-NR-	-NR-	105
06 FEB 2023	-NR-	-NR-	961

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceeded by "I" signify an instantaneous flow computed from the single value reported for the day

* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
 On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
 Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations


++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 20FEB2023 @ 09:30 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

20FEB23 09:30:20



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook^{*}

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth^{**} [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

^{}Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction