Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 03/20/2023 (ENSO Condition: Neutral)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using methods described in the LORS2008 Water Control Plan: Croley's method, the SFWMD empirical method, a sub-sampling of Neutral years and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with Neutral ENSO years. The results for Croley's method and the SFWMD empirical method are based on the <u>CPC Outlook</u>.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley	/'s Method [*] SFWMD Empirical Method		Sub-sampling of Neutral ENSO Years**		Sub-sampling of AMO Warm + Neutral ENSO Years***		
	Value (ft)	Condition	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Mar-Aug)	N/A	N/A	0.78	Normal	1.02	Normal	1.22	Normal
Multi Seasonal (Mar-Oct)	N/A	N/A	2.07	Normal	2.42	Normal	3.29	Wet

*Croley's Method Not Produced for This Report

See <u>Seasonal</u> and <u>Multi-Seasonal</u> tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the IRI ENSO forecast published.

***Sub-sampling based on combination of ENSO and AMO conditions. For this predominant ENSO categorization is used instead of weights.

Tributary Hydrologic Conditions:

-3658 cfs 14-day running average for Lake Okeechobee Net Inflow through 03/19/2023. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Dry.

-1.74 for Palmer Drought Index on 03/18/2023.

According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Dry.

The wetter of the two conditions above is Dry.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 03/20/2023:

Lake Okeechobee Stage: 14.89 feet

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Manage	ement Band	17.25	
	High sub-band	16.55	
Operational Band	Intermediate sub-band	15.60	
	Low sub-band	13.50	← 14.89 ft
Base Flow sub-band		12.60	
Beneficial Use sub-band		11.76	
Water Shortage N	lanagement Band		

Part C of LORS2008: Discharge to WCAs

No releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

Lake Okeechobee Releases to the Caloosahatchee Estuary for LORS 2008 Baseflow & for Environmental Water Supply

Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.

LORS2008 Implementation on 03/20/2023 (ENSO Condition- Neutral Watch): Status for week ending 03/20/2023:

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
	Projected LOK Stage for the next two months	Low Sub-band	М
	Palmer Drought Index for LOK Tributary Conditions	-1.74 (Dry)	М
	CPC Presinitation Outlook	1 month: Equal Chances	L
LOK	CPC Precipitation Outlook	3 months: Equal Chances	L
	LOK Seasonal Net Inflow Outlook	1.02 ft	М
	ENSO Forecast	Dry	111
	LOK Multi-Seasonal Net Inflow Outlook	2.42 ft	
	ENSO Forecast	Normal	IVI
	WCA 1: 3 Station Average (Sites 1-8C)	Above Line 1 (16.18 ft)	L
WCAs	WCA 2A: Site S11B	Above Line 1 (11.74 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (9.00 ft)	L
	Service Area 1	Year-Round Irrigation Rule in effect	L
LEC	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

Lake Okeechobee SFWMM March 2023 Position Analysis



(See assumptions on the Position Analysis Results website)

03/21/23 08:18:03



Tributary Basin Condition Indicators as of March 19 2023

Date

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas



2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)





Lake Okeechobee Water Level History and Projected Stages

oke

U. S. Army Corps of Engineers, Jacksonville District Lake Okeechobee and Vicinity Report ** Preliminary Data - Subject to Revision ** Data Ending 2400 hours 19 MAR 2023

Okeechobee Lake Regulation Elevation Last Year 2YRS Ago (ft-NGVD) (ft-NGVD) (ft-NGVD) *Okeechobee Lake Elevation 14.89 14.17 14.89 (Official Elv) Bottom of High Lake Mngmt= 17.25 Top of Water Short Mngmt= 11.76 Currently in Operational Management Band Simulated Average LORS2008 [1965-2000] 13.17 Difference from Average LORS2008 1.72 19MAR (1965-2007) Period of Record Average 14.42 Difference from POR Average 0.47 Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations ++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 � 8.83' ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 � 7.03' Bridge Clearance = 49.77' 4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values): L001 L005 L006 LZ40 S4 S308 S133 S352 14.73 14.88 15.01 14.96 15.01 15.07 14.60 14.57 14.89 *Combination Okeechobee Avg-Daily Lake Average = (*See Note) Okeechobee Inflows (cfs): S65E 530 S65EX1 0 Fisheating Cr 0 S154 0 S191 0 S135 Pumps 0 0 S133 Pumps 0 S2 Pumps S84 0 0 S84X S127 Pumps 0 S3 Pumps 0 S71 0 S129 Pumps 0 S4 Pumps 0 S72 0 S131 Pumps 0 C5 0 Total Inflows: 530 Okeechobee Outflows (cfs): S135 Culverts S354 0 S77 1265 0 0 S127 Culverts S351 0 S308 391 S129 Culverts 0 S352 0 S131 Culverts 0 L8 Canal Pt 358 Total Outflows: 2013 ****S77 structure flow is being used to compute Total Outflow. ****S308 structure flow is being used to compute Total Outflow. Okeechobee Pan Evaporation (inches): S77 0.18 S308 0.15 Average Pan Evap x 0.75 Pan Coefficient = 0.12" = 0.01' Lake Average Precipitation using NEXRAD: = -NR-" = -NR-' = -NR - " = -NR - "Evaporation - Precipitation: Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

oke

Lake Okeechobee (Change in Storage) Flow is -10638 cfs or -21100 AC-FT

	Headwater	Tailwater				- Gat	e Pos	sitior	ıs		
	Elevation	Elevation	Disch	#1	#2	#3	#4	#5	#6	#7	#8
	(ft-msl)	(ft-msl)	(cfs)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)
		(1	I) see 🛛	note at	bott	om					
North East Sl	nore		-	-	-	-	-	-			
S133 Pumps	: 13.59	14.65	0	0	0	0	0	0	(cts)	
S193:	10.00	14 60	0	0.0	0 0	<u> </u>					
S191: S135 Dumps	19.08 • 12 FF	14.60	0	0.0	0.0	0.0	0		(cfc	`	
SI35 Pumps	15.55	14.02	0	00	0	0	0		(CTS)	
SISS CUIVE	15.		U	0.0	0.0						
North West S	ore										
S65F:	21.02	14.55	530	-0.0	0.4	0.5	0.3	0.1	0.2		
S65EX1:	21.02	14.55	0		•••	0.15	010		••-		
S127 Pumps	: 13.10	14.58	0	0	0	0	0	0	(cfs)	
S127 Culve	rt:		0	0.0	-	-	-	-	、	·	
S129 Pumps	: 13.05	14.79	0	0	0	0			(cfs)	
S129 Culve	rt:		0	0.0							
S131 Pumps	: 12.95	- NR -	0	0	0				(cfs)	
S131 Culve	rt:		0								
Fisheating	Creek	07 74									
nr Palmda	ale	27.71	0								
nr Lakep	ort		0								
05:		- NR -	0	- NR	NR	(NF	(-				
South Shone											
S4 Pumps.	11 13	- NR -	a	a	a	a			(cfs	١	
54 Tump5. 5169.	15 35	-NR -	-NR -	-NR -	-NR-	-NR-			(015	,	
5310:	15.16		99								
S3 Pumps:	10.04	15.56	0	0	0	0			(cfs)	
S354:	15.56	10.04	0	0.0	0.0	•			(0.0	/	
S2 Pumps:	9.39	15.54	0	0	0	0	0		(cfs)	
S351:	15.54	9.39	0	0.0	0.0	0.0	-		(/	
S352:	14.98	9.66	0	0.0	0.0						
C10A:	-NR-	-NR-		- NR -	- NR -	-NF	RN	IR- ·	-NR-		
L8 Canal P	г	14.80	358								
	S35	1 and S352	Tempor	ary Pum	ips/S3	54 Sp	oillwa	ay			
S351:	9.39	15.54	0	-NR N	IR – – NR	NR -	- NR	- NR –			
S352:	9.66	14.98	0	-NRN	IR – – NR	NR-					
\$354:	10.04	15.56	0	-NRN	IR – – NR	NR -					
Caloosabatch	a Riven (577 578 0	579)								
SA28.	12 11	: رەرد رىرد 11 10	(,,,	aa	aa						
547D. 547D.	11.14	11 12	87	6.0	0.0						
S77:		*****	07	0.0							
Spillway	and Sector	r Preferre	d Flow:								
y	14.81	11.00	1258	0.0 2	.5 3	.0 P).5				
Flow Due	to Lockage	es+:									
	0										

S78:

3/20/23, 8:25 AM Spillway and Sector Flow: 1124 2.0 0.0 0.0 2.0 11.00 2.71 Flow Due to Lockages+: 15 S79: Spillway and Sector Flow: 1912 0.0 0.0 1.0 1.5 2.0 1.5 1.0 0.0 2.87 0.71 Flow Due to Lockages+: 10 Percent of flow from S77 66% Chloride (ppm) 0 St. Lucie Canal (S308, S80) S308: Spillway and Sector Preferred Flow: 14.44 390 0.0 0.0 0.0 0.0 13.73 Flow Due to Lockages+: 1 S153: 18.88 13.57 0 0.0 0.0 S80: Spillway and Sector Flow: 525 13.78 1.61 0.0 0.0 0.0 0.0 0.0 0.0 0.0 Flow Due to Lockages+: 9 Percent of flow from S308 74% (mg/ml) **** Steele Point Top Salinity Steele Point Bottom Salinity (mg/ml) **** (mg/ml) **** Speedy Point Top Salinity Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

				Wir	nd
aily Precipitation Totals	1-Day	3-Day	7-Day	Direction	ו Speed
	(inches)	(inches)	(inches)	(Deg�)	(mph)
S133 Pump Station:	- NR -	0.00	0.00		
S193:	- NR -	0.00	0.00	- NR -	- NR -
Okeechobee Field Station:	- NR -	0.00	0.00		
S135 Pump Station:	- NR -	0.00	0.00		
S127 Pump Station:	- NR -	0.00	0.00		
S129 Pump Station:	- NR -	0.00	0.00		
S131 Pump Station:	- NR -	0.00	0.00		
S77:	- NR -	0.00	0.00	72	7
S78:	- NR -	0.00	0.00	338	2
S79:	- NR -	0.00	0.00	330	2
S4 Pump Station:	- NR -	0.00	0.00		
Clewiston Field Station:	- NR -	0.00	0.00		
S3 Pump Station:	- NR -	0.00	0.00		
S2 Pump Station:	- NR -	0.00	0.00		
\$308:	- NR -	0.00	0.00	351	11
S80:	- NR -	0.00	0.00	12	5
Okeechobee Average	- NR -	0.00	0.00		
(Sites S78, S79 and	S80 not inc	luded)			
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

14.89 Difference from 19MAR23 14.94 0.05

3/20/23, 8:25 AM		oke	
19MAR23 -2 Days =	17 MAR 2023	14.96	0.07
19MAR23 -3 Days =	16 MAR 2023	14.98	0.09
19MAR23 -4 Days =	15 MAR 2023	15.00	0.11
19MAR23 -5 Days =	14 MAR 2023	15.06	0.17
19MAR23 -6 Days =	13 MAR 2023	15.11	0.22
19MAR23 -7 Days =	12 MAR 2023	15.13	0.24
19MAR23 -30 Days =	17 FEB 2023	15.78	0.89
19MAR23 -1 Year =	19 MAR 2022	14.1/	-0.72
19MAR23 -2 Year =	19 MAR 2021	14.89	0.00
Long Term Mean 30day	Avearge FT for Lake	Alfred (Inches) =	- NR -
Long Term Heart Soddy		Airrea (inches) -	
	Lake Okeechobee	Net Inflow (LONIN)	
Av	erage Flow over the	previous 14 days	Avg-Daily Flow
19MAR23 Today =	19 MAR 2023	-3658 MON	-8633
19MAR23 -1 Day =	18 MAR 2023	-3235 SUN	-2047
19MAR23 -2 Days =	17 MAR 2023	-3405 SAT	-1674
19MAR23 -3 Days =	16 MAR 2023	-3251 FRI	-552
19MAR23 -4 Days =	15 MAR 2023	-3394 THU	-8969
19MAR23 -5 Days =	14 MAR 2023	-3000 WED	-6768
19MAR23 -6 Days =	13 MAR 2023	-2681 TUE	-582
19MAR23 -7 Days =	12 MAR 2023	-2573 MON	-842
19MAR23 -8 Days =	11 MAR 2023	-2754 SUN	-2280
19MAR23 -9 Days =	10 MAR 2023	-2594 SAT	-3937
19MAR23 -10 Days =	09 MAR 2023	-2304 FRI	-3675
19MAR23 -11 Days =	08 MAR 2023	-2178 THU	-5818
19MAR23 -12 Days =	07 MAR 2023	-1/94 WED	-2504
19MAR23 -13 Days =	06 MAR 2023	-16/9 IUE	-2929
	S65E		
	Average Flow over	previous 14 days	Avg-Daily Flow
19MAR23 Today=	19 MAR 2023	704 MON	612
19MAR23 -1 Day =	18 MAR 2023	730 SUN	608
19MAR23 -2 Days =	17 MAR 2023	763 SAT	684
19MAR23 -3 Days =	16 MAR 2023	787 FRI	680
19MAR23 -4 Days =	15 MAR 2023	824 THU	740
19MAR23 -5 Days =	14 MAR 2023	867 WED	662
19MAR23 -6 Days =	13 MAR 2023	907 TUE	630
19MAR23 -7 Days =	12 MAR 2023	957 MON	749
19MAR23 -8 Days =	11 MAR 2023	1000 SUN	717
19MAR23 -9 Days =	10 MAR 2023	1047 SAT	730
19MAR23 -10 Days =	09 MAR 2023	1094 FRI	731
19MAR23 -11 Days =	08 MAR 2023	1142 THU	776
19MAR23 -12 Days =	07 MAR 2023	1189 WED	666
19MAR23 -13 Days =	06 MAK 2023	1252 IUE	874
	S65EX1		
	Average Flow over	previous 14 days	Avg-Daily Flow
19MAR23 Today=	19 MAR 2023	Ø MON	0
19MAR23 -1 Day =	18 MAR 2023	Ø SUN	0
19MAR23 -2 Days =	17 MAR 2023	0 SAT	0
19MAR23 -3 Days =	16 MAR 2023	0 FRI	0
19MAR23 -4 Days =	15 MAR 2023	0 THU	0
19MAR23 -5 Days =	14 MAR 2023	0 WED	0
19MAR23 -6 Days =	13 MAR 2023	0 TUE	0
19MAR23 -7 Days =	12 MAR 2023	0 MON	0
19MAR23 -8 Days =	11 MAR 2023	0 SUN	0
19MAR23 -9 Days =	10 MAR 2023	0 SAT	0
19MAR23 - 10 Days = 10MAD22 - 11 D	09 MAR 2023	0 FRI	
19MAK23 -11 Days =	08 MAK 2023		
ISMAKZ3 -IZ Days =	07 MAK 2023	0 WED	i 0

06 MAR 2023

TUE

0

0

https://w3.saj.usace.army.mil/h2o/reports/r-oke.html

19MAR23 -12 Days = 19MAR23 -13 Days =

Lake Okeechobee Outlets Last 14 Days

	S-77	Below S-77	S-78	S-79	
	Discharge	Discharge	Discharge	Discharge	
	(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)	
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	
19 MAR 2023	2530	2574	2271	3849	
18 MAR 2023	2520	2643	1692	2921	
17 MAR 2023	3456	3312	2761	3674	
16 MAR 2023	4989	4859	3965	4612	
15 MAR 2023	3800	3689	3684	4647	
14 MAR 2023	3455	2926	2655	4212	
13 MAR 2023	3016	2930	2639	3174	
12 MAR 2023	2725	2899	2330	2969	
11 MAR 2023	2932	3023	2094	2956	
10 MAR 2023	3844	4093	2609	3087	
09 MAR 2023	4736	5089	3987	4649	
08 MAR 2023	4493	4758	3936	5246	
07 MAR 2023	-NR-	4082	3637	4347	
06 MAR 2023	2467	3550	2922	3540	
	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
19 MAR 2023	195	0	0	0	709
18 MAR 2023	289	0	153	216	644
17 MAR 2023	134	126	134	12	504
16 MAR 2023	47	503	686	0	520
15 MAR 2023	152	1704	1396	423	276
14 MAR 2023	179	1989	1482	348	183
13 MAR 2023	174	1562	1185	363	815
12 MAR 2023	93	1462	740	520	851
11 MAR 2023	111	2086	1155	768	850
10 MAR 2023	60	2030	1515	652	766
09 MAR 2023	142	1627	1465	683	645
08 MAR 2023	160	1792	1497	729	711
07 MAR 2023	121	1720	1484	785	903
06 MAR 2023	282	1517	1093	1111	921
	S-308	Below S-30	8 S-80		
	Discharge	Discharge	Discharge	2	
	(ALL DAY)	(ALL-DAY)	(ALL-DAY))	
DATE	(AC-FT)	(AC-FT)	(AC-FT)		
19 MAR 2023	814	- NR -	1000		
18 MAR 2023	833	- NR -	1023		
17 MAR 2023	848	- NR -	562		
16 MAR 2023	560	-NR-	660		
15 MAR 2023	462	-NR-	564		
14 MAR 2023	/10	-NR-	32		
13 MAR 2023	827	-NR-	5/1		
12 MAR 2023	674	-NK-	508		
10 MAR 2023	530		426		
10 MAR 2023	549 762		408 2 <i>6</i>		
2023 אויין כט ברמר ממא ממ	207 701	- NP	0C 0C		
00 MAR 2023	7 7	- NR -	29 10		
06 MAR 2023	-NR-	-NR-	40		
*** NOTE:	Discha Locka	arge (ALL DA` ges Discharge	Y) is comput es from 0015	ced using S 5 hrs to 24	pillway, Sector 100 hrs.
		0			

(I) - Flows preceeded by "I" signify an instantaneous flow computed from the single value reported for the day Gate and

* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average. On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation. On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level. On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level. On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels. Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
++ For more information see the Jacksonville District Navigation website at http://www.saj.usace.army.mil/
\$ For information regarding Lake Okeechobee Service Area water restrictions

\$ For information regarding Lake Okeechobee Service Area water restrictions
please refer to www.sfwmd.gov

Report Generated 20MAR2023 @ 07:45 ** Preliminary Data - Subject to Revision **



Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

• Class Limits for Tributary Hydrologic Conditions

Table K-2 in the Lake Okeechobee Water Control Plan

<u>6-15 Day Precipitation Outlook Categories</u>

Table ?? in the Lake Okeechobee Water Control Plan

<u>Classification of Lake Okeechobee Net Inflow for Seasonal</u>

<u>Outlook</u>

 Table K-3 in the Lake Okeechobee Water Control Plan

<u>Classification of Lake Okeechobee Net Inflow for Multi-</u>

Seasonal Outlook

 Table K-4 in the Lake Okeechobee Water Control Plan

Back to Lake Okeechobee Operations Main Page

Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage

Tributary Hydrologic	Palmer Index	2-wk Mean L.O. Net
Classification*	Class Limits	Inflow Class Limits
Very Wet	3.0 or greater	Greater >= 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
		Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**Volume-depth conversion based on average lake surface area of 467,000 acres

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
	[]	Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**Volume-depth conversion based on average lake surface area of 467,000 acres

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories	
Above Normal	Wet to Very Wet	
Normal	Normal	
Below Normal	Dry	

* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan

Under Construction