Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 05/08/2023 (ENSO Condition: Neutral)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using methods described in the LORS2008 Water Control Plan: Croley's method, the SFWMD empirical method, a sub-sampling of Neutral years and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with Neutral ENSO years. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method*		SFWMD Empirical Method		Sub-sampling of Neutral ENSO Years**		Sub-sampling of AMO Warm + Neutral ENSO Years***	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (May-Oct)	N/A	N/A	2.28	Very Wet	2.62	Very Wet	3.59	Very Wet
Multi Seasonal (May-Apr)	N/A	N/A	2.81	Wet	3.28	Wet	4.23	Wet

*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the IRI ENSO forecast published.
***Sub-sampling based on combination of ENSO and AMO conditions. For this predominant ENSO categorization is used instead of weights.

Tributary Hydrologic Conditions:

-482 cfs 14-day running average for Lake Okeechobee Net Inflow through 05/07/2023.
According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

-2.17 for Palmer Drought Index on 05/06/2023.
According to the classification in Tributary Hydrologic Conditions table, this condition is Dry.

The wetter of the two conditions above is **Dry.**

LORS2008 Classification Tables:

Lake Okeechobee Stage on 05/08/2023:

Lake Okeechobee Stage: **14.15 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.51	
Operational Band	High sub-band	15.91	
	Intermediate sub-band	15.20	
	Low sub-band	13.26	← 14.15 ft
Base Flow sub-band		12.60	
Beneficial Use sub-band		10.85	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCAs

No releases to WCAs

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

Lake Okeechobee Releases to the Caloosahatchee Estuary for LORS 2008 Baseflow & for Environmental Water Supply

Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.

LORS2008 Implementation on 05/08/2023 (ENSO Condition- Neutral Watch):

Status for week ending 05/08/2023:

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-band	L
	Palmer Drought Index for LOK Tributary Conditions	-2.17 (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	2.62 ft	L
	ENSO Forecast	Normal to Extremely Wet	
	LOK Multi-Seasonal Net Inflow Outlook	3.28 ft	L
	ENSO Forecast	Wet	
WCAs	WCA 1: 3 Station Average (Site 1-8C)	Above Line 1 (15.99 ft)	L
	WCA 2A: Site S-11B	Above Line 1 (12.03 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (9.11 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

Lake Okeechobee SFWMM May 2023 Position Analysis



(See assumptions on the Position Analysis Results website)

05/09/23 08:15:33

Tributary Basin Condition Indicators as of May 07 2023





2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas



Figure 7-3

2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



**** Very Dry Conditions may require that releases to tide (estuaries) be discontinued***

Figure 7-4

Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



[1]The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

[2]Estuary "needs" water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

[3]LOWSM = Lake Okeechobee Water Shortage Management.

[4]Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

[5]Can release less than the "up to" limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

[6]After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

[7]Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item.

Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District
Lake Okeechobee and Vicinity Report
** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 07 MAY 2023

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	14.15	12.95	13.84 (Official Elv)

Bottom of High Lake Mngmt= 16.51 Top of Water Short Mngmt= 10.85
Currently in Operational Management Band

Simulated Average LORS2008 [1965-2000] 12.24
Difference from Average LORS2008 1.91

07MAY (1965-2007) Period of Record Average 13.46
Difference from POR Average 0.69

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ◆ 8.09'
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ◆ 6.29'
Bridge Clearance = 49.79'

---

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.10	14.27	14.16	14.06	14.30	14.16	14.05	13.99

*Combination Okeechobee Avg-Daily Lake Average = 14.15 (*See Note)

Okeechobee Inflows (cfs):

S65E	238	S65EX1	0	Fisheating Cr	0
S154	0	S191	0	S135 Pumps	0
S84	19	S133 Pumps	0	S2 Pumps	0
S84X	13	S127 Pumps	0	S3 Pumps	0
S71	0	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0

Total Inflows: 270

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	1938
S127 Culverts	0	S351	80	S308	126
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	144		

Total Outflows: 2288

****S77 structure flow is being used to compute Total Outflow.
****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):
S77 0.30 S308 0.34
Average Pan Evap x 0.75 Pan Coefficient = 0.24" = 0.02'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'
Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-
Lake Okeechobee (Change in Storage) Flow is -2168 cfs or -4300 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	Gate Positions #1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
			(I) see note at bottom								
North East Shore											
S133 Pumps:	13.57	13.98	0	0	0	0	0	0	(cfs)		
S193:											
S191:	18.83	13.96	0	0.0	0.0	0.0					
S135 Pumps:	13.66	13.90	0	0	0	0	0		(cfs)		
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	21.02	13.89	238	0.1	0.6	0.0	0.0	0.0	0.0		
S65EX1:	21.02	13.89	0								
S127 Pumps:	13.36	14.07	0	0	0	0	0	0	(cfs)		
S127 Culvert:			0	0.0							
S129 Pumps:	12.88	14.27	0	0	0	0			(cfs)		
S129 Culvert:			0	0.0							
S131 Pumps:	12.85	-NR-	0	0	0				(cfs)		
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		27.39	0								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	11.27	-NR-	0	0	0	0			(cfs)		
S169:		-NR-	-NR-	-NR-	-NR-	-NR-					
S310:	14.27		-4								
S3 Pumps:	10.59	14.17	0	0	0	0			(cfs)		
S354:	14.17	10.59	0	0.0	0.0						
S2 Pumps:	10.43	14.15	0	0	0	0	0		(cfs)		
S351:	14.15	10.43	80	0.1	0.1	0.1					
S352:	14.13	10.58	0	0.0	0.0						
C10A:	-NR-	-NR-		-NR-	-NR-	-NR-	-NR-	-NR-			
L8 Canal PT		13.94	144								
S351 and S352 Temporary Pumps/S354 Spillway											
S351:	10.43	14.15	80	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-		
S352:	10.58	14.13	0	-NR-	-NR-	-NR-	-NR-				
S354:	10.59	14.17	0	-NR-	-NR-	-NR-	-NR-				
Caloosahatchee River (S77, S78, S79)											
S47B:	14.19	11.81		0.5	0.5						
S47D:	11.86	11.33	0	0.0							
S77:											
Spillway and Sector Preferred Flow:											
	14.16	11.20	1936	2.5	3.0	3.0	0.0				
Flow Due to Lockages+:			2								
S78:											

```
    Spillway and Sector Flow:
              11.19      3.03    1098    1.5  0.0  0.0  1.5
    Flow Due to Lockages+:           7

  S79:
    Spillway and Sector Flow:
               3.21      0.69    1383    0.0  0.0  0.0  1.5  2.0  1.5  0.0  0.0
    Flow Due to Lockages+:          11
    Percent of flow from S77       140%
    Chloride            (ppm)      0


St. Lucie Canal (S308, S80)
  S308:
    Spillway and Sector Preferred Flow:
              13.99     13.71     126  0.0  0.0  0.0  0.0
    Flow Due to Lockages+:           0

  S153:        19.01     13.50       0    0.0  0.0
  S80:
    Spillway and Sector Flow:
              13.72      1.51       0    0.0  0.0  0.0  0.0  0.0  0.0  0.0
    Flow Due to Lockages+:           9
    Percent of flow from S308   NA  %

  Steele Point Top Salinity    (mg/ml) ****
  Steele Point Bottom Salinity (mg/ml) ****

  Speedy Point Top Salinity    (mg/ml) ****
  Speedy Point Bottom Salinity (mg/ml) ****

 + Flow Due to lockages is computed utilizing average daily headwater and
   tailwater along with total number of lockages for the day to calculate
   a volume which is then converted to an average discharge in cfs.
++ Preferred flow is determined from either the spillway discharge or the below flow meter daily
```

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind ---- Direction (Deg°)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	-NR-	0.00	0.00	85	2
S78:	-NR-	0.00	0.00	95	5
S79:	-NR-	0.00	0.00	56	4
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	-NR-	0.00	0.00	-NR-	-NR-
S80:	-NR-	0.00	0.00	122	2
Okeechobee Average (Sites S78, S79 and S80 not included)	-NR-	0.00	0.00		
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

```
Okeechobee Lake Elevations  07 MAY 2023          14.15 Difference from 07MAY23
   07MAY23  -1 Day  =       06 MAY 2023          14.16             0.01
```

07MAY23	-2 Days =	05 MAY 2023	14.19	0.04
07MAY23	-3 Days =	04 MAY 2023	14.21	0.06
07MAY23	-4 Days =	03 MAY 2023	14.24	0.09
07MAY23	-5 Days =	02 MAY 2023	14.28	0.13
07MAY23	-6 Days =	01 MAY 2023	14.30	0.15
07MAY23	-7 Days =	30 APR 2023	14.33	0.18
07MAY23	-30 Days =	07 APR 2023	14.30	0.15
07MAY23	-1 Year =	07 MAY 2022	12.95	-1.20
07MAY23	-2 Year =	07 MAY 2021	13.84	-0.31

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

			Average Flow over the previous 14 days		Avg-Daily Flow
07MAY23	Today =	07 MAY 2023	-479	MON	115
07MAY23	-1 Day =	06 MAY 2023	-705	SUN	-4862
07MAY23	-2 Days =	05 MAY 2023	-449	SAT	-3173
07MAY23	-3 Days =	04 MAY 2023	-343	FRI	-5084
07MAY23	-4 Days =	03 MAY 2023	-267	THU	-6419
07MAY23	-5 Days =	02 MAY 2023	-111	WED	-2198
07MAY23	-6 Days =	01 MAY 2023	197	TUE	-5231
07MAY23	-7 Days =	30 APR 2023	1810	MON	3174
07MAY23	-8 Days =	29 APR 2023	2105	SUN	2921
07MAY23	-9 Days =	28 APR 2023	1946	SAT	589
07MAY23	-10 Days =	27 APR 2023	2101	FRI	1142
07MAY23	-11 Days =	26 APR 2023	2399	THU	2996
07MAY23	-12 Days =	25 APR 2023	2159	WED	9739
07MAY23	-13 Days =	24 APR 2023	1165	TUE	-413

S65E

			Average Flow over previous 14 days		Avg-Daily Flow
07MAY23	Today=	07 MAY 2023	304	MON	272
07MAY23	-1 Day =	06 MAY 2023	303	SUN	253
07MAY23	-2 Days =	05 MAY 2023	301	SAT	252
07MAY23	-3 Days =	04 MAY 2023	304	FRI	273
07MAY23	-4 Days =	03 MAY 2023	305	THU	288
07MAY23	-5 Days =	02 MAY 2023	309	WED	264
07MAY23	-6 Days =	01 MAY 2023	317	TUE	283
07MAY23	-7 Days =	30 APR 2023	326	MON	270
07MAY23	-8 Days =	29 APR 2023	328	SUN	315
07MAY23	-9 Days =	28 APR 2023	334	SAT	320
07MAY23	-10 Days =	27 APR 2023	338	FRI	313
07MAY23	-11 Days =	26 APR 2023	344	THU	470
07MAY23	-12 Days =	25 APR 2023	336	WED	379
07MAY23	-13 Days =	24 APR 2023	331	TUE	299

S65EX1

			Average Flow over previous 14 days		Avg-Daily Flow
07MAY23	Today=	07 MAY 2023	0	MON	0
07MAY23	-1 Day =	06 MAY 2023	0	SUN	0
07MAY23	-2 Days =	05 MAY 2023	0	SAT	0
07MAY23	-3 Days =	04 MAY 2023	0	FRI	0
07MAY23	-4 Days =	03 MAY 2023	0	THU	0
07MAY23	-5 Days =	02 MAY 2023	0	WED	0
07MAY23	-6 Days =	01 MAY 2023	3	TUE	0
07MAY23	-7 Days =	30 APR 2023	3	MON	0
07MAY23	-8 Days =	29 APR 2023	3	SUN	0
07MAY23	-9 Days =	28 APR 2023	3	SAT	0
07MAY23	-10 Days =	27 APR 2023	3	FRI	0
07MAY23	-11 Days =	26 APR 2023	3	THU	0
07MAY23	-12 Days =	25 APR 2023	3	WED	0
07MAY23	-13 Days =	24 APR 2023	3	TUE	0

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
07 MAY 2023	3836	3655	2191	2771
06 MAY 2023	2838	3037	2036	2105
05 MAY 2023	1780	2101	1313	2287
04 MAY 2023	2199	2405	1718	2701
03 MAY 2023	3873	3915	2979	3424
02 MAY 2023	3947	4211	3512	4139
01 MAY 2023	2238	2940	3085	4937
30 APR 2023	1810	2221	2472	3450
29 APR 2023	1454	1754	2089	2465
28 APR 2023	1047	1913	1680	2479
27 APR 2023	2263	2914	2603	2880
26 APR 2023	1764	2412	2440	3879
25 APR 2023	2379	3043	3357	4113
24 APR 2023	3160	3580	3316	4438

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
07 MAY 2023	-9	158	0	0	286
06 MAY 2023	-27	160	0	0	318
05 MAY 2023	4	160	0	0	272
04 MAY 2023	-9	117	0	0	195
03 MAY 2023	24	0	0	0	906
02 MAY 2023	-72	0	0	0	170
01 MAY 2023	******	0	0	0	-17
30 APR 2023	44	0	0	0	289
29 APR 2023	-74	0	0	0	155
28 APR 2023	-173	0	0	0	129
27 APR 2023	-211	0	0	0	22
26 APR 2023	-191	0	0	0	-66
25 APR 2023	31	0	0	0	120
24 APR 2023	-110	0	0	0	211

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
07 MAY 2023	209	-NR-	18
06 MAY 2023	1	-NR-	41
05 MAY 2023	0	-NR-	0
04 MAY 2023	0	-NR-	11
03 MAY 2023	0	-NR-	942
02 MAY 2023	-0	-NR-	8
01 MAY 2023	1	-NR-	338
30 APR 2023	0	-NR-	1406
29 APR 2023	-1	-NR-	710
28 APR 2023	0	-NR-	429
27 APR 2023	-NR-	-NR-	310
26 APR 2023	-NR-	-NR-	196
25 APR 2023	-NR-	-NR-	38
24 APR 2023	-1	-NR-	37

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceeded by "I" signify an instantaneous
flow computed from the single value reported for the day

```
_____________________________________________________________________________
   * On 11 May 1999, Lake Okeechobee Elevation was switched from
     Instantaneous 2400 value to an average-daily lake average.
     On 14 Mar 2001, due to the isolation of various gages within the standard
     10 stations, the average of the interior 4 station gages was used
     as the Lake Okeechobee Elevation.
     On 05 November 2010,  Lake Okeechobee Elevation was switched to a 9 gage
     mix of interior and edge gages to obtain a more reliable representation
     of the lake level.
     On 09 May 2011,  Lake Okeechobee Elevation was switched to a 8 gage
     mix of interior and edge gages to obtain a more reliable representation
     of the lake level due to isolation of S135 from low lake levels.
     Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
  ++ For more information see the Jacksonville District Navigation website
     at http://www.saj.usace.army.mil/
   $ For information regarding Lake Okeechobee Service Area water restrictions
     please refer to www.sfwmd.gov
_____________________________________________________________________________
Report Generated 08MAY2023 @ 10:15  ** Preliminary Data - Subject to Revision **
```

Lake Okeechobee

08MAY23 10:17:21



High Lake Management
Okeechobee Avg Elev
Average Elev [1965-2007]
Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- Class Limits for Tributary Hydrologic Conditions

Table K-2 in the Lake Okeechobee Water Control Plan

- 6-15 Day Precipitation Outlook Categories

Table ?? in the Lake Okeechobee Water Control Plan

- Classification of Lake Okeechobee Net Inflow for Seasonal Outlook

Table K-3 in the Lake Okeechobee Water Control Plan

- Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook

Table K-4 in the Lake Okeechobee Water Control Plan

Back to Lake Okeechobee Operations Main Page

Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater >= 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction **[million acre-feet]**	**Equivalent Depth**** **[feet]**	**Lake Okeechobee** **Net Inflow** **Multi-Seasonal Outlook**
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**