Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 12/25/2023 (ENSO Condition: El Niño)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using methods described in the LORS2008 Water Control Plan: Croley's method, the SFWMD empirical method, a sub-sampling of El Niño years and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with El Niño ENSO years. The results for Croley's method and the SFWMD empirical method are based on the <u>CPC Outlook</u>.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley	croley's Method*		FWMD cal Method	El Nii	ampling of ño ENSO ears**	Sub-sampling of AMO Warm + El Niño ENSO Years***	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	Condition
Current (Dec-May)	N/A	N/A	0.49	Dry	1.35	Normal	1.51	Wet
Multi Seasonal (Dec-Oct)	N/A	N/A	3.09	Wet	4.03	Wet	5.37	Very Wet

*Croley's Method Not Produced for This Report

See <u>Seasonal</u> and <u>Multi-Seasonal</u> tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the IRI ENSO forecast published.

***Sub-sampling based on combination of ENSO and AMO conditions. For this predominant ENSO categorization is used instead of weights.

Tributary Hydrologic Conditions:

1941 cfs 14-day running average for Lake Okeechobee Net Inflow through 12/25/2023. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Near Normal.

0.18 for Palmer Drought Index on 12/23/2023. According to the classification in <u>Tributary</u> <u>Hydrologic Conditions</u> table, this condition is Near Normal.

The wetter of the two conditions above is Near Normal.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 12/25/2023:

Lake Okeechobee Stage: 15.90 feet

	ee Management /Band	Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Manage	ement Band	17.25	
	High sub-band	16.88	
Operational Band	Intermediate sub-band	16.25	
	Low sub-band	14.11	← 15.90 ft
Base Flow sub-ba	nd	12.63	
Beneficial Use sub	o-band	12.21	
Water Shortage M	lanagement Band		

Part C of LORS2008: Discharge to WCAs

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise no Releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 3000 cfs at S-79 and up to 1170 cfs at S-80.


LORS2008 Implementation on 12/25/2023 (ENSO Condition- El Niño): Status for week ending 12/25/2023*:

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
	Projected LOK Stage for the next two months	Low Sub-band	М
	Palmer Drought Index for LOK Tributary Conditions	0.18 (Normal to Extremely Wet)	L
	CDC Draginitation Outlook	1 month: Above Normal	L
LOK	CPC Precipitation Outlook	3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	1.35 ft	
	ENSO Forecast	Normal to Extremely Wet	-
	LOK Multi-Seasonal Net Inflow Outlook	4.03 ft	
	ENSO Forecast	Wet	L
	WCA 1: 3 Station Average (Sites 1-7, 1-8T, and 1-9)	Above Line 1 (17.44 ft)	L
WCAs	WCA 2A: Site 2-17	Above Line 1 (13.12 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (10.70 ft)	L
	Service Area 1	Year-Round Irrigation Rule in effect	L
LEC	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

*- S80 flow data for 12/12 -12/17, 12/22 & 12/23 is not available from USACE Daily Reports and was assumed to be 0. S354 flow data for 12/19 & 12/20 is not available from USACE Daily Reports and was assumed to be 0.




P90

P50

P25


P5

Lake Okeechobee SFWMM Decenter 2023 Position Analysis



(See assumptions on the Position Analysis Results website)


12/27/23 10:18:35



Tributary Basin Condition Indicators as of December 24 2023


2008 LORS


Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas



2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)





Lake Okeechobee Water Level History and Projected Stages

12/25/23. 11:40 PM

Data Ending 2400 hours

oke

33

0

0

0

0

0

U. S. Army Corps of Engineers, Jacksonville District Lake Okeechobee and Vicinity Report ** Preliminary Data - Subject to Revision **

Okeechobee Lake Regulation Elevation Last Year 2YRS Ago (ft-NGVD) (ft-NGVD) (ft-NGVD) *Okeechobee Lake Elevation 15.90 16.42 15.66 (Official Elv) Bottom of High Lake Mngmt= 17.25 Top of Water Short Mngmt= 12.21 Currently in Operational Management Band Simulated Average LORS2008 [1965-2000] 13.56 Difference from Average LORS2008 2.34 24DEC (1965-2007) Period of Record Average 14.67 Difference from POR Average 1.23 Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations ++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 � 9.84' ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 � 8.04' Bridge Clearance = 49.40' 4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values): L001 L005 L006 LZ40 S4 S352 S308 S133 15.93 15.95 15.87 15.83 15.90 15.96 15.93 15.84 *Combination Okeechobee Avg-Daily Lake Average = 15.90 (*See Note) Okeechobee Inflows (cfs): S65E 807 S65EX1 0 Fisheating Cr S154 0 S191 0 S135 Pumps S84 0 S133 Pumps 0 S2 Pumps S84X 0 S127 Pumps 0 S3 Pumps 0 S129 Pumps 0 S4 Pumps S71 0 S72 0 S131 Pumps C5

24 DEC 2023

Okeechobee Outflows (cfs): S135 Culverts 0 S354 0 S77 -NR-0 S127 Culverts 0 S351 S308 2 S129 Culverts 0 \$352 24 0 L8 Canal Pt 102 S131 Culverts Total Outflows: No Report Due To Missing S77 or S308 Discharge Data

****S77 below flow meter is being used to compute Total Outflow. ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches): S77 0.19 S308 0.15 Average Pan Evap x 0.75 Pan Coefficient = 0.13" = 0.01' Lake Average Precipitation using NEXRAD: = -NR-" = -NR-"

= -NR-" = -NR-' Evaporation - Precipitation: Evaporation - Precipitation using Lake Area of 730 square miles

Total Inflows:

840

12/25/23, 11:40 PM

is equal to

is equal to	-NR -		
Lake Okeechobee	(Change in Storage) Flow is	0 cfs or	0 AC-FT

	Headwater	Tailwater				Gat	te Pos	sitio	ns		
		Elevation				#3	#4	#5	#6	#7	#8
		(ft-msl)									
	(10 1131)			note at			()	()	()	()	()
North East Sh	ore	(-) 500	note ut							
S133 Pumps		15.86	0	0	0	0	0	a	(cfs	-)	
S193:	. 17.44	19.00	0	0	0	0	0	0	(01.	,	
S191:	18.30	15.83	0	0.0	0.0	0.0					
							0		(- \	
S135 Pumps:		15.81	0	0		0	0		(cfs	>)	
S135 Culver	rts:		0	0.0	0.0						
North West Sł	nore										
S65E:	21.05	15.68	807	0.4	0.5	0.2	0.2	0.7	0.4		
S65EX1:	21.05	15.68	0								
S127 Pumps		15.80	0	0	0	0	0	0	(cfs	5)	
S127 Culver		19100	0	0.0	Ũ	•	0	0	(01.	- /	
Siz/ cuiver	ι.		U	0.0							
S129 Pumps	: 12.99	15.91	0	0	0	0			(cfs	5)	
S129 Culver			0	0.0					•	,	
S131 Pumps		- NR -	0	0	0				(cfs	5)	
S131 Culver	rt:		0								
Fishesting	Creat										
Fisheating nr Palmda		29.27	22								
	-	29.27	33								
nr Lakepo											
S282	15.96	15.79		0.	.00.	.0 0	.1				
South Shore											
S4 Pumps:	11.90	-NR-	0	- NR -	-NR-	- NR -			(cfs	-)	
S169:	11.50	-NR-	-NR-		-NR-				(01.	,,	
S310:	15.82	- INIX -	2	- NIX -	- MIX -	- MIX -					
S3 Pumps:	13.02	-NR-	0	ND	-NR-	ND			(cfs	-)	
S354:	-NR-	- NIX -		-NR-		- 1117 -			(01)	>)	
		16.00	0			0	0		(- \	
S2 Pumps:	10.22	16.00	0	0		0	0		(cfs	>)	
S351:	16.00	10.22	0	0.0		0.0					
S352:	16.02	10.67	24	0.1							
S271:	16.14	14.77		0.0	0.0	9 0	.0 -1	VR-			
L8 Canal P	Г	14.48	102								
	S35:	1 and S352	Tempor	ary Pum	ips/S	354 Si	oillwa				
			F	,		- 1		,			
S351:	10.22	16.00	0					-NR -			
S352:	10.67	16.02	24	-NRN	IR – – NF	RNR	-				
S354:		- NR -	0	-NRN	IR – – NF	RNR	-				
Caloosahatche	ee River (577 . 578. 5	79)								
S47B:	13.22	12.21	,	1.0	1.5						
S47D:	12.21	11.07	0	0.0	±.,						
S77:	****	11.0/	U	0.0							
	and Sector	r Preferred	Flow								
Spiring	-95.97	10.93	1538	0.0 2	05) 5 <i>(</i>	aa				
Flow Due	to Lockage		-NR-	0.0 2							
buc											

S78:

12/25/23. 11:40 PM oke Spillway and Sector Flow: 10.93 2.85 1397 1.5 0.0 3.0 0.0 Flow Due to Lockages+: 12 S79: Spillway and Sector Flow: 3.04 2.48 2065 0.0 0.0 2.0 2.5 2.0 2.0 0.0 0.0 Flow Due to Lockages+: 3 Percent of flow from S77 74% Chloride 0 (ppm) St. Lucie Canal (S308, S80) S308: Spillway and Sector Preferred Flow: 15.96 14.10 0 0.0 0.0 0.0 0.0 Flow Due to Lockages+: 2 S153: 18.88 13.90 0 0.0 0.0 S80: Spillway and Sector Flow: 14.09 0.98 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 Flow Due to Lockages+: -NR-Percent of flow from S308 NA % Steele Point Top Salinity (mg/ml) **** Steele Point Bottom Salinity (mg/ml) **** Speedy Point Top Salinity (mg/ml) **** Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

				Wi	nd
Daily Precipitation Totals	1-Day	3-Day	7-Day	Directio	n Speed
	(inches)	(inches)	(inches)	(Deg�)	(mph
S133 Pump Station:	- NR -	0.00	0.00		
S193:	- NR -	0.00	0.00	- NR -	- NR -
Okeechobee Field Station:	- NR -	0.00	0.00		
S135 Pump Station:	- NR -	0.00	0.00		
S127 Pump Station:	- NR -	0.00	0.00		
S129 Pump Station:	- NR -	0.00	0.00		
S131 Pump Station:	- NR -	0.00	0.00		
S77:	0.00	0.00	0.00	50	3
S78:	2.86	2.86	2.88	106	2
S79:	1.15	1.15	1.15	113	3
S4 Pump Station:	- NR -	0.00	0.00		
Clewiston Field Station:	- NR -	0.00	0.00		
S3 Pump Station:	- NR -	0.00	0.00		
S2 Pump Station:	- NR -	0.00	0.00		
\$308:	0.00	0.00	0.00	58	4
S80:	5.16	6.51	6.53	152	3
Okeechobee Average	0.00	0.00	0.00		
(Sites S78, S79 and	S80 not ind	luded)			
Oke Nexrad Basin Avg		0.00	0.00		

15.90 Difference from 24DEC23 15.90 0.00

12/25/23, 11:40 PM			oke	
24DEC23 -2 Day	s = 2	2 DEC 2023	15.90	0.00
24DEC23 -3 Day	s = 2	1 DEC 2023	15.89	-0.01
24DEC23 -4 Day	s = 2	0 DEC 2023	15.89	-0.01
24DEC23 -5 Day	s = 1	9 DEC 2023	15.89	-0.01
24DEC23 -6 Day	s = 1	8 DEC 2023	16.00	0.10
24DEC23 -7 Day	s = 1	7 DEC 2023	16.04	0.14
24DEC23 -30 Day	s = 24	4 NOV 2023	16.04	0.14
24DEC23 -1 Yea	r = 24	4 DEC 2022	16.42	0.52
24DEC23 -2 Yea	r = 24	4 DEC 2021	15.66	-0.24

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

		L	ake C)keed	chobee	Net Inflo	ow (LONIN)	
		Average	Flow	vo ve	er the	previous	14 days	Avg-Daily Flow
24DEC23	Today	=	24	DEC	2023	3933	MON	1564
24DEC23	-1 Day	=	23	DEC	2023	4256	SUN	1157
24DEC23	-2 Days	=	22	DEC	2023	4273	SAT	2685
24DEC23	-3 Days	=	21	DEC	2023	4223	FRI	1356
24DEC23	-4 Days	=	20	DEC	2023	3732	THU	- NR -
24DEC23	-5 Days	=	19	DEC	2023	2608	WED	- NR -
24DEC23	-6 Days	=	18	DEC	2023	2281	TUE	-7958
24DEC23	-7 Days	=	17	DEC	2023	2851	MON	53099
24DEC23	-8 Days	=	16	DEC	2023	-814	SUN	20056
24DEC23	-9 Days	=	15	DEC	2023	-1857	SAT	7347
24DEC23	-10 Days	=	14	DEC	2023	-2440	FRI	-18067
24DEC23	-11 Days	=	13	DEC	2023	-1189	THU	4125
24DEC23	-12 Days	=	12	DEC	2023	-1701	WED	-8912
24DEC23	-13 Days	=	11	DEC	2023	-1306	TUE	-9259

		Se	65E			
	Aver	age Flow	w over	previous	14 days	Avg-Daily Flow
24DEC23 Tod	ay=	24 DEC	2023	903	MON	916
24DEC23 -1 Day		23 DEC	2023	902	SUN	871
24DEC23 -2 Day	'S =	22 DEC	2023	907	SAT	868
24DEC23 -3 Day	'S =	21 DEC	2023	904	FRI	870
24DEC23 -4 Day	'S =	20 DEC	2023	902	THU	861
24DEC23 -5 Day	'S =	19 DEC	2023	906	WED	868
24DEC23 -6 Day	'S =	18 DEC	2023	911	TUE	980
24DEC23 -7 Day	'S =	17 DEC	2023	910	MON	1072
24DEC23 -8 Day	'S =	16 DEC	2023	901	SUN	894
24DEC23 -9 Day	'S =	15 DEC	2023	900	SAT	890
24DEC23 -10 Day	'S =	14 DEC	2023	900	FRI	838
24DEC23 -11 Day	'S =	13 DEC	2023	906	THU	857
24DEC23 -12 Day	'S =	12 DEC	2023	913	WED	909
24DEC23 -13 Day	'S =	11 DEC	2023	917	TUE	953

					Se	55EX1				
				Average	Flow	v over	previous	14 days		Avg-Daily Flow
24DEC23		Today	y=	24	DEC	2023	0	MON		0
24DEC23	-1	Day	=	23	DEC	2023	0	SUN		0
24DEC23	-2	Days	=	22	DEC	2023	0	SAT		0
24DEC23	- 3	Days	=	21	DEC	2023	0	FRI		0
24DEC23	-4	Days	=	20	DEC	2023	0	THU	Í	0
24DEC23	- 5	Days	=	19	DEC	2023	0	WED	Í	0
24DEC23	-6	Days	=	18	DEC	2023	0	TUE	Í	0
24DEC23	-7	Days	=	17	DEC	2023	0	MON	Í	0
24DEC23	-8	Days	=	16	DEC	2023	0	SUN	j	0
24DEC23	-9	Days	=	15	DEC	2023	0	SAT	j	0
24DEC23	-10	Days	=	14	DEC	2023	0	FRI	Í	0
24DEC23	-11	Days	=	13	DEC	2023	0	THU	Í	0
24DEC23	-12	Days	=	12	DEC	2023	0	WED	Í	0
24DEC23	-13	Days	=	11	DEC	2023	0	TUE	j	0

_

Lake Okeechobee Outlets Last 14 Days

	S-77	Below S-77	S-78	S-79		
	Discharge	Discharge	Discharge	Discharge		
	(ALL DAY)		(ALL DAY)	(ALL DAY)		
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)		
24 DEC 2023	• •	3049	2804	4087		
23 DEC 2023		2245	2357	3397		
22 DEC 2023		978	1459	2767		
21 DEC 2023		2641	1767	3207		
20 DEC 2023		4139	3309	4137		
19 DEC 2023	3 – NR –	3471	3950	5235		
18 DEC 2023		2164	3109	4460		
17 DEC 2023	3 - NR -	1270	2282	5080		
16 DEC 2023	3 - NR -	1017	1897	3245		
15 DEC 2023	3 - NR -	1612	1893	2713		
14 DEC 2023		2805	2095	3606		
13 DEC 2023		3826	3076	4269		
12 DEC 2023		3772	3811	4893		
11 DEC 2023		2944	2925	4944		
II DLC 202.	2740	2944	2925	4944		
	S-310	S-351	5 252	S-354	L8 Canal Pt	
			S-352 Discharge	Discharge		
		•				
DATE	(ALL DAY)	• • •	(ALL DAY)	(ALL DAY)	• •	
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	
24 DEC 2023		0	48	0	203	
23 DEC 2023		0	49	0	206	
22 DEC 2023		0	48	0	195	
21 DEC 2023		0	48	0	194	
20 DEC 2023	3 -3	0	48	- NR -	205	
19 DEC 2023	3 -6	0	51	- NR -	194	
18 DEC 2023	3 3	0	51	0	214	
17 DEC 2023	3 9	0	49	0	221	
16 DEC 2023		0	51	0	192	
15 DEC 2023		0	53	0	196	
14 DEC 2023		Ő	52	0 0	162	
13 DEC 2023		Ő	50	õ	139	
12 DEC 2023		0	50	0	159	
11 DEC 2023		114	76	0		
II DEC 2023	5 9	114	70	0	173	
	S-308	Below S-308	S-80			
	Discharge	Discharge	Discharge			
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)			
DATE	• •	• •				
DATE	(AC-FT)	(AC-FT) -NR-	(AC-FT) -NR-			
24 DEC 2023						
23 DEC 2023		-NR-	- NR -			
22 DEC 2023		-NR -	-NR -			
21 DEC 2023		- NR -	43			
20 DEC 2023		- NR -	53			
19 DEC 2023		- NR -	36			
18 DEC 2023		-NR-	30			
17 DEC 2023		- NR -	29			
16 DEC 2023		- NR -	- NR -			
15 DEC 2023	6	-NR-	- NR -			
14 DEC 2023	3 0	-NR-	3			
13 DEC 2023	3 4	- NR -	- NR -			
12 DEC 2023		-NR-	- NR -			
11 DEC 2023		-NR-	41			
	č					
*** NOTE:	Discha	arge (ALL DAY) is comput	ed using S	pillway, Sect	tor Gate and
		ges Discharge				
	(,				


(I) - Flows preceeded by "I" signify an instantaneous flow computed from the single value reported for the day

5/6

* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average. On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation. On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level. On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level. On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels. Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
++ For more information see the Jacksonville District Navigation website at http://www.saj.usace.army.mil/

\$ For information regarding Lake Okeechobee Service Area water restrictions
please refer to www.sfwmd.gov

Report Generated 25DEC2023 @ 23:15 ** Preliminary Data - Subject to Revision **



Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

• <u>Class Limits for Tributary Hydrologic Conditions</u>

Table K-2 in the Lake Okeechobee Water Control Plan

• <u>6-15 Day Precipitation Outlook Categories</u>

Table ?? in the Lake Okeechobee Water Control Plan

• <u>Classification of Lake Okeechobee Net Inflow for Seasonal</u>

<u>Outlook</u>

 Table K-3 in the Lake Okeechobee Water Control Plan

<u>Classification of Lake Okeechobee Net Inflow for Multi-</u>

Seasonal Outlook

Table K-4 in the Lake Okeechobee Water Control Plan

Back to Lake Okeechobee Operations Main Page

Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage

Tributary Hydrologic	Palmer Index	2-wk Mean L.O. Net
Classification*	Class Limits	Inflow Class Limits
Very Wet	3.0 or greater	Greater >= 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
	[1001]	Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

**Volume-depth conversion based on average lake surface area of 467,000 acres

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
		Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**Volume-depth conversion based on average lake surface area of 467,000 acres

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan