

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 3/11/2024 (ENSO Condition: El Niño)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using methods described in the LORS2008 Water Control Plan: Croley's method, the SFWMD empirical method, a sub-sampling of El Niño years and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with El Niño ENSO years. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method*		SFWMD Empirical Method		Sub-sampling of El Niño ENSO Years**		Sub-sampling of AMO Warm + El Niño ENSO Years***	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Mar-Aug)	N/A	N/A	1.34	Normal	1.61	Wet	2.19	Very Wet
Multi Seasonal (Mar-Oct)	N/A	N/A	2.45	Normal	2.85	Wet	4.26	Wet

*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the IRI ENSO forecast published.

***Sub-sampling based on combination of ENSO and AMO conditions. For this predominant ENSO categorization is used instead of weights.

Tributary Hydrologic Conditions:

2058 cfs 14-day running average for Lake Okeechobee Net Inflow through 3/11/2024. According to the classification in Tributary Hydrologic Conditions table, this condition is Near Normal.

0.62 for Palmer Drought Index on 3/9/2024. According to the classification in Tributary Hydrologic Conditions table, this condition is Near Normal.

The wetter of the two conditions above is **Near Normal**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 3/11/2024:

Lake Okeechobee Stage: **15.94 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		17.25	
Operational Band	High sub-band	16.59	
	Intermediate sub-band	15.68	← 15.94 ft
	Low sub-band	13.50	
Base Flow sub-band		12.60	
Beneficial Use sub-band		11.80	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCAs

Maximum Practicable to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 4000 cfs at S-77 and up to 1800 cfs at S-80.

LORS2008 Implementation on 3/11/2024 (ENSO Condition- El Niño):**Status for week ending 3/11/2024*:****Water Supply Risk Evaluation**


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-band	M
	Palmer Drought Index for LOK Tributary Conditions	0.62 (Normal to Extremely Wet)	L
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	1.61 ft	L
	ENSO Forecast	Normal to Extremely Wet	
	LOK Multi-Seasonal Net Inflow Outlook	2.85 ft	M
	ENSO Forecast	Normal	
WCAs	WCA 1: Site 1-8C	Above Line 1 (16.94 ft)	L
	WCA 2A: Site S11B	Above Line 1 (12.06 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (10.37 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

*- S80 flow data for 3/10/2024, is not available from USACE Daily Reports and was assumed to be 0.



Lake Okeechobee SFWMM March 2024 Position Analysis

Percentiles PA



(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of March 10 2024



2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas





Figure 7-3


Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

*When conducting Base Flow releases,
flows can be distributed East and West
up to 650 cfs as needed
to minimize impacts or provide benefits
through S-80 and S-79*

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District
Lake Okeechobee and Vicinity Report

** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 10 MAR 2024

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	15.94	15.18	14.28 (Official Elv)
Bottom of High Lake Mngmt=	17.25	Top of Water Short Mngmt=	11.80
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	13.25
Difference from Average LORS2008	2.69

10MAR (1965-2007) Period of Record Average	14.49
Difference from POR Average	1.45

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 \diamond 9.88'
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 \diamond 8.08'
 Bridge Clearance = 49.07'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
15.98	15.94	15.94	15.89	15.81	16.08	16.03	15.88

*Combination Okeechobee Avg-Daily Lake Average = 15.94
 (*See Note)

Okeechobee Inflows (cfs):

S65E	1170	S65EX1	0	Fisheating Cr	73
S154	15	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	84	S129 Pumps	53	S4 Pumps	0
S72	319	S131 Pumps	0	C5	0
Total Inflows:	1714				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	332	S77	5015
S127 Culverts	0	S351	0	S308	1780
S129 Culverts	0	S352	59		
S131 Culverts	0	L8 Canal Pt	86		
Total Outflows:	7273				

****S77 structure flow is being used to compute Total Outflow.
 ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	0.26	S308	0.18
Average Pan Evap x 0.75 Pan Coefficient = 0.16" = 0.01'			

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'
 Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

Lake Okeechobee (Change in Storage) Flow is -8672 cfs or -17200 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
(I) see note at bottom											
North East Shore											
S133 Pumps:	13.72	15.60	0	0	0	0	0	0	0	0	(cfs)
S193:											
S191:	18.77	15.65	0	0.0	0.0	0.0					
S135 Pumps:	13.29	15.74	0	0	0	0	0				(cfs)
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	21.03	15.35	1170	0.5	0.1	0.8	0.5	0.7	0.8		
S65EX1:	21.03	15.35	0								
S127 Pumps:	13.48	15.69	0	0	0	0	0	0			(cfs)
S127 Culvert:			0	0.0							
S129 Pumps:	12.93	15.81	53	30	0	30					(cfs)
S129 Culvert:			0	0.0							
S131 Pumps:	13.03	-NR-	0	0	0						(cfs)
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		30.22	73								
nr Lakeport											
S282	15.58	15.61		0.0	0.0	0.1					
South Shore											
S4 Pumps:	11.75	-NR-	0	0	0	0					(cfs)
S169:		-NR-	-NR-	-NR-	-NR-	-NR-					
S310:			-NR-								
S3 Pumps:	10.80	16.19	0	0	0	0					(cfs)
S354:	16.19	10.80	332	0.0	0.0						
S2 Pumps:	9.94	16.28	0	-NR-	-NR-	-NR-	-NR-				(cfs)
S351:	16.28	9.94	0	0.0	0.0	0.0					
S352:	16.17	9.68	59	0.1	0.1						
S271:	16.27	13.99		0.9	0.2	0.6	0.0				
L8 Canal PT		13.71	86								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	9.94	16.28	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-
S352:	9.68	16.17	59	-NR-	-NR-	-NR-	-NR-		
S354:	10.80	16.19	332	-NR-	-NR-	-NR-	-NR-		

Caloosahatchee River (S77, S78, S79)

S47B:	13.21	12.55		1.5	1.5
S47D:	12.44	10.85	7	0.0	
S77:					
Spillway and Sector Preferred Flow:					
	15.24	10.91	5008	4.5	4.5 4.5 4.5
Flow Due to Lockages+: 7					

S78:

Spillway and Sector Flow:

10.53 3.24 5738 6.0 6.0 7.0 0.0
 Flow Due to Lockages+: 17

S79:

Spillway and Sector Flow:

3.00 0.88 6596 0.0 3.0 4.0 5.0 5.0 3.0 3.0 0.0
 Flow Due to Lockages+: 7
 Percent of flow from S77 76%
 Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

16.00 14.43 1777 0.0 3.5 3.5 0.0
 Flow Due to Lockages+: 3

S153: 18.98 14.20 0 0.0 0.0

S80:

Spillway and Sector Flow:

14.00 1.83 1747 0.0 0.8 0.5 0.5 0.5 0.8 0.0
 Flow Due to Lockages+: 19
 Percent of flow from S308 102%

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) 8740

Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and
 tailwater along with total number of lockages for the day to calculate
 a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	6.39	6.88	7.03	350	4
S78:	0.02	0.02	0.03	12	2
S79:	1.91	1.91	2.42	245	2
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.00	0.00	0.00	342	5
S80:	0.28	0.28	0.37	-NR-	-NR-
Okeechobee Average (Sites S78, S79 and S80 not included)	3.19	0.53	0.54		
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations 10 MAR 2024 15.94 Difference from 10MAR24
 10MAR24 -1 Day = 09 MAR 2024 15.98 0.04

10MAR24	-2 Days =	08 MAR 2024	16.00	0.06
10MAR24	-3 Days =	07 MAR 2024	16.02	0.08
10MAR24	-4 Days =	06 MAR 2024	16.06	0.12
10MAR24	-5 Days =	05 MAR 2024	16.07	0.13
10MAR24	-6 Days =	04 MAR 2024	16.10	0.16
10MAR24	-7 Days =	03 MAR 2024	16.12	0.18
10MAR24	-30 Days =	09 FEB 2024	16.33	0.39
10MAR24	-1 Year =	10 MAR 2023	15.18	-0.76
10MAR24	-2 Year =	10 MAR 2022	14.28	-1.66

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)					
Average Flow over the previous 14 days				Avg-Daily Flow	
10MAR24	Today =	10 MAR 2024	2058 MON	-1339	
10MAR24	-1 Day =	09 MAR 2024	1992 SUN	3699	
10MAR24	-2 Days =	08 MAR 2024	1943 SAT	4390	
10MAR24	-3 Days =	07 MAR 2024	2318 FRI	-82	
10MAR24	-4 Days =	06 MAR 2024	2812 THU	6007	
10MAR24	-5 Days =	05 MAR 2024	2053 WED	1892	
10MAR24	-6 Days =	04 MAR 2024	2375 TUE	3999	
10MAR24	-7 Days =	03 MAR 2024	3826 MON	1781	
10MAR24	-8 Days =	02 MAR 2024	4469 SUN	6117	
10MAR24	-9 Days =	01 MAR 2024	4173 SAT	1192	
10MAR24	-10 Days =	29 FEB 2024	4267 FRI	1227	
10MAR24	-11 Days =	28 FEB 2024	4541 THU	-1500	
10MAR24	-12 Days =	27 FEB 2024	4018 WED	1817	
10MAR24	-13 Days =	26 FEB 2024	3877 TUE	-384	

S65E					
Average Flow over previous 14 days				Avg-Daily Flow	
10MAR24	Today=	10 MAR 2024	1932 MON	1301	
10MAR24	-1 Day =	09 MAR 2024	2068 SUN	1298	
10MAR24	-2 Days =	08 MAR 2024	2210 SAT	1379	
10MAR24	-3 Days =	07 MAR 2024	2369 FRI	1317	
10MAR24	-4 Days =	06 MAR 2024	2541 THU	1496	
10MAR24	-5 Days =	05 MAR 2024	2710 WED	1607	
10MAR24	-6 Days =	04 MAR 2024	2866 TUE	1683	
10MAR24	-7 Days =	03 MAR 2024	3020 MON	1758	
10MAR24	-8 Days =	02 MAR 2024	3146 SUN	1957	
10MAR24	-9 Days =	01 MAR 2024	3241 SAT	2154	
10MAR24	-10 Days =	29 FEB 2024	3310 FRI	2466	
10MAR24	-11 Days =	28 FEB 2024	3349 THU	2610	
10MAR24	-12 Days =	27 FEB 2024	3376 WED	2930	
10MAR24	-13 Days =	26 FEB 2024	3375 TUE	3091	

S65EX1					
Average Flow over previous 14 days				Avg-Daily Flow	
10MAR24	Today=	10 MAR 2024	0 MON	0	
10MAR24	-1 Day =	09 MAR 2024	0 SUN	0	
10MAR24	-2 Days =	08 MAR 2024	0 SAT	0	
10MAR24	-3 Days =	07 MAR 2024	0 FRI	0	
10MAR24	-4 Days =	06 MAR 2024	0 THU	0	
10MAR24	-5 Days =	05 MAR 2024	0 WED	0	
10MAR24	-6 Days =	04 MAR 2024	0 TUE	0	
10MAR24	-7 Days =	03 MAR 2024	0 MON	0	
10MAR24	-8 Days =	02 MAR 2024	0 SUN	0	
10MAR24	-9 Days =	01 MAR 2024	0 SAT	0	
10MAR24	-10 Days =	29 FEB 2024	0 FRI	0	
10MAR24	-11 Days =	28 FEB 2024	0 THU	0	
10MAR24	-12 Days =	27 FEB 2024	0 WED	0	
10MAR24	-13 Days =	26 FEB 2024	0 TUE	0	

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
10 MAR 2024	9935	-NR-	11410	13081
09 MAR 2024	10024	-NR-	11721	13425
08 MAR 2024	10078	-NR-	12126	13873
07 MAR 2024	9899	-NR-	12672	14259
06 MAR 2024	9574	-NR-	12471	15398
05 MAR 2024	9613	-NR-	12202	13645
04 MAR 2024	9941	-NR-	12002	14337
03 MAR 2024	9952	-NR-	11864	13711
02 MAR 2024	6849	-NR-	8552	8875
01 MAR 2024	259	-NR-	25	334
29 FEB 2024	525	-NR-	25	25
28 FEB 2024	2768	-NR-	2769	3826
27 FEB 2024	7759	-NR-	7343	9567
26 FEB 2024	7990	-NR-	8487	10102

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
10 MAR 2024	-NR-	0	117	659	171
09 MAR 2024	-NR-	0	115	617	165
08 MAR 2024	-NR-	0	116	918	175
07 MAR 2024	-NR-	0	120	872	160
06 MAR 2024	-NR-	0	114	264	154
05 MAR 2024	-NR-	0	110	1180	148
04 MAR 2024	-NR-	0	111	1159	159
03 MAR 2024	-NR-	0	113	1522	195
02 MAR 2024	-NR-	0	113	1353	201
01 MAR 2024	-NR-	0	112	1527	199
29 FEB 2024	-NR-	0	112	1341	201
28 FEB 2024	-NR-	0	111	2565	198
27 FEB 2024	-NR-	0	111	2565	202
26 FEB 2024	-NR-	0	112	2447	208

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
10 MAR 2024	3485	-NR-	3453
09 MAR 2024	5063	-NR-	4709
08 MAR 2024	6303	-NR-	5690
07 MAR 2024	6715	-NR-	6939
06 MAR 2024	6517	-NR-	6135
05 MAR 2024	6361	-NR-	5740
04 MAR 2024	5749	-NR-	5215
03 MAR 2024	5185	-NR-	5036
02 MAR 2024	3492	-NR-	2865
01 MAR 2024	19	-NR-	-NR-
29 FEB 2024	11	-NR-	34
28 FEB 2024	7	-NR-	26
27 FEB 2024	1575	-NR-	1435
26 FEB 2024	6121	-NR-	5515

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.


(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

-
- * On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
 - On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
 - Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations
 - ++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>
 - \$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 11MAR2024 @ 13:38 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

11MAR24 08:32:49



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook^{*}

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth^{**} [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

^{}Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

*** Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan**

Under Construction