# Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 7/1/2024 (ENSO Condition: Neutral)

#### **Lake Okeechobee Net Inflow Outlook:**

The Lake Okeechobee Net Inflow Outlook has been computed using methods described in the LORS2008 Water Control Plan: Croley's method, the SFWMD empirical method, a subsampling of Neutral years and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with Neutral ENSO years. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley	's Method <sup>*</sup>		WMD cal Method	El Ni	ampling of ño ENSO ears**	AMO '	ampling of Warm + El o ENSO ears***
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Jul-Dec)	N/A	N/A	2.73	Very Wet	2.67	Very Wet	4.29	Very Wet
Multi Seasonal (Jul-Apr)	N/A	N/A	2.86	Wet	2.67	Wet	4.47	Very Wet

<sup>\*</sup>Croley's Method Not Produced for This Report

See <u>Seasonal</u> and <u>Multi-Seasonal</u> tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

<sup>\*\*</sup>Sub-sampling is a weighted average of ENSO conditions based on the IRI ENSO forecast published.

<sup>\*\*\*</sup>Sub-sampling based on combination of ENSO and AMO conditions. For this predominant ENSO categorization is used instead of weights.

#### **Tributary Hydrologic Conditions:**

**693 cfs** 14-day running average for Lake Okeechobee Net Inflow through 7/1/2024. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Near Normal.

**-2.78** for Palmer Drought Index on 6/29/2024. According to the classification in <u>Tributary Hydrologic Conditions</u> table, this condition is Dry.

The wetter of the two conditions above is **Near Normal**.

#### **LORS2008 Classification Tables:**

#### Lake Okeechobee Stage on 7/1/2024:

Lake Okeechobee Stage: 13.45 feet (NGVD29), 12.20 (NAVD88) \*

	ee Management /Band	Bottom Elevation feet, NGVD (feet NAVD)	Current Lake Stage
High Lake Manage	ement Band	16.14 (14.89)	
	High sub-band	15.67 (14.42)	
Operational Band	Intermediate sub-band	15.21 (13.96)	
	Low sub-band	13.28 (12.03)	← 13.45 ft (12.20)
Base Flow sub-ba	nd	12.60 (11.35)	
Beneficial Use sub	o-band	11.10 (9.85)	
Water Shortage M	lanagement Band		

<sup>\*</sup>Lake Okeechobee Stage NAVD88 offset of -1.25 is based on Final Regulation Schedule Conversion (5/19/2020).

#### Part C of LORS2008: Discharge to WCAs

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise, no Releases to WCAs.

#### Part D of LORS2008: Discharge to Tide

Up to 3000 cfs at S-79 and up to 1170 cfs at S-80.

#### LORS2008 Implementation on 7/1/2024 (ENSO Condition- Neutral):

Status for week ending 7/1/2024\*:


**Water Supply Risk Evaluation** 

Area	Indicator	Value	Color Coded Scoring Scheme
	Projected LOK Stage for the next two months	Low Sub-band	L
	Palmer Drought Index for LOK Tributary Conditions	-2.78 (Extremely Dry)	Н
	CPC Precipitation Outlook	1 month: Above Normal	L
LOK	CPC Precipitation Outlook	3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	2.67 ft	ı
	ENSO Forecast	Normal to Extremely Wet	_
	LOK Multi-Seasonal Net Inflow Outlook	2.67 ft	<b>5.</b> 4
	ENSO Forecast	Normal	M
	WCA 1: 3 Station Average (Sites 1-7, 1-9, and 1-8T)	Above Line 1 (16.42 ft) (14.92 ft NAVD88)	L
WCAs	WCA 2A: Site 2-17	Above Line 1 (12.67 ft) (11.17 ft NAVD88)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (10.59 ft) (9.09 ft NAVD88)	L
	Service Area 1	Year-Round Irrigation Rule in effect	L
LEC	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

<sup>\*</sup> S-80 flow data for 6/30 is not available from USACE Daily Reports and was assumed to be 0. S-354 flow data for 6/26 - 6/30 is not available from USACE Daily Reports and was substituted with gage values from DBHYDRO. WCA1, WCA2A, and WCA3A NAVD88 offset of -1.5 is based on Final Regulation Schedule Conversion (5/19/2020).


### Lake Okeechobee SFWMM June 2024 Position Analysis



(See assumptions on the Position Analysis Results website)


07/02/24 08:11:11

<sup>\*</sup> Lake Okeechobee stage NAVD88 offset of -1.25 is based on Final Regulation Schedule Conversion (5/19/2020).




#### **2008 LORS**


Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




#### **2008 LORS**

## Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)







Water Shortage Management

E 1 e

i n

F t N

G V D

Data Ending 2400 hours 30 JUN 2024

Okeechobee Lake Regulation Elevation Last Year 2YRS Ago (ft-NGVD) (ft-NGVD) (ft-NGVD)

\*Okeechobee Lake Elevation 13.45 14.64 12.92 (Official Elv)

Bottom of High Lake Mngmt= 16.14 Top of Water Short Mngmt= 11.10

Currently in Operational Management Band

Simulated Average LORS2008 [1965-2000] 12.27 Difference from Average LORS2008 1.18

30JUN (1965-2007) Period of Record Average 13.39 Difference from POR Average 0.06

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ♦ 7.39' ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ♦ 5.59' Bridge Clearance = 49.26'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001 L005 L006 LZ40 S4 S352 S308 S133 13.47 13.51 13.44 13.40 13.46 13.60 13.37 13.35

\*Combination Okeechobee Avg-Daily Lake Average = 13.45 (\*See Note)

Okeechobee Inflows (cfs): S65E 412 S65EX1 0 Fisheating Cr -NR-S154 -NR-510 S135 Pumps 180 S191 S84 0 S133 Pumps 118 S2 Pumps 0 S84X 0 S3 Pumps 0 S127 Pumps 0 S71 438 S129 Pumps 29 S4 Pumps 0 S131 Pumps 75 S72 51 C5

Total Inflows: 1812

Okeechobee Outflows (cfs):

S135 Culverts 0 S354 -NR-S77 132 S127 Culverts 0 S351 0 S308 -1 0 S129 Culverts 0 S352 S131 Culverts 0 L8 Canal Pt 82

Total Outflows: 212

\*\*\*\*S77 structure flow is being used to compute Total Outflow.
\*\*\*\*S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77 0.00 S308 0.11

Average Pan Evap x 0.75 Pan Coefficient = 0.04" = 0.00'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-"

Evaporation - Precipitation: = -NR-" = -NR-"

Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-

Lake Okeechobee (Change in Storage) Flow is 4134 cfs or 8200 AC-FT

```
Headwater Tailwater
                                       ----- Gate Positions -----
            Elevation Elevation Disch #1 #2 #3 #4 #5 #6 #7 #8
            (ft-msl) (ft-msl) (cfs) (ft) (ft) (ft) (ft) (ft) (ft) (ft)
                              (I) see note at bottom
North East Shore
 S133 Pumps: 13.41
                                          0 19
                        13.36
                                  118
                                                   19
                                                        19 -NR- (cfs)
 S193:
 S191:
              18.89
                        13.36
                                  510
                                        0.2 0.5 0.7
 S135 Pumps: 13.45
                        13.36
                                  180
                                        38 -NR- -NR-
                                                         0
                                                                 (cfs)
                                         0.0 0.0
 S135 Culverts:
                                    0
North West Shore
 S65E:
              20.99
                        13.35
                                  412
                                         0.4 -0.0 0.0 0.4 0.3 0.0
 S65EX1:
              20.99
                        13.35
                                   0
 S127 Pumps: 13.40
                        13.42
                                    0
                                          0
                                               0
                                                    0
                                                         0
                                                              0 (cfs)
 S127 Culvert:
                                    0
                                         0.0
                                         31
  S129 Pumps: 12.86
                        13.52
                                   29
                                               0
                                                    0
                                                                 (cfs)
 S129 Culvert:
                                    0
                                         0.0
 S131 Pumps: 13.07
                         -NR-
                                   75
                                        -NR- -NR-
                                                                 (cfs)
 S131 Culvert:
                                    0
 Fisheating Creek
   nr Palmdale
                                 -NR-
   nr Lakeport
  S282
              13.34
                        13.38
                                          0.1 0.0 0.1
South Shore
 S4 Pumps:
              12.23
                         -NR-
                                    0
                                               0
                                                    0
                                          0
                                                                 (cfs)
 S169:
              13.49
                         5.85
                                    0
                                         0.0 0.0
 S310:
                                 -NR-
              10.33
                        13.53
                                          0
                                               0
 S3 Pumps:
                                  0
                                                    0
                                                                 (cfs)
              13.53
                                        0.0 0.0
  S354:
                        10.33
                                 -NR-
  S2 Pumps:
              10.07
                        13.51
                                   0
                                          0
                                                    0
                                               0
                                                                 (cfs)
 S351:
              13.51
                        10.07
                                    0
                                         0.0 0.0 0.0
 S352:
                        10.98
                                    0
                                         0.0 0.0
              13.61
                                                    9.7 -NR-
 S271:
              13.76
                        13.79
                                         9.5
                                              9.7
 L8 Canal PT
                        13.54
                                   82
                  S351 and S352 Temporary Pumps/S354 Spillway
                        13.51
                                   0 -NR--NR--NR--NR--NR-
 S351:
              10.07
                                   0 -NR--NR--NR-
  S352:
              10.98
                        13.61
  S354:
              10.33
                        13.53
                                 -NR- -NR--NR--NR-
Caloosahatchee River (S77, S78, S79)
 S47B:
              13.21
                        12.71
                                         3.0 3.0
  S47D:
                        11.23
              12.48
                                   83
                                         1.0
 S77:
   Spillway and Sector Preferred Flow:
              13.24
                       11.07
                                 130 0.0 0.0 0.0 0.0
                                    2
   Flow Due to Lockages+:
```

S78:

Spillway and Sector Flow:

11.11 3.15 1600 3.0 0.0 2.5 0.0

Flow Due to Lockages+: 5

S79:

Spillway and Sector Flow:

3.32 1.47 2737 0.0 0.0 2.0 2.0 2.0 2.0 2.0 0.0

Flow Due to Lockages+: 4
Percent of flow from S77 5%
Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:

13.42 14.24 0 0.0 0.0 0.0 0.0

Flow Due to Lockages+: -1

S153: 19.03 14.08 94 0.0 0.0

S80:

Spillway and Sector Flow:

14.22 0.70 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

Flow Due to Lockages+: -NR-Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) \*\*\*\*
Steele Point Bottom Salinity (mg/ml) \*\*\*\*

Speedy Point Top Salinity (mg/ml) \*\*\*\*
Speedy Point Bottom Salinity (mg/ml) \*\*\*\*

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

				Wi	nd
Daily Precipitation Totals	1-Day	3-Day	7-Day	Directio	n Speed
	(inches	) (inches)	(inches)	(Deg�)	(mph
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	13.22	13.22	13.54	309	-NR-
S78:	0.99	1.00	1.02	30	1
S79:	15.36	16.02	16.17	43	1
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:		0.00		110	3
S80:	14.38	14.42	14.86	-NR-	-NR-
Okeechobee Average	6.61	1.02	1.04		
(Sites S78, S79 and					
Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations 30 JUN 2024 13.45 Difference from 30JUN24 30JUN24 -1 Day = 29 JUN 2024 13.43 -0.02

7/1/24, 1:29 PM

```
oke
  30JUN24 -2 Days =
                          28 JUN 2024
                                               13.42
                                                                 -0.03
                          27 JUN 2024
  30JUN24 -3 Days =
                                               13.41
                                                                 -0.04
  30JUN24 -4 Days =
                          26 JUN 2024
                                               13.41
                                                                 -0.04
  30JUN24 -5 Days =
                          25 JUN 2024
                                               13.40
                                                                 -0.05
  30JUN24 -6 Days =
                          24 JUN 2024
                                               13.40
                                                                 -0.05
                          23 JUN 2024
  30JUN24 -7 Days =
                                               13.39
                                                                -0.06
                          31 MAY 2024
  30JUN24 -30 Days =
                                               12.97
                                                                -0.48
  30JUN24 - 1 Year =
                          30 JUN 2023
                                                14.64
                                                                 1.19
  30JUN24 - 2 Year =
                          30 JUN 2022
                                                12.92
                                                                 -0.53
Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-
```

			L	ake (	keed	hobee	Net Inflo	ow (LONIN)		
		A	verage	Flov	v ove	er the	previous	14 days	Avg-Daily Flow	Ν
30JUN24	To	day	=	30	JUN	2024	268	MON	- NR -	
30JUN24	-1 D	ay	=	29	JUN	2024	877	SUN	- NR -	
30JUN24	-2 D	ays	=	28	JUN	2024	1952	SAT	-NR-	
30JUN24	-3 D	ays	=	27	JUN	2024	4083	FRI	-NR-	
30JUN24	-4 D	ays	=	26	JUN	2024	7748	THU	-NR-	
30JUN24	-5 D	ays	=	25	JUN	2024	10402	WED	150	
30JUN24	-6 D	ays	=	24	JUN	2024	10852	TUE	2230	
30JUN24	-7 D	ays	=	23	JUN	2024	11515	MON	4235	
30JUN24	-8 D	ays	=	22	JUN	2024	12122	SUN	0	
30JUN24	-9 D	ays	=	21	JUN	2024	12028	SAT	2118	
30JUN24	-10 D	ays	=	20	JUN	2024	11582	FRI	-2118	
30JUN24	-11 D	ays	=	19	JUN	2024	11486	THU	-4235	
30JUN24	-12 D	ays	=	18	JUN	2024	11715	WED	0	
30JUN24	-13 D	ays	=	17	JUN	2024	11605	TUE	33	

			S65E			
		Average	Flow over	previous	14 days	Avg-Daily Flow
30JUN24	Today=	30	JUN 2024	453	MON	481
30JUN24	-1 Day =	29	JUN 2024	465	SUN	461
30JUN24	-2 Days =	28	JUN 2024	472	SAT	374
30JUN24	-3 Days =	27	JUN 2024	490	FRI	447
30JUN24	-4 Days =	26	JUN 2024	507	THU	364
30JUN24	-5 Days =	25	JUN 2024	523	WED	360
30JUN24	-6 Days =	24	JUN 2024	517	TUE	377
30JUN24	-7 Days =	23	JUN 2024	511	MON	454
30JUN24	-8 Days =	22	JUN 2024	496	SUN	416
30JUN24	-9 Days =	21	JUN 2024	485	SAT	451
30JUN24 -	10 Days =	20	JUN 2024	470	FRI	458
30JUN24 -	11 Days =	19	JUN 2024	459	THU	522
30JUN24 -	12 Days =	18	JUN 2024	442	WED	556
30JUN24 -	13 Days =	17	JUN 2024	419	TUE	622

S65EX1 Average Flow over previous 14 days Avg-Daily Flow 30JUN24 Today= 30 JUN 2024 MON 0 30JUN24 -1 Day = 29 JUN 2024 SUN 0 0 30JUN24 -2 Days = 28 JUN 2024 SAT 30JUN24 -3 Days = 27 JUN 2024 0 FRI 30JUN24 -4 Days = 26 JUN 2024 THU 0 30JUN24 -5 Days = 25 JUN 2024 0 WED 0 30JUN24 -6 Days = 24 JUN 2024 TUE 0 23 JUN 2024 MON 30JUN24 -7 Days = 0 30JUN24 -8 Days = 22 JUN 2024 SUN 0 30JUN24 -9 Days = 21 JUN 2024 0 SAT 0 20 JUN 2024 FRI 0 30JUN24 -10 Days = 19 JUN 2024 30JUN24 -11 Days = THU 0 30JUN24 -12 Days = 18 JUN 2024 WED 0 30JUN24 -13 Days = 17 JUN 2024 TUE 0

Lake Okeechobee Outlets Last 14 Days

Discharge   Discharge   Discharge   Discharge   Discharge   (ALL DAY)   (AC-FT)   (AC-	DAY) FT) .62 .61 .59
(ALL DAY) (ALL-DAY) (ALL DAY) (ALL DAY)  DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT)  30 JUN 2024 257 -NR- 3222 5425 29 JUN 2024 927 -NR- 2600 6242 28 JUN 2024 6 -NR- 3915 7400 27 JUN 2024 3 -NR- 4759 9343 26 JUN 2024 207 -NR- 4300 10280 25 JUN 2024 302 -NR- 3635 8266 24 JUN 2024 214 -NR- 2841 7096 23 JUN 2024 10 -NR- 1742 3766 22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 9 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY)  DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 -NR- 12 22 JUN 2024 -NR- 0 0 -NR- 12 23 JUN 2024 -NR- 0 0 0 -NR- 12 24 JUN 2024 -NR- 0 0 0 -NR- 12 25 JUN 2024 -NR- 0 0 0 -NR- 12 25 JUN 2024 -NR- 0 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 -NR- 12 22 JUN 2024 -NR- 0 0 0 -NR- 12 23 JUN 2024 -NR- 0 0 0 0 -NR- 12 24 JUN 2024 -NR- 0 0 0 0 0 -NR- 12 25 JUN 2024 -NR- 0 0 0 0 0 -NR- 12 25 JUN 2024 -NR- 0 0 0 0 0 0 -NR- 12 25 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT)  30 JUN 2024 257 -NR- 3222 5425  29 JUN 2024 927 -NR- 2600 6242  28 JUN 2024 6 -NR- 3915 7400  27 JUN 2024 3 -NR- 4759 9343  26 JUN 2024 207 -NR- 4300 10280  25 JUN 2024 302 -NR- 3635 8266  24 JUN 2024 214 -NR- 2841 7096  23 JUN 2024 10 -NR- 1742 3766  22 JUN 2024 8 -NR- 1725 3693  21 JUN 2024 9 -NR- 2146 5311  20 JUN 2024 9 -NR- 3181 5884  19 JUN 2024 9 -NR- 4108 7652  18 JUN 2024 4 -NR- 4978 9117  17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca  Discharge Discharge Discharge Discharge Discharge  (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY)  DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT)  30 JUN 2024 -NR- 0 0 -NR- 12  25 JUN 2024 -NR- 0 0 -NR- 12  26 JUN 2024 -NR- 0 0 -NR- 12  27 JUN 2024 -NR- 0 0 -NR- 12  26 JUN 2024 -NR- 0 0 0 -NR- 12  27 JUN 2024 -NR- 0 0 0 -NR- 12  26 JUN 2024 -NR- 0 0 0 -NR- 12  27 JUN 2024 -NR- 0 0 0 -NR- 12  28 JUN 2024 -NR- 0 0 0 -NR- 12  29 JUN 2024 -NR- 0 0 0 -NR- 12  20 JUN 2024 -NR- 0 0 0 -NR- 12  21 JUN 2024 -NR- 0 0 0 -NR- 12  22 JUN 2024 -NR- 0 0 0 -NR- 12  23 JUN 2024 -NR- 0 0 0 0 -NR- 12  24 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
30 JUN 2024 257 -NR- 3222 5425 29 JUN 2024 927 -NR- 2600 6242 28 JUN 2024 6 -NR- 3915 7400 27 JUN 2024 3 -NR- 4759 9343 26 JUN 2024 207 -NR- 4300 10280 25 JUN 2024 302 -NR- 3635 8266 24 JUN 2024 214 -NR- 2841 7096 23 JUN 2024 10 -NR- 1742 3766 22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 9 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge Oischarge (ALL DAY) (ALL	narge DAY) FT) .62 .61
28 JUN 2024 6 -NR- 3915 7400 27 JUN 2024 3 -NR- 4759 9343 26 JUN 2024 207 -NR- 4300 10280 25 JUN 2024 302 -NR- 3635 8266 24 JUN 2024 214 -NR- 2841 7096 23 JUN 2024 10 -NR- 1742 3766 22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 9 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 9 -NR- 4408 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 -NR- 12 25 JUN 2024 -NR- 0 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 0 0 -12 20 JUN 2024 -NR- 0 0 0 0 0 0 -12 21 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
27 JUN 2024 3 -NR- 4759 9343 26 JUN 2024 207 -NR- 4300 10280 25 JUN 2024 302 -NR- 3635 8266 24 JUN 2024 214 -NR- 2841 7096 23 JUN 2024 10 -NR- 1742 3766 22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 9 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 -NR- 12 22 JUN 2024 -NR- 0 0 0 -NR- 12 23 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
26 JUN 2024 207 -NR- 4300 10280 25 JUN 2024 302 -NR- 3635 8266 24 JUN 2024 214 -NR- 2841 7096 23 JUN 2024 10 -NR- 1742 3766 22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 8 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 -NR- 12 22 JUN 2024 -NR- 0 0 0 -NR- 12 23 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
25 JUN 2024 302 -NR- 3635 8266 24 JUN 2024 214 -NR- 2841 7096 23 JUN 2024 10 -NR- 1742 3766 22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 8 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 0 -NR- 12 22 JUN 2024 -NR- 0 0 0 0 -NR- 12 23 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
24 JUN 2024 214 -NR- 2841 7096 23 JUN 2024 10 -NR- 1742 3766 22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 8 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 0 -NR- 12 22 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
23 JUN 2024 10 -NR- 1742 3766 22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 8 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 0 -NR- 12 22 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
22 JUN 2024 8 -NR- 1725 3693 21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 8 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
21 JUN 2024 9 -NR- 2146 5311 20 JUN 2024 8 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 0 -NR- 12 22 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
20 JUN 2024 8 -NR- 3181 5884 19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 0 -NR- 12 21 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
19 JUN 2024 9 -NR- 4108 7652 18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY)  DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 0 0 -NR- 12 20 JUN 2024 -NR- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	narge DAY) FT) .62 .61
18 JUN 2024 4 -NR- 4978 9117 17 JUN 2024 73 -NR- 6354 11508  S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge (ALL DAY)  DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT) 30 JUN 2024 -NR- 0 0 -NR- 12 29 JUN 2024 -NR- 0 0 -NR- 12 28 JUN 2024 -NR- 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 0 0 0 0 12 26 JUN 2024 -NR- 0 0 0 0 0 12 27 JUN 2024 -NR- 0 0 0 0 0 0 12 28 JUN 2024 -NR- 0 0 0 0 0 0 0 12 29 JUN 2024 -NR- 0 0 0 0 0 0 0 12 20 JUN 2024 -NR- 0 0 0 0 0 0 0 12 20 JUN 2024 -NR- 0 0 0 0 0 0 0 0 12 20 JUN 2024 -NR- 0 0 0 0 0 0 0 0 12	narge DAY) FT) .62 .61
S-310         S-351         S-352         S-354         L8 Carrier           Discharge (ALL DAY)         (A	narge DAY) FT) .62 .61
S-310         S-351         S-352         S-354         L8 Carrier           Discharge (ALL DAY)         (A	narge DAY) FT) .62 .61
S-310 S-351 S-352 S-354 L8 Ca Discharge Discharge Discharge Discharge Discharge (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY) (ALL DAY)  DATE (AC-FT) (AC-FT) (AC-FT) (AC-FT) (AC-FT)  30 JUN 2024 -NR- 0 0 -NR- 1  29 JUN 2024 -NR- 0 0 -NR- 1  28 JUN 2024 -NR- 0 0 -NR- 1  27 JUN 2024 -NR- 0 0 -NR- 1  26 JUN 2024 -NR- 0 0 0 -NR- 1  27 JUN 2024 -NR- 0 0 0 -NR- 1  28 JUN 2024 -NR- 0 0 0 -NR- 1  29 JUN 2024 -NR- 0 0 0 -NR- 1  20 JUN 2024 -NR- 0 0 0 0 -NR- 1  21 JUN 2024 -NR- 0 0 0 0 0 -NR- 1  22 JUN 2024 -NR- 0 0 0 0 0 0 -NR- 1  23 JUN 2024 -NR- 0 0 0 0 0 0 -1	narge DAY) FT) .62 .61
Discharge	narge DAY) FT) .62 .61
(ALL DAY) (AC-FT) (A	DAY) FT) .62 .61 .59
DATE (AC-FT) (	FT) .62 .61 .59
30 JUN 2024 -NR- 0 0 -NR- 1 2 29 JUN 2024 -NR- 0 0 0 -NR- 1 2 3 JUN 2024 -NR- 0 0 0 -NR- 1 2 3 JUN 2024 -NR- 0 0 0 -NR- 1 2 3 JUN 2024 -NR- 0 0 0 -NR- 1 2 3 JUN 2024 -NR- 0 0 0 0 0 0 1 2 3 JUN 2024 -NR- 0 0 0 0 0 0 -1 2 3 JUN 2024 -NR- 0 0 0 0 0 0 -1 2	.62 .61 .59
29 JUN 2024 -NR-       0       0       -NR-       1         28 JUN 2024 -NR-       0       0       -NR-       1         27 JUN 2024 -NR-       0       0       -NR-       1         26 JUN 2024 -NR-       0       0       -NR-       1         25 JUN 2024 -NR-       0       0       0       0         24 JUN 2024 -NR-       0       0       0       0         23 JUN 2024 -NR-       0       0       0       0	.61 .59
28 JUN 2024 -NR- 0 0 -NR- 12 27 JUN 2024 -NR- 0 0 -NR- 12 26 JUN 2024 -NR- 0 0 -NR- 12 25 JUN 2024 -NR- 0 0 0 0 12 24 JUN 2024 -NR- 0 0 0 0 12 23 JUN 2024 -NR- 0 0 0 0 -1	.59
27 JUN 2024 -NR-     0     0     -NR-     1       26 JUN 2024 -NR-     0     0     -NR-     1       25 JUN 2024 -NR-     0     0     0     1       24 JUN 2024 -NR-     0     0     0     1       23 JUN 2024 -NR-     0     0     0     -1	
26 JUN 2024     -NR-     0     0     -NR-     1       25 JUN 2024     -NR-     0     0     0     1       24 JUN 2024     -NR-     0     0     0     1       23 JUN 2024     -NR-     0     0     0     -1	F0
25 JUN 2024 -NR- 0 0 0 1 24 JUN 2024 -NR- 0 0 0 1 23 JUN 2024 -NR- 0 0 0 -1	.59
24 JUN 2024 -NR-     0     0     0       23 JUN 2024 -NR-     0     0     0	.60
23 JUN 2024 -NR- 0 0 0 -1	.60
	.58
22 JUN 2024 -NR- 0 0 0	.20
	60
	.63
	.60
	.63
	.76
17 JUN 2024 -NR- 0 0 0 1	.91
S-308 Below S-308 S-80	
Discharge Discharge Discharge	
(ALL DAY) (ALL-DAY) (ALL-DAY)	
DATE (AC-FT) (AC-FT)	
30 JUN 2024 -2 -NRNR-	
29 JUN 2024 -3 -NR- 38	
28 JUN 2024 -4 -NR- 31	
27 JUN 2024 -6 -NR- 39	
26 JUN 2024 -2 -NR- 39	
25 JUN 2024 -4 -NR- 43	
24 JUN 2024 -3 -NR- 42	
23 JUN 2024 -2 -NR- 30	
22 JUN 2024 -3 -NR- 47	
21 JUN 2024 -2 -NR- 43	
20 JUN 2024 -4 -NR- 36	
19 JUN 2024 -2 -NR- 33	
18 JUN 2024 -2 -NR- 33	
17 JUN 2024 -6 -NR- 49	

\*\*\* NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

\_\_\_\_\_


<sup>(</sup>I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

\_\_\_\_\_

- \* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
  - On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
  - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
  - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
- Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
- ++ For more information see the Jacksonville District Navigation website at http://www.saj.usace.army.mil/
- \$ For information regarding Lake Okeechobee Service Area water restrictions
  please refer to www.sfwmd.gov

Report Generated 01JUL2024 @ 13:06 \*\* Preliminary Data - Subject to Revision \*\*

#### Lake Okeechobee Water Level History and Projected Stages



Stage is plotted in NGVD. Please use the left axis for water level history and projected stages. Lake Okeechobee stage NAVD88 offset of -1.25 is based on Final Regulation Schedule Conversion (5/19/2020).

## **Classification Tables**

Supplemental Tables used in conjunction with the LORS2008

Release

**Guidance Flow Charts** 

• Class Limits for Tributary Hydrologic Conditions

Table K-2 in the Lake Okeechobee Water Control Plan

• 6-15 Day Precipitation Outlook Categories

Table ?? in the Lake Okeechobee Water Control Plan

Classification of Lake Okeechobee Net Inflow for Seasonal

#### Outlook

Table K-3 in the Lake Okeechobee Water Control Plan

Classification of Lake Okeechobee Net Inflow for Multi-

#### Seasonal Outlook

Table K-4 in the Lake Okeechobee Water Control Plan

#### **Back to Lake Okeechobee Operations Main Page**

Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage

Tributary Hydrologic	Palmer Index	2-wk Mean L.O. Net
Classification*	Class Limits	Inflow Class Limits
Very Wet	3.0 or greater	Greater >= 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

<sup>\*</sup> use the wettest of the two indicators

## Classification of Lake Okeechobee Net Inflow Seasonal Outlook\*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
[	[1001]	Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

<sup>\*\*</sup>Volume-depth conversion based on average lake surface area of 467,000 acres

## <u>Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook</u>\*

Lake Net Inflow Prediction	Equivalent Depth**	Lake Okeechobee
[million acre-feet]	[feet]	Net Inflow
[	[noot]	Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

<sup>\*\*</sup>Volume-depth conversion based on average lake surface area of 467,000 acres

## 6-15 Day Precipitation Outlook Categories\*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

<sup>\*</sup> Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan