MEMORANDUM

- **TO:** Laureen Borochaner, Chief, Engineering Division (USACE)
- FROM:John Mitnik, Chief District Engineer (SFWMD)Akin Owosina, Chief, Hydrology & Hydraulics Bureau (SFWMD)
- **DATE:** May 16, 2019

SUBJECT: Operational Position Statement for May 14, 2019 to May 20, 2019

This Position Statement is for the one-week period from May 14, 2019 to May 20, 2019. On May 13, the Lake Okeechobee stage was 11.30 feet NGVD, which places it within the Beneficial Use Sub-band of the 2008 Lake Okeechobee Regulation Schedule (LORS). The Lake stage increased by 0.09 feet during the preceding 7 days.

District May rainfall to date is well above-average (223%). District rainfall forecast (issued May 14) predicts belowaverage rainfall for this week and for the following week.

<u>Precipitation Outlook:</u> The CPC precipitation outlook for May and the 3-month window of May-Jul is for slightly increased chances (37%) of above-normal rainfall for south Florida. All periods starting with the Jun-Aug 2019 window show equal chances of above-normal, normal, or below-normal rainfall.

2008 LORS Release Guidance (Part C): With Lake Okeechobee stage within Beneficial Use Sub-band, Part C of the 2008 LORS does not suggest releases to the WCAs to manage lake stages.

Over the 7-day period from May 6, 2019 to May 12, 2019, no Lake Okeechobee regulatory releases were sent south to the STAs or to the Lake Worth Lagoon through the C-51 canal. Stage in WCA-1 is above regulation schedule. Stage in WCA-2A is above regulation schedule. WCA-3A stage is in Zone E1 of the regulation schedule. For the coming operational period, the USACE is utilizing Additional Operation Flexibility (AOF) within LORS2008 Water Control Plan as documented in the February 22, 2019 Memorandum For the Record (MFR). For the coming operational period, the USACE is directing the District to send no Lake Okeechobee regulatory releases south or to the Lake Worth Lagoon through the C-51 canal.

2008 LORS Release Guidance (Part D): With Lake Okeechobee stage in the Beneficial Use Sub-band, Part D of the 2008 LORS does not suggest releases to the St. Lucie and Caloosahatchee Estuaries to manage lake stages.

With Lake Okeechobee stages being at 11.3 NGVD, the majority of the lake littoral zone marshes are dry. Total discharge to the St. Lucie Estuary averaged approximately 640 cfs over the past week with no releases from Lake Okeechobee. The 7-day average salinity at the US1 Bridge is in the good range for adult oysters. Total inflow to the Caloosahatchee Estuary averaged approximately 1,470 cfs over the past week with about 70 cfs (5%) coming from Lake Okeechobee. Salinity conditions between Val I-75 and Ft. Myers remain good for tape grass. Salinity conditions are in the good range for adult oysters at Shell Point and Cape Coral.

The District, in coordination with the Florida Department of Environmental Protection (FDEP), has considered the application of the SFWMD's Lake Okeechobee Adaptive Protocols (AP) this week since the lake stage is in the Beneficial Use Sub-band and above the Lake Okeechobee Water Shortage Management zone. Given that the estuary does not need water, the AP recommendation is for "No S-77 releases to the Caloosahatchee Estuary unless the Governing Board recommends otherwise". The District recognizes the USACE's responsibility to control lake stages. At this time, the District recommends that the USACE follow LORS 2008, using its operational flexibility to control use beneficial flows from S-79 in the range of 800 cfs - 1,000 cfs in order to maintain a favorable salinity gradient in the Caloosahatchee estuary in recognition of the recent northern rainfall. Furthermore, the District recommends that releases be reevaluated on a weekly basis in order to increase flexibility of decision making based on current conditions.