

SETTLEMENT AGREEMENT QUARTERLY REPORT

October - December 2024

Chelsea Qiu, P.E., Ph.D.

Lead Engineer Compliance Assessment & Reporting Section Water Quality Bureau

Technical Oversight Committee

June 24, 2025



SUMMARY

Month	Mean Stage (ft NGVD29)	Long-Term Level (ppb)	Geometric Mean TP Concentration (ppb)	Number o	f Samples		
	Arthur R. Marshall Loxahatchee National Wildlife Refuge						
Oct-24	17.27	7.2	7.5	1	4		
Nov-24	16.97	7.7	6.9	1	4		
Dec-24	16.75	8.6	6.7	1	4		
12-Month Period Ending	Total Flow (kac-ft)	Long-Term Limit (ppb)	12-Month TP	Percent of Sampling Events Greater than 10 ppb			
Period Enaing	(KaC-IL)	Lillic (ppb)	FWMC (ppb)	Guideline (%)	Observed (%)		
Everglades National Park - Shark River Slough - PROVISIONAL DATA and RESULTS							
Oct-24	1529.3	7.6	8.1	40.1	20.0		
Nov-24	1536.0	7.6	7.9	40.1	16.0		
Dec-24	1495.7	7.6	7.9	40.1	15.4		
Everglades National Park — Taylor Slough and Coastal Basins — PROVISIONAL DATA and RESULTS							
Oct-24	458.2	11.0	5.2	53.1	0.0		
Nov-24	447.3	11.0	5.3	53.1	0.0		
Dec-24	436.7	11.0	5.3	54.1	0.0		

FWMC for SRS - computed as S12s+[S333+S333N+S355A+S355B+min(S356,S335)-S334]. S334 flow is not excluded from the total flow for long-term limit calculations.

FWMC for TS and CB – computed as (S332D-S332DX1–S328)+S328+G737+S18C.



Refuge TP Compliance Tracking with Outlook

Month	Average Stage (feet NGVD29)	Long-Term Level (ppb) Effective 12/31/2006	Geometric Mean TP Concentration (ppb)	Number of Samples		
	4th Quarter 2024 Compliance Tracking					
Oct-2024	17.27	7.2	7.5	14		
Nov-2024	16.97	7.7	6.9	14		
Dec-2024	16.75	8.6	6.7	14		
	Preliminary Data Outlook					
Jan-2025	16.65	9.0	6.8	14		
Feb-2025	16.61	9.1	9.4	13		
Mar-2025	16.40	10.2	8.6	12		
Apr-2025	16.13	11.6	8.8	11		
May-2025	15.55	16.1	9.2	4		


Note: 17.14 ft NGVD29 was used for the long-term level calculation when the average stage of the month exceeded the threshold of 17.14 ft.




Refuge 12-Month Preliminary TP Compliance Tracking

Final Data (QA Complete)


Preliminary Data (QA Incomplete)







A.R.M Loxahatchee National Wildlife RefugeMonthly Total Phosphorus Geometric Mean Concentrations




36-Month Average TP Geometric Mean = 6.9 ppb 36-Month Average TP Long-term Level is = 9.0 ppb

Note: There was no TP data for June 24 because of the dry condition.



A.R.M Loxahatchee National Wildlife Refuge

Deviation of monthly geometric mean total phosphorus concentrations with calculated long-term levels



36-Month Average TP geometric mean = 2.1 ppb below the Long-Term Level.



Shark River Slough TP Concentration Compliance Tracking and Outlook

PROVISIONAL DATA and RESULTS

12-Month Period	Total Flow (kac-ft)	Long-Term Limit (ppb) Effective 12/31/2006	Flow-Weighted Mean TP Concentration (ppb)	Percent of Sampling Events Greater than 10 ppb		
				Guideline (%)	Observed (%)	
4th Quarter 2024 Compliance Tracking						
Nov 2023 - Oct 2024	1,529.3	7.6	8.1	40.1	20.0	
Dec 2023 - Nov 2024	1,536.0	7.6	7.9	40.1	16.0	
Jan 2024 - Dec 2024	1,495.7	7.6	7.9	40.1	15.4	
Outlook						
Feb 2024 - Jan 2025	1,444.4	7.6	8.0	40.1	15.4	
Mar 2024 - Feb 2025	1,375.3	7.6	8.3	40.1	20.0	
Apr 2024 - Mar 2025	1,294.9	7.6	8.7	40.1	28.0	
May 2024 - Apr 2025	1,212.7	7.6	8.8	40.1	36.0	


Shark River Slough PROVISIONAL RESULTS:

FWMC computed as S12A + S12B + S12C + S12D + [S333 + S333N + S355A + S355B + minimum of (S356, S335) – S334] using all flow and TP grabs on bi-weekly compliance sampling dates.

S334 flow was not excluded from the flow for long-term limit calculations.



Annual Flow-weighted Mean Concentrationsof Inflows to ENP through Shark River Slough




12-month FWMC at the end of each water year compared to the TP long-term limit




Shark River Slough Structure Daily Flows

WY2025 Flow Data for S12s are Provisional.






Daily Flows at S12 Structures to Shark River Slough






Daily Flows at Individual Inflow Structures to Shark River Slough

(Note: There was no flow at S355A or S355B during the period)






Daily Flows Into Shark River Slough through S333&S333N, S355A&B, and S356 and Out through S334





Shark River Slough Sampling Event Flow and FWMC




Flow to Shark River Slough and the corresponding TP FWMCs for individual sampling events



Shark River Slough

12-month Moving Flow-Weighted Mean TP and Long-Term Limit




The composite TP concentration and 12-month FWMC at the end of each month for each sampling event



Stage, Flow, and TP FWMC

Inflows to ENP through Shark River Slough





* WY2025 results are Provisional

Taylor Slough and Coastal Basins

TP Concentration Compliance Tracking


12-Month Period	Total Flow (kac-ft)	Flow-Weighted Mean TP Concentration in ppb LTL = 11.0 ppb Effective 12/31/2006	Observed Percent of Sampling Events Greater than 10 ppb Guideline = 53.1%
Nov 2023 - Oct 2024	458.2	5.2	0.0
Dec 2023 - Nov 2024	447.3	5.3	0.0
Jan 2024 - Dec 2024	436.7	5.3	0.0

FWMC computed as [(S332D-S332DX1-S328)+S328+G737+S18C] using all flow and TP grabs on weekly sampling.

Total flow is [(S332D-S332DX1)+G737+S18C]



Annual Flow-Weighted Mean Concentrations of Inflows to the ENP through Taylor Slough and Coastal Basins




Water Year (October 1 - September 30)

The 12-month FWMC at the end of each water year compared to the 11 ppb long-term TP limit




Daily Flows at Taylor Slough and Coastal Basins Structures into ENP






Daily Flows at Individual Taylor Slough and Coastal Basins Structures






Daily Flows In and Out of S332D Flowway





Taylor Slough and Coastal Basins Sampling Event Flow and FWMC




Flow at Taylor Slough and Coastal Basins structures and the corresponding TP FWMCs for individual sampling events



Taylor Slough and Coastal Basins

12-month Moving Flow-Weighted Mean TP and Long-Term Limit



The 12-month FWMC at the end of each month and the composite TP concentration for each sampling event



