Tamiami Trail Flow Formula (TTFF) - Target Flow from WCA-3A to ENP

| - 11 - 1 - 1 | | | | | | | |
|---|----------------------------------|-------------|-------------------|-----|-----------------|--------------|-------------------|
| Daily Target Flow for | | | 6/7/2022 | to | 6/13/2022 | 646 | cfs |
| Observed Stage Data | | | | | | | |
| Station | Variable | | | on | 6/3/2022 | Value | Unit |
| VCA-3A (Average for Site 63, 64 and 65) | Average Daily Stage | | | | 5,5,=5== | | ft-NGVD29 |
| NESRS2 | Average Daily Stage | | | | | 6.88 | ft-NGVD29 |
| Regulatory Stage WCA-3A | Average Daily Stage | | | | | 9.52 | ft-NGVD29 |
| Observed Flow Data | | | | | | | |
| Station_ | <u>Variable</u> | From | 5/28/2022 | to | 6/3/2022 | <u>Value</u> | <u>Unit</u> |
| -12A | 7-day Average Daily Flow | | | | | 0 | cfs |
| -12B | 7-day Average Daily Flow | | | | | 0 | cfs |
| -12C | 7-day Average Daily Flow | | | | | 16 | cfs |
| -12D | 7-day Average Daily Flow | | | | | 19 | cfs |
| -333 | 7-day Average Daily Flow | | | | | | cfs |
| 5-333N | 7-day Average Daily Flow | | | | | | cfs |
| -334 | 7-day Average Daily Flow | | | | | 0 | |
| i-12s Total | 7-day Average Daily Flow | | | | | 35 | cfs |
| 3333 + S333N - S334 ¹ | 7-day Average Daily Flow | | | | | 263 | cfs |
| otal Flow to ENP | 7-day Average Daily Flow | | | | | 297 | cfs |
| Meteorological Data | | | | | | | |
| <u>-orecasted</u> | | From | 6/4/2022 | to | 6/10/2022 | <u>Value</u> | <u>Unit</u> |
| WCA3 7-day Quantitative Precipitation Forecast (QPF) | | | | | | 2.35 | in |
| AS3WX - 7-day Total Forecasted PET | | | | | | 1.04 | in |
| Dbserved | | From | 5/28/2022 | to | 6/3/2022 | Value | Unit |
| VCA-3 7-day Total Observed NEXRAD Rainfa | ш | | 3, 20, 2022 | ••• | 0/3/2022 | 4.58 | |
| BAS3WX 7-day Total Observed PET | | | | | | 1.04 | |
| A33WA 7-uay Total Observed FLT | | | | | | 1.04 | "" |
| | TTFF Ap | plicati | on | | | | |
| Previous week target flow (calculated with forecasted 7-day QPF and PET) | | | | | | 316 | cfs |
| 2 Previous week target flow (recalculated with observed rainfall and PET) | | | | | | 404 | cfs |
| 3 Adjustment for forecast (2-1) | | | | | 88 | cfs | |
| 4 This week calculated target flow | | | | | 558 | cfs | |
| 5 This week target flow with adjustment (3 + 4) | | | | | | 646 | cfs |
| Average Daily Target Flow ² | | | | | | 646 | cfs |
| TTFF formula coefficients | | | | | | | |
| NCA-3A Average Stage (β1) NESRS2 Stage (β2) | Previous 7-day Average Flow (β3) | Forecast Pi | recipitation (β4) | Fo | recast PET (β5) | Regulation | Schedule Stage (β |

Target flow is distributed from east to west (S-333, S-12D, S-12D, S-12B, and S-12A) to prioritize water deliveries to NESRS first and WSRS second, subject to downstream constraints.

318.42



 $^{^{1}}$ S-333 + S-333N - S-334 becomes zero if the sum of S-333 and S-333N is less than S-334 flow. Calculation is done daily.

²Actual discharges may vary from target discharges because of changing hydrologic conditions.