
Tamiami Trail Flow Formula (TTFF) - Target Flow from WCA-3A to ENP

Daily Target	Flow for			9/9/2025	to	9/15/2025	777	cfs
, ,				0,0,00		0, 20, 2020		
Observed Stage I	Data					- /- /		
Station Station	C2 C4 and C5\	Variable			on	9/5/2025	<u>Value</u>	
WCA-3A (Average for Sit NESRS2		Average Daily Stage Average Daily Stage						ft-NGVD29 ft-NGVD29
Regulatory Stage WCA-3		Average Daily Stage						ft-NGVD29
		, we age built stage					20.20	10101020
Observed Flow D								
<u>Station</u>		<u>Variable</u>	From	8/30/2025	to	9/5/2025	<u>Value</u>	
S-12A		7-day Average Daily Flow						cfs
S-12B		7-day Average Daily Flow						cfs
S-12C		7-day Average Daily Flow					29	cfs
S-12D S-333		7-day Average Daily Flow					144 203	cfs cfs
S-333N		7-day Average Daily Flow 7-day Average Daily Flow					203	
S-334		7-day Average Daily Flow					0	cfs
S-12s Total		7-day Average Daily Flow					242	
S333 + S333N - S334 ¹		7-day Average Daily Flow					405	cfs
Total Flow to ENP		7-day Average Daily Flow					647	
Meteorological Data								
Forecasted			From	9/6/2025	to	9/12/2025	Value	Unit
WCA3 7-day Quantitative Precipitation Forecast (QPF)			110	3,0,2023		3/12/2023	3.61	· · · · · · · · · · · · · · · · · · ·
3AS3WX - 7-day Total Forecasted PET							0.93	
<u>Observed</u>			From	8/30/2025	to	9/5/2025	<u>Value</u>	
WCA-3 7-day Total Observed NEXRAD Rainfall							2.07	
3AS3WX 7-day Total Obse	erved PET						0.93	in
		TTFF	Applicati	on				
1 Previous week target flow (calculated with forecasted 7-day QPF and PET) 728 cfs								
2 Previous week target flow (recalculated with observed rainfall and PET)						727		
3 Adjustment for forecast (2-1)							cfs	
4 This week calculated target flow							777	
5 This week target flow with adjustment (3 + 4)							777	
Average Daily Target Flow ²							777	
TTFF formula coefficients								
WCA-3A Average Stage (β1) NESRS2 Stage (β2) Previous 7-day Average Flow (β3) Forecast Precipita					Fo	recast PET (β5)	Regulation So	hedule Stage (β6)
318.42	-44.62	0.644	24.32		-96.31		-221.79	

Target flow is distributed from east to west (S-333, S-12D, S-12C, S-12B, and S-12A) to prioritize water deliveries to NESRS first and WSRS second, subject to downstream constraints.

²Actual discharges may vary from target discharges because of changing hydrologic conditions.



 $^{^{1}}$ S-333 + S-333N - S-334 becomes zero if the sum of S-333 and S-333N is less than S-334 flow. Calculation is done daily.