
## Tamiami Trail Flow Formula (TTFF) - Target Flow from WCA-3A to ENP

318.42	-44.62	0.644	24.32		-96.31		-221.79	
WCA-3A Average Stage (β1	NESRS2 Stage (β2)	Previous 7-day Average Flow (β3)	Forecast Precipitation (β4)		Forecast PET (β5)		Regulation Schedule Stage (β6)	
	<u> </u>	TTFF f	ormula coefficie	nts				
Average Daily Target Flow <sup>2</sup>							969	cfs
5 This week target flow with adjustment (3 + 4)							969	cfs
4 This week	This week calculated target flow						966	cfs
3 Adjustment for forecast (2-1)								cfs
2 Previous week target flow (recalculated with observed rainfall and			-				974	
Previous week target flow (calculated with forecasted 7-day QPF and PET)							972	cfs
		TTFF	Applicati	ion				
ASSWX 7-day lotal Ol	oservea PET						1.01	II1
NCA-3 7-day Total Observed NEXRAD Rainfall BAS3WX 7-day Total Observed PET							0.25	
<u>Observed</u>			From	10/18/2025	to	10/24/2025	<u>Value</u>	
AS3WX - 7-day Total F	orecasted PET						1.01	ın
NCA3 7-day Quantitative Precipitation Forecast (QPF)							0.67	
<u>Forecasted</u>			From	10/25/2025	to	10/31/2025	<u>Value</u>	
/leteorologica	l Data							
otal Flow to ENP		7-day Average Daily Flow					978	cfs
333 + S333N - S334 <sup>1</sup>		7-day Average Daily Flow					659	cfs
12s Total		7-day Average Daily Flow					320	cfs
5-334		7-day Average Daily Flow					0	cfs
-333N		7-day Average Daily Flow					329	cfs
-333		7-day Average Daily Flow					329	cfs
-12C -12D		7-day Average Daily Flow 7-day Average Daily Flow					0 320	cfs cfs
-12B		7-day Average Daily Flow					0	cfs
-12A		7-day Average Daily Flow					0	cfs
<u>Station</u>		<u>Variable</u>	From	10/18/2025	to	10/24/2025	<u>Value</u>	
Observed Flow	Data							
Regulatory Stage WCA	<b>∆-3A</b>	Average Daily Stage					10.45	ft-NGVD29
NESRS2		Average Daily Stage						ft-NGVD29
VCA-3A (Average for	Site 63, 64 and 65)	Average Daily Stage					9.67	ft-NGVD29
Observed Stage Station	e Data	Variable			on	10/24/2025	Value	Unit
, 0				10/20/2023		11/3/2023	303	CIS
Daily Targe	et Flow for			10/28/2025	to	11/3/2025	969	cfs
			,	•		_		

Target flow is distributed from east to west (S-333, S-12D, S-12C, S-12B, and S-12A) to prioritize water deliveries to NESRS first and WSRS second, subject to downstream constraints.

<sup>&</sup>lt;sup>2</sup>Actual discharges may vary from target discharges because of changing hydrologic conditions.



 $<sup>^{1}</sup>$ S-333 + S-333N - S-334 becomes zero if the sum of S-333 and S-333N is less than S-334 flow. Calculation is done daily.