

***A Request to Modify
Monitoring at
Acme1DS and G94D***

Pete Rawlik

Water Quality Monitoring Division

SFWMD

← ACME1DS

Wellington



WCA1

2004-05 SFWMD Aerial Photography

© 2006 Google™

G94D →

Why are monitoring changes needed?

- TOC approved changes to CAMB requested in May 2006, with acknowledgement that more changes would be requested as ACME Basin B came on line
- ACME Basin B Infrastructure has now rerouted flows away to the C51 canal and away from both structures
- Discharge through these structures is no longer permitted per the Everglades Forever Act
- No longer required in the pending NECP (3/2008)
- Not SFWMD structures

Current Grab Sample Monitoring

- **Nutrients BWF/M**
 - Alk, TP, OPO₄, TSS, TKN, NOX
- **Ions Quarterly**
 - Ca, Cl, SO₄
- **Pesticides and Mercury**
 - Quarterly/Semiannually

Requested Changes at Acme1DS and G94D

- **Change**
 - Nutrient and Ions to BWF
- **Cease**
 - Mercury monitoring
 - Pesticide monitoring
- **When structures are removed staff will return for complete cessation**

← ACME1DS

Wellington

WCA1

Questions?

2004-05 SFWMD Aerial Photography

G94D

