

# Upper East Coast (UEC) Plan & the 10-Year Work Plan

Henry Bittaker, AICP  
Water Supply Department

June 6, 2007



[sfwmd.gov](http://sfwmd.gov)

# Linking Growth with Water Availability

**SB-444 & SB-360**

Link to Regional Water Supply Plans

- 18-month time deadline for the 10-year work plan and related comprehensive plan amendments is January 12, 2008
- Local Governments must submit to DCA:
  - 10-Year Water Supply Facilities Work Plan
  - Proposed amendments to Capital Improvement Element (CIE)
  - Update projects in Potable Water Element

# Also New for Comp Plans

- Identify water supply sources for entire planning period - 163.3167(13)
- Base future land uses on availability of water supplies & facilities - 163.3177(6)(a)
- Ensure concurrency of water supply at building permit stage - 163.3180(2)(a)
- Report on 10-year work plan project implementation in EAR - 163.3191(2)(I)

# Points to Address in Amending Comprehensive Plans

- Is source availability determined?
- Water supplier commitment?
- Does the analysis support the future demands of the amendment?
- Are the necessary facilities included in the Capital Improvement Element?

# Emerging Issues

- 10-Year Water Supply Facilities Work Plan Requirements
- Differences in Population Projections
- Appropriateness of Water Level of Service
- Consistency in Demand Projections Between Plans and Permits
- Dealing with Existing “Deficits” in Comprehensive Plans
- Irrigation Water Use Planning

# **SFWMD Recent Review of Comprehensive Plan Amendments**

## **■ RECENT ISSUES**

- Source Availability (Miami-Dade, LaBelle)**
- Planning Period Sources (Highlands)**
- Supplier (St. Lucie: TVC & Cloud Grove )**
- CIE Facility Planning (Hialeah / Miami-Dade)**

## **■ 10-YEAR WORK PLANS RECEIVED**

- Orange County (Wekiva)**
- Orlando (Wekiva)**

# **10-Year Water Supply Facilities Work Plan Issues**

- **Must address all water supply providers within jurisdiction**
- **Required even if jurisdiction does not provide water**
- **May require information from two regional water supply plans – possibly two WMDs**
- **Agreement on future utility service areas**

# Water Supply Plans Provide Foundation for Linkage

- Water Supply Plans now identify *specific* projects to meet demands for next 20 years
- Appendix G of UEC Plan provides guidance and identifies sources of information needed by local governments
- Local governments incorporate projects into comprehensive plans within 18 months of water supply plans approval



# Population Projections

- Conflicting population projections between local plans, permits, and water supply plans
- Local government comprehensive plan future land uses are often not based on population projections
  - This can result in conflicting population projections-whether based on share of state's growth (BEBR) or land-use based
  - Increasing need for local governments to have alternative population projection methodology approved by DCA

# Water Supply Level of Service

- No standard exists for water supply Level of Service
- There are many methodologies for calculating per capita water use
- Typical per capita rate that includes all uses may need to be reconsidered
- Separate level of service may be needed for non-residential land use categories

# Different Projection Methods

- Water supply plans – permits – local government comprehensive plans typically calculate differently
- The water supply plans are typically based on water used in 2005 for the permanent population
- Consumptive use permits use an average based on the water withdrawn for the most recent five year period

# Resolution Of Existing “Deficits”

- Most local comprehensive plans have an existing deficit for water supply source or facility planning that needs to be addressed:
  - At the next plan amendment,
  - At the 10-year water supply facilities work plan stage, or
  - At the EAR & EAR-based amendment stage

# Irrigation Water Use Planning

- Irrigation can account for more than 50% of the water supply demands
- Reclaimed water typically not available at sufficient quantities during initial phases of developments
- Isn't always given the same level of attention as potable water

# Technical Assistance to Help Bring the Pieces Together

- Appendix G of UEC Plan Update provides guidance and identifies sources of information needed by local governments
- SFWMD website and assistance
  - [www.sfwmd.gov/ear](http://www.sfwmd.gov/ear)
- Workshops for local government planners and utilities