

Discharge Monitoring Report - STA 1E - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0304549

Discharge Point Number: D001

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	TELEPHONE NO. 561-682-6820	DATE 1/14/2010
--	---	---	-----------------------------------	-----------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow S362	Calc	Daily		87	240	cf s
Dissolved Oxygen	00300 1 EFF-1 outflow S362	InSitu	Weekly	2.65			mg/l
Dissolved Oxygen	00300 P SWU-002 inflow S319	InSitu	Weekly	3.01			mg/l
Dissolved Oxygen	00300 Q SWU-003 inflow S361	InSitu	Weekly	0.91			mg/l
Dissolved Oxygen	00300 5 SWU-001 inflow G311	InSitu	Weekly	2.53			mg/l
pH	00400 1 EFF-1 outflow S362	InSitu	Weekly	7.40		8.10	SU field
Total Phosphorus	00665 Y EFF-1 outflow S362	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.095		mg/l as P
Total Phosphorus	00665 R SWU-002 inflow S319	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.191		mg/l as P
Total Phosphorus	00665 R SWU-003 inflow S361	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.088		mg/l as P
Total Phosphorus	00665 T SWU-001 inflow G311	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.222		mg/l as P

Discharge Monitoring Report - STA 1W - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177962-001

Discharge Point Number: D001

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/14/2010			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow G310	Calc	Daily		227	175	cfs
Dissolved Oxygen	00300 1 EFF-1 outflow G310	InSitu	Weekly	1.43			mg/l
Dissolved Oxygen	00300 5 SWU-1 inflow S5A	InSitu	Weekly	1.83			mg/l
pH	00400 1 EFF-1 outflow G310	InSitu	Weekly	7.40		7.70	SU field
Total Phosphorus	00665 Y EFF-1 outflow G310	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.036		mg/l as P
Total Phosphorus	00665 Q SWU-1 inflow S5A	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.182		mg/l as P

Discharge Monitoring Report - STA 1W - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177962-001

Discharge Point Number: D002

<Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/7/2010			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G251	Calc	Daily		6	0	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G251	In Situ	Weekly	NOD			mg/l
Dissolved Oxygen	00300 5 SWU-1 inflow S5A	In Situ	Weekly	1.83			mg/l
pH	00400 1 EFF-2 outflow G251	In Situ	Weekly	NOD		NOD	SU field
Total Phosphorus	00665 Y EFF-2 outflow G251	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.026		mg/l as P
Total Phosphorus	00665 Q SWU-1 inflow S5A	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.182		mg/l as P

Discharge Monitoring Report - STA 2 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177946-001

Discharge Point Number: D001

[] <Check if no discharge for reporting period

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS			TELEPHONE NO.	DATE			
Linda J. Lindstrom, P.G., Director, Restoration Sciences Department				561-682-6820	1/7/2010			
				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow G335	Calc	Daily			399	780	cfs
Flow	50050 5 INT-1 inflow G328	Calc	Daily			26	88	cfs
Flow	50050 Q INT-2 inflow S6	Calc	Daily			333	483	cfs
Dissolved Oxygen	00300 R EFF-1 outflow G335	InSitu	Weekly	1.62				mg/l
Dissolved Oxygen	00300 P INT-2 inflow S6	InSitu	Weekly	0.66				mg/l
Dissolved Oxygen	00300 5 INT-1 inflow G328	InSitu	Weekly	0.37				mg/l
pH	00400 1 EFF-1 outflow G335	InSitu	Weekly	7.30			7.60	SU field
Total Phosphorus	00665 1 EFF-1 outflow G335	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.019			mg/l as P
Total Phosphorus	00665 Q INT-2 inflow S6	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.066			mg/l as P
Total Phosphorus	00665 5 INT-1 inflow G328	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.040			mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0300195

Discharge Point Number: D001

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow G376B	Calc	Daily		53	131	cfs
Dissolved Oxygen	00300 1 EFF-1 outflow G376B	In Situ	Weekly	3.19			mg/l
Dissolved Oxygen	00300 5 SWU-001 inflow G370	In Situ	Weekly	2.93			mg/l
pH	00400 1 EFF-1 outflow G376B	In Situ	Weekly	7.60		7.70	SU field
Total Phosphorus	00665 Y EFF-1 outflow G376B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.013		mg/l as P
Total Phosphorus	00665 R SWU-001 inflow G370	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.120		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0300195

Discharge Point Number: D002

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 P EFF-2 outflow G376E	Calc	Daily		44	108	cfs
Dissolved Oxygen	00300 P EFF-2 outflow G376E	In Situ	Weekly	3.71			mg/l
Dissolved Oxygen	00300 5 SWU-001 inflow G370	In Situ	Weekly	2.93			mg/l
pH	00400 P EFF-2 outflow G376E	In Situ	Weekly	7.60		7.80	SU field
Total Phosphorus	00665 Q EFF-2 outflow G376E	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.013		mg/l as P
Total Phosphorus	00665 R SWU-001 inflow G370	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.120		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0300195

Discharge Point Number: D003

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-3 outflow G379B	Calc	Daily		45	84	cfs
Dissolved Oxygen	00300 1 EFF-3 outflow G379B	In Situ	Weekly	1.20			mg/l
Dissolved Oxygen	00300 S SWU-002 inflow G372	In Situ	Weekly	2.24			mg/l
pH	00400 1 EFF-3 outflow G379B	In Situ	Weekly	7.40		7.50	SU field
Total Phosphorus	00665 Y EFF-3 outflow G379B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.016		mg/l as P
Total Phosphorus	00665 U SWU-002 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.087		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0300195

Discharge Point Number: D004

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 P EFF-4 outflow G379D	Calc	Daily		42	83	cfs
Dissolved Oxygen	00300 P EFF-4 outflow G379D	In Situ	Weekly	3.01			mg/l
Dissolved Oxygen	00300 U SWU-002 inflow G372	In Situ	Weekly	2.24			mg/l
pH	00400 P EFF-4 outflow G379D	In Situ	Weekly	7.40		7.70	SU field
Total Phosphorus	00665 Q EFF-4 outflow G379D	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.012		mg/l as P
Total Phosphorus	00665 S SWU-002 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.087		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0300195

Discharge Point Number: D005

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	TELEPHONE NO. 561-682-6820	DATE 1/20/2010			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-5 outflow G381B	Calc	Daily		38	112	cfs
Dissolved Oxygen	00300 1 EFF-5 outflow G381B	In Situ	Weekly	1.81			mg/l
Dissolved Oxygen	00300 U SWU-002 inflow G372	In Situ	Weekly	2.24			mg/l
pH	00400 1 EFF-5 outflow G381B	In Situ	Weekly	7.30		7.80	SU field
Total Phosphorus	00665 Y EFF-5 outflow G381B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.014		mg/l as P
Total Phosphorus	00665 S SWU-002 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.087		mg/l as P

Discharge Monitoring Report - STA 3-4 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0300195

Discharge Point Number: D006

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS			<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	TELEPHONE NO. 561-682-6820	DATE 1/20/2010	
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 P EFF-6 outflow G381E	Calc	Daily		28	80	cfs
Dissolved Oxygen	00300 P EFF-6 outflow G381E	In Situ	Weekly	2.41			mg/l
Dissolved Oxygen	00300 U SWU-002 inflow G372	In Situ	Weekly	2.24			mg/l
pH	00400 P EFF-6 outflow G381E	In Situ	Weekly	7.40		7.50	SU field
Total Phosphorus	00665 Q EFF-6 outflow G381E	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.015		mg/l as P
Total Phosphorus	00665 S SWU-002 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.087		mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177954-001

Discharge Point Number: D001

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small> <small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				Units
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	
Flow	50050 1 EFF-6 outflow G344A	Calc	Daily			15	105	cfs
Flow	50050 5 INT-1 inflow G342A	Calc	Daily			18	115	cfs
Dissolved Oxygen	00300 1 EFF-6 outflow G344A	InSitu	Weekly	1.07				mg/l
Dissolved Oxygen	00300 5 INT-1 inflow G342A	InSitu	Weekly	2.21				mg/l
pH	00400 1 EFF-6 outflow G344A	InSitu	Weekly	7.40			7.60	SU field
Total Phosphorus	00665 1 EFF-6 outflow G344A	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.014			mg/l as P
Total Phosphorus	00665 5 INT-1 inflow G342A	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.105			mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177954-001

Discharge Point Number: D002

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	_____ <small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 1/20/2010	<small>DATE</small> 1/20/2010				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G344B	Calc	Daily			11	73	cfs
Flow	50050 5 INT-2 inflow G342B	Calc	Daily			4	3	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G344B	In Situ	Weekly	1.56				mg/l
Dissolved Oxygen	00300 5 INT-2 inflow G342B	In Situ	Weekly	2.49				mg/l
pH	00400 1 EFF-2 outflow G344B	In Situ	Weekly	7.40			7.60	SU field
Total Phosphorus	00665 Y EFF-2 outflow G344B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.019			mg/l as P
Total Phosphorus	00665 5 INT-2 inflow G342B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.100			mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177954-001

Discharge Point Number: D003

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small>	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>			<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	TELEPHONE NO.	DATE		
Linda J. Lindstrom, P.G., Director, Restoration Sciences Department				1/19/2010	1/20/2010			
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				Units
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	
Flow	50050 1 EFF-3 outflow G344C	Calc	Daily			27	65	cf s
Flow	50050 5 INT-3 inflow G342C	Calc	Daily			41	257	cf s
Dissolved Oxygen	00300 1 EFF-3 outflow G344C	In Situ	Weekly	0.74				mg/l
Dissolved Oxygen	00300 5 INT-3 inflow G342C	In Situ	Weekly	2.14				mg/l
pH	00400 1 EFF-3 outflow G344C	In Situ	Weekly	7.30			7.30	SU field
Total Phosphorus	00665 1 EFF-3 outflow G344C	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.059			mg/l as P
Total Phosphorus	00665 5 INT-3 inflow G342C	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.145			mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177954-001

Discharge Point Number: D004

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small> _____	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-4 outflow G344D	Calc	Daily			49	190	cfs
Flow	50050 5 INT-4 inflow G342D	Calc	Daily			34	88	cfs
Dissolved Oxygen	00300 1 EFF-4 outflow G344D	In Situ	Weekly	0.36				mg/l
Dissolved Oxygen	00300 5 INT-4 inflow G342D	In Situ	Weekly	2.17				mg/l
pH	00400 1 EFF-4 outflow G344D	In Situ	Weekly	7.30			7.30	SU field
Total Phosphorus	00665 1 EFF-4 outflow G344D	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.060			mg/l as P
Total Phosphorus	00665 5 INT-4 inflow G342D	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.123			mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177954-001

Discharge Point Number: D005

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-5 outflow G344E	Calc	Daily			3	26	cfs
Flow	50050 5 INT-5 inflow G342E	Calc	Daily			15	229	cfs
Dissolved Oxygen	00300 1 EFF-5 outflow G344E	In Situ	Weekly	0.93				mg/l
Dissolved Oxygen	00300 5 INT-5 inflow G342E	In Situ	Weekly	2.03				mg/l
pH	00400 1 EFF-5 outflow G344E	In Situ	Weekly	7.10			7.40	SU field
Total Phosphorus	00665 1 EFF-5 outflow G344E	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.020			mg/l as P
Total Phosphorus	00665 5 INT-5 inflow G342E	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.105			mg/l as P

Discharge Monitoring Report - STA 5 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0177954-001

Discharge Point Number: D006

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	_____ <small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				Units
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	
Flow	50050 1 EFF-6 outflow G344F	Calc	Daily			2	3	cfs
Flow	50050 5 INT-6 inflow G342F	Calc	Daily			11	43	cfs
Dissolved Oxygen	00300 1 EFF-6 outflow G344F	In Situ	Weekly	0.86				mg/l
Dissolved Oxygen	00300 5 INT-6 inflow G342F	In Situ	Weekly	2.54				mg/l
pH	00400 1 EFF-6 outflow G344F	In Situ	Weekly	7.20			7.50	SU field
Total Phosphorus	00665 1 EFF-6 outflow G344F	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.018			mg/l as P
Total Phosphorus	00665 5 INT-6 inflow G342F	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.273			mg/l as P

Discharge Monitoring Report - STA 6 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0473804-001

Discharge Point Number: D001

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION I</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/20/2010				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow G352B	Calc	Daily			43	149	cfs
Flow	50050 5 INT-1 inflow G396B	Calc	Daily			50	167	cfs
Dissolved Oxygen	00300 1 EFF-1 outflow G352B	In Situ	Weekly	0.41				mg/l
Dissolved Oxygen	00300 5 INT-1 inflow G396B	In Situ	Weekly	1.50				mg/l
pH	00400 1 EFF-1 outflow G352B	In Situ	Weekly	7.10			7.30	SU field
Total Phosphorus	00665 1 EFF-1 outflow G352B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.044			mg/l as P
Total Phosphorus	00665 5 INT-1 inflow G396B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.096			mg/l as P

Discharge Monitoring Report - STA 6 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0473804-001

Discharge Point Number: D002

[] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small> <small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/7/2010				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G354C	Calc	Daily			4	13	cfs
Flow	50050 5 INT-2 inflow G353B	Calc	Daily			11	43	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G354C	InSitu	Weekly	0.08				mg/l
Dissolved Oxygen	00300 5 INT-2 inflow G353B	InSitu	Weekly	1.76				mg/l
pH	00400 1 EFF-2 outflow G354C	InSitu	Weekly	6.90			7.00	SU field
Total Phosphorus	00665 1 EFF-2 outflow G354C	Grab / Flow - Proportional Composite	Weekly		Flow -w t Mean 0.020			mg/l as P
Total Phosphorus	00665 5 INT-2 inflow G353B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.070			mg/l as P

Discharge Monitoring Report - STA 6 - Submittal Date: January 2010

Monitoring Period: October 01, 2009 - October 31, 2009

Permit # FL0473804-001

Discharge Point Number: D003

[] <Check if no discharge for reporting period

<small>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Restoration Sciences Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	_____ <small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small> 561-682-6820	<small>DATE</small> 1/7/2010				
Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS				
				MIN (Monthly)	Monthly	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-3 outflow G393B	Calc	Daily			2	5	cfs
Flow	50050 5 INT-2 inflow G353B	Calc	Daily			11	43	cfs
Dissolved Oxygen	00300 1 EFF-3 outflow G393B	In Situ	Weekly	0.42				mg/l
Dissolved Oxygen	00300 5 INT-2 inflow G353B	In Situ	Weekly	1.76				mg/l
pH	00400 1 EFF-3 outflow G393B	In Situ	Weekly	7.10			7.20	SU field
Total Phosphorus	00665 1 EFF-3 outflow G393B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.012			mg/l as P
Total Phosphorus	00665 5 INT-2 inflow G353B	Grab/Flow - Proportional Composite	Weekly		Flow -w t Mean 0.070			mg/l as P