

**INSTRUCTIONS**

**Summary Sheet of Proposed Configuration**

Instructions – Authors with Assistance of Facilitator Complete *FORM 1* for Each Proposed Configuration. **Bold items required.**

*For all of the forms with the Instructions of “Authors with Assistance of Facilitator Complete . . .” should be completed at the Workshop. The form can be filled in by the Authors or filled in by the Facilitator based on the information provided by the Authors, whichever the Authors prefer. If filled in by the Authors, the Facilitator will review for legibility, understandability, and completeness. If filled in by the Facilitators, Authors should review for accurate representation of their Configuration.*

=====

**Configuration Name:** Estuary Driven Everglades Restoration

*Assist Authors of Proposed Configuration with Establishing a Unique and Descriptive Name of the Proposed Configuration. This Name will be used for all future presentations and documentation to describe that Proposed Configuration*

Authors of Configuration: Mark Perry, Ted Guy, Raeann Wessel, Pete Quasias, George Jones

*List the Name of Every Individual that created and contributed to this Configuration during the exercise*

Spokesperson Name and Contact Info: Mark Perry, [mperry@fos-cc.org](mailto:mperry@fos-cc.org), 722-225-0505

*The Authors need to select a Spokesperson for the Configuration who will present the Configuration at the second day of the Workshop and who will be the point of contact for the Facilitator during the Evaluation phase. Need name, email address, and phone number.*

**Facilitator Name and Contact Info:** Matt Morrison, [mjmorris@sfwmd.gov](mailto:mjmorris@sfwmd.gov), 561-681-2563, x 3718

*Name, email address, and phone number of District Facilitator who will be the point of contact with the Spokesperson and the Evaluation Team.*

=====

**Configuration’s General Description:** 1,000,000 acre feet of storage north of LO per Northern Everglades PI Technical Plan with careful consideration for the use of dispersed storage up to a maximum of 80,000 acre feet. Deliver all excess estuary flows to 300,000 acre feet deep reservoir. From reservoir to 300,000 acre foot flow way system (shallow reservoir) rated at 6,000 cfs. From floway system to 32,500 acres of STA’s.

FORM 1

Configuration Name: Estuary Driven Everglades Restoration

---

---

---

---

---

---

---

---

---

---

*This description should be able to convey the general aspects, elements, and general location of this configuration. Think of this description as a one page slide in a WRAC or Governing Board presentation. The general location information would be north of south of lake Okeechobee and if located solely or partially on USSC lands.*

List Percentage of any Performance Measure (PM) / Indicator (I) Evaluated by RESOPs to be Achieved by Proposed Configuration:

1. PM / I: Reduction in Lake Triggered high discharges to N estuaries

Percentage: 95%

2. PM / I: High LO Stage envelope Percentage: 87%

3. PM / I: Increase in mean annual flow to Everglades

Percentage: 380,000 ac ft per yr

PM / I: Dry season Everglades demand met Percentage: 95%

PM / I: Everglades demand largely delivered Percentage: 93%

Additional PM / I Information: Priority for MFL to Caloosahatchee Estuary over Everglades dry season demands met . Meet no flow to St Lucie Estuary. \_\_\_\_

---

---

---

*Complete only if the Authors have a specific PM / I that they want to make certain is met by this configuration. An Example – LO - Below Stage Envelope performance of 50% or better. Use the list of PM / I in the Facilitator's Packet as needed. Also, if specific questions or need clarifications, flag down Cal Neidrauer and Walter Wilcox. If nothing provided, the Proposed Configuration will be evaluated to optimize all PM / I as best as possible.*

Anticipated Benefits of Proposed Configuration Not Evaluated by RESOPs (examples – ecologic or economic benefits):



FORM 1

Configuration Name: Estuary Driven Everglades Restoration

*Lake Okeechobee Regulation Schedule, specific high and low levels for Lake Okeechobee, only gravity flow from Lake Okeechobee, the ability or no ability to divert water from Lake Okeechobee to the north, storage component can never go dry, only a specified flow target for the Everglades, STAs can go dry or must always have water, no harmful discharges to estuaries, etc. Specifying any of these types of conditions may limit the benefits the configuration would achieve based on RESOPs instead of RESOPs optimizing the operating parameters as best as possible.*

Key Elements Not Mentioned Elsewhere:

---

---

---

---

---

---

---

---

---

---

*List the main aspects that are the biggest concern to the Authors that have not been mentioned elsewhere on this FORM 1. Examples might be gravity flow from Lake Okeechobee, no storage over 4 feet deep, a shallow flowway that conveys and treats water, all construction located west of the Miami Canal, no deep storage, no ASRs, etc. These items you might pick up during the course of the 2-day Workshop.*

**INSTRUCTIONS**  
**Summary Sheet of Components**  
**For Proposed Configuration**

Instructions – Authors with Assistance of Facilitator Complete *FORM 2* for Each Proposed Configuration. **Bold items required.**

*It may be easier to complete this form after the Authors have drawn an initial configuration on a map.*

=====

**Configuration Name (from *FORM 1*):** \_\_\_\_\_

\_\_\_\_\_

=====

**Provide Name and Circle Primary Function(s) of Each Component of Proposed Configuration (a component can have more than one primary function):**

- 1. SD Deep Res 24,000 ac @ 14' deep = 300,000 AF **Storage** / Treatment / Conveyance
- 2. FTS Shal Res 72,000 ac 4' deep \_\_\_\_\_ Storage / Treatment / Conveyance
- 3. FTS W 54,000 ac 4' deep \_\_\_\_\_ **Storage / Treatment / Conveyance**
- 4. FTS E 18,000 ac 4' deep \_\_\_\_\_ **Storage / Treatment / Conveyance**
- 5. STA (2) \_\_\_\_\_ Storage / Treatment / Conveyance
- 6. STA W – 15,000 ac @ 1-2 ' deep \_\_\_\_\_ Storage / **Treatment** / Conveyance
- 7. STA E – 17,500 ac @ 1-2 ' deep \_\_\_\_\_ Storage / **Treatment** / Conveyance
- 8. C Miami Canal \_\_\_\_\_ Storage / Treatment / **Conveyance**
- 9. North New River Canal \_\_\_\_\_ Storage / Treatment / **Conveyance**
- 10. Bolles & Cross Canal \_\_\_\_\_ Storage / Treatment / **Conveyance**
- 11. LIE Canal \_\_\_\_\_ Storage / Treatment / **Conveyance**
- 12. \_\_\_\_\_ Storage / Treatment / Conveyance

*Establish a Unique and Descriptive Name for each component within the proposed configuration. This name and the corresponding number will be used throughout the evaluation phase for this Configuration. The primary function of a component is based on the desires of the Authors. Typically, a reservoir stores water although it may provide some treatment – a reservoir typically is just considered a storage component. Similarly, a Stormwater Treatment Area is considered a treatment component although it does provide some storage. However, a flowway may be considered a storage, treatment, and conveyance feature and the Authors want all three functions to be primary functions. Also, ask the Authors to add these component numbers to the map they are drawing on to assist in verifying the location of each component.*



FORM 2

Configuration Name: Estuary Driven Everglades Restoration\_\_\_\_\_

*Then, the Evaluation team will add the conveyance components that fit the requirements of the other information provided by the Authors to insure the Configuration is functionally viable.*

**INSTRUCTIONS**  
**Summary Sheet of a Storage Component**  
**For Proposed Configuration**

Instructions – Authors with Assistance from Facilitator Complete a Separate FORM 3 for Each Storage Component Included in the Proposed Configuration. **Bold items required.**

*Note – One of these forms is completed for EACH Storage Component as identified on FORM 2. This FORM 3 is to capture any additional specific information about the Storage Component not already provided in FORM 1 and FORM 2.*

=====

**Configuration Name (from FORM 1):** \_\_\_ Estuary Driven Everglades Restoration

\_\_\_\_\_

**Component Number and Name (from FORM 2):** \_\_\_\_\_

\_\_\_\_\_

=====

**General Description of Storage Component:**

1. SD 300,000 AF storage 14' deep over 24,000 ac w/2 inflow pump stations @ L1 & B&C – All outflow gravity feed to L1 & B&C & L2
2. FTS-W 54,000 ac @ 4' deep – both gravity fed via LKO or Reservoir via Miami/N New River B&C; L1 & L2 Canals
3. FTS E 18,000 ac @ 4' deep

\_\_\_\_\_

*Encourage the Authors to be descriptive about the features of the component that matters most to them.*

**Type of Storage:**

\_\_\_X\_\_\_ Deep \_\_\_X\_\_\_ Shallow \_\_\_\_\_ Dispersed

\_\_\_ Storage Below Ground Elevation \_\_\_ Storage Above Ground Elevation

*Deep Storage is generally over 4 feet water depth. Shallow Storage is generally less than 4 feet water depth. Dispersed Storage is generally water in wetlands, over natural lands, or flooded ranchlands.*

*Storage Below Ground Elevation is water level below surrounding ground surface such as a lake or in-ground reservoir. Storage Above Ground Elevation is water level above surrounding ground surface such as a reservoir. It is possible for a component to have both Below and Above Ground Storage such as a reservoir*

FORM 3

Configuration Name: Estuary Driven Everglades Restoration\_\_\_\_\_

*excavated 4 feet below surrounding ground surface and water is able to be stored up to 6 feet above ground surface.*

Check Most Important Feature(s) of Storage Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):

\_\_\_\_\_ Volume – Provide volume required in ac-ft - 588,000 AF deep 300,000 AF, shallow 288,000 AF (Facilitator will convert information to ac-ft as necessary)

\_\_\_\_\_ Water Depth – Provide depth in feet - Deep 14' shallow 4'

\_\_\_\_\_ Total Acres of Land – Provide acreage – Deep 24,000 ac shallow 74,000 ac (Facilitator will include acreage for component infrastructure as necessary)

\_\_\_\_\_ Ability to Meet A Specific Performance Measure (PM) / Indicator (I)  
PM / I: \_\_\_\_\_ Percentage \_\_\_\_\_

Additional PM / I Information: \_\_\_\_\_

\_\_\_\_\_ Cost – Provide maximum allowed cost \_\_\_\_\_

*Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the storage component must have 1 million ac-ft of storage, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.*

General Component Location:

(provide details on the required location of the component in addition to the information drawn on the map, examples –

- anywhere north of Lake Okeechobee
- only on US Sugar Lands west of L-19 Canal
- any lands between L-19 Canal and New Miami River Canal)

List Counties: Hendry & Palm Beach and all counties N of C43 & C44

Description: w/in SFWMD

\_\_\_\_\_

\_\_\_\_\_

FORM 3

Configuration Name: Estuary Driven Everglades Restoration\_\_\_\_\_

---

---

---

---

---

---

*Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.*

Per LKO Tech Phase II Plan utilize storage No of Lake to maintain 11.5 minimum in Lake O

General Description of Storage Component Operations:

Divert all excess Hi LK stage & No Estuary flows south to (SD) reservoir. From Res to FTS to STA to EPA

Meet MFL to Caloosahatchee as priorities over dry season deliveries to EPA

---

---

---

---

---

*If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "water elevation would always be above 2 feet so that it never goes dry and does not create ponding and traps wildlife in isolated pools".*

Check Most Important Operational Feature(s) of Storage Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):

Deep Reservoir SD

\_\_\_\_\_ Inflow Capacity – Provide inflow in cubic feet per second 6,000 csf (Facilitator will convert information to cfs as necessary)

\_\_\_\_\_ Inflow Type – Select \_\_\_\_\_ Gravity \_\_\_\_\_ Pump \_\_\_\_\_ X \_\_\_\_\_ Both

FORM 3

Configuration Name: Estuary Driven Everglades Restoration\_\_\_\_\_

\_\_\_\_\_ Outflow Type – Select \_\_\_\_\_X\_\_\_\_\_ Gravity \_\_\_\_\_ Pump\_\_\_\_\_ Both

\_\_\_\_\_ Ability To Go Dry – Select \_\_\_\_\_ Yes \_\_\_X\_\_\_ No \_\_\_\_\_ No  
Preference

\_\_\_\_\_ Internal Cells – Select \_\_\_\_\_ Yes \_\_\_X\_ No \_\_\_\_\_ No Preference

If yes, how many cells? \_\_\_NA\_\_\_ Cells \_\_\_\_\_ Leave up to optimization

*Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the storage component must have only gravity inflow, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.*

FTS E inflow 3000 csf combine 6000 csf – All gravity can go dry  
FTS W inflow 3000 csf combine 6000 csf – All gravity can go dry, no internal  
cells  
STA E & W each have inflow of 3000 cfs – same as above

FORM 4

Configuration Name: Estuary Driven Everglades Restoration\_\_\_\_\_

***INSTRUCTIONS***  
**Summary Sheet of a Treatment Component  
For Proposed Configuration**

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM 4* for Each Treatment Component Included in the Proposed Configuration. **Bold items required.**

*Note – One of these forms is completed for EACH Treatment Component as identified on FORM 2. This FORM 4 is to capture any additional specific information about the Treatment Component not already provided in FORM 1 and FORM 2.*

=====

**Configuration Name (from FORM 1):** Estuary Driven Everglades Restoration

\_\_\_\_\_

**Component Number and Name (from FORM 2):** \_\_\_\_\_

\_\_\_\_\_

=====

**Does Treatment Component Also Have a Primary Function as a Storage Component?**  Yes  No

If yes, complete *FORM 3* first and only add information not provided in *FORM 3* to this *FORM 4*.

**General Description of Treatment Component:** 2 STA's West 15,000 AC – 1' deep, all gravity fed  
East 17,500 ac 1' deep, all gravity fed

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

FORM 4

Configuration Name: Estuary Driven Everglades Restoration\_\_\_\_\_

*Encourage the Authors to be descriptive about the features of the component that matters most to them.*

**Type of Treatment** (check all that apply):

- Mechanized like a Chemical Treatment Plant
- Actively Managed like a Stormwater Treatment Area
- Minimally Managed like a Wetlands
- Passively Managed like Natural Lands

*Have the Authors check which of the above best describes the treatment component. This is especially important if they have defined a treatment component unlike anything we have experience with – checking one or more of the above will help in understanding what it is similar to.*

Check Most Important Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):

Volume of Water to be Treated – Provide volume in ac-ft 3800,000 AF average annual (Facilitator will convert information to ac-ft as necessary)

Water Depth – Provide depth in feet

Total Acres of Land – Provide acreage   
(Facilitator will include acreage for component infrastructure as necessary)

Ability to Meet A Specific Performance Measure (PM) / Indicator (I)  
PM / I: \_\_\_\_\_ Percentage \_\_\_\_\_

Additional PM / I Information: \_\_\_\_\_  
\_\_\_\_\_

Cost – Provide maximum allowed cost \_\_\_\_\_

*Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the treatment component must be on 40,000 acres of land, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.*



FORM 4

Configuration Name: Estuary Driven Everglades Restoration\_\_\_\_\_

Check Most Important Operational Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):

Reliability of Treatment Component – As compared to a Stormwater Treatment Area \_\_\_\_\_

\_\_\_\_\_ Inflow Capacity – Provide inflow in cubic feet per second \_\_\_\_\_  
(Facilitator will convert information to cfs as necessary)

\_\_\_\_\_ Inflow Type – Select  Gravity \_\_\_\_\_ Pump \_\_\_\_\_ Both

\_\_\_\_\_ Outflow Type – Select  Gravity \_\_\_\_\_ Pump \_\_\_\_\_ Both

\_\_\_\_\_ Ability To Go Dry – Select \_\_\_\_\_ Yes \_\_\_\_\_ No  No Preference

\_\_\_\_\_ Internal Cells – Select  Yes \_\_\_\_\_ No \_\_\_\_\_ No Preference

If yes, how many cells? \_\_\_\_\_ Cells Maximize efficiency

*Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the inflow capacity is 1,000 cfs, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.*

**INSTRUCTIONS**

**Summary Sheet of a Conveyance Component  
For Proposed Configuration**

Instructions – Authors with Assistance from Facilitator Complete a Separate FORM 5 for Each Conveyance Component Included in the Proposed Configuration. **Bold items required.**

*Note – One of these forms is completed for EACH Conveyance Component as identified on FORM 2. This FORM 5 is to capture any additional specific information about the Conveyance Component not already provided in FORM 1 and FORM 2. If no specific conveyance component identified by the Authors, the Evaluation team will term the requirements to convey water from one component to another and this form would not need to be completed by the Authors.*

=====

**Configuration Name (from FORM 1):** \_ Estuary Driven Everglades Restoration

\_\_\_\_\_

**Component Number and Name (from FORM 2):** \_\_\_\_\_

\_\_\_\_\_

=====

**Does Conveyance Component Also Have a Primary Function as a Storage Component?**  Yes  No

If yes, complete FORM 3 first and only add information not provided in FORM 3 to this FORM 5.

**Does Conveyance Component Also Have a Primary Function as a Treatment Component?**  Yes  No

If yes, complete FORM 4 first and only add information not provided in FORM 4 to this FORM 5.

**General Description of Conveyance Component:** FTS provides conveyance. Treatment and Storage canals provide conveyance only

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

FORM 5

Configuration Name: Estuary Driven Everglades Restoration

---

---

---

---

---

*Encourage the Authors to be descriptive about the features of the component that matters most to them. For example, the middle of the lined canal will be deeper to handle typical flows with the wider, shallow part of the canal designed for peak flows.*

**Type of Conveyance:**

Open Water with Water Level Below Ground Elevation

Surface Finish:

Managed Vegetation  Natural Vegetation

Lined  No Preference

Open Water with Water Level Above Ground Elevation

Surface Finish:

Managed Vegetation  Natural Vegetation

Lined  No Preference

Closed Pipe:  Below Ground Elevation  Above Ground Elevation

*Managed Vegetation is vegetation within the conveyance feature is mowed and treated as necessary to minimize restriction to water flow. The banks are vegetated but with appropriate erosion protection as needed. This is similar to how the canals within the South Florida Water Management District are currently managed. Natural Vegetation is vegetation within the conveyance feature that is essentially allowed to grow naturally, not actively maintained, may restrict water flow, and may provide treatment benefit. The banks are vegetated but with appropriate erosion protection as needed.*

**Conveyance Feature:**  New  Enhancement of an Existing Canal  
(provide name of existing canal) \_\_\_\_\_

L-1, NNR, MC, B&C

Check Most Important Feature(s) of Conveyance Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):

FORM 5

Configuration Name: Estuary Driven Everglades Restoration

\_\_\_\_\_ Volume of Water to be Conveyed – Provide volume in ac-ft –  
380,000 ac ft per yr  
(Facilitator will convert information to ac-ft as necessary)

\_\_\_\_\_ Water Depth – Provide depth in feet – 4' deep  
\_\_\_\_\_ Conveyance Width – Provide width in feet – see map is to scale

\_\_\_\_\_ Total Acres of Land – Provide acreage – 72,000 acres and additional  
existing canal width if need  
(Facilitator will include acreage for component infrastructure as necessary)

\_\_\_\_\_ Ability to Meet A Specific Performance Measure (PM) / Indicator (I)  
PM / I: \_\_\_\_\_ Percentage \_\_\_\_\_

Additional PM / I Information: \_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_ Cost – Provide maximum allowed cost \_\_\_\_\_

*Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the water depth is 4 feet and volume is 1 million ac-ft, then other features during the evaluation will be modified as necessary to obtain that requirement within any other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.*

General Component Location:

(provide details on the required location of the component in addition to the information drawn on the map, examples –

- anywhere north of Lake Okeechobee
- only on US Sugar Lands west of L-19 Canal
- any lands between L-19 Canal and New Miami River Canal)

List Counties: Palm Beach & Hendry \_\_\_\_\_

Description: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

FORM 5

Configuration Name: Estuary Driven Everglades Restoration

---

---

*Provide additional information about the location of the component if needed to ensure the component is sited at the desired location. The Authors do not need to be specific. If no additional information provided, the Evaluation Team will utilize the information shown on the map and more specifically site the component to reduce costs and increase benefits.*

General Description of Conveyance Component Operations: Gravity fed from (SD) reservoir when applicable, gravity fed from LKO via reservoir and/or No New River Canal, Miami, L2, L1 & B&C Canals

---

---

---

---

*If the Authors envision this component to be operated a certain way, this is where they need to describe that operation. For example, "canal can go dry and will be capable of conveying flows no greater than 4,000 cfs".*

Check Most Important Operational Feature(s) of Treatment Component (if any) (check all features that are critical to Authors; if not checked then the proposed configuration will be optimized for this feature):

\_\_\_\_\_ Inflow Capacity – Provide inflow in cubic feet per second 6000 csf\_\_\_\_  
(Facilitator will convert information to cfs as necessary)

\_\_\_\_\_ Inflow Type – Select \_\_\_X\_\_\_ Gravity \_\_\_\_\_ Pump\_\_\_\_\_ Both

\_\_\_\_\_ Outflow Type – Select \_\_\_X\_\_\_ Gravity \_\_\_\_\_ Pump\_\_\_\_\_ Both

\_\_\_\_\_ Ability To Go Dry – Select \_\_\_X\_\_\_ Yes \_\_\_\_\_ No \_\_\_\_\_ No Preference

\_\_\_\_\_ Internal Cells – Select \_\_\_\_\_ Yes \_\_\_X\_\_\_ No \_\_\_\_\_ No Preference

If yes, how many cells? \_\_\_\_\_ Cells

*Only the features above that are critical to the Authors should be checked. It is acceptable not to check any features above. The evaluation performed will be based on this critical information and this critical information will not be changed during the evaluation. For example, if the Authors state the inflow capacity is 6,000 cfs and both inflow and outflow by gravity, then other features during the evaluation will be modified as necessary to obtain that requirement within any*

FORM 5

Configuration Name: Estuary Driven Everglades Restoration

*other limitations provided. The more limitations or critical features specified, the more difficult it may be to achieve the benefits within a reasonable cost.*

Western Features

1. S4/Disston Island – Create WM (Water Management Feature) added feature to address legacy P & etc. impounded

Eliminate back flow to Lake – ET & seepage overflow pump to Southern Gardens SD/STA

2. Southern Gardens – SD/STA treat water flowing can reduce SD/STA acreage south to Lake Hicopochee
3. Add a lock structure at western end of Lake Hicopochee to raise water levels 3' equivalent to 20,000 ac ft of storage.

**INSTRUCTIONS**

**Summary Sheet of Infrastructure or Other Potential Impacts  
Due to the Proposed Configuration**

Instructions – Authors with Assistance from Facilitator Complete a Separate *FORM 6* for Each Proposed Configuration. **Bold items required Bold items required.**

*Try to complete this form during the Workshop by looking at the maps and the Google Earth files. This form highlights potential items that if impacted by the Proposed Configuration could significantly add costs to the configuration. If identified during the Workshop, this gives the Authors a chance to modify their configuration to potentially avoid this issues with potentially minimal impact to the overall performance of the Configuration.*

=====

**Configuration Name (from FORM 1):** \_\_\_\_\_

\_\_\_\_\_

**Component Number and Name (from FORM 2):** \_\_\_\_\_

\_\_\_\_\_

=====

**Check Which of the Following will be Potentially Impacted by the Construction of the Proposed Configuration:**

- US Highways
- State Roads
- County Roads
- Private Roads
- Railroads
- Railroad Yards
- Power Transmission Lines
- Power Sub-Stations
- Canals
- Airports
- Mines
- Gas Lines
- Communication Facilities
- Agricultural Processing Plants
- Wetlands
- Threatened and Endangered Species
- 298 Districts
- Proposed Intermodal Locations

FORM 6

Configuration Name: Estuary Driven Everglades Restoration

- \_\_\_\_\_ Potential Future Urban Service Boundaries
- \_\_\_\_\_ Others – Specify \_\_\_\_\_
- \_\_\_\_\_ Others – Specify \_\_\_\_\_
- \_\_\_\_\_ Others – Specify \_\_\_\_\_
- \_\_\_\_\_ Others – Specify \_\_\_\_\_