

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-2B_AT_376736	10/12/2015 0:00	FALSE	61.568		85183.469		34.521		0.814	
TPSWCCS-2B_AT_376736	10/12/2015 1:00	FALSE	61.634		85267.969		34.268		0.793	
TPSWCCS-2B_AT_376736	10/12/2015 2:00	FALSE	61.581		85203.906		34.309		0.773	
TPSWCCS-2B_AT_376736	10/12/2015 3:00	FALSE	61.401		85197.8571		34.128		0.773	
TPSWCCS-2B_AT_376736	10/12/2015 4:00	FALSE	61.574		85203.813		34.055		0.807	
TPSWCCS-2B_AT_376736	10/12/2015 5:00	FALSE	61.449		85065.633		33.738		0.81	
TPSWCCS-2B_AT_376736	10/12/2015 6:00	FALSE	61.405		85006.922		33.944		0.805	
TPSWCCS-2B_AT_376736	10/12/2015 7:00	FALSE	61.377		84979.57		33.751		0.808	
TPSWCCS-2B_AT_376736	10/12/2015 8:00	FALSE	61.245		84823.422		33.779		0.819	
TPSWCCS-2B_AT_376736	10/12/2015 9:00	FALSE	61.144		84705.688		33.743		0.813	
TPSWCCS-2B_AT_376736	10/12/2015 10:00	FALSE	61.139		84694.328		33.906		0.819	
TPSWCCS-2B_AT_376736	10/12/2015 11:00	FALSE	61.401		84995.172		34.227		0.819	
TPSWCCS-2B_AT_376736	10/12/2015 12:00	FALSE	61.271		84839.789		34.282		0.818	
TPSWCCS-2B_AT_376736	10/12/2015 13:00	FALSE	61.319		84891.313		34.483		0.823	
TPSWCCS-2B_AT_376736	10/12/2015 14:00	FALSE	61.305		84883.172		34.17		0.821	
TPSWCCS-2B_AT_376736	10/12/2015 15:00	FALSE	60.53		83960.367		34.462		0.843	
TPSWCCS-2B_AT_376736	10/12/2015 16:00	FALSE	60		83324.547		34.833		0.865	
TPSWCCS-2B_AT_376736	10/12/2015 17:00	FALSE	59.847		83136.367		35.174		0.867	
TPSWCCS-2B_AT_376736	10/12/2015 18:00	FALSE	59.993		83294.609		35.835		0.81	
TPSWCCS-2B_AT_376736	10/12/2015 19:00	FALSE	60.12		83454.055		35.374		0.773	
TPSWCCS-2B_AT_376736	10/12/2015 20:00	FALSE	59.96		83264.852		35.397		0.566	
TPSWCCS-2B_AT_376736	10/12/2015 21:00	FALSE	60.079		83403.461		35.471		0.722	
TPSWCCS-2B_AT_376736	10/12/2015 22:00	FALSE	60.283		83653.563		35.082		0.709	
TPSWCCS-2B_AT_376736	10/12/2015 23:00	FALSE	60.297		83675.266		34.854		0.695	
TPSWCCS-2B_AT_376736	10/13/2015 0:00	FALSE	60.574		84009.977		34.555		0.692	
TPSWCCS-2B_AT_376736	10/13/2015 1:00	FALSE	60.626		84073.297		34.494		0.689	
TPSWCCS-2B_AT_376736	10/13/2015 2:00	FALSE	60.635		84083.258		34.509		0.69	
TPSWCCS-2B_AT_376736	10/13/2015 3:00	FALSE	60.808		84281.984		34.751		0.7	
TPSWCCS-2B_AT_376736	10/13/2015 4:00	FALSE	60.754		84460.961		34.193		0.705	
TPSWCCS-2B_AT_376736	10/13/2015 5:00	FALSE	60.861		84360.305		34.149		0.692	
TPSWCCS-2B_AT_376736	10/13/2015 6:00	FALSE	60.734		84211.344		34.12		0.709	
TPSWCCS-2B_AT_376736	10/13/2015 7:00	FALSE	60.722		84204.32		33.847		0.711	
TPSWCCS-2B_AT_376736	10/13/2015 8:00	FALSE	60.678		84153.18		33.807		0.704	
TPSWCCS-2B_AT_376736	10/13/2015 9:00	FALSE	60.473		83892.789		34.486		0.688	
TPSWCCS-2B_AT_376736	10/13/2015 10:00	FALSE	60.636		84075.961		34.853		0.698	
TPSWCCS-2B_AT_376736	10/13/2015 11:00	FALSE	60.637		84093.578		34.233		0.729	
TPSWCCS-2B_AT_376736	10/13/2015 12:00	FALSE	60.754		84224.063		34.507		0.712	
TPSWCCS-2B_AT_376736	10/13/2015 13:00	FALSE	60.767		84241.953		34.429		0.715	
TPSWCCS-2B_AT_376736	10/13/2015 14:00	FALSE	60.696		84154.094		34.558		0.767	
TPSWCCS-2B_AT_376736	10/13/2015 15:00	FALSE	60.5		83880.508		36.496		0.736	
TPSWCCS-2B_AT_376736	10/13/2015 16:00	FALSE	60.816		84279.438		35.257		0.776	
TPSWCCS-2B_AT_376736	10/13/2015 17:00	FALSE	60.875		84339.836		35.652		0.736	
TPSWCCS-2B_AT_376736	10/13/2015 18:00	FALSE	60.938		84411.125		35.8		0.682	
TPSWCCS-2B_AT_376736	10/13/2015 19:00	FALSE	60.487		83876.672		35.907		0.668	
TPSWCCS-2B_AT_376736	10/13/2015 20:00	FALSE	60.568		83962.867		35.825		0.648	
TPSWCCS-2B_AT_376736	10/13/2015 21:00	FALSE	60.827		84281.719		35.735		0.633	
TPSWCCS-2B_AT_376736	10/13/2015 22:00	FALSE	60.746		84190.227		35.567		0.633	
TPSWCCS-2B_AT_376736	10/13/2015 23:00	FALSE	61.11		84626.141		35.273		0.631	
TPSWCCS-2B_AT_376736	10/14/2015 0:00	FALSE	61.076		84586.891		35.229		0.63	
TPSWCCS-2B_AT_376736	10/14/2015 1:00									

TPSWCCS-2B_AT_376736	10/17/2015 8:00	FALSE	58.14	81233.516	30.917	0.579
TPSWCCS-2B_AT_376736	10/17/2015 9:00	FALSE	58.089	81167.961	31.007	0.57
TPSWCCS-2B_AT_376736	10/17/2015 10:00	FALSE	57.7	80691.734	31.288	0.609
TPSWCCS-2B_AT_376736	10/17/2015 11:00	FALSE	57.497	80462.465	31.47	0.595
TPSWCCS-2B_AT_376736	10/17/2015 12:00	FALSE	57.398	80311.055	31.671	0.569
TPSWCCS-2B_AT_376736	10/17/2015 13:00	FALSE	57.444	80365.766	31.82	0.555
TPSWCCS-2B_AT_376736	10/17/2015 14:00	FALSE	57.384	80289.195	31.96	0.539
TPSWCCS-2B_AT_376736	10/17/2015 15:00	FALSE	57.531	80464.344	32.017	0.523
TPSWCCS-2B_AT_376736	10/17/2015 16:00	FALSE	57.496	80424.609	31.941	0.509
TPSWCCS-2B_AT_376736	10/17/2015 17:00	FALSE	57.555	80499.07	31.83	0.488
TPSWCCS-2B_AT_376736	10/17/2015 18:00	FALSE	57.594	80551.016	31.676	0.489
TPSWCCS-2B_AT_376736	10/17/2015 19:00	FALSE	57.615	80582.484	31.496	0.537
TPSWCCS-2B_AT_376736	10/17/2015 20:00	FALSE	57.37	80294.695	31.344	0.509
TPSWCCS-2B_AT_376736	10/17/2015 21:00	FALSE	57.192	80087.695	31.136	0.53
TPSWCCS-2B_AT_376736	10/17/2015 22:00	FALSE	57.313	80236.766	31.054	0.513
TPSWCCS-2B_AT_376736	10/17/2015 23:00	FALSE	57.544	80520.891	30.877	0.504
TPSWCCS-2B_AT_376736	10/18/2015 0:00	FALSE	57.631	80632.961	30.668	0.49
TPSWCCS-2B_AT_376736	10/18/2015 1:00	FALSE	57.716	80740.102	30.532	0.491
TPSWCCS-2B_AT_376736	10/18/2015 2:00	FALSE	57.838	80890.695	30.428	0.481
TPSWCCS-2B_AT_376736	10/18/2015 3:00	FALSE	57.844	80904.984	30.252	0.485
TPSWCCS-2B_AT_376736	10/18/2015 4:00	FALSE	57.893	80968.484	30.147	0.476
TPSWCCS-2B_AT_376736	10/18/2015 5:00	FALSE	57.89	80968.906	30.06	0.474
TPSWCCS-2B_AT_376736	10/18/2015 6:00	FALSE	57.992	81100.625	29.835	0.476
TPSWCCS-2B_AT_376736	10/18/2015 7:00	FALSE	58.024	81141.531	29.798	0.485
TPSWCCS-2B_AT_376736	10/18/2015 8:00	FALSE	58.022	81144.977	29.658	0.474
TPSWCCS-2B_AT_376736	10/18/2015 9:00	FALSE	57.947	81047.359	29.824	0.465
TPSWCCS-2B_AT_376736	10/18/2015 10:00	FALSE	57.86	80925.773	30.224	0.444
TPSWCCS-2B_AT_376736	10/18/2015 11:00	FALSE	57.828	80859.711	30.915	0.443
TPSWCCS-2B_AT_376736	10/18/2015 12:00	FALSE	57.673	80660.75	31.25	0.425
TPSWCCS-2B_AT_376736	10/18/2015 13:00	FALSE	57.535	80571.484	31.489	0.438
TPSWCCS-2B_AT_376736	10/18/2015 14:00	FALSE	57.693	80676.297	31.475	0.45
TPSWCCS-2B_AT_376736	10/18/2015 15:00	FALSE	57.643	80619.352	31.417	0.422
TPSWCCS-2B_AT_376736	10/18/2015 16:00	FALSE	57.525	80482.656	31.287	0.421
TPSWCCS-2B_AT_376736	10/18/2015 17:00	FALSE	57.588	80565.914	31.054	0.435
TPSWCCS-2B_AT_376736	10/18/2015 18:00	FALSE	57.558	80541.039	30.773	0.402
TPSWCCS-2B_AT_376736	10/18/2015 19:00	FALSE	57.6	80601.109	30.534	0.419
TPSWCCS-2B_AT_376736	10/18/2015 20:00	FALSE	57.637	80656.07	30.274	0.394
TPSWCCS-2B_AT_376736	10/18/2015 21:00	FALSE	57.735	80782.735	30.076	0.391
TPSWCCS-2B_AT_376736	10/18/2015 22:00	FALSE	57.696	80743.352	29.901	0.381
TPSWCCS-2B_AT_376736	10/18/2015 23:00	FALSE	57.633	80675.031	29.74	0.423
TPSWCCS-2B_AT_376736	10/19/2015 0:00	FALSE	54.603	77025.531	29.509	0.569
TPSWCCS-2B_AT_376736	10/19/2015 1:00	FALSE	54.089	76409.094	29.282	0.537
TPSWCCS-2B_AT_376736	10/19/2015 2:00	FALSE	53.965	76266.344	29.104	0.563
TPSWCCS-2B_AT_376736	10/19/2015 3:00	FALSE	53.899	76194.594	28.899	0.587
TPSWCCS-2B_AT_376736	10/19/2015 4:00	FALSE	54.084	76433.57	28.603	0.588
TPSWCCS-2B_AT_376736	10/19/2015 5:00	FALSE	54.339	76751.398	28.459	0.579
TPSWCCS-2B_AT_376736	10/19/2015 6:00	FALSE	54.354	76783.289	28.187	0.505
TPSWCCS-2B_AT_376736	10/19/2015 7:00	FALSE	54.63	77123.906	28.09	0.53
TPSWCCS-2B_AT_376736	10/19/2015 8:00	FALSE	54.649	77153.617	27.972	0.478
TPSWCCS-2B_AT_376736	10/19/2015 9:00	FALSE	54.837	77376.68	28.064	0.454
TPSWCCS-2B_AT_376736	10/19/2015 10:00	FALSE	55.091	77676.258	28.262	0.455
TPSWCCS-2B_AT_376736	10/19/2015 11:00	FALSE	55.275	77884.328	28.561	0.483
TPSWCCS-2B_AT_376736	10/19/2015 12:00	FALSE	55.326	77933.859	28.806	0.521
TPSWCCS-2B_AT_376736	10/19/2015 13:00	FALSE	55.361	77973.086	28.896	0.546
TPSWCCS-2B_AT_376736	10/19/2015 14:00	FALSE	55.417	78043.969	28.829	0.538
TPSWCCS-2B_AT_376736	10/19/2015 15:00	FALSE	55.332	77945.828	28.727	0.53
TPSWCCS-2B_AT_376736	10/19/2015 16:00	FALSE	55.408	78044.80		

TPSWCCS-2B_AT_376736	10/22/2015 17:00	FALSE	56.501	79319.039	29.602	0.419
TPSWCCS-2B_AT_376736	10/22/2015 18:00	FALSE	56.568	79407.242	29.435	0.432
TPSWCCS-2B_AT_376736	10/22/2015 19:00	FALSE	56.431	79253.57	29.195	0.417
TPSWCCS-2B_AT_376736	10/22/2015 20:00	FALSE	56.606	79478.227	28.891	0.418
TPSWCCS-2B_AT_376736	10/22/2015 21:00	FALSE	56.701	79601.313	28.715	0.398
TPSWCCS-2B_AT_376736	10/22/2015 22:00	FALSE	56.797	79729.242	28.494	0.378
TPSWCCS-2B_AT_376736	10/22/2015 23:00	FALSE	56.655	79565.594	28.334	0.369
TPSWCCS-2B_AT_376736	10/23/2015 0:00	FALSE	56.666	79579.383	28.322	0.355
TPSWCCS-2B_AT_376736	10/23/2015 1:00	FALSE	56.796	79743.055	28.196	0.331
TPSWCCS-2B_AT_376736	10/23/2015 2:00	FALSE	57.045	80048.789	28.1	0.293
TPSWCCS-2B_AT_376736	10/23/2015 3:00	FALSE	56.852	79821.852	27.998	0.28
TPSWCCS-2B_AT_376736	10/23/2015 4:00	FALSE	56.936	79926.914	27.921	0.271
TPSWCCS-2B_AT_376736	10/23/2015 5:00	FALSE	56.938	79932.469	27.858	0.271
TPSWCCS-2B_AT_376736	10/23/2015 6:00	FALSE	57.155	80197.359	27.8	0.273
TPSWCCS-2B_AT_376736	10/23/2015 7:00	FALSE	57.153	80202.867	27.671	0.277
TPSWCCS-2B_AT_376736	10/23/2015 8:00	FALSE	57.225	80293.406	27.61	0.278
TPSWCCS-2B_AT_376736	10/23/2015 9:00	FALSE	57.264	80333.055	27.737	0.264
TPSWCCS-2B_AT_376736	10/23/2015 10:00	FALSE	57.161	80187.578	28.105	0.25
TPSWCCS-2B_AT_376736	10/23/2015 11:00	FALSE	57.163	80174.859	28.395	0.254
TPSWCCS-2B_AT_376736	10/23/2015 12:00	FALSE	57.215	80235.578	28.446	0.252
TPSWCCS-2B_AT_376736	10/23/2015 13:00	FALSE	57.114	80101.273	28.691	0.241
TPSWCCS-2B_AT_376736	10/23/2015 14:00	FALSE	57.194	80185.5	28.934	0.241
TPSWCCS-2B_AT_376736	10/23/2015 15:00	FALSE	57.014	79930.953	29.737	0.288
TPSWCCS-2B_AT_376736	10/23/2015 16:00	FALSE	56.558	79381.797	29.736	0.354
TPSWCCS-2B_AT_376736	10/23/2015 17:00	FALSE	56.186	78944.805	29.459	0.349
TPSWCCS-2B_AT_376736	10/23/2015 18:00	FALSE	56.267	79056.25	29.161	0.344
TPSWCCS-2B_AT_376736	10/23/2015 19:00	FALSE	56.241	79045.266	28.752	0.345
TPSWCCS-2B_AT_376736	10/23/2015 20:00	FALSE	56.287	79113.016	28.501	0.345
TPSWCCS-2B_AT_376736	10/23/2015 21:00	FALSE	56.362	79213.008	28.307	0.327
TPSWCCS-2B_AT_376736	10/23/2015 22:00	FALSE	56.421	79296.234	28.083	0.3
TPSWCCS-2B_AT_376736	10/23/2015 23:00	FALSE	56.48	79381.461	27.83	0.279
TPSWCCS-2B_AT_376736	10/24/2015 0:00	FALSE	56.456	79359.609	27.701	0.262
TPSWCCS-2B_AT_376736	10/24/2015 1:00	FALSE	56.528	79452.453	27.588	0.253
TPSWCCS-2B_AT_376736	10/24/2015 2:00	FALSE	56.556	79490.867	27.512	0.247
TPSWCCS-2B_AT_376736	10/24/2015 3:00	FALSE	56.722	79690.461	27.527	0.248
TPSWCCS-2B_AT_376736	10/24/2015 4:00	FALSE	56.575	79516.813	27.465	0.245
TPSWCCS-2B_AT_376736	10/24/2015 5:00	FALSE	56.69	79661.023	27.382	0.25
TPSWCCS-2B_AT_376736	10/24/2015 6:00	FALSE	56.709	79690.805	27.257	0.24
TPSWCCS-2B_AT_376736	10/24/2015 7:00	FALSE	56.805	79811.422	27.177	0.245
TPSWCCS-2B_AT_376736	10/24/2015 8:00	FALSE	56.697	79680.961	27.184	0.241
TPSWCCS-2B_AT_376736	10/24/2015 9:00	FALSE	56.645	79604.734	27.407	0.231
TPSWCCS-2B_AT_376736	10/24/2015 10:00	FALSE	56.623	79567.992	27.58	0.223
TPSWCCS-2B_AT_376736	10/24/2015 11:00	FALSE	56.477	79364.742	28.07	0.227
TPSWCCS-2B_AT_376736	10/24/2015 12:00	FALSE	56.363	79198.008	28.636	0.234
TPSWCCS-2B_AT_376736	10/24/2015 13:00	FALSE	56.358	79136.398	29.823	0.259
TPSWCCS-2B_AT_376736	10/24/2015 14:00	FALSE	56.391	79169.18	29.997	0.264
TPSWCCS-2B_AT_376736	10/24/2015 15:00	FALSE	56.264	79002.766	30.31	0.267
TPSWCCS-2B_AT_376736	10/24/2015 16:00	FALSE	56.366	79119.188	30.493	0.277
TPSWCCS-2B_AT_376736	10/24/2015 17:00	FALSE	56.413	79186.852	30.208	0.287
TPSWCCS-2B_AT_376736	10/24/2015 18:00	FALSE	56.408	79190.695	29.981	0.287
TPSWCCS-2B_AT_376736	10/24/2015 19:00	FALSE	56.253	79016.086	29.684	0.3
TPSWCCS-2B_AT_376736	10/24/2015 20:00	FALSE	56.569	79406.977	29.462	0.279
TPSWCCS-2B_AT_376736	10/24/2015 21:00	FALSE	56.553	79397.063	29.265	0.274
TPSWCCS-2B_AT_376736	10/24/2015 22:00	FALSE	56.587	79441.188	29.207	0.258
TPSWCCS-2B_AT_376736	10/24/2015 23:00	FALSE	56.531	79394.938	28.761	0.251
TPSWCCS-2B_AT_376736	10/25/2015 0:00	FALSE	56.617	79508.211	28.571	0.229
TPSWCCS-2B_AT_376736	10/25/2015 1:00	FALSE	56.585	79456.375	28.	

TPSWCCS-2B_AT_376736	10/28/2015 2:00	FALSE	57.759	80843.609	29.358	0.151
TPSWCCS-2B_AT_376736	10/28/2015 3:00	FALSE	57.864	80976.617	29.22	0.157
TPSWCCS-2B_AT_376736	10/28/2015 4:00	FALSE	57.994	81133.031	29.205	0.167
TPSWCCS-2B_AT_376736	10/28/2015 5:00	FALSE	57.853	80965.938	29.159	0.171
TPSWCCS-2B_AT_376736	10/28/2015 6:00	FALSE	57.962	81126.563	29.125	0.214
TPSWCCS-2B_AT_376736	10/28/2015 7:00	FALSE	57.833	80946.484	29.061	0.234
TPSWCCS-2B_AT_376736	10/28/2015 8:00	FALSE	57.788	80908.75	28.733	0.238
TPSWCCS-2B_AT_376736	10/28/2015 9:00	FALSE	57.913	81061.469	28.693	0.24
TPSWCCS-2B_AT_376736	10/28/2015 10:00	FALSE	57.725	80821.391	28.978	0.252
TPSWCCS-2B_AT_376736	10/28/2015 11:00	FALSE	57.753	80843.148	29.212	0.26
TPSWCCS-2B_AT_376736	10/28/2015 12:00	FALSE	57.915	81038.352	29.204	0.275
TPSWCCS-2B_AT_376736	10/28/2015 13:00	FALSE	57.93	81050.398	29.326	0.355
TPSWCCS-2B_AT_376736	10/28/2015 14:00	FALSE	57.962	81079.734	29.506	0.354
TPSWCCS-2B_AT_376736	10/28/2015 15:00	FALSE	57.443	80442.477	29.822	0.32
TPSWCCS-2B_AT_376736	10/28/2015 16:00	FALSE	57.073	79994.055	29.913	0.34
TPSWCCS-2B_AT_376736	10/28/2015 17:00	FALSE	56.401	79181.102	29.991	0.336
TPSWCCS-2B_AT_376736	10/28/2015 18:00	FALSE	55.821	78475.492	30.145	0.262
TPSWCCS-2B_AT_376736	10/28/2015 19:00	FALSE	55.98	78674.906	29.966	0.236
TPSWCCS-2B_AT_376736	10/28/2015 20:00	FALSE	56.039	78744.867	29.978	0.217
TPSWCCS-2B_AT_376736	10/28/2015 21:00	FALSE	56.209	78951.953	29.946	0.211
TPSWCCS-2B_AT_376736	10/28/2015 22:00	FALSE	56.565	79384.672	29.864	0.204
TPSWCCS-2B_AT_376736	10/28/2015 23:00	FALSE	56.613	79447.195	29.745	0.196
TPSWCCS-2B_AT_376736	10/29/2015 0:00	FALSE	56.532	79358.719	29.541	0.192
TPSWCCS-2B_AT_376736	10/29/2015 1:00	FALSE	56.646	79495.844	29.554	0.192
TPSWCCS-2B_AT_376736	10/29/2015 2:00	FALSE	56.672	79528.031	29.536	0.196
TPSWCCS-2B_AT_376736	10/29/2015 3:00	FALSE	56.675	79531.727	29.527	0.194
TPSWCCS-2B_AT_376736	10/29/2015 4:00	FALSE	56.813	79699.445	29.501	0.196
TPSWCCS-2B_AT_376736	10/29/2015 5:00	FALSE	56.927	79839.898	29.43	0.196
TPSWCCS-2B_AT_376736	10/29/2015 6:00	FALSE	56.753	79626.336	29.518	0.201
TPSWCCS-2B_AT_376736	10/29/2015 7:00	FALSE	56.74	79609.156	29.567	0.209
TPSWCCS-2B_AT_376736	10/29/2015 8:00	FALSE	56.759	79622.086	29.773	0.221
TPSWCCS-2B_AT_376736	10/29/2015 9:00	FALSE	56.89	79781.961	29.718	0.233
TPSWCCS-2B_AT_376736	10/29/2015 10:00	FALSE	56.889	79779.641	29.75	0.242
TPSWCCS-2B_AT_376736	10/29/2015 11:00	FALSE	57.047	79973.055	29.683	0.247
TPSWCCS-2B_AT_376736	10/29/2015 12:00	FALSE	56.887	79775.43	29.799	0.237
TPSWCCS-2B_AT_376736	10/29/2015 13:00	FALSE	56.122	78847.422	29.945	0.248
TPSWCCS-2B_AT_376736	10/29/2015 14:00	FALSE	55.66	78269.633	30.406	0.392
TPSWCCS-2B_AT_376736	10/29/2015 15:00	FALSE	56.265	77775.531	30.857	0.32
TPSWCCS-2B_AT_376736	10/29/2015 16:00	FALSE	55.484	78031.461	31.095	0.26
TPSWCCS-2B_AT_376736	10/29/2015 17:00	FALSE	55.456	79788.805	31.363	0.246
TPSWCCS-2B_AT_376736	10/29/2015 18:00	FALSE	55.5	78036.563	31.502	0.241
TPSWCCS-2B_AT_376736	10/29/2015 19:00	FALSE	55.635	78194.57	31.645	0.219
TPSWCCS-2B_AT_376736	10/29/2015 20:00	FALSE	55.783	78373.578	31.651	0.22
TPSWCCS-2B_AT_376736	10/29/2015 21:00	FALSE	55.972	78608.578	31.461	0.224
TPSWCCS-2B_AT_376736	10/29/2015 22:00	FALSE	56.062	78724.797	31.245	0.224
TPSWCCS-2B_AT_376736	10/29/2015 23:00	FALSE	56.246	78949.109	31.168	0.224
TPSWCCS-2B_AT_376736	10/30/2015 0:00	FALSE	56.147	78831.922	31.091	0.228
TPSWCCS-2B_AT_376736	10/30/2015 1:00	FALSE	56.275	78987.258	31.081	0.233
TPSWCCS-2B_AT_376736	10/30/2015 2:00	FALSE	56.297	79016.547	30.989	0.218
TPSWCCS-2B_AT_376736	10/30/2015 3:00	FALSE	56.284	79001.273	30.985	0.214
TPSWCCS-2B_AT_376736	10/30/2015 4:00	FALSE	56.345	79073.828	31.028	0.226
TPSWCCS-2B_AT_376736	10/30/2015 5:00	FALSE	56.284	79006.805	30.842	0.219
TPSWCCS-2B_AT_376736	10/30/2015 6:00	FALSE	56.273	78996.414	30.746	0.205
TPSWCCS-2B_AT_376736	10/30/2015 7:00	FALSE	56.267	78994.578	30.612	0.195
TPSWCCS-2B_AT_376736	10/30/2015 8:00	FALSE	56.288	79022.641	30.563	0.193
TPSWCCS-2B_AT_376736	10/30/2015 9:00	FALSE	56.255	78986.555	30.466	0.186
TPSWCCS-2B_AT_376736	10/30/2015 10:00	FALSE	56.269	79004.008	3	

TPSWCCS-2B_AT_410825	11/2/2015 10:00	FALSE	56.785	79611.477	30.803	0.044
TPSWCCS-2B_AT_410825	11/2/2015 11:00	FALSE	56.794	79596.719	31.5	0.028
TPSWCCS-2B_AT_410825	11/2/2015 12:00	FALSE	56.786	79600.172	31.15	0.04
TPSWCCS-2B_AT_410825	11/2/2015 13:00	FALSE	56.771	79581.656	31.153	0.041
TPSWCCS-2B_AT_410825	11/2/2015 14:00	FALSE	56.747	79554.57	31.113	0.037
TPSWCCS-2B_AT_410825	11/2/2015 15:00	FALSE	56.58	79345.539	31.319	0.034
TPSWCCS-2B_AT_410825	11/2/2015 16:00	FALSE	56.53	79264.664	31.927	0.026
TPSWCCS-2B_AT_410825	11/2/2015 17:00	FALSE	57.068	79866.344	33.44	0.028
TPSWCCS-2B_AT_410825	11/2/2015 18:00	FALSE	56.87	79638.555	33.087	0.018
TPSWCCS-2B_AT_410825	11/2/2015 19:00	FALSE	56.759	79514.906	32.728	0.016
TPSWCCS-2B_AT_410825	11/2/2015 20:00	FALSE	56.771	79536.227	32.505	0.02
TPSWCCS-2B_AT_410825	11/2/2015 21:00	FALSE	56.799	79584.266	32.065	0.018
TPSWCCS-2B_AT_410825	11/2/2015 22:00	FALSE	57.024	79859.117	31.927	0.022
TPSWCCS-2B_AT_410825	11/2/2015 23:00	FALSE	56.739	79522.445	31.756	0.016
TPSWCCS-2B_AT_410825	11/3/2015 0:00	FALSE	56.729	79520.648	31.442	0
TPSWCCS-2B_AT_410825	11/3/2015 12:00	FALSE	51.64	73326.18	31.799	0.777
TPSWCCS-2B_AT_410825	11/3/2015 13:00	FALSE	51.541	73191.781	32.255	0.778
TPSWCCS-2B_AT_410825	11/3/2015 14:00	FALSE	51.798	73503.398	32.384	0.771
TPSWCCS-2B_AT_410825	11/3/2015 15:00	FALSE	51.678	73353.055	32.518	0.767
TPSWCCS-2B_AT_410825	11/3/2015 16:00	FALSE	51.709	73392.359	32.496	0.767
TPSWCCS-2B_AT_410825	11/3/2015 17:00	FALSE	51.701	73386.703	32.292	0.769
TPSWCCS-2B_AT_410825	11/3/2015 18:00	FALSE	51.926	73667.875	32.094	0.766
TPSWCCS-2B_AT_410825	11/3/2015 19:00	FALSE	52.131	73922.047	31.998	0.759
TPSWCCS-2B_AT_410825	11/3/2015 20:00	FALSE	52.215	74029	31.843	0.768
TPSWCCS-2B_AT_410825	11/3/2015 21:00	FALSE	52.358	74208.031	31.741	0.766
TPSWCCS-2B_AT_410825	11/3/2015 22:00	FALSE	52.477	74357.109	31.622	0.767
TPSWCCS-2B_AT_410825	11/3/2015 23:00	FALSE	52.327	74176.477	31.524	0.764
TPSWCCS-2B_AT_410825	11/4/2015 0:00	FALSE	52.209	74036.719	31.371	0.758
TPSWCCS-2B_AT_410825	11/4/2015 1:00	FALSE	52.056	73855.242	31.166	0.757
TPSWCCS-2B_AT_410825	11/4/2015 2:00	FALSE	51.833	73585.515	31.03	0.757
TPSWCCS-2B_AT_410825	11/4/2015 3:00	FALSE	51.674	73394.922	30.886	0.757
TPSWCCS-2B_AT_410825	11/4/2015 4:00	FALSE	51.788	73534.438	30.894	0.757
TPSWCCS-2B_AT_410825	11/4/2015 5:00	FALSE	52.058	73859.445	31.117	0.753
TPSWCCS-2B_AT_410825	11/4/2015 6:00	FALSE	51.969	73762.789	30.702	0.756
TPSWCCS-2B_AT_410825	11/4/2015 7:00	FALSE	52.155	73989.789	30.752	0.753
TPSWCCS-2B_AT_410825	11/4/2015 8:00	FALSE	52.157	73997.242	30.592	0.749
TPSWCCS-2B_AT_410825	11/4/2015 9:00	FALSE	52.283	74146.047	30.787	0.743
TPSWCCS-2B_AT_410825	11/4/2015 10:00	FALSE	52.323	74186.563	31.038	0.742
TPSWCCS-2B_AT_410825	11/4/2015 11:00	FALSE	52.385	74251.328	31.397	0.744
TPSWCCS-2B_AT_410825	11/4/2015 12:00	FALSE	52.506	74387.508	31.779	0.744
TPSWCCS-2B_AT_410825	11/4/2015 13:00	FALSE	52.603	74496.727	32.096	0.745
TPSWCCS-2B_AT_410825	11/4/2015 14:00	FALSE	52.727	74640.742	32.41	0.743
TPSWCCS-2B_AT_410825	11/4/2015 15:00	FALSE	52.657	74549.758	32.575	0.736
TPSWCCS-2B_AT_410825	11/4/2015 16:00	FALSE	52.705	74607.703	32.618	0.732
TPSWCCS-2B_AT_410825	11/4/2015 17:00	FALSE	52.871	74814.43	32.454	0.733
TPSWCCS-2B_AT_410825	11/4/2015 18:00	FALSE	52.776	74776.805	32.246	0.735
TPSWCCS-2B_AT_410825	11/4/2015 19:00	FALSE	52.82	74762.625	32.075	0.73
TPSWCCS-2B_AT_410825	11/4/2015 20:00	FALSE	52.822	74772.047	31.848	0.731
TPSWCCS-2B_AT_410825	11/4/2015 21:00	FALSE	52.825	74782.969	31.597	0.727
TPSWCCS-2B_AT_410825	11/4/2015 22:00	FALSE	52.7	74635.438	31.413	0.733
TPSWCCS-2B_AT_410825	11/4/2015 23:00	FALSE	52.355	74228.141	30.937	0.734
TPSWCCS-2B_AT_410825	11/5/2015 0:00	FALSE	52.319	74194.695	30.637	0.718
TPSWCCS-2B_AT_410825	11/5/2015 1:00	FALSE	52.431	74332.438	30.616	0.732
TPSWCCS-2B_AT_410825	11/5/2015 2:00	FALSE	52.486	74411.305	30.301	0.725
TPSWCCS-2B_AT_410825	11/5/2015 3:00	FALSE	52.408	74319.359	30.177	0.728
TPSWCCS-2B_AT_410825	11/5/2015 4:00	FALSE	52.284	74174.93	29.976	0.715
TPSWCCS-2B_AT_410825	11/5/2015 5:00	FALSE	52.307	74208.172	29.84	0.717
TPSWCCS-						


TPSWCCS-2B_AT_410825	11/8/2015 6:00	FALSE	52.323	74218.023	30.104	0.579
TPSWCCS-2B_AT_410825	11/8/2015 7:00	FALSE	52.311	74205.063	30.077	0.582
TPSWCCS-2B_AT_410825	11/8/2015 8:00	FALSE	52.374	74287.117	29.948	0.581
TPSWCCS-2B_AT_410825	11/8/2015 9:00	FALSE	52.125	73892.759	29.922	0.581
TPSWCCS-2B_AT_410825	11/8/2015 10:00	FALSE	52.312	74198.719	30.258	0.581
TPSWCCS-2B_AT_410825	11/8/2015 11:00	FALSE	52.33	74210.992	30.561	0.575
TPSWCCS-2B_AT_410825	11/8/2015 12:00	FALSE	52.227	74073.617	30.875	0.578
TPSWCCS-2B_AT_410825	11/8/2015 13:00	FALSE	52.377	74242.359	31.342	0.574
TPSWCCS-2B_AT_410825	11/8/2015 14:00	FALSE	52.331	74180.875	31.524	0.572
TPSWCCS-2B_AT_410825	11/8/2015 15:00	FALSE	52.506	74383.672	31.91	0.564
TPSWCCS-2B_AT_410825	11/8/2015 16:00	FALSE	52.632	74535.836	31.967	0.562
TPSWCCS-2B_AT_410825	11/8/2015 17:00	FALSE	52.675	74592.688	31.847	0.558
TPSWCCS-2B_AT_410825	11/8/2015 18:00	FALSE	52.602	74509.375	31.627	0.557
TPSWCCS-2B_AT_410825	11/8/2015 19:00	FALSE	52.744	74687.875	31.452	0.555
TPSWCCS-2B_AT_410825	11/8/2015 20:00	FALSE	52.605	74520.031	31.388	0.557
TPSWCCS-2B_AT_410825	11/8/2015 21:00	FALSE	52.652	74578.5	31.383	0.554
TPSWCCS-2B_AT_410825	11/8/2015 22:00	FALSE	52.704	74640.938	31.388	0.553
TPSWCCS-2B_AT_410825	11/8/2015 23:00	FALSE	52.647	74570.914	31.404	0.555
TPSWCCS-2B_AT_410825	11/9/2015 0:00	FALSE	52.725	74667.5	31.374	0.552
TPSWCCS-2B_AT_410825	11/9/2015 1:00	FALSE	52.644	74568.195	31.366	0.55
TPSWCCS-2B_AT_410825	11/9/2015 2:00	FALSE	52.643	74569.234	31.325	0.55
TPSWCCS-2B_AT_410825	11/9/2015 3:00	FALSE	52.71	74655.359	31.182	0.546
TPSWCCS-2B_AT_410825	11/9/2015 4:00	FALSE	52.821	74794.328	31.07	0.544
TPSWCCS-2B_AT_410825	11/9/2015 5:00	FALSE	52.711	74662.695	30.988	0.544
TPSWCCS-2B_AT_410825	11/9/2015 6:00	FALSE	52.859	74847.234	30.884	0.545
TPSWCCS-2B_AT_410825	11/9/2015 7:00	FALSE	52.733	74697.727	30.738	0.545
TPSWCCS-2B_AT_410825	11/9/2015 8:00	FALSE	52.772	74746.859	30.69	0.546
TPSWCCS-2B_AT_410825	11/9/2015 9:00	FALSE	52.847	74836.438	30.758	0.546
TPSWCCS-2B_AT_410825	11/9/2015 10:00	FALSE	52.852	74834.023	31.025	0.549
TPSWCCS-2B_AT_410825	11/9/2015 11:00	FALSE	52.941	74927.594	31.506	0.548
TPSWCCS-2B_AT_410825	11/9/2015 12:00	FALSE	52.907	74869.766	32.053	0.546
TPSWCCS-2B_AT_410825	11/9/2015 13:00	FALSE	53.045	75061.031	31.29	0.547
TPSWCCS-2B_AT_410825	11/9/2015 14:00	FALSE	52.964	74959.344	31.366	0.547
TPSWCCS-2B_AT_410825	11/9/2015 15:00	FALSE	52.879	74851.055	31.51	0.541
TPSWCCS-2B_AT_410825	11/9/2015 16:00	FALSE	52.813	74764.93	31.702	0.538
TPSWCCS-2B_AT_410825	11/9/2015 17:00	FALSE	52.952	74899.633	33.023	0.54
TPSWCCS-2B_AT_410825	11/9/2015 18:00	FALSE	53.103	75083.313	33.039	0.537
TPSWCCS-2B_AT_410825	11/9/2015 19:00	FALSE	53.192	75196.015	32.861	0.537
TPSWCCS-2B_AT_410825	11/9/2015 20:00	FALSE	53.259	75281.609	32.717	0.537
TPSWCCS-2B_AT_410825	11/9/2015 21:00	FALSE	53.158	75170.57	32.253	0.534
TPSWCCS-2B_AT_410825	11/9/2015 22:00	FALSE	53.091	75086.07	32.33	0.54
TPSWCCS-2B_AT_410825	11/9/2015 23:00	FALSE	53.266	75301.633	32.252	0.536
TPSWCCS-2B_AT_410825	11/10/2015 0:00	FALSE	53.175	75190.398	32.265	0.536
TPSWCCS-2B_AT_410825	11/10/2015 1:00	FALSE	53.189	75211.82	32.145	0.535
TPSWCCS-2B_AT_410825	11/10/2015 2:00	FALSE	53.141	75158.484	31.938	0.536
TPSWCCS-2B_AT_410825	11/10/2015 3:00	FALSE	52.874	74836.172	31.836	0.537
TPSWCCS-2B_AT_410825	11/10/2015 4:00	FALSE	52.79	74732.703	31.845	0.535
TPSWCCS-2B_AT_410825	11/10/2015 5:00	FALSE	52.766	74701.281	31.92	0.529
TPSWCCS-2B_AT_410825	11/10/2015 6:00	FALSE	52.928	74899.43	31.922	0.528
TPSWCCS-2B_AT_410825	11/10/2015 7:00	FALSE	52.863	74822.734	31.831	0.528
TPSWCCS-2B_AT_410825	11/10/2015 8:00	FALSE	53.099	75115.867	31.673	0.524
TPSWCCS-2B_AT_410825	11/10/2015 9:00	FALSE	53.007	75001.172	31.726	0.524
TPSWCCS-2B_AT_410825	11/10/2015 10:00	FALSE	53.033	75031.742	31.766	0.522
TPSWCCS-2B_AT_410825	11/10/2015 11:00	FALSE	53.221	75263.883	31.696	0.521
TPSWCCS-2B_AT_410825	11/10/2015 12:00	FALSE	53.198	75231.758	31.81	0.523
TPSWCCS-2B_AT_410825	11/10/2015 13:00	FALSE	52.889	74848.75	32.018	0.526
TPSWCCS-2B_AT_410825	11/10/2015 14:00	FALSE	52.672	7456		

TPSWCCS-2B_AT_410825	11/13/2015 15:00	FALSE	53.152	75142.484	33.056	0.448
TPSWCCS-2B_AT_410825	11/13/2015 16:00	FALSE	53.302	75316.875	33.396	0.458
TPSWCCS-2B_AT_410825	11/13/2015 17:00	FALSE	53.591	75671.891	33.253	0.452
TPSWCCS-2B_AT_410825	11/13/2015 18:00	FALSE	53.444	75502.805	32.881	0.446
TPSWCCS-2B_AT_410825	11/13/2015 19:00	FALSE	53.585	75379.625	32.661	0.448
TPSWCCS-2B_AT_410825	11/13/2015 20:00	FALSE	53.472	75543.156	32.63	0.444
TPSWCCS-2B_AT_410825	11/13/2015 21:00	FALSE	53.408	75465.406	32.63	0.443
TPSWCCS-2B_AT_410825	11/13/2015 22:00	FALSE	53.315	75355.141	32.508	0.442
TPSWCCS-2B_AT_410825	11/13/2015 23:00	FALSE	53.206	75221.016	32.525	0.441
TPSWCCS-2B_AT_410825	11/14/2015 0:00	FALSE	53.213	75230.188	32.537	0.441
TPSWCCS-2B_AT_410825	11/14/2015 1:00	FALSE	53.344	75390.586	32.485	0.439
TPSWCCS-2B_AT_410825	11/14/2015 2:00	FALSE	53.379	75439.898	32.253	0.436
TPSWCCS-2B_AT_410825	11/14/2015 3:00	FALSE	53.345	75406.281	31.978	0.438
TPSWCCS-2B_AT_410825	11/14/2015 4:00	FALSE	52.576	74478.547	31.59	0.433
TPSWCCS-2B_AT_410825	11/14/2015 5:00	FALSE	51.756	73479.531	31.401	0.433
TPSWCCS-2B_AT_410825	11/14/2015 6:00	FALSE	51.965	73741.82	31.216	0.455
TPSWCCS-2B_AT_410825	11/14/2015 7:00	FALSE	51.754	73491.852	30.942	0.447
TPSWCCS-2B_AT_410825	11/14/2015 8:00	FALSE	51.846	73610.664	30.74	0.446
TPSWCCS-2B_AT_410825	11/14/2015 9:00	FALSE	51.86	73631.359	30.629	0.446
TPSWCCS-2B_AT_410825	11/14/2015 10:00	FALSE	51.811	73573.469	30.575	0.44
TPSWCCS-2B_AT_410825	11/14/2015 11:00	FALSE	52.07	73889.75	30.618	0.446
TPSWCCS-2B_AT_410825	11/14/2015 12:00	FALSE	52.08	73904.492	30.565	0.436
TPSWCCS-2B_AT_410825	11/14/2015 13:00	FALSE	52.222	74077.648	30.567	0.441
TPSWCCS-2B_AT_410825	11/14/2015 14:00	FALSE	52.239	74100.648	30.528	0.437
TPSWCCS-2B_AT_410825	11/14/2015 15:00	FALSE	52.412	74307.094	30.674	0.447
TPSWCCS-2B_AT_410825	11/14/2015 16:00	FALSE	52.595	74530.5	30.707	0.447
TPSWCCS-2B_AT_410825	11/14/2015 17:00	FALSE	52.539	74470.32	30.464	0.433
TPSWCCS-2B_AT_410825	11/14/2015 18:00	FALSE	52.781	74774.227	30.23	0.413
TPSWCCS-2B_AT_410825	11/14/2015 19:00	FALSE	52.609	74572.445	30.001	0.427
TPSWCCS-2B_AT_410825	11/14/2015 20:00	FALSE	52.208	74089.148	29.774	0.589
TPSWCCS-2B_AT_410825	11/14/2015 21:00	FALSE	46.394	66902.844	28.755	0.757
TPSWCCS-2B_AT_410825	11/14/2015 22:00	FALSE	47.009	67678.266	28.705	0.744
TPSWCCS-2B_AT_410825	11/14/2015 23:00	FALSE	47.034	67713.547	28.596	0.732
TPSWCCS-2B_AT_410825	11/15/2015 0:00	FALSE	47.079	67775.391	28.44	0.731
TPSWCCS-2B_AT_410825	11/15/2015 1:00	FALSE	47.246	67992.109	28.28	0.735
TPSWCCS-2B_AT_410825	11/15/2015 2:00	FALSE	47.083	67788.422	28.237	0.735
TPSWCCS-2B_AT_410825	11/15/2015 3:00	FALSE	47.096	67811.156	28.089	0.733
TPSWCCS-2B_AT_410825	11/15/2015 4:00	FALSE	46.425	66977.075	27.846	0.759
TPSWCCS-2B_AT_410825	11/15/2015 5:00	FALSE	45.936	66366.734	27.681	0.782
TPSWCCS-2B_AT_410825	11/15/2015 6:00	FALSE	45.38	65667.516	27.599	0.825
TPSWCCS-2B_AT_410825	11/15/2015 7:00	FALSE	45.56	65899.344	27.495	0.818
TPSWCCS-2B_AT_410825	11/15/2015 8:00	FALSE	45.619	65978.211	27.415	0.821
TPSWCCS-2B_AT_410825	11/15/2015 9:00	FALSE	45.666	66041.594	27.321	0.832
TPSWCCS-2B_AT_410825	11/15/2015 10:00	FALSE	45.811	66223.688	27.346	0.825
TPSWCCS-2B_AT_410825	11/15/2015 11:00	FALSE	45.665	66039.82	27.332	0.827
TPSWCCS-2B_AT_410825	11/15/2015 12:00	FALSE	45.689	66068.422	27.364	0.841
TPSWCCS-2B_AT_410825	11/15/2015 13:00	FALSE	45.78	66183.477	27.359	0.835
TPSWCCS-2B_AT_410825	11/15/2015 14:00	FALSE	46.135	66630.148	27.413	0.832
TPSWCCS-2B_AT_410825	11/15/2015 15:00	FALSE	46.209	66724.758	27.361	0.828
TPSWCCS-2B_AT_410825	11/15/2015 16:00	FALSE	46.297	66838.617	27.298	0.831
TPSWCCS-2B_AT_410825	11/15/2015 17:00	FALSE	46.281	66821.016	27.233	0.82
TPSWCCS-2B_AT_410825	11/15/2015 18:00	FALSE	46.242	66776.695	27.124	0.825
TPSWCCS-2B_AT_410825	11/15/2015 19:00	FALSE	46.3	66856.039	27.002	0.816
TPSWCCS-2B_AT_410825	11/15/2015 20:00	FALSE	46.357	66934.281	26.853	0.819
TPSWCCS-2B_AT_410825	11/15/2015 21:00	FALSE	46.445	67048.945	26.779	0.818
TPSWCCS-2B_AT_410825	11/15/2015 22:00	FALSE	46.493	67113.406	26.689	0.822
TPSWCCS-2B_AT_410825	11/1					


TPSWCCS-2B_AT_410825	11/19/2015 9:00	FALSE	38.779	57170.477	28.413	0.763
TPSWCCS-2B_AT_410825	11/19/2015 10:00	FALSE	38.707	57074.016	28.556	0.766
TPSWCCS-2B_AT_410825	11/19/2015 11:00	FALSE	38.815	57202.766	28.972	0.761
TPSWCCS-2B_AT_410825	11/19/2015 12:00	FALSE	38.728	57082.164	29.295	0.764
TPSWCCS-2B_AT_410825	11/19/2015 13:00	FALSE	38.738	57087.178	29.599	0.763
TPSWCCS-2B_AT_410825	11/19/2015 14:00	FALSE	38.849	57227.719	29.77	0.759
TPSWCCS-2B_AT_410825	11/19/2015 15:00	FALSE	38.865	57246.414	29.864	0.758
TPSWCCS-2B_AT_410825	11/19/2015 16:00	FALSE	38.851	57226.633	29.943	0.757
TPSWCCS-2B_AT_410825	11/19/2015 17:00	FALSE	39.051	57489.164	29.839	0.758
TPSWCCS-2B_AT_410825	11/19/2015 18:00	FALSE	39.056	57498.223	29.707	0.753
TPSWCCS-2B_AT_410825	11/19/2015 19:00	FALSE	37.112	54964.934	29.64	0.756
TPSWCCS-2B_AT_410825	11/19/2015 20:00	FALSE	37.093	54935.746	29.874	0.753
TPSWCCS-2B_AT_410825	11/19/2015 21:00	FALSE	37.152	55013.68	29.79	0.757
TPSWCCS-2B_AT_410825	11/19/2015 22:00	FALSE	37.18	55054.27	29.65	0.754
TPSWCCS-2B_AT_410825	11/19/2015 23:00	FALSE	37.326	55241.211	29.83	0.751
TPSWCCS-2B_AT_410825	11/20/2015 0:00	FALSE	37.365	55292.098	29.818	0.749
TPSWCCS-2B_AT_410825	11/20/2015 1:00	FALSE	37.445	55393.652	29.964	0.752
TPSWCCS-2B_AT_410825	11/20/2015 2:00	FALSE	37.54	55518.285	29.971	0.746
TPSWCCS-2B_AT_410825	11/20/2015 3:00	FALSE	37.515	55486.375	29.932	0.749
TPSWCCS-2B_AT_410825	11/20/2015 4:00	FALSE	37.759	55806.109	29.872	0.745
TPSWCCS-2B_AT_410825	11/20/2015 5:00	FALSE	37.783	55838.848	29.828	0.745
TPSWCCS-2B_AT_410825	11/20/2015 6:00	FALSE	37.877	55962.438	29.745	0.746
TPSWCCS-2B_AT_410825	11/20/2015 7:00	FALSE	37.927	56027.711	29.752	0.746
TPSWCCS-2B_AT_410825	11/20/2015 8:00	FALSE	37.946	56052.746	29.769	0.745
TPSWCCS-2B_AT_410825	11/20/2015 9:00	FALSE	38.029	56160.781	29.786	0.742
TPSWCCS-2B_AT_410825	11/20/2015 10:00	FALSE	37.988	56105.895	29.824	0.739
TPSWCCS-2B_AT_410825	11/20/2015 11:00	FALSE	38.256	56448.77	30.147	0.744
TPSWCCS-2B_AT_410825	11/20/2015 12:00	FALSE	38.387	56611.32	30.53	0.751
TPSWCCS-2B_AT_410825	11/20/2015 13:00	FALSE	38.469	56721.234	30.331	0.753
TPSWCCS-2B_AT_410825	11/20/2015 14:00	FALSE	38.282	56476.297	30.439	0.76
TPSWCCS-2B_AT_410825	11/20/2015 15:00	FALSE	38.376	56597.68	30.454	0.753
TPSWCCS-2B_AT_410825	11/20/2015 16:00	FALSE	38.412	56646.07	30.422	0.753
TPSWCCS-2B_AT_410825	11/20/2015 17:00	FALSE	38.305	56507.359	30.385	0.75
TPSWCCS-2B_AT_410825	11/20/2015 18:00	FALSE	38.474	56731.074	30.213	0.747
TPSWCCS-2B_AT_410825	11/20/2015 19:00	FALSE	38.559	56842.953	30.134	0.744
TPSWCCS-2B_AT_410825	11/20/2015 20:00	FALSE	38.754	57092.941	30.277	0.739
TPSWCCS-2B_AT_410825	11/20/2015 21:00	FALSE	38.841	57208.281	30.156	0.749
TPSWCCS-2B_AT_410825	11/20/2015 22:00	FALSE	38.968	57377.305	29.979	0.744
TPSWCCS-2B_AT_410825	11/20/2015 23:00	FALSE	39.098	57546.535	29.962	0.738
TPSWCCS-2B_AT_410825	11/21/2015 0:00	FALSE	39.155	57621.098	29.927	0.735
TPSWCCS-2B_AT_410825	11/21/2015 1:00	FALSE	39.175	57646.09	30.011	0.735
TPSWCCS-2B_AT_410825	11/21/2015 2:00	FALSE	39.325	57838.5	30.088	0.734
TPSWCCS-2B_AT_410825	11/21/2015 3:00	FALSE	39.447	57995.395	30.112	0.732
TPSWCCS-2B_AT_410825	11/21/2015 4:00	FALSE	39.619	58218.137	30.133	0.73
TPSWCCS-2B_AT_410825	11/21/2015 5:00	FALSE	39.585	58175.379	30.087	0.729
TPSWCCS-2B_AT_410825	11/21/2015 6:00	FALSE	39.847	58500.137	30.131	0.729
TPSWCCS-2B_AT_410825	11/21/2015 7:00	FALSE	40.222	59001.207	29.951	0.724
TPSWCCS-2B_AT_410825	11/21/2015 8:00	FALSE	40.795	59740.645	29.961	0.726
TPSWCCS-2B_AT_410825	11/21/2015 9:00	FALSE	40.549	59423.09	29.974	0.729
TPSWCCS-2B_AT_410825	11/21/2015 10:00	FALSE	40.758	59691.934	29.981	0.729
TPSWCCS-2B_AT_410825	11/21/2015 11:00	FALSE	40.744	59674.289	29.952	0.731
TPSWCCS-2B_AT_410825	11/21/2015 12:00	FALSE	40.223	59006.27	29.815	0.737
TPSWCCS-2B_AT_410825	11/21/2015 13:00	FALSE	40.331	59135.172	30.271	0.739
TPSWCCS-2B_AT_410825	11/21/2015 14:00	FALSE	40.272	59058.223	30.284	0.727
TPSWCCS-2B_AT_410825	11/21/2015 15:00	FALSE	40.355	59167.785	30.18	0.723
TPSWCCS-2B_AT_410825	11/21/2015 16:00	FALSE	40.377	59196.148	30.172	0.721

TPSWCCS-2B_AT_410825	11/24/2015 18:00	FALSE	43.869	63820.336	25.943	0.67
TPSWCCS-2B_AT_410825	11/24/2015 19:00	FALSE	43.768	63701.406	25.754	0.673
TPSWCCS-2B_AT_410825	11/24/2015 20:00	FALSE	43.677	63594.129	25.556	0.657
TPSWCCS-2B_AT_410825	11/24/2015 21:00	FALSE	43.597	63497.992	25.439	0.678
TPSWCCS-2B_AT_410825	11/24/2015 22:00	FALSE	43.515	63555.493	25.212	0.67
TPSWCCS-2B_AT_410825	11/24/2015 23:00	FALSE	43.553	63465.41	24.975	0.664
TPSWCCS-2B_AT_410825	11/25/2015 0:00	FALSE	43.538	63453.75	24.849	0.675
TPSWCCS-2B_AT_410825	11/25/2015 1:00	FALSE	43.591	63536.914	24.563	0.666
TPSWCCS-2B_AT_410825	11/25/2015 2:00	FALSE	43.673	63649.57	24.41	0.664
TPSWCCS-2B_AT_410825	11/25/2015 3:00	FALSE	43.666	63651.09	24.239	0.668
TPSWCCS-2B_AT_410825	11/25/2015 4:00	FALSE	43.753	63768.98	24.125	0.666

Temperature (C)



Salinity (PSU)



SpecificConductance ($\mu\text{S}/\text{cm}$)



Water Level

