



SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWCCS-1B_AT_407341	8/31/2015 0:00	FALSE	72.735		97933.664		38.45		0.302	
TPSWCCS-1B_AT_407341	8/31/2015 1:00	FALSE	72.909		98129.766		38.417		0.301	
TPSWCCS-1B_AT_407341	8/31/2015 2:00	FALSE	73.002		98236.125		38.319		0.3	
TPSWCCS-1B_AT_407341	8/31/2015 3:00	FALSE	72.843		98056.211		38.392		0.279	
TPSWCCS-1B_AT_407341	8/31/2015 4:00	FALSE	73.139		98389.117		38.397		0.285	
TPSWCCS-1B_AT_407341	8/31/2015 5:00	FALSE	73.15		98403.023		38.297		0.293	
TPSWCCS-1B_AT_407341	8/31/2015 6:00	FALSE	73.333		98609.32		38.281		0.292	
TPSWCCS-1B_AT_407341	8/31/2015 7:00	FALSE	73.415		98701.672		38.233		0.313	
TPSWCCS-1B_AT_407341	8/31/2015 8:00	FALSE	73.346		98625.102		38.202		0.305	
TPSWCCS-1B_AT_407341	8/31/2015 9:00	FALSE	72.993		98230.539		38.138		0.34	
TPSWCCS-1B_AT_407341	8/31/2015 10:00	FALSE	73.44		98728.656		38.27		0.335	
TPSWCCS-1B_AT_407341	8/31/2015 11:00	FALSE	73.925		98151.094		38.274		0.36	
TPSWCCS-1B_AT_407341	8/31/2015 12:00	FALSE	80.3		106291.07		39.573		0.377	
TPSWCCS-1B_AT_407341	8/31/2015 13:00	FALSE	80.053		106016.117		39.788		0.374	
TPSWCCS-1B_AT_407341	8/31/2015 14:00	FALSE	80.415		106405.422		40.119		0.374	
TPSWCCS-1B_AT_407341	8/31/2015 15:00	FALSE	80.447		106435.984		40.32		0.37	
TPSWCCS-1B_AT_407341	8/31/2015 16:00	FALSE	79.883		105819.336		40.381		0.351	
TPSWCCS-1B_AT_407341	8/31/2015 17:00	FALSE	79.729		105646.648		40.586		0.345	
TPSWCCS-1B_AT_407341	8/31/2015 18:00	FALSE	79.584		105485.109		40.735		0.335	
TPSWCCS-1B_AT_407341	8/31/2015 19:00	FALSE	79.66		105566.414		40.809		0.321	
TPSWCCS-1B_AT_407341	8/31/2015 20:00	FALSE	79.766		105680.227		40.985		0.324	
TPSWCCS-1B_AT_407341	8/31/2015 21:00	FALSE	80.039		105977.508		41.046		0.319	
TPSWCCS-1B_AT_407341	8/31/2015 22:00	FALSE	79.567		105464.039		40.896		0.3	
TPSWCCS-1B_AT_407341	8/31/2015 23:00	FALSE	80.566		106558.367		40.705		0.283	
TPSWCCS-1B_AT_407341	9/1/2015 0:00	FALSE	80.284		106255.633		40.446		0.285	
TPSWCCS-1B_AT_407341	9/1/2015 1:00	FALSE	80.633		106638.922		40.292		0.282	
TPSWCCS-1B_AT_407341	9/1/2015 2:00	FALSE	76.085		101649.422		39.735		0.283	
TPSWCCS-1B_AT_407341	9/1/2015 3:00	FALSE	73.697		99001.453		39.039		0.279	
TPSWCCS-1B_AT_407341	9/1/2015 4:00	FALSE	73.661		98964.719		38.866		0.293	
TPSWCCS-1B_AT_407341	9/1/2015 5:00	FALSE	73.499		98783.953		38.79		0.289	
TPSWCCS-1B_AT_407341	9/1/2015 6:00	FALSE	73.138		98380.492		38.765		0.287	
TPSWCCS-1B_AT_407341	9/1/2015 7:00	FALSE	73.662		98968.203		38.741		0.28	
TPSWCCS-1B_AT_407341	9/1/2015 8:00	FALSE	73.679		98986.211		38.795		0.278	
TPSWCCS-1B_AT_407341	9/1/2015 9:00	FALSE	73.844		99169.336		38.846		0.278	
TPSWCCS-1B_AT_407341	9/1/2015 10:00	FALSE	73.464		98742.555		38.927		0.284	
TPSWCCS-1B_AT_407341	9/1/2015 11:00	FALSE	75.019		100470.307		39.273		0.298	
TPSWCCS-1B_AT_407341	9/1/2015 12:00	FALSE	80.865		106886.016		40.615		0.321	
TPSWCCS-1B_AT_407341	9/1/2015 13:00	FALSE	80.887		106898.734		41.187		0.296	
TPSWCCS-1B_AT_407341	9/1/2015 14:00	FALSE	80.858		106860.633		41.626		0.322	
TPSWCCS-1B_AT_407341	9/1/2015 15:00	FALSE	74.684		100018.289		46.733		0.333	
TPSWCCS-1B_AT_407341	9/1/2015 16:00	FALSE	47.806		68229.641		83.319		0.385	
TPSWCCS-1B_AT_407341	9/1/2015 17:00	FALSE	48.413		68984.219		82.951		0.389	
TPSWCCS-1B_AT_407341	9/1/2015 18:00	FALSE	48.87		69564.383		82.268		0.37	
TPSWCCS-1B_AT_407341	9/1/2015 19:00	FALSE	50.578		71745.594		78.736		0.357	
TPSWCCS-1B_AT_407341	9/1/2015 20:00	FALSE	48.563		69166.773		82.967		0.36	
TPSWCCS-1B_AT_407341	9/1/2015 21:00	FALSE	48.467		69052.281		82.89		0.367	
TPSWCCS-1B_AT_407341	9/1/2015 22:00	FALSE	80.072		105983.25		43.052		0.294	
TPSWCCS-1B_AT_407341	9/1/2015 23:00	FALSE	79.882		105779.68		42.701		0.289	
TPSWCCS-1B_AT_407341	9/2/2015 0:00	FALSE	79.772		105663.703		42.393		0.302	
TPSWCCS-1B_AT_407341	9/2/2015 1:00	FALSE	79.697		105585.523		42.155		0.304	
TPSWCCS-1B_AT_407341	9/2/2015 2:00	FALSE	79.791		105692.117		41.907		0.316	
TPSWCCS-1B_AT_407341	9/2/2015 3:00	FALSE	79.269		105124.078		41.731		0.314	
TPSWCCS-1B_AT_407341	9/2/2015 4:00	FALSE	76.75		102356.789		41.651		0.308	
TPSWCCS-1B_AT_407341	9/2/2015 5:00	FALSE	74.806		100205.195		41.071		0.301	
TPSWCCS-1B_AT_407341	9/2/2015 6:00	FALSE	76.433		102009.195		41.214		0.308	
TPSWCCS-1B_AT_407341	9/2/2015 7:00	FALSE	72.748		97912.328		40.47		0.3	
TPSWCCS-1B_AT_407341	9/2/2015 8:00	FALSE	72.247		97351.68		40.339		0.298	
TPSWCCS-1B_AT_407341	9/2/2015 9:00	FALSE	72.364		97482.766		40.388		0.289	
TPSWCCS-1B_AT_407341	9/2/2015 10:00	FALSE	71.75		96792.789		40.317		0.286	
TPSWCCS-1B_AT_407341	9/2/2015 11:00	FALSE	73.294		98519.578		40.845		0.287	
TPSWCCS-1B_AT_407341	9/2/2015 12:00	FALSE	79.235		105077.422		42.322		0.296	
TPSWCCS-1B_AT_407341	9/2/2015 13:00	FALSE	79.501		105365.945		42.551		0.288	
TPSWCCS-1B_AT_407341	9/2/2015 14:00	FALSE	79.596		105466.648		42.745		0.29	
TPSWCCS-1B_AT_407341	9/2/2015 15:00	FALSE	79.656		105526.606		43.196		0.282	
TPSWCCS-1B_AT_407341	9/2/2015 16:00	FALSE	79.673		105543.75		43.347		0.286	
TPSWCCS-1B_AT_407341	9/2/2015 17:00	FALSE	78.583		104336.977		44.577		0.29	
TPSWCCS-1B_AT_407341	9/2/2015 18:00	FALSE	79.836		105716.484		43.734		0.288	
TPSWCCS-1B_AT_407341	9/2/2015 19:00	FALSE	79.904		105787.492		44.095		0.285	
TPSWCCS-1B_AT_407341	9/2/2015 20:00	FALSE	80.11		106010.781		44.155		0.295	
TPSWCCS-1B_AT_407341	9/2/2015 21:00	FALSE	80.17		106078.75		43.94		0.301	
TPSWCCS-1B_AT_407341	9/2/2015 22:00	FALSE	79.929		105820.313		43.615		0.294	
TPSWCCS-1B_AT_407341	9/2/2015 23:00	FALSE	79.854		105738.742		43.593		0.291	
TPSWCCS-1B_AT_407341	9/3/2015 0:00	FALSE	80.118		106028.727		43.401		0.296	
TPSWCCS-1B_AT_407341	9/3/2015 1:00	FALSE	80.361		106295.359		43.232		0.287	
TPSWCCS-1B_AT_407341	9/3/2015 2:00	FALSE	49.101		69864.477		81.702		0.368	
TPSWCCS-1B_AT_407341	9/3/2015 3:00	FALSE	80.22		106148.617		42.757		0.301	
TPSWCCS-1B_AT_407341	9/3/2015 4:00	FALSE	80.124		106046.125		42.578		0.294	
TPSWCCS-1B_AT_407341	9/3/2015 5:00	FALSE	73.128		98329.023		41.194		0.297	
TPSWCCS-1B_AT_407341	9/3/2015 6:00	FALSE	73.277		98492.211		41.419		0.269	
TPSWCCS-1B_AT_407341	9/3/2015 7:00	FALSE	72.904		98075.766		41.295		0.261	
TPSWCCS-1B_AT_407341	9/3/2015 8:00	FALSE	73.197		98405.664		41.214		0.262	
TPSWCCS-1B_AT_407341	9/3/2015 9:00	FALSE	72.713		97863.828		41.108		0.262	
TPSWCCS-1B_AT_407341	9/3/2015 10:00	FALSE	72.341		97447.07		41.102		0.258	
TPSWCCS-1B_AT_407341	9/3/2015 11:00	FALSE	75.673		101159.234		41.764		0.273	
TPSWCCS-1B_AT_407341	9/3/2015 12:00	FALSE	80.015		105922.727		42.92		0.281	
TPSWCCS-1B_AT_407341	9/3/2015 13:00	FALSE	79.618		105486.313		43.083		0.286	
TPSWCCS-1B_AT_407341	9/3/2015 14:00	FALSE	79.814		105697.914		43.351		0.29	
TPSWCCS-1B_AT_407341	9/3/2015 15:00	FALSE	80.057		105959.383		43.623		0.315	
TPSWCCS-1B_AT_407341	9/3/2015 16:00	FALSE	80.084		105984.625		44.005		0.319	
TPSWCCS-1B_AT_407341	9/3/2015 17:00	FALSE	80.617		106564.219		44.12		0.308	
TPSWCCS-1B_AT_407341	9/3/2015 18:00	FALSE	80.513		106446.727		44.444		0.293	
TPSWCCS-1B_AT_407341	9/3/2015 19:00	FALSE	80.622		106566.125		44.357		0.279	
TPSWCCS-1B_AT_407341	9/3/2015 20:00	FALSE	80.761		106713.867		44.753		0.276	
TPSWCCS-1B_AT_407341	9/3/2015 21:00	FALSE	80.765		106718.109		44.75		0.28	
TPSWCCS-1B_AT_407341	9/3/2015 22:00	FALSE	80.938		106807.742		44.572		0.285	
TPSWCCS-1B_AT_407341	9/3/2015 23:00	FALSE	81.228		107227.414		44.165		0.279	
TPSWCCS-1B_AT_407341	9/4/2015 0:00	FALSE	80.977		106959.273		43.824		0.288	
TPSWCCS-1B_AT_407341	9/4/2015 16:00	FALSE	82.169		108249.906		43.94		0.325	
TPSWCCS-1B_AT_407341	9/4/2015 17:00	FALSE	65.562		89690.508		59.367		0.307	
TPSWCCS-1B_AT_407341	9/4/2015 18:00	FALSE	68.117		92614.539		57.293		0.319	
TPSWCCS-1B_AT_407341	9/4/2015 19:00	FALSE	75.811		101255.133		49.853		0.297	
TPSWCCS-1B_AT_407341	9/4/2015 20:00	FALSE	77.616		103250.117		48.364		0.297	
TPSWCCS-1B_AT_407341	9/4/2015 21:00	FALSE	70.117		94884.25		54.758		0.311	
TPSWCCS-1B_AT_407341	9/4/2015 22:00	FALSE	82.825		108960.602		43.817		0.278	
TPSWCCS-1B_AT_407341	9/4/2015 23:00	FALSE	82.717		108847.609		43.529		0.289	
TPSWCCS-1B_AT_407341	9/5/2015 0:00	FALSE	82.452		108564.992		43.272		0.279	
TPSWCCS-1B_AT_407341	9/5/2015 1:00	FALSE	82.537		108658.766		43.096		0.269	
TPSWCCS-1B_AT_407341	9/5/2015 2:00	FALSE	82.649		108781.109		43.022		0.281	
TPSWCCS-1B_AT_407341	9/5/2015 3:00	FALSE	74.28		99609.391		41.743		0.264	
TPSWCCS-1B_AT_407341	9/5/2015 4:00									

TPSWCCS-1B_AT_407341	9/5/2015 22:00	FALSE	73.24	98449.398	41.564	0.31
TPSWCCS-1B_AT_407341	9/5/2015 23:00	FALSE	72.588	97719.695	41.471	0.328
TPSWCCS-1B_AT_407341	9/6/2015 0:00	FALSE	73.447	98682.898	41.456	0.326
TPSWCCS-1B_AT_407341	9/6/2015 1:00	FALSE	73.191	98397.414	41.369	0.331
TPSWCCS-1B_AT_407341	9/6/2015 2:00	FALSE	74.089	99403.219	41.266	0.345
TPSWCCS-1B_AT_407341	9/6/2015 3:00	FALSE	73.38	98614.391	40.99	0.329
TPSWCCS-1B_AT_407341	9/6/2015 4:00	FALSE	72.202	97294.602	40.817	0.319
TPSWCCS-1B_AT_407341	9/6/2015 5:00	FALSE	72.14	97226.711	40.674	0.324
TPSWCCS-1B_AT_407341	9/6/2015 6:00	FALSE	72.196	97291.938	40.485	0.34
TPSWCCS-1B_AT_407341	9/6/2015 7:00	FALSE	72.654	97807.516	40.412	0.341
TPSWCCS-1B_AT_407341	9/6/2015 8:00	FALSE	72.276	97384.828	40.296	0.341
TPSWCCS-1B_AT_407341	9/6/2015 9:00	FALSE	72.121	97210.5	40.262	0.327
TPSWCCS-1B_AT_407341	9/6/2015 10:00	FALSE	71.983	97054.984	40.269	0.328
TPSWCCS-1B_AT_407341	9/6/2015 11:00	FALSE	76.609	102205.914	41.089	0.348
TPSWCCS-1B_AT_407341	9/6/2015 12:00	FALSE	79.413	105277.352	41.962	0.365
TPSWCCS-1B_AT_407341	9/6/2015 13:00	FALSE	79.684	105572.031	42.134	0.364
TPSWCCS-1B_AT_407341	9/6/2015 14:00	FALSE	79.493	105361.594	42.256	0.373
TPSWCCS-1B_AT_407341	9/6/2015 15:00	FALSE	79.633	105519.117	41.912	0.382
TPSWCCS-1B_AT_407341	9/6/2015 16:00	FALSE	78.365	104134.398	41.552	0.447
TPSWCCS-1B_AT_407341	9/6/2015 17:00	FALSE	78.637	104414.219	42.971	0.401
TPSWCCS-1B_AT_407341	9/6/2015 18:00	FALSE	79.1	104917.258	43.332	0.417
TPSWCCS-1B_AT_407341	9/6/2015 19:00	FALSE	78.839	104629.07	43.511	0.422
TPSWCCS-1B_AT_407341	9/6/2015 20:00	FALSE	78.766	104555.813	42.978	0.429
TPSWCCS-1B_AT_407341	9/6/2015 21:00	FALSE	78.251	103994.32	42.632	0.435
TPSWCCS-1B_AT_407341	9/6/2015 22:00	FALSE	70.594	95475.906	41.076	0.415
TPSWCCS-1B_AT_407341	9/6/2015 23:00	FALSE	70.787	95696.672	40.944	0.413
TPSWCCS-1B_AT_407341	9/7/2015 0:00	FALSE	70.38	95236.953	40.833	0.424

Temperature (C)



Salinity (PSU)



SpecificConductance (μS/cm)



WaterLevel (ft)

