

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	8/24/2015 0:00	FALSE	0.375		760.285		31.232		0.256	
TPSWC-1T_AT_155346	8/24/2015 1:00	FALSE	0.373		756.898		31.084		0.256	
TPSWC-1T_AT_155346	8/24/2015 2:00	FALSE	0.372		755.251		30.953		0.256	
TPSWC-1T_AT_155346	8/24/2015 3:00	FALSE	0.374		758.154		30.843		0.257	
TPSWC-1T_AT_155346	8/24/2015 4:00	FALSE	0.372		755.227		30.728		0.258	
TPSWC-1T_AT_155346	8/24/2015 5:00	FALSE	0.372		755.199		30.647		0.259	
TPSWC-1T_AT_155346	8/24/2015 6:00	FALSE	0.373		755.742		30.546		0.26	
TPSWC-1T_AT_155346	8/24/2015 7:00	FALSE	0.37		749.598		30.462		0.26	
TPSWC-1T_AT_155346	8/24/2015 8:00	FALSE	0.369		747.754		30.494		0.26	
TPSWC-1T_AT_155346	8/24/2015 9:00	FALSE	0.369		749.091		30.807		0.258	
TPSWC-1T_AT_155346	8/24/2015 10:00	FALSE	0.372		755.017		31.033		0.258	
TPSWC-1T_AT_155346	8/24/2015 11:00	FALSE	0.372		755.203		30.937		0.256	
TPSWC-1T_AT_155346	8/24/2015 12:00	FALSE	0.377		763.712		31.023		0.256	
TPSWC-1T_AT_155346	8/24/2015 13:00	FALSE	0.375		761.445		31.07		0.253	
TPSWC-1T_AT_155346	8/24/2015 14:00	FALSE	0.382		775.066		31.617		0.254	
TPSWC-1T_AT_155346	8/24/2015 15:00	FALSE	0.384		778.886		31.641		0.252	
TPSWC-1T_AT_155346	8/24/2015 16:00	FALSE	0.376		761.934		31.728		0.251	
TPSWC-1T_AT_155346	8/24/2015 17:00	FALSE	0.378		766.868		31.658		0.249	
TPSWC-1T_AT_155346	8/24/2015 18:00	FALSE	0.38		770.73		31.815		0.251	
TPSWC-1T_AT_155346	8/24/2015 19:00	FALSE	0.385		780.836		31.634		0.253	
TPSWC-1T_AT_155346	8/24/2015 20:00	FALSE	0.385		779.496		31.611		0.252	
TPSWC-1T_AT_155346	8/24/2015 21:00	FALSE	0.392		793.982		31.462		0.252	
TPSWC-1T_AT_155346	8/24/2015 22:00	FALSE	0.383		777.138		31.325		0.253	
TPSWC-1T_AT_155346	8/24/2015 23:00	FALSE	0.374		759.163		31.193		0.252	
TPSWC-1T_AT_155346	8/25/2015 0:00	FALSE	0.372		754.749		31.049		0.252	
TPSWC-1T_AT_155346	8/25/2015 1:00	FALSE	0.372		753.883		30.926		0.252	
TPSWC-1T_AT_155346	8/25/2015 2:00	FALSE	0.37		750.488		30.803		0.253	
TPSWC-1T_AT_155346	8/25/2015 3:00	FALSE	0.37		750.414		30.703		0.253	
TPSWC-1T_AT_155346	8/25/2015 4:00	FALSE	0.368		746.423		30.61		0.253	
TPSWC-1T_AT_155346	8/25/2015 5:00	FALSE	0.367		744.662		30.52		0.254	
TPSWC-1T_AT_155346	8/25/2015 6:00	FALSE	0.365		740.162		30.436		0.255	
TPSWC-1T_AT_155346	8/25/2015 7:00	FALSE	0.362		734.73		30.375		0.256	
TPSWC-1T_AT_155346	8/25/2015 8:00	FALSE	0.362		734.32		30.358		0.256	
TPSWC-1T_AT_155346	8/25/2015 9:00	FALSE	0.369		747.628		30.419		0.255	
TPSWC-1T_AT_155346	8/25/2015 10:00	FALSE	0.37		749.717		30.505		0.254	
TPSWC-1T_AT_155346	8/25/2015 11:00	FALSE	0.365		740.946		30.623		0.252	
TPSWC-1T_AT_155346	8/25/2015 12:00	FALSE	0.366		742.17		30.794		0.253	
TPSWC-1T_AT_155346	8/25/2015 13:00	FALSE	0.364		739.637		31.041		0.251	
TPSWC-1T_AT_155346	8/25/2015 14:00	FALSE	0.367		744.428		31.197		0.248	
TPSWC-1T_AT_155346	8/25/2015 15:00	FALSE	0.374		757.884		31.406		0.248	
TPSWC-1T_AT_155346	8/25/2015 16:00	FALSE	0.38		770.922		31.514		0.248	
TPSWC-1T_AT_155346	8/25/2015 17:00	FALSE	0.387		783.199		31.574		0.248	
TPSWC-1T_AT_155346	8/25/2015 18:00	FALSE	0.388		785.766		31.643		0.249	
TPSWC-1T_AT_155346	8/25/2015 19:00	FALSE	0.389		788.66		31.628		0.251	
TPSWC-1T_AT_155346	8/25/2015 20:00	FALSE	0.391		791.439		31.874		0.25	
TPSWC-1T_AT_155346	8/25/2015 21:00	FALSE	0.396		801.351		31.838		0.25	
TPSWC-1T_AT_155346	8/25/2015 22:00	FALSE	0.395		799.637		31.649		0.251	
TPSWC-1T_AT_155346	8/25/2015 23:00	FALSE	0.393		795.646		31.559		0.251	
TPSWC-1T_AT_155346	8/26/2015 0:00	FALSE	0.384		778.045		31.34		0.251	
TPSWC-1T_AT_155346	8/26/2015 1:00	FALSE	0.385		779.707		31.197		0.25	
TPSWC-1T_AT_155346	8/26/2015 2:00	FALSE	0.388		785.515		31.097		0.251	
TPSWC-1T_AT_155346	8/26/2015 3:00	FALSE	0.389		787.688		30.965		0.265	
TPSWC-1T_AT_155346	8/26/2015 4:00	FALSE	0.394		796.719		30.835		0.291	
TPSWC-1T_AT_155346	8/26/2015 5:00	FALSE	0.393		795.345		30.734		0.292	
TPSWC-1T_AT_155346	8/26/2015 6:00	FALSE	0.394		796.683		30.645		0.294	
TPSWC-1T_AT_155346	8/26/2015 7:00	FALSE	0.392		793.476		30.584		0.295	
TPSWC-1T_AT_155346	8/26/2015 8:00	FALSE	0.391		792.107		30.564		0.295	
TPSWC-1T_AT_155346	8/26/2015 9:00	FALSE	0.394		796.475		30.588		0.295	
TPSWC-1T_AT_155346	8/26/2015 10:00	FALSE	0.394		798.392		30.629		0.295	
TPSWC-1T_AT_155346	8/26/2015 11:00	FALSE	0.401		811.201		30.786		0.294	
TPSWC-1T_AT_155346	8/26/2015 12:00	FALSE	0.398		806.027		30.845		0.291	
TPSWC-1T_AT_155346	8/26/2015 13:00	FALSE	0.404		818.031		31.038		0.296	
TPSWC-1T_AT_155346	8/26/2015 14:00	FALSE	0.408		824.027		31.015		0.305	
TPSWC-1T_AT_155346	8/26/2015 15:00	FALSE	0.405		819.429		30.83		0.305	
TPSWC-1T_AT_155346	8/26/2015 16:00	FALSE	0.401		811.945		31.073		0.306	
TPSWC-1T_AT_155346	8/26/2015 17:00	FALSE	0.403		815.735		31.093		0.307	
TPSWC-1T_AT_155346	8/26/2015 18:00	FALSE	0.399		808.182		30.89		0.307	
TPSWC-1T_AT_155346	8/26/2015 19:00	FALSE	0.405		819.344		30.837		0.308	
TPSWC-1T_AT_155346	8/26/2015 20:00	FALSE	0.418		843.361		30.835		0.309	
TPSWC-1T_AT_155346	8/26/2015 21:00	FALSE	0.42		848.086		30.768		0.311	
TPSWC-1T_AT_155346	8/26/2015 22:00	FALSE	0.417		842.469		30.586		0.313	
TPSWC-1T_AT_155346	8/26/2015 23:00	FALSE	0.417		842.59		30.46		0.322	
TPSWC-1T_AT_155346	8/27/2015 0:00	FALSE	0.423		853.319		30.383		0.324	
TPSWC-1T_AT_155346	8/27/2015 1:00	FALSE	0.43		867.251		30.32		0.311	
TPSWC-1T_AT_155346	8/27/2015 2:00	FALSE	0.429		865.322		30.212		0.304	
TPSWC-1T_AT_155346	8/27/2015 3:00	FALSE	0.428		862.977		30.118		0.306	
TPSWC-1T_AT_155346	8/27/2015 4:00	FALSE	0.429		864.653		30.034		0.313	
TPSWC-1T_AT_155346	8/27/2015 5:00	FALSE	0.426		860.319		29.956		0.317	
TPSWC-1T_AT_155346	8/27/2015 6:00	FALSE	0.424		855.996		29.857		0.321	
TPSWC-1T_AT_155346	8/27/2015 7:00	FALSE	0.42		847.513		29.728		0.337	
TPSWC-1T_AT_155346	8/27/2015 8:00	FALSE	0.417		841.099		29.646		0.346	
TPSWC-1T_AT_155346	8/27/2015 9:00	FALSE	0.415		838.561		29.535		0.35	
TPSWC-1T_AT_155346	8/27/2015 10:00	FALSE	0.419		844.983		29.452		0.355	
TPSWC-1T_AT_155346	8/27/2015 11:00	FALSE	0.399		807.298		29.474		0.344	
TPSWC-1T_AT_155346	8/27/2015 12:00	FALSE	0.375		760.101		29.62		0.372	
TPSWC-1T_AT_155346	8/27/2015 13:00	FALSE	0.337		685.259		29.857		0.369	
TPSWC-1T_AT_155346	8/27/2015 14:00	FALSE	0.298		608.025		29.977		0.368	
TPSWC-1T_AT_155346	8/27/2015 15:00	FALSE	0.291		595.51		30.05		0.367	
TPSWC-1T_AT_155346	8/27/2015 16:00	FALSE	0.294		601.167		30.099		0.365	
TPSWC-1T_AT_155346	8/27/2015 17:00	FALSE	0.299		610.293		30.162		0.365	
TPSWC-1T_AT_155346	8/27/2015 18:00	FALSE	0.291		595.033		30.145		0.366	
TPSWC-1T_AT_155346	8/27/2015 19:00	FALSE	0.291		594.472		30.179		0.367	
TPSWC-1T_AT_155346	8/27/2015 20:00	FALSE	0.291		595.217		30.11		0.367	
TPSWC-1T_AT_155346	8/27/2015 21:00	FALSE	0.3		612.229		29.992		0.367	
TPSWC-1T_AT_155346	8/27/2015 22:00	FALSE	0.302		617.305		29.888		0.368	
TPSWC-1T_AT_155346	8/27/2015 23:00	FALSE	0.302		615.847		29.789		0.369	
TPSWC-1T_AT_155346	8/28/2015 0:00	FALSE	0.304		621.329		29.712		0.369	
TPSWC-1T_AT_155346	8/28/2015 1:00	FALSE	0.307		626.422		29.648		0.367	
TPSWC-1T_AT_155346	8/28/2015 2:00	FALSE	0.313		638.299		29.578		0.368	
TPSWC-1T_AT_155346	8/28/2015 3:00	FALSE	0.312		635.639		29.459		0.376	
TPSWC-1T_AT_155346	8/28/2015 4:00	FALSE	0.317		646.459		29.397		0.359	
TPSWC-1T_AT_155346	8/28/2015 5:00	FALSE	0.32		652.684		29.35		0.357	
TPSWC-1T_AT_155346	8/28/2015 6:00	FALSE	0.334		678.955		29.251		0.356	
TPSWC-1T_AT_155346	8/28/2015 7:00	FALSE	0.324		660.295		29.19		0.356	
TPSWC-1T_AT_155346	8/28/2015 8:00	FALSE	0.327		665.547		29.203		0.355	
TPSWC-1T_AT_155346	8/28/2015 9:00	FALSE	0.333		677.019		29.327		0.355	
TPSWC-1T_AT_155346	8/28/2015 10:00	FALSE	0.338		686.59		29.322		0.355	
TPSWC-1T_AT_155346	8/28/2015 11:00	FALSE	0.323		657.838		29.432		0.4	
TPSWC-1T_AT_155346	8/28/2015 12:00	FALSE	0.319		650.341		29.57		0.367	
TPSWC-1T_AT_155346	8/28/2015 13:00	FALSE	0.318		647.317		29.512		0.364	
TPSWC-1T_AT_155346	8/28/2015 14:00	FALSE	0.312		637.36		29.753		0.361	
TPSWC-1T_AT_155346	8/28/2015 15:00	FALSE	0.308		629.013		29.771		0.36	
TPSWC-1T_AT_155346	8/28/2015 16:00	FALSE	0.306		625.034		29.8		0.362	
TPSWC-1T_AT_155346										

TPSWC-1T_AT_155346	8/28/2015 19:00	FALSE	0.298	608.25	29.963	0.358
TPSWC-1T_AT_155346	8/28/2015 20:00	FALSE	0.296	605.607	29.987	0.351
TPSWC-1T_AT_155346	8/28/2015 21:00	FALSE	0.301	613.889	30.201	0.346
TPSWC-1T_AT_155346	8/28/2015 22:00	FALSE	0.301	614.498	30.071	0.344
TPSWC-1T_AT_155346	8/28/2015 23:00	FALSE	0.299	610.85	29.923	0.342
TPSWC-1T_AT_155346	8/29/2015 0:00	FALSE	0.3	612.423	29.824	0.338
TPSWC-1T_AT_155346	8/29/2015 1:00	FALSE	0.301	615.005	29.74	0.337
TPSWC-1T_AT_155346	8/29/2015 2:00	FALSE	0.302	616.842	29.619	0.329
TPSWC-1T_AT_155346	8/29/2015 3:00	FALSE	0.301	614.323	29.505	0.33
TPSWC-1T_AT_155346	8/29/2015 4:00	FALSE	0.309	630.408	29.437	0.326
TPSWC-1T_AT_155346	8/29/2015 5:00	FALSE	0.308	628.865	29.335	0.332
TPSWC-1T_AT_155346	8/29/2015 6:00	FALSE	0.305	622.362	29.215	0.339
TPSWC-1T_AT_155346	8/29/2015 7:00	FALSE	0.304	620.144	29.189	0.344
TPSWC-1T_AT_155346	8/29/2015 8:00	FALSE	0.304	620.475	29.192	0.347
TPSWC-1T_AT_155346	8/29/2015 9:00	FALSE	0.304	620.675	29.275	0.347
TPSWC-1T_AT_155346	8/29/2015 10:00	FALSE	0.305	622.606	29.343	0.341
TPSWC-1T_AT_155346	8/29/2015 11:00	FALSE	0.308	628.138	29.515	0.38
TPSWC-1T_AT_155346	8/29/2015 12:00	FALSE	0.309	629.872	29.474	0.347
TPSWC-1T_AT_155346	8/29/2015 13:00	FALSE	0.315	642.544	29.657	0.345
TPSWC-1T_AT_155346	8/29/2015 14:00	FALSE	0.319	650.888	29.773	0.348
TPSWC-1T_AT_155346	8/29/2015 15:00	FALSE	0.323	657.269	29.78	0.349
TPSWC-1T_AT_155346	8/29/2015 16:00	FALSE	0.332	676.537	29.91	0.346
TPSWC-1T_AT_155346	8/29/2015 17:00	FALSE	0.336	684.566	29.885	0.345
TPSWC-1T_AT_155346	8/29/2015 18:00	FALSE	0.328	668.312	30.056	0.352
TPSWC-1T_AT_155346	8/29/2015 19:00	FALSE	0.328	667.582	30.508	0.351
TPSWC-1T_AT_155346	8/29/2015 20:00	FALSE	0.323	658.019	30.261	0.349
TPSWC-1T_AT_155346	8/29/2015 21:00	FALSE	0.324	660.073	30.243	0.349
TPSWC-1T_AT_155346	8/29/2015 22:00	FALSE	0.319	651.2	30.092	0.35
TPSWC-1T_AT_155346	8/29/2015 23:00	FALSE	0.314	641.422	29.958	0.353
TPSWC-1T_AT_155346	8/30/2015 0:00	FALSE	0.316	644.74	29.782	0.405
TPSWC-1T_AT_155346	8/30/2015 1:00	FALSE	0.315	642.594	29.521	0.463
TPSWC-1T_AT_155346	8/30/2015 2:00	FALSE	0.319	650.698	29.185	0.504
TPSWC-1T_AT_155346	8/30/2015 3:00	FALSE	0.325	661.226	29.028	0.52
TPSWC-1T_AT_155346	8/30/2015 4:00	FALSE	0.326	663.68	28.962	0.538
TPSWC-1T_AT_155346	8/30/2015 5:00	FALSE	0.327	665.005	28.872	0.539
TPSWC-1T_AT_155346	8/30/2015 6:00	FALSE	0.337	685.969	28.744	0.539
TPSWC-1T_AT_155346	8/30/2015 7:00	FALSE	0.333	677.774	28.657	0.539
TPSWC-1T_AT_155346	8/30/2015 8:00	FALSE	0.336	683.447	28.59	0.54
TPSWC-1T_AT_155346	8/30/2015 9:00	FALSE	0.335	681.426	28.556	0.545
TPSWC-1T_AT_155346	8/30/2015 10:00	FALSE	0.331	673.269	28.511	0.542
TPSWC-1T_AT_155346	8/30/2015 11:00	FALSE	0.331	672.659	28.426	0.594
TPSWC-1T_AT_155346	8/30/2015 12:00	FALSE	0.325	661.563	28.349	0.584
TPSWC-1T_AT_155346	8/30/2015 13:00	FALSE	0.328	668.028	28.366	0.589
TPSWC-1T_AT_155346	8/30/2015 14:00	FALSE	0.331	673.125	28.285	0.591
TPSWC-1T_AT_155346	8/30/2015 15:00	FALSE	0.335	682.044	28.204	0.557
TPSWC-1T_AT_155346	8/30/2015 16:00	FALSE	0.339	689.111	28.173	0.587
TPSWC-1T_AT_155346	8/30/2015 17:00	FALSE	0.339	688.255	28.134	0.587
TPSWC-1T_AT_155346	8/30/2015 18:00	FALSE	0.342	695.302	28.105	0.587
TPSWC-1T_AT_155346	8/30/2015 19:00	FALSE	0.345	701.514	28.03	0.587
TPSWC-1T_AT_155346	8/30/2015 20:00	FALSE	0.348	705.98	27.945	0.586
TPSWC-1T_AT_155346	8/30/2015 21:00	FALSE	0.346	703.536	27.879	0.586
TPSWC-1T_AT_155346	8/30/2015 22:00	FALSE	0.351	712.113	27.84	0.587
TPSWC-1T_AT_155346	8/30/2015 23:00	FALSE	0.353	715.539	27.762	0.587
TPSWC-1T_AT_155346	8/31/2015 0:00	FALSE	0.348	705.786	27.704	0.587

WaterLevel (ft)

