

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	6/29/2015 0:00	FALSE	0.958		1867.36		31.543		-0.347	
TPSWC-1T_AT_155346	6/29/2015 1:00	FALSE	0.959		1867.877		31.409		-0.347	
TPSWC-1T_AT_155346	6/29/2015 2:00	FALSE	0.96		1870.27		31.257		-0.348	
TPSWC-1T_AT_155346	6/29/2015 3:00	FALSE	0.963		1875.698		31.128		-0.35	
TPSWC-1T_AT_155346	6/29/2015 4:00	FALSE	0.964		1877.734		31.006		-0.352	
TPSWC-1T_AT_155346	6/29/2015 5:00	FALSE	0.965		1879.245		30.9		-0.354	
TPSWC-1T_AT_155346	6/29/2015 6:00	FALSE	0.97		1887.875		30.793		-0.355	
TPSWC-1T_AT_155346	6/29/2015 7:00	FALSE	0.969		1886.304		30.751		-0.354	
TPSWC-1T_AT_155346	6/29/2015 8:00	FALSE	0.967		1883.227		30.755		-0.352	
TPSWC-1T_AT_155346	6/29/2015 9:00	FALSE	0.967		1882.881		30.922		-0.35	
TPSWC-1T_AT_155346	6/29/2015 10:00	FALSE	0.967		1883.201		31.124		-0.354	
TPSWC-1T_AT_155346	6/29/2015 11:00	FALSE	0.967		1882.715		31.39		-0.356	
TPSWC-1T_AT_155346	6/29/2015 12:00	FALSE	0.966		1881.324		31.831		-0.359	
TPSWC-1T_AT_155346	6/29/2015 13:00	FALSE	0.948		1848.712		32.162		-0.355	
TPSWC-1T_AT_155346	6/29/2015 14:00	FALSE	0.936		1825.824		32.359		-0.36	
TPSWC-1T_AT_155346	6/29/2015 15:00	FALSE	0.938		1830.147		32.639		-0.358	
TPSWC-1T_AT_155346	6/29/2015 16:00	FALSE	0.94		1834.062		32.535		-0.367	
TPSWC-1T_AT_155346	6/29/2015 17:00	FALSE	0.942		1838.811		32.696		-0.373	
TPSWC-1T_AT_155346	6/29/2015 18:00	FALSE	0.925		1806.7		31.951		-0.299	
TPSWC-1T_AT_155346	6/29/2015 19:00	FALSE	0.929		1812.604		31.761		-0.292	
TPSWC-1T_AT_155346	6/29/2015 20:00	FALSE	0.93		1815.245		31.608		-0.291	
TPSWC-1T_AT_155346	6/29/2015 21:00	FALSE	0.929		1813.779		31.447		-0.286	
TPSWC-1T_AT_155346	6/29/2015 22:00	FALSE	0.929		1813.608		31.358		-0.28	
TPSWC-1T_AT_155346	6/29/2015 23:00	FALSE	0.93		1814.872		31.231		-0.278	
TPSWC-1T_AT_155346	6/30/2015 0:00	FALSE	0.931		1816.827		31.111		-0.276	
TPSWC-1T_AT_155346	6/30/2015 1:00	FALSE	0.934		1821.547		30.992		-0.276	
TPSWC-1T_AT_155346	6/30/2015 2:00	FALSE	0.935		1824.042		30.86		-0.276	
TPSWC-1T_AT_155346	6/30/2015 3:00	FALSE	0.937		1826.628		30.773		-0.278	
TPSWC-1T_AT_155346	6/30/2015 4:00	FALSE	0.942		1835.918		30.712		-0.28	
TPSWC-1T_AT_155346	6/30/2015 5:00	FALSE	0.944		1840.44		30.63		-0.282	
TPSWC-1T_AT_155346	6/30/2015 6:00	FALSE	0.951		1852.278		30.524		-0.285	
TPSWC-1T_AT_155346	6/30/2015 7:00	FALSE	0.952		1863.492		30.516		-0.285	
TPSWC-1T_AT_155346	6/30/2015 8:00	FALSE	0.959		1867.254		30.613		-0.286	
TPSWC-1T_AT_155346	6/30/2015 9:00	FALSE	0.959		1869.098		30.839		-0.284	
TPSWC-1T_AT_155346	6/30/2015 10:00	FALSE	0.959		1868.636		31.239		-0.282	
TPSWC-1T_AT_155346	6/30/2015 11:00	FALSE	0.945		1841.495		31.022		-0.283	
TPSWC-1T_AT_155346	6/30/2015 12:00	FALSE	0.949		1850.005		31.35		-0.283	
TPSWC-1T_AT_155346	6/30/2015 13:00	FALSE	0.95		1851.348		31.768		-0.285	
TPSWC-1T_AT_155346	6/30/2015 14:00	FALSE	0.945		1842.698		32.029		-0.289	
TPSWC-1T_AT_155346	6/30/2015 15:00	FALSE	0.948		1845.179		32.158		-0.295	
TPSWC-1T_AT_155346	6/30/2015 16:00	FALSE	0.948		1849.022		32.481		-0.299	
TPSWC-1T_AT_155346	6/30/2015 17:00	FALSE	0.948		1849.214		32.674		-0.301	
TPSWC-1T_AT_155346	6/30/2015 18:00	FALSE	0.953		1858.246		32.948		-0.306	
TPSWC-1T_AT_155346	6/30/2015 19:00	FALSE	0.954		1860.356		32.88		-0.307	
TPSWC-1T_AT_155346	6/30/2015 20:00	FALSE	0.953		1858.058		32.511		-0.31	
TPSWC-1T_AT_155346	6/30/2015 21:00	FALSE	0.953		1857.778		32.205		-0.309	
TPSWC-1T_AT_155346	6/30/2015 22:00	FALSE	0.952		1855.714		31.904		-0.309	
TPSWC-1T_AT_155346	6/30/2015 23:00	FALSE	0.953		1857.162		31.745		-0.308	
TPSWC-1T_AT_155346	7/1/2015 0:00	FALSE	0.953		1858.194		31.603		-0.307	
TPSWC-1T_AT_155346	7/1/2015 1:00	FALSE	0.954		1859.171		31.443		-0.309	
TPSWC-1T_AT_155346	7/1/2015 2:00	FALSE	0.953		1857.486		31.267		-0.31	
TPSWC-1T_AT_155346	7/1/2015 3:00	FALSE	0.954		1858.489		31.082		-0.312	
TPSWC-1T_AT_155346	7/1/2015 4:00	FALSE	0.953		1857.686		30.976		-0.315	
TPSWC-1T_AT_155346	7/1/2015 5:00	FALSE	0.955		1860.178		30.91		-0.318	
TPSWC-1T_AT_155346	7/1/2015 6:00	FALSE	0.956		1862.692		30.729		-0.321	
TPSWC-1T_AT_155346	7/1/2015 7:00	FALSE	0.961		1871.636		30.68		-0.325	
TPSWC-1T_AT_155346	7/1/2015 8:00	FALSE	0.959		1868.291		30.722		-0.324	
TPSWC-1T_AT_155346	7/1/2015 9:00	FALSE	0.958		1865.805		30.831		-0.326	
TPSWC-1T_AT_155346	7/1/2015 10:00	FALSE	0.958		1866.547		31.053		-0.323	
TPSWC-1T_AT_155346	7/1/2015 11:00	FALSE	0.959		1868.705		31.33		-0.327	
TPSWC-1T_AT_155346	7/1/2015 12:00	FALSE	0.961		1871.773		31.511		-0.324	
TPSWC-1T_AT_155346	7/1/2015 13:00	FALSE	0.967		1884.355		31.952		-0.329	
TPSWC-1T_AT_155346	7/1/2015 14:00	FALSE	0.968		1886.101		32.404		-0.185	
TPSWC-1T_AT_155346	7/1/2015 15:00	FALSE	0.967		1884.354		32.675		-0.231	
TPSWC-1T_AT_155346	7/1/2015 16:00	FALSE	0.973		1896.076		32.358		-0.246	
TPSWC-1T_AT_155346	7/1/2015 17:00	FALSE	0.969		1887.384		32.499		-0.254	
TPSWC-1T_AT_155346	7/1/2015 18:00	FALSE	0.965		1880.866		32.605		-0.262	
TPSWC-1T_AT_155346	7/1/2015 19:00	FALSE	0.965		1882.775		32.635		-0.269	
TPSWC-1T_AT_155346	7/1/2015 20:00	FALSE	0.965		1880.92		32.612		-0.275	
TPSWC-1T_AT_155346	7/1/2015 21:00	FALSE	0.96		1871.867		32.643		-0.28	
TPSWC-1T_AT_155346	7/1/2015 22:00	FALSE	0.962		1875.548		32.38		-0.283	
TPSWC-1T_AT_155346	7/1/2015 23:00	FALSE	0.966		1882.807		32.089		-0.284	
TPSWC-1T_AT_155346	7/2/2015 0:00	FALSE	0.97		1888.955		31.894		-0.285	
TPSWC-1T_AT_155346	7/2/2015 1:00	FALSE	0.972		1893.502		31.691		-0.287	
TPSWC-1T_AT_155346	7/2/2015 2:00	FALSE	0.973		1895.359		31.531		-0.287	
TPSWC-1T_AT_155346	7/2/2015 3:00	FALSE	0.974		1896.995		31.364		-0.289	
TPSWC-1T_AT_155346	7/2/2015 4:00	FALSE	0.976		1900.65		31.235		-0.291	
TPSWC-1T_AT_155346	7/2/2015 5:00	FALSE	0.977		1901.717		31.085		-0.295	
TPSWC-1T_AT_155346	7/2/2015 6:00	FALSE	0.98		1906.308		30.986		-0.302	
TPSWC-1T_AT_155346	7/2/2015 7:00	FALSE	0.98		1907.646		30.915		-0.303	
TPSWC-1T_AT_155346	7/2/2015 8:00	FALSE	0.98		1906.783		30.944		-0.307	
TPSWC-1T_AT_155346	7/2/2015 9:00	FALSE	0.98		1906.96		31.034		-0.307	
TPSWC-1T_AT_155346	7/2/2015 10:00	FALSE	0.979		1906.253		31.204		-0.305	
TPSWC-1T_AT_155346	7/2/2015 11:00	FALSE	0.979		1906.077		31.408		-0.304	
TPSWC-1T_AT_155346	7/2/2015 12:00	FALSE	0.979		1906.281		31.553		-0.304	
TPSWC-1T_AT_155346	7/2/2015 13:00	FALSE	0.98		1907.157		31.839		-0.306	
TPSWC-1T_AT_155346	7/2/2015 14:00	FALSE	0.979		1907.054		32.17		-0.306	
TPSWC-1T_AT_155346	7/2/2015 15:00	FALSE	0.98		1907.964		32.382		-0.309	
TPSWC-1T_AT_155346	7/2/2015 16:00	FALSE	0.979		1906.852		32.495		-0.313	
TPSWC-1T_AT_155346	7/2/2015 17:00	FALSE	0.978		1905.071		32.577		-0.32	
TPSWC-1T_AT_155346	7/2/2015 18:00	FALSE	0.978		1904.831		32.705		-0.324	
TPSWC-1T_AT_155346	7/2/2015 19:00	FALSE	0.979		1906.489		32.69		-0.329	
TPSWC-1T_AT_155346	7/2/2015 20:00	FALSE	0.979		1906.157		32.815		-0.331	
TPSWC-1T_AT_155346	7/2/2015 21:00	FALSE	0.978		1905.41		32.523		-0.332	
TPSWC-1T_AT_155346	7/2/2015 22:00	FALSE	0.98		1909.002		32.21		-0.333	
TPSWC-1T_AT_155346	7/2/2015 23:00	FALSE	0.985		1917.067		31.913		-0.333	
TPSWC-1T_AT_155346	7/3/2015 0:00	FALSE	0.99		1926.813		31.718		-0.33	
TPSWC-1T_AT_155346	7/3/2015 1:00	FALSE	0.989		1924.625		31.577		-0.328	
TPSWC-1T_AT_155346	7/3/2015 2:00	FALSE	0.987		1921.135		31.409		-0.327	
TPSWC-1T_AT_155346	7/3/2015 3:00	FALSE	0.987		1920.384		31.247		-0.325	
TPSWC-1T_AT_155346	7/3/2015 4:00	FALSE	0.988		1922.192		31.129		-0.325	
TPSWC-1T_AT_155346	7/3/2015 5:00	FALSE	0.988		1922.813		31.027		-0.328	
TPSWC-1T_AT_155346	7/3/2015 6:00	FALSE	0.99		1925.729		30.935		-0.331	
TPSWC-1T_AT_155346	7/3/2015 7:00	FALSE	0.99		1926.42		30.871		-0.333	
TPSWC-1T_AT_155346	7/3/2015 8:00	FALSE	0.991		1927.245		30.937		-0.336	
TPSWC-1T_AT_155346	7/3/2015 9:00	FALSE	0.991		1927.747		31.055		-0.334	
TPSWC-1T_AT_155346	7/3/2015 10:00	FALSE	0.991		1927.876		31.24		-0.334	
TPSWC-1T_AT_155346	7/3/2015 11:00	FALSE	0.991		1927.302		31.477		-0.335	
TPSWC-1T_AT_155346	7/3/2015 12:00	FALSE	0.991		1928.633		31.749		-0.333	
TPSWC-1T_AT_155346	7/3/2015 13:00	FALSE	0.997		1939.504		32.003		-0.331	
TPSWC-1T_AT_155346	7/3/2015 14:00	FALSE	1.003		1950.119		32.233		-0.335	
TPSWC-1T_AT_155346	7/3/2015 15:00	FALSE	1		1944.627		32.498		-0.335	
TPSWC-1T_AT_155346	7/3/2015 16:00	FALSE	0.997		1940.533		32.709		-	

TPSWC-1T_AT_155346	7/4/2015 7:00	FALSE	1.003	1949.361	31.065	-0.349
TPSWC-1T_AT_155346	7/4/2015 8:00	FALSE	1.003	1950.139	31.102	-0.351
TPSWC-1T_AT_155346	7/4/2015 9:00	FALSE	1.003	1950.35	31.208	-0.354
TPSWC-1T_AT_155346	7/4/2015 10:00	FALSE	1.004	1951.226	31.372	-0.358
TPSWC-1T_AT_155346	7/4/2015 11:00	FALSE	1.004	1951.381	31.586	-0.355
TPSWC-1T_AT_155346	7/4/2015 12:00	FALSE	1.005	1953.909	31.83	-0.357
TPSWC-1T_AT_155346	7/4/2015 13:00	FALSE	1.01	1963.241	32.105	-0.356
TPSWC-1T_AT_155346	7/4/2015 14:00	FALSE	1.015	1973.615	32.377	-0.354
TPSWC-1T_AT_155346	7/4/2015 15:00	FALSE	1.013	1970.07	32.621	-0.358
TPSWC-1T_AT_155346	7/4/2015 16:00	FALSE	1.009	1962.397	32.719	-0.36
TPSWC-1T_AT_155346	7/4/2015 17:00	FALSE	1.013	1968.841	32.909	-0.363
TPSWC-1T_AT_155346	7/4/2015 18:00	FALSE	1.015	1974.261	32.945	-0.366
TPSWC-1T_AT_155346	7/4/2015 19:00	FALSE	1.017	1976.505	32.919	-0.369
TPSWC-1T_AT_155346	7/4/2015 20:00	FALSE	1.014	1970.997	32.895	-0.374
TPSWC-1T_AT_155346	7/4/2015 21:00	FALSE	1.007	1958.157	32.785	-0.376
TPSWC-1T_AT_155346	7/4/2015 22:00	FALSE	1.011	1966.092	32.525	-0.379
TPSWC-1T_AT_155346	7/4/2015 23:00	FALSE	1.014	1970.761	32.239	-0.381
TPSWC-1T_AT_155346	7/5/2015 0:00	FALSE	1.016	1973.744	32.049	-0.382
TPSWC-1T_AT_155346	7/5/2015 1:00	FALSE	1.016	1974.45	31.876	-0.377
TPSWC-1T_AT_155346	7/5/2015 2:00	FALSE	1.016	1973.819	31.681	-0.376
TPSWC-1T_AT_155346	7/5/2015 3:00	FALSE	1.016	1973.732	31.551	-0.375
TPSWC-1T_AT_155346	7/5/2015 4:00	FALSE	1.016	1974.145	31.407	-0.375
TPSWC-1T_AT_155346	7/5/2015 5:00	FALSE	1.014	1970.807	31.283	-0.376
TPSWC-1T_AT_155346	7/5/2015 6:00	FALSE	1.015	1972.295	31.18	-0.374
TPSWC-1T_AT_155346	7/5/2015 7:00	FALSE	1.014	1969.892	31.11	-0.377
TPSWC-1T_AT_155346	7/5/2015 8:00	FALSE	1.015	1971.342	31.16	-0.381
TPSWC-1T_AT_155346	7/5/2015 9:00	FALSE	1.014	1971.124	31.243	-0.385
TPSWC-1T_AT_155346	7/5/2015 10:00	FALSE	1.013	1968.537	31.446	-0.391
TPSWC-1T_AT_155346	7/5/2015 11:00	FALSE	1.013	1968.358	31.711	-0.388
TPSWC-1T_AT_155346	7/5/2015 12:00	FALSE	1.015	1971.99	31.934	-0.389
TPSWC-1T_AT_155346	7/5/2015 13:00	FALSE	1.021	1983.118	32.129	-0.39
TPSWC-1T_AT_155346	7/5/2015 14:00	FALSE	1.018	1979.424	32.423	-0.388
TPSWC-1T_AT_155346	7/5/2015 15:00	FALSE	1.018	1979.263	32.657	-0.389
TPSWC-1T_AT_155346	7/5/2015 16:00	FALSE	1.019	1980.944	32.778	-0.39
TPSWC-1T_AT_155346	7/5/2015 17:00	FALSE	1.018	1978.096	32.858	-0.392
TPSWC-1T_AT_155346	7/5/2015 18:00	FALSE	1.017	1976.259	33.006	-0.4
TPSWC-1T_AT_155346	7/5/2015 19:00	FALSE	1.019	1980.408	32.946	-0.399
TPSWC-1T_AT_155346	7/5/2015 20:00	FALSE	1.015	1973.371	32.961	-0.404
TPSWC-1T_AT_155346	7/5/2015 21:00	FALSE	1.013	1969.238	32.766	-0.409
TPSWC-1T_AT_155346	7/5/2015 22:00	FALSE	1.016	1974.758	32.514	-0.411
TPSWC-1T_AT_155346	7/5/2015 23:00	FALSE	1.017	1977.207	32.321	-0.413
TPSWC-1T_AT_155346	7/6/2015 0:00	FALSE	1.021	1983.328	32.112	-0.415

WaterLevel (ft)

