

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	7/6/2015 0:00	FALSE	1.021		1983.328		32.112		-0.415	
TPSWC-1T_AT_155346	7/6/2015 1:00	FALSE	1.023		1988.091		31.942		-0.413	
TPSWC-1T_AT_155346	7/6/2015 2:00	FALSE	1.025		1991.728		31.649		-0.415	
TPSWC-1T_AT_155346	7/6/2015 3:00	FALSE	1.025		1991.055		31.511		-0.409	
TPSWC-1T_AT_155346	7/6/2015 4:00	FALSE	1.024		1987.866		31.375		-0.404	
TPSWC-1T_AT_155346	7/6/2015 5:00	FALSE	1.023		1986.318		31.254		-0.405	
TPSWC-1T_AT_155346	7/6/2015 6:00	FALSE	1.023		1987.085		31.195		-0.402	
TPSWC-1T_AT_155346	7/6/2015 7:00	FALSE	1.023		1987.262		31.136		-0.401	
TPSWC-1T_AT_155346	7/6/2015 8:00	FALSE	1.023		1987.585		31.134		-0.405	
TPSWC-1T_AT_155346	7/6/2015 9:00	FALSE	1.022		1985.741		31.208		-0.406	
TPSWC-1T_AT_155346	7/6/2015 10:00	FALSE	1.022		1984.922		31.383		-0.406	
TPSWC-1T_AT_155346	7/6/2015 11:00	FALSE	1.022		1985.67		31.655		-0.409	
TPSWC-1T_AT_155346	7/6/2015 12:00	FALSE	1.023		1987.132		31.903		-0.407	
TPSWC-1T_AT_155346	7/6/2015 13:00	FALSE	1.031		2002.709		32		-0.405	
TPSWC-1T_AT_155346	7/6/2015 14:00	FALSE	1.029		1998.392		32.338		-0.408	
TPSWC-1T_AT_155346	7/6/2015 15:00	FALSE	1.032		2003.747		32.576		-0.401	
TPSWC-1T_AT_155346	7/6/2015 16:00	FALSE	1.031		2001.939		32.781		-0.401	
TPSWC-1T_AT_155346	7/6/2015 17:00	FALSE	1.03		2001.746		32.839		-0.402	
TPSWC-1T_AT_155346	7/6/2015 18:00	FALSE	1.031		2003.209		32.68		-0.404	
TPSWC-1T_AT_155346	7/6/2015 19:00	FALSE	1.029		1999.19		32.778		-0.404	
TPSWC-1T_AT_155346	7/6/2015 20:00	FALSE	1.025		1991.176		32.835		-0.407	
TPSWC-1T_AT_155346	7/6/2015 21:00	FALSE	1.02		1983.025		32.682		-0.41	
TPSWC-1T_AT_155346	7/6/2015 22:00	FALSE	1.021		1983.953		32.399		-0.411	
TPSWC-1T_AT_155346	7/6/2015 23:00	FALSE	1.022		1986.075		32.163		-0.412	
TPSWC-1T_AT_155346	7/7/2015 0:00	FALSE	1.026		1992.197		31.97		-0.416	
TPSWC-1T_AT_155346	7/7/2015 1:00	FALSE	1.029		1997.932		31.787		-0.415	
TPSWC-1T_AT_155346	7/7/2015 2:00	FALSE	1.029		1998.458		31.641		-0.414	
TPSWC-1T_AT_155346	7/7/2015 3:00	FALSE	1.028		1996.438		31.498		-0.411	
TPSWC-1T_AT_155346	7/7/2015 4:00	FALSE	1.027		1994.814		31.387		-0.409	
TPSWC-1T_AT_155346	7/7/2015 5:00	FALSE	1.025		1990.757		31.263		-0.405	
TPSWC-1T_AT_155346	7/7/2015 6:00	FALSE	1.026		1992.085		31.202		-0.405	
TPSWC-1T_AT_155346	7/7/2015 7:00	FALSE	1.026		1993.033		31.118		-0.405	
TPSWC-1T_AT_155346	7/7/2015 8:00	FALSE	1.027		1993.516		31.159		-0.408	
TPSWC-1T_AT_155346	7/7/2015 9:00	FALSE	1.028		1995.492		31.258		-0.408	
TPSWC-1T_AT_155346	7/7/2015 10:00	FALSE	1.028		1995.905		31.457		-0.411	
TPSWC-1T_AT_155346	7/7/2015 11:00	FALSE	1.026		1993.609		31.708		-0.411	
TPSWC-1T_AT_155346	7/7/2015 12:00	FALSE	1.027		1994.011		31.92		-0.416	
TPSWC-1T_AT_155346	7/7/2015 13:00	FALSE	1.028		1996.996		32.172		-0.416	
TPSWC-1T_AT_155346	7/7/2015 14:00	FALSE	1.032		2004.263		32.209		-0.415	
TPSWC-1T_AT_155346	7/7/2015 15:00	FALSE	1.032		2004.087		32.513		-0.419	
TPSWC-1T_AT_155346	7/7/2015 16:00	FALSE	1.031		2002.827		32.544		-0.418	
TPSWC-1T_AT_155346	7/7/2015 17:00	FALSE	1.029		1999.741		32.63		-0.418	
TPSWC-1T_AT_155346	7/7/2015 18:00	FALSE	1.026		1993.813		32.754		-0.42	
TPSWC-1T_AT_155346	7/7/2015 19:00	FALSE	1.021		1984.048		32.678		-0.422	
TPSWC-1T_AT_155346	7/7/2015 20:00	FALSE	1.022		1985.177		32.354		-0.424	
TPSWC-1T_AT_155346	7/7/2015 21:00	FALSE	1.025		1992.067		32.068		-0.428	
TPSWC-1T_AT_155346	7/7/2015 22:00	FALSE	1.029		1997.928		31.864		-0.431	
TPSWC-1T_AT_155346	7/7/2015 23:00	FALSE	1.031		2001.531		31.697		-0.434	
TPSWC-1T_AT_155346	7/8/2015 0:00	FALSE	1.031		2002.634		31.529		-0.437	
TPSWC-1T_AT_155346	7/8/2015 1:00	FALSE	1.03		2000.553		31.405		-0.438	
TPSWC-1T_AT_155346	7/8/2015 2:00	FALSE	1.029		1997.2		31.292		-0.44	
TPSWC-1T_AT_155346	7/8/2015 3:00	FALSE	1.029		1997.196		31.178		-0.438	
TPSWC-1T_AT_155346	7/8/2015 4:00	FALSE	1.03		2000.295		31.093		-0.436	
TPSWC-1T_AT_155346	7/8/2015 5:00	FALSE	1.031		2001.433		30.993		-0.433	
TPSWC-1T_AT_155346	7/8/2015 6:00	FALSE	1.031		2002.268		30.914		-0.432	
TPSWC-1T_AT_155346	7/8/2015 7:00	FALSE	1.021		1983.676		30.856		-0.419	
TPSWC-1T_AT_155346	7/8/2015 8:00	FALSE	1.028		1995.325		30.816		-0.405	
TPSWC-1T_AT_155346	7/8/2015 9:00	FALSE	1.028		1996.613		30.894		-0.393	
TPSWC-1T_AT_155346	7/8/2015 10:00	FALSE	1.028		1995.125		31.081		-0.396	
TPSWC-1T_AT_155346	7/8/2015 11:00	FALSE	1.028		1995.433		31.298		-0.397	
TPSWC-1T_AT_155346	7/8/2015 12:00	FALSE	1.028		1996.151		31.504		-0.396	
TPSWC-1T_AT_155346	7/8/2015 13:00	FALSE	1.031		2002.612		31.807		-0.398	
TPSWC-1T_AT_155346	7/8/2015 14:00	FALSE	1.03		1999.759		32.045		-0.399	
TPSWC-1T_AT_155346	7/8/2015 15:00	FALSE	1.027		1995.484		32.313		-0.396	
TPSWC-1T_AT_155346	7/8/2015 16:00	FALSE	1.028		1996.828		32.407		-0.395	
TPSWC-1T_AT_155346	7/8/2015 17:00	FALSE	1.027		1995.912		32.564		-0.389	
TPSWC-1T_AT_155346	7/8/2015 18:00	FALSE	1.026		1994.15		32.557		-0.382	
TPSWC-1T_AT_155346	7/8/2015 19:00	FALSE	1.024		1994.023		32.584		-0.379	
TPSWC-1T_AT_155346	7/8/2015 20:00	FALSE	1.027		1994.366		32.547		-0.375	
TPSWC-1T_AT_155346	7/8/2015 21:00	FALSE	1.029		1999.59		32.241		-0.376	
TPSWC-1T_AT_155346	7/8/2015 22:00	FALSE	1.031		2002.666		31.949		-0.377	
TPSWC-1T_AT_155346	7/8/2015 23:00	FALSE	1.032		2004.324		31.732		-0.376	
TPSWC-1T_AT_155346	7/9/2015 0:00	FALSE	1.033		2004.787		31.535		-0.378	
TPSWC-1T_AT_155346	7/9/2015 1:00	FALSE	1.033		2004.99		31.36		-0.376	
TPSWC-1T_AT_155346	7/9/2015 2:00	FALSE	1.032		2003.592		31.202		-0.376	
TPSWC-1T_AT_155346	7/9/2015 3:00	FALSE	1.03		2000.13		31.077		-0.372	
TPSWC-1T_AT_155346	7/9/2015 4:00	FALSE	1.029		1996.798		30.882		-0.368	
TPSWC-1T_AT_155346	7/9/2015 5:00	FALSE	1.029		1996.764		30.791		-0.363	
TPSWC-1T_AT_155346	7/9/2015 6:00	FALSE	1.029		1996.886		30.692		-0.359	
TPSWC-1T_AT_155346	7/9/2015 7:00	FALSE	1.028		1995.964		30.731		-0.357	
TPSWC-1T_AT_155346	7/9/2015 8:00	FALSE	1.028		1996.071		30.754		-0.355	
TPSWC-1T_AT_155346	7/9/2015 9:00	FALSE	1.029		1996.994		30.853		-0.351	
TPSWC-1T_AT_155346	7/9/2015 10:00	FALSE	1.04		2017.61		31.195		-0.243	
TPSWC-1T_AT_155346	7/9/2015 11:00	FALSE	1.045		2026.887		31.385		-0.253	
TPSWC-1T_AT_155346	7/9/2015 12:00	FALSE	1.049		2034.723		31.755		-0.261	
TPSWC-1T_AT_155346	7/9/2015 13:00	FALSE	1.051		2039.787		31.984		-0.272	
TPSWC-1T_AT_155346	7/9/2015 14:00	FALSE	1.052		2040.503		32.285		-0.276	
TPSWC-1T_AT_155346	7/9/2015 15:00	FALSE	1.052		2041.957		32.398		-0.285	
TPSWC-1T_AT_155346	7/9/2015 16:00	FALSE	1.051		2039.468		32.562		-0.292	
TPSWC-1T_AT_155346	7/9/2015 17:00	FALSE	1.048		2033.232		32.632		-0.296	
TPSWC-1T_AT_155346	7/9/2015 18:00	FALSE	1.044		2027.392		32.67		-0.299	
TPSWC-1T_AT_155346	7/9/2015 19:00	FALSE	1.042		2023.843		32.686		-0.302	
TPSWC-1T_AT_155346	7/9/2015 20:00	FALSE	1.046		2030.484		32.656		-0.308	
TPSWC-1T_AT_155346	7/9/2015 21:00	FALSE	1.046		2029.707		32.302		-0.311	
TPSWC-1T_AT_155346	7/9/2015 22:00	FALSE	1.054		2044.774		32.057		-0.317	
TPSWC-1T_AT_155346	7/9/2015 23:00	FALSE	1.054		2045.345		31.824		-0.318	
TPSWC-1T_AT_155346	7/10/2015 0:00	FALSE	1.054		2044.875		31.652		-0.323	
TPSWC-1T_AT_155346	7/10/2015 1:00	FALSE	1.052		2041.207		31.486		-0.327	
TPSWC-1T_AT_155346	7/10/2015 2:00	FALSE	1.051		2037.744		31.341		-0.33	
TPSWC-1T_AT_155346	7/10/2015 3:00	FALSE	1.049		2034.953		31.215		-0.331	
TPSWC-1T_AT_155346	7/10/2015 4:00	FALSE	1.047		2031.198		31.093		-0.333	
TPSWC-1T_AT_155346	7/10/2015 5:00	FALSE	1.046		2028.584		30.986		-0.333	
TPSWC-1T_AT_155346	7/10/2015 6:00	FALSE	1.043		2023.359		30.894		-0.333	
TPSWC-1T_AT_155346	7/10/2015 7:00	FALSE	1.044		2024.679		30.862		-0.331	
TPSWC-1T_AT_155346	7/10/2015 8:00	FALSE	1.041		2020.385		30.867		-0.333	
TPSWC-1T_AT_155346	7/10/2015 9:00	FALSE	1.045		2026.514		30.964		-0.336	
TPSWC-1T_AT_155346	7/10/2015 10:00	FALSE	1.049		2034.809		31.228		-0.337	
TPSWC-1T_AT_155346	7/10/2015 11:00	FALSE	1.048		2032.775		31.415		-0.341	
TPSWC-1T_AT_155346	7/10/2015 12:00	FALSE	1.052		2040.218		31.693		-0.344	
TPSWC-1T_AT_155346	7/10/2015 13:00	FALSE	1.051		2038.833		31.995		-0.348	
TPSWC-1T_AT_155346	7/10/2015 14:00	FALSE	1.049		2035.513		32.304		-0.357	
TPSWC-1T_AT_155346	7/10/2015 15:00	FALSE	1.048		2033.737		32.582		-0.358	
TPSWC-1T_AT_155346	7/10/2015 16:00	FALSE	1.043		2025.243		32.659		-0.36	

TPSWC-1T_AT_155346	7/11/2015 7:00	FALSE	1.049	2034.63	30.789	-0.38
TPSWC-1T_AT_155346	7/11/2015 8:00	FALSE	1.049	2034.064	30.861	-0.38
TPSWC-1T_AT_155346	7/11/2015 9:00	FALSE	1.049	2034.836	30.975	-0.378
TPSWC-1T_AT_155346	7/11/2015 10:00	FALSE	1.062	2058.729	31.434	-0.38
TPSWC-1T_AT_155346	7/11/2015 11:00	FALSE	1.074	2081.868	32.018	-0.392
TPSWC-1T_AT_155346	7/11/2015 12:00	FALSE	1.073	2080.44	32.256	-0.384
TPSWC-1T_AT_155346	7/11/2015 13:00	FALSE	1.073	2080.688	32.667	-0.385
TPSWC-1T_AT_155346	7/11/2015 14:00	FALSE	1.07	2074.714	33.005	-0.391
TPSWC-1T_AT_155346	7/11/2015 15:00	FALSE	1.069	2073.239	33.295	-0.392
TPSWC-1T_AT_155346	7/11/2015 16:00	FALSE	1.069	2073.052	33.474	-0.399
TPSWC-1T_AT_155346	7/11/2015 17:00	FALSE	1.072	2078.538	33.61	-0.402
TPSWC-1T_AT_155346	7/11/2015 18:00	FALSE	1.071	2077.846	33.309	-0.405
TPSWC-1T_AT_155346	7/11/2015 19:00	FALSE	1.072	2077.911	32.962	-0.406
TPSWC-1T_AT_155346	7/11/2015 20:00	FALSE	1.071	2075.612	32.65	-0.408
TPSWC-1T_AT_155346	7/11/2015 21:00	FALSE	1.069	2072.005	32.374	-0.406
TPSWC-1T_AT_155346	7/11/2015 22:00	FALSE	1.068	2070.055	32.218	-0.406
TPSWC-1T_AT_155346	7/11/2015 23:00	FALSE	1.067	2068.013	32.041	-0.404
TPSWC-1T_AT_155346	7/12/2015 0:00	FALSE	1.066	2065.671	31.824	-0.407
TPSWC-1T_AT_155346	7/12/2015 1:00	FALSE	1.064	2063.42	31.683	-0.41
TPSWC-1T_AT_155346	7/12/2015 2:00	FALSE	1.064	2062.301	31.541	-0.41
TPSWC-1T_AT_155346	7/12/2015 3:00	FALSE	1.063	2059.795	31.39	-0.412
TPSWC-1T_AT_155346	7/12/2015 4:00	FALSE	1.058	2051.38	31.216	-0.385
TPSWC-1T_AT_155346	7/12/2015 5:00	FALSE	1.056	2047.548	31.082	-0.383
TPSWC-1T_AT_155346	7/12/2015 6:00	FALSE	1.054	2044.505	30.968	-0.378
TPSWC-1T_AT_155346	7/12/2015 7:00	FALSE	1.053	2042.385	30.904	-0.372
TPSWC-1T_AT_155346	7/12/2015 8:00	FALSE	1.052	2040.891	30.956	-0.366
TPSWC-1T_AT_155346	7/12/2015 9:00	FALSE	1.053	2041.883	31.118	-0.358
TPSWC-1T_AT_155346	7/12/2015 10:00	FALSE	1.059	2053.449	31.337	-0.358
TPSWC-1T_AT_155346	7/12/2015 11:00	FALSE	1.058	2050.876	31.668	-0.355
TPSWC-1T_AT_155346	7/12/2015 12:00	FALSE	1.061	2057.94	31.974	-0.355
TPSWC-1T_AT_155346	7/12/2015 13:00	FALSE	1.059	2053.707	32.31	-0.357
TPSWC-1T_AT_155346	7/12/2015 14:00	FALSE	1.058	2051.748	32.513	-0.36
TPSWC-1T_AT_155346	7/12/2015 15:00	FALSE	1.057	2050.475	32.686	-0.363
TPSWC-1T_AT_155346	7/12/2015 16:00	FALSE	1.057	2050.171	32.986	-0.369
TPSWC-1T_AT_155346	7/12/2015 17:00	FALSE	1.055	2047.407	33.024	-0.371
TPSWC-1T_AT_155346	7/12/2015 18:00	FALSE	1.055	2047.342	33.093	-0.371
TPSWC-1T_AT_155346	7/12/2015 19:00	FALSE	1.058	2052.97	33.097	-0.37
TPSWC-1T_AT_155346	7/12/2015 20:00	FALSE	1.059	2055.344	33.018	-0.369
TPSWC-1T_AT_155346	7/12/2015 21:00	FALSE	1.06	2055.348	32.726	-0.372
TPSWC-1T_AT_155346	7/12/2015 22:00	FALSE	1.059	2053.676	32.43	-0.367
TPSWC-1T_AT_155346	7/12/2015 23:00	FALSE	1.058	2053.015	32.163	-0.366
TPSWC-1T_AT_155346	7/13/2015 0:00	FALSE	1.058	2051.458	31.919	-0.364

WaterLevel (ft)

