

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	7/20/2015 0:00	FALSE	0.954		1859.047		31.271		-0.131	
TPSWC-1T_AT_155346	7/20/2015 1:00	FALSE	0.955		1861.052		31.069		-0.129	
TPSWC-1T_AT_155346	7/20/2015 2:00	FALSE	0.959		1867.506		30.897		-0.128	
TPSWC-1T_AT_155346	7/20/2015 3:00	FALSE	0.962		1874.1		30.739		-0.126	
TPSWC-1T_AT_155346	7/20/2015 4:00	FALSE	0.963		1876.271		30.586		-0.126	
TPSWC-1T_AT_155346	7/20/2015 5:00	FALSE	0.968		1884.324		30.434		-0.127	
TPSWC-1T_AT_155346	7/20/2015 6:00	FALSE	0.97		1888.03		30.311		-0.129	
TPSWC-1T_AT_155346	7/20/2015 7:00	FALSE	0.971		1889.388		30.272		-0.133	
TPSWC-1T_AT_155346	7/20/2015 8:00	FALSE	0.967		1882.252		30.329		-0.136	
TPSWC-1T_AT_155346	7/20/2015 9:00	FALSE	0.967		1882.24		30.434		-0.139	
TPSWC-1T_AT_155346	7/20/2015 10:00	FALSE	0.968		1884.672		30.612		-0.141	
TPSWC-1T_AT_155346	7/20/2015 11:00	FALSE	0.974		1896.32		30.736		-0.142	
TPSWC-1T_AT_155346	7/20/2015 12:00	FALSE	0.981		1908.253		31.138		-0.144	
TPSWC-1T_AT_155346	7/20/2015 13:00	FALSE	0.981		1910.038		31.561		-0.142	
TPSWC-1T_AT_155346	7/20/2015 14:00	FALSE	0.976		1899.958		32		-0.141	
TPSWC-1T_AT_155346	7/20/2015 15:00	FALSE	0.984		1915.127		31.803		-0.135	
TPSWC-1T_AT_155346	7/20/2015 16:00	FALSE	0.983		1913.972		31.607		-0.132	
TPSWC-1T_AT_155346	7/20/2015 17:00	FALSE	0.98		1908.355		31.485		-0.138	
TPSWC-1T_AT_155346	7/20/2015 18:00	FALSE	0.981		1909.263		31.341		-0.137	
TPSWC-1T_AT_155346	7/20/2015 19:00	FALSE	0.973		1894.68		31.149		-0.137	
TPSWC-1T_AT_155346	7/20/2015 20:00	FALSE	0.976		1899.417		30.987		-0.141	
TPSWC-1T_AT_155346	7/20/2015 21:00	FALSE	0.975		1899.897		30.891		-0.144	
TPSWC-1T_AT_155346	7/20/2015 22:00	FALSE	0.972		1892.414		30.797		-0.147	
TPSWC-1T_AT_155346	7/20/2015 23:00	FALSE	0.969		1887.123		30.721		-0.148	
TPSWC-1T_AT_155346	7/21/2015 0:00	FALSE	0.968		1884.783		30.629		-0.147	
TPSWC-1T_AT_155346	7/21/2015 1:00	FALSE	0.97		1887.629		30.518		-0.145	
TPSWC-1T_AT_155346	7/21/2015 2:00	FALSE	0.97		1887.92		30.41		-0.151	
TPSWC-1T_AT_155346	7/21/2015 3:00	FALSE	0.97		1887.745		30.306		-0.147	
TPSWC-1T_AT_155346	7/21/2015 4:00	FALSE	0.969		1886.136		30.225		-0.145	
TPSWC-1T_AT_155346	7/21/2015 5:00	FALSE	0.969		1885.675		30.126		-0.144	
TPSWC-1T_AT_155346	7/21/2015 6:00	FALSE	0.966		1879.911		30.03		-0.144	
TPSWC-1T_AT_155346	7/21/2015 7:00	FALSE	0.966		1880.682		29.973		-0.146	
TPSWC-1T_AT_155346	7/21/2015 8:00	FALSE	0.964		1877.446		30.058		-0.149	
TPSWC-1T_AT_155346	7/21/2015 9:00	FALSE	0.963		1874.718		30.171		-0.153	
TPSWC-1T_AT_155346	7/21/2015 10:00	FALSE	0.959		1868.541		30.382		-0.154	
TPSWC-1T_AT_155346	7/21/2015 11:00	FALSE	0.962		1873.124		30.875		-0.155	
TPSWC-1T_AT_155346	7/21/2015 12:00	FALSE	0.968		1884.521		31.106		-0.154	
TPSWC-1T_AT_155346	7/21/2015 13:00	FALSE	0.969		1886.088		31.212		-0.15	
TPSWC-1T_AT_155346	7/21/2015 14:00	FALSE	0.967		1884.038		31.166		-0.148	
TPSWC-1T_AT_155346	7/21/2015 15:00	FALSE	0.967		1885.422		31.199		-0.143	
TPSWC-1T_AT_155346	7/21/2015 16:00	FALSE	0.966		1882.164		31.244		-0.137	
TPSWC-1T_AT_155346	7/21/2015 17:00	FALSE	0.967		1882.38		31.183		-0.143	
TPSWC-1T_AT_155346	7/21/2015 18:00	FALSE	0.966		1881.43		31.102		-0.139	
TPSWC-1T_AT_155346	7/21/2015 19:00	FALSE	0.967		1882.698		30.934		-0.143	
TPSWC-1T_AT_155346	7/21/2015 20:00	FALSE	0.967		1883.362		30.712		-0.145	
TPSWC-1T_AT_155346	7/21/2015 21:00	FALSE	0.965		1879.454		30.653		-0.149	
TPSWC-1T_AT_155346	7/21/2015 22:00	FALSE	0.965		1879.954		30.585		-0.152	
TPSWC-1T_AT_155346	7/21/2015 23:00	FALSE	0.967		1881.876		30.496		-0.153	
TPSWC-1T_AT_155346	7/22/2015 0:00	FALSE	0.967		1882.224		30.39		-0.154	
TPSWC-1T_AT_155346	7/22/2015 1:00	FALSE	0.966		1881.165		30.285		-0.152	
TPSWC-1T_AT_155346	7/22/2015 2:00	FALSE	0.967		1882.533		30.164		-0.149	
TPSWC-1T_AT_155346	7/22/2015 3:00	FALSE	0.967		1882.253		30.087		-0.146	
TPSWC-1T_AT_155346	7/22/2015 4:00	FALSE	0.967		1882.83		30.001		-0.141	
TPSWC-1T_AT_155346	7/22/2015 5:00	FALSE	0.968		1884.21		29.907		-0.14	
TPSWC-1T_AT_155346	7/22/2015 6:00	FALSE	0.968		1885.074		29.875		-0.14	
TPSWC-1T_AT_155346	7/22/2015 7:00	FALSE	0.969		1886.195		29.83		-0.142	
TPSWC-1T_AT_155346	7/22/2015 8:00	FALSE	0.971		1889.27		29.94		-0.144	
TPSWC-1T_AT_155346	7/22/2015 9:00	FALSE	0.97		1888.125		29.932		-0.144	
TPSWC-1T_AT_155346	7/22/2015 10:00	FALSE	0.969		1885.619		30.08		-0.148	
TPSWC-1T_AT_155346	7/22/2015 11:00	FALSE	0.968		1885.268		30.299		-0.153	
TPSWC-1T_AT_155346	7/22/2015 12:00	FALSE	0.969		1886.658		30.509		-0.15	
TPSWC-1T_AT_155346	7/22/2015 13:00	FALSE	0.971		1891.147		30.719		-0.154	
TPSWC-1T_AT_155346	7/22/2015 14:00	FALSE	0.973		1893.721		31.07		-0.151	
TPSWC-1T_AT_155346	7/22/2015 15:00	FALSE	0.973		1894.135		31.239		-0.146	
TPSWC-1T_AT_155346	7/22/2015 16:00	FALSE	0.972		1891.607		31.035		-0.138	
TPSWC-1T_AT_155346	7/22/2015 17:00	FALSE	0.971		1890.665		30.954		-0.131	
TPSWC-1T_AT_155346	7/22/2015 18:00	FALSE	0.971		1891.198		30.835		-0.127	
TPSWC-1T_AT_155346	7/22/2015 19:00	FALSE	0.971		1890.371		30.717		-0.124	
TPSWC-1T_AT_155346	7/22/2015 20:00	FALSE	0.973		1894.245		30.584		-0.125	
TPSWC-1T_AT_155346	7/22/2015 21:00	FALSE	0.975		1896.681		30.457		-0.125	
TPSWC-1T_AT_155346	7/22/2015 22:00	FALSE	0.975		1897.198		30.346		-0.125	
TPSWC-1T_AT_155346	7/22/2015 23:00	FALSE	0.976		1899.31		30.258		-0.124	
TPSWC-1T_AT_155346	7/23/2015 0:00	FALSE	0.977		1900.874		30.154		-0.123	
TPSWC-1T_AT_155346	7/23/2015 1:00	FALSE	0.979		1904.725		30.055		-0.12	
TPSWC-1T_AT_155346	7/23/2015 2:00	FALSE	0.985		1914.917		29.967		-0.117	
TPSWC-1T_AT_155346	7/23/2015 3:00	FALSE	0.985		1915.693		29.884		-0.112	
TPSWC-1T_AT_155346	7/23/2015 4:00	FALSE	0.988		1921.427		29.809		-0.109	
TPSWC-1T_AT_155346	7/23/2015 5:00	FALSE	0.99		1925.295		29.733		-0.106	
TPSWC-1T_AT_155346	7/23/2015 6:00	FALSE	0.992		1927.757		29.666		-0.105	
TPSWC-1T_AT_155346	7/23/2015 7:00	FALSE	0.995		1934.113		29.637		-0.105	
TPSWC-1T_AT_155346	7/23/2015 8:00	FALSE	0.997		1937.842		29.607		-0.107	
TPSWC-1T_AT_155346	7/23/2015 9:00	FALSE	0.998		1939.174		29.698		-0.107	
TPSWC-1T_AT_155346	7/23/2015 10:00	FALSE	0.997		1938.348		29.83		-0.109	
TPSWC-1T_AT_155346	7/23/2015 11:00	FALSE	0.996		1936.612		29.97		-0.112	
TPSWC-1T_AT_155346	7/23/2015 12:00	FALSE	0.995		1934.457		30.084		-0.108	
TPSWC-1T_AT_155346	7/23/2015 13:00	FALSE	0.996		1936.332		30.197		-0.108	
TPSWC-1T_AT_155346	7/23/2015 14:00	FALSE	0.999		1942.791		30.733		0.002	
TPSWC-1T_AT_155346	7/23/2015 15:00	FALSE	1.002		1948.755		30.993		-0.013	
TPSWC-1T_AT_155346	7/23/2015 16:00	FALSE	1.005		1954.148		31.053		-0.019	
TPSWC-1T_AT_155346	7/23/2015 17:00	FALSE	1.002		1948.613		31.158		-0.024	
TPSWC-1T_AT_155346	7/23/2015 18:00	FALSE	1.001		1945.318		31.147		-0.035	
TPSWC-1T_AT_155346	7/23/2015 19:00	FALSE	0.998		1939.788		31.138		-0.042	
TPSWC-1T_AT_155346	7/23/2015 20:00	FALSE	0.997		1938.002		31.085		-0.049	
TPSWC-1T_AT_155346	7/23/2015 21:00	FALSE	0.997		1938.889		30.993		-0.054	
TPSWC-1T_AT_155346	7/23/2015 22:00	FALSE	0.996		1936.583		30.866		-0.06	
TPSWC-1T_AT_155346	7/23/2015 23:00	FALSE	0.995		1935.279		30.752		-0.064	
TPSWC-1T_AT_155346	7/24/2015 0:00	FALSE	0.995		1934.615		30.623		-0.068	
TPSWC-1T_AT_155346	7/24/2015 1:00	FALSE	0.993		1931.662		30.511		-0.071	
TPSWC-1T_AT_155346	7/24/2015 2:00	FALSE	0.993		1930.821		30.421		-0.072	
TPSWC-1T_AT_155346	7/24/2015 3:00	FALSE	0.992		1929.672		30.308		-0.072	
TPSWC-1T_AT_155346	7/24/2015 4:00	FALSE	0.992		1927.954		30.212		-0.072	
TPSWC-1T_AT_155346	7/24/2015 5:00	FALSE	0.992		1929.316		30.096		-0.07	
TPSWC-1T_AT_155346	7/24/2015 6:00	FALSE	0.991		1926.338		29.96		-0.07	
TPSWC-1T_AT_155346	7/24/2015 7:00	FALSE	0.992		1927.922		29.931		-0.072	
TPSWC-1T_AT_155346	7/24/2015 8:00	FALSE	0.993		1931.386		29.96		-0.072	
TPSWC-1T_AT_155346	7/24/2015 9:00	FALSE	0.994		1931.809		30.036		-0.074	
TPSWC-1T_AT_155346	7/24/2015 10:00	FALSE	1		1942.757		30.272		-0.073	
TPSWC-1T_AT_155346	7/24/2015 11:00	FALSE	1.005		1952.036		30.348		-0.077	
TPSWC-1T_AT_155346	7/24/2015 12:00	FALSE	1.007		1957.032		30.503		-0.077	
TPSWC-1T_AT_155346	7/24/2015 13:00	FALSE	1.009		1960.109		30.772		-0.078	
TPSWC-1T_AT_155346	7/24/2015 14:00	FALSE	1.014		1969.391		31.008		-0.075	
TPSWC-1T_AT_155346	7/24/2015 15:00	FALSE	1.015		1972.465		31.28		-0.077	
TPSWC-1T_AT_155346										

TPSWC-1T_AT_155346	7/25/2015 7:00	FALSE	1.007	1956.962	29.96	-0.045
TPSWC-1T_AT_155346	7/25/2015 8:00	FALSE	1.007	1955.587	29.984	-0.048
TPSWC-1T_AT_155346	7/25/2015 9:00	FALSE	1.005	1952	30.13	-0.046
TPSWC-1T_AT_155346	7/25/2015 10:00	FALSE	1.01	1962.696	30.16	-0.047
TPSWC-1T_AT_155346	7/25/2015 11:00	FALSE	1.011	1963.414	30.226	-0.047
TPSWC-1T_AT_155346	7/25/2015 12:00	FALSE	1.013	1966.966	30.354	-0.049
TPSWC-1T_AT_155346	7/25/2015 13:00	FALSE	1.012	1966.868	30.526	-0.047
TPSWC-1T_AT_155346	7/25/2015 14:00	FALSE	1.013	1967.526	30.543	-0.041
TPSWC-1T_AT_155346	7/25/2015 15:00	FALSE	1.006	1955.031	30.443	-0.027
TPSWC-1T_AT_155346	7/25/2015 16:00	FALSE	1.007	1956.322	30.325	-0.026
TPSWC-1T_AT_155346	7/25/2015 17:00	FALSE	1.005	1952.999	30.182	-0.021
TPSWC-1T_AT_155346	7/25/2015 18:00	FALSE	1.005	1953.147	30.099	-0.019
TPSWC-1T_AT_155346	7/25/2015 19:00	FALSE	1.005	1952.234	30.048	-0.014
TPSWC-1T_AT_155346	7/25/2015 20:00	FALSE	1.004	1950.554	29.925	-0.012
TPSWC-1T_AT_155346	7/25/2015 21:00	FALSE	1.003	1949.183	29.814	-0.012
TPSWC-1T_AT_155346	7/25/2015 22:00	FALSE	1.002	1947.024	29.742	-0.011
TPSWC-1T_AT_155346	7/25/2015 23:00	FALSE	1.001	1945.608	29.681	-0.014
TPSWC-1T_AT_155346	7/26/2015 0:00	FALSE	0.999	1941.406	29.607	-0.013
TPSWC-1T_AT_155346	7/26/2015 1:00	FALSE	0.997	1937.923	29.523	-0.014
TPSWC-1T_AT_155346	7/26/2015 2:00	FALSE	0.996	1936.386	29.473	-0.009
TPSWC-1T_AT_155346	7/26/2015 3:00	FALSE	0.995	1933.58	29.371	-0.005
TPSWC-1T_AT_155346	7/26/2015 4:00	FALSE	0.99	1924.451	29.274	-0.003
TPSWC-1T_AT_155346	7/26/2015 5:00	FALSE	0.989	1921.899	29.219	0.002
TPSWC-1T_AT_155346	7/26/2015 6:00	FALSE	0.985	1914.494	29.132	0.005
TPSWC-1T_AT_155346	7/26/2015 7:00	FALSE	0.983	1911.775	29.069	0.008
TPSWC-1T_AT_155346	7/26/2015 8:00	FALSE	0.983	1911.812	29.137	0.008
TPSWC-1T_AT_155346	7/26/2015 9:00	FALSE	0.983	1912.011	29.219	0.008
TPSWC-1T_AT_155346	7/26/2015 10:00	FALSE	0.991	1926.241	29.396	0.034
TPSWC-1T_AT_155346	7/26/2015 11:00	FALSE	0.989	1922.908	29.229	0.098
TPSWC-1T_AT_155346	7/26/2015 12:00	FALSE	0.986	1916.402	29.165	0.107
TPSWC-1T_AT_155346	7/26/2015 13:00	FALSE	0.982	1909.172	29.128	0.117
TPSWC-1T_AT_155346	7/26/2015 14:00	FALSE	0.977	1900.845	28.979	0.137
TPSWC-1T_AT_155346	7/26/2015 15:00	FALSE	0.966	1879.72	28.875	0.143
TPSWC-1T_AT_155346	7/26/2015 16:00	FALSE	0.962	1871.806	28.898	0.146
TPSWC-1T_AT_155346	7/26/2015 17:00	FALSE	0.959	1866.34	28.888	0.149
TPSWC-1T_AT_155346	7/26/2015 18:00	FALSE	0.954	1856.96	28.879	0.151
TPSWC-1T_AT_155346	7/26/2015 19:00	FALSE	0.95	1850.688	28.807	0.153
TPSWC-1T_AT_155346	7/26/2015 20:00	FALSE	0.938	1828.721	28.685	0.155
TPSWC-1T_AT_155346	7/26/2015 21:00	FALSE	0.924	1801.218	28.573	0.158
TPSWC-1T_AT_155346	7/26/2015 22:00	FALSE	0.914	1783.347	28.465	0.158
TPSWC-1T_AT_155346	7/26/2015 23:00	FALSE	0.904	1763.802	28.342	0.159
TPSWC-1T_AT_155346	7/27/2015 0:00	FALSE	0.89	1738.845	28.238	0.161

WaterLevel (ft)

