

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	7/27/2015 0:00	FALSE	0.86		1730.859		28.236	1730.859	21.651	0.236
TPSWC-1T_AT_155346	7/27/2015 1:00	FALSE	0.886		1730.869		28.176		0.162	
TPSWC-1T_AT_155346	7/27/2015 2:00	FALSE	0.885		1729.005		28.098		0.164	
TPSWC-1T_AT_155346	7/27/2015 3:00	FALSE	0.883		1725.794		28.203		0.164	
TPSWC-1T_AT_155346	7/27/2015 4:00	FALSE	0.88		1720.07		27.952		0.165	
TPSWC-1T_AT_155346	7/27/2015 5:00	FALSE	0.875		1710.749		27.887		0.168	
TPSWC-1T_AT_155346	7/27/2015 6:00	FALSE	0.864		1688.917		27.798		0.168	
TPSWC-1T_AT_155346	7/27/2015 7:00	FALSE	0.861		1685.325		27.756		0.17	
TPSWC-1T_AT_155346	7/27/2015 8:00	FALSE	0.859		1680.296		27.784		0.174	
TPSWC-1T_AT_155346	7/27/2015 9:00	FALSE	0.858		1679.09		27.792		0.172	
TPSWC-1T_AT_155346	7/27/2015 10:00	FALSE	0.855		1674.195		28.174		0.174	
TPSWC-1T_AT_155346	7/27/2015 11:00	FALSE	0.852		1668.009		28.48		0.178	
TPSWC-1T_AT_155346	7/27/2015 12:00	FALSE	0.852		1668.781		28.861		0.175	
TPSWC-1T_AT_155346	7/27/2015 13:00	FALSE	0.848		1661.243		29.339		0.173	
TPSWC-1T_AT_155346	7/27/2015 14:00	FALSE	0.849		1662.92		29.781		0.175	
TPSWC-1T_AT_155346	7/27/2015 15:00	FALSE	0.849		1662.697		30.374		0.174	
TPSWC-1T_AT_155346	7/27/2015 16:00	FALSE	0.824		1616.211		30.684		0.193	
TPSWC-1T_AT_155346	7/27/2015 17:00	FALSE	0.828		1624.752		30.568		0.184	
TPSWC-1T_AT_155346	7/27/2015 18:00	FALSE	0.821		1628.825		30.773		0.177	
TPSWC-1T_AT_155346	7/27/2015 19:00	FALSE	0.825		1619.417		30.641		0.175	
TPSWC-1T_AT_155346	7/27/2015 20:00	FALSE	0.816		1601.291		30.498		0.172	
TPSWC-1T_AT_155346	7/27/2015 21:00	FALSE	0.796		1585.12		30.361		0.167	
TPSWC-1T_AT_155346	7/27/2015 22:00	FALSE	0.783		1519.01		30.27		0.17	
TPSWC-1T_AT_155346	7/27/2015 23:00	FALSE	0.779		1512.826		30.144		0.17	
TPSWC-1T_AT_155346	7/28/2015 0:00	FALSE	0.791		1551.127		30.167		0.169	
TPSWC-1T_AT_155346	7/28/2015 1:00	FALSE	0.818		1605.237		29.986		0.169	
TPSWC-1T_AT_155346	7/28/2015 2:00	FALSE	0.819		1641.502		29.748		0.168	
TPSWC-1T_AT_155346	7/28/2015 3:00	FALSE	0.869		1700.912		29.571		0.168	
TPSWC-1T_AT_155346	7/28/2015 4:00	FALSE	0.889		1718.871		29.41		0.167	
TPSWC-1T_AT_155346	7/28/2015 5:00	FALSE	0.889		1717.65		29.37		0.168	
TPSWC-1T_AT_155346	7/28/2015 6:00	FALSE	0.884		1728.815		29.228		0.168	
TPSWC-1T_AT_155346	7/28/2015 7:00	FALSE	0.875		1711.874		29.117		0.168	
TPSWC-1T_AT_155346	7/28/2015 8:00	FALSE	0.865		1692.612		29.01		0.168	
TPSWC-1T_AT_155346	7/28/2015 9:00	FALSE	0.849		1662.353		29.117		0.167	
TPSWC-1T_AT_155346	7/28/2015 10:00	FALSE	0.842		1649.623		29.175		0.166	
TPSWC-1T_AT_155346	7/28/2015 11:00	FALSE	0.825		1617.196		29.467		0.167	
TPSWC-1T_AT_155346	7/28/2015 12:00	FALSE	0.799		1565.709		29.553		0.165	
TPSWC-1T_AT_155346	7/28/2015 13:00	FALSE	0.727		1415.041		30.341		0.165	
TPSWC-1T_AT_155346	7/28/2015 14:00	FALSE	0.708		1399.2		31.577		0.164	
TPSWC-1T_AT_155346	7/28/2015 15:00	FALSE	0.708		1399.62		31.943		0.167	
TPSWC-1T_AT_155346	7/28/2015 16:00	FALSE	0.718		1418.084		31.024		0.162	
TPSWC-1T_AT_155346	7/28/2015 17:00	FALSE	0.718		1419.094		32.117		0.162	
TPSWC-1T_AT_155346	7/28/2015 18:00	FALSE	0.716		1415.264		31.989		0.161	
TPSWC-1T_AT_155346	7/28/2015 19:00	FALSE	0.713		1409.919		31.787		0.16	
TPSWC-1T_AT_155346	7/28/2015 20:00	FALSE	0.71		1402.449		31.614		0.156	
TPSWC-1T_AT_155346	7/28/2015 21:00	FALSE	0.695		1374.931		31.482		0.156	
TPSWC-1T_AT_155346	7/28/2015 22:00	FALSE	0.681		1340.951		31.255		0.155	
TPSWC-1T_AT_155346	7/28/2015 23:00	FALSE	0.674		1334.399		31.054		0.154	
TPSWC-1T_AT_155346	7/29/2015 0:00	FALSE	0.664		1315.216		30.803		0.153	
TPSWC-1T_AT_155346	7/29/2015 1:00	FALSE	0.648		1286.009		30.417		0.151	
TPSWC-1T_AT_155346	7/29/2015 2:00	FALSE	0.635		1259.534		30.014		0.15	
TPSWC-1T_AT_155346	7/29/2015 3:00	FALSE	0.624		1240.187		29.76		0.149	
TPSWC-1T_AT_155346	7/29/2015 4:00	FALSE	0.591		1175.615		29.486		0.146	
TPSWC-1T_AT_155346	7/29/2015 5:00	FALSE	0.584		1162.808		29.407		0.147	
TPSWC-1T_AT_155346	7/29/2015 6:00	FALSE	0.603		1199.765		29.215		0.147	
TPSWC-1T_AT_155346	7/29/2015 7:00	FALSE	0.606		1204.695		29.106		0.146	
TPSWC-1T_AT_155346	7/29/2015 8:00	FALSE	0.622		1235.093		29.029		0.146	
TPSWC-1T_AT_155346	7/29/2015 9:00	FALSE	0.684		1352.309		29.117		0.146	
TPSWC-1T_AT_155346	7/29/2015 10:00	FALSE	0.744		1465.682		29.292		0.145	
TPSWC-1T_AT_155346	7/29/2015 11:00	FALSE	0.756		1488.857		29.593		0.147	
TPSWC-1T_AT_155346	7/29/2015 12:00	FALSE	0.727		1434.088		29.87		0.145	
TPSWC-1T_AT_155346	7/29/2015 13:00	FALSE	0.645		1280.526		30.727		0.149	
TPSWC-1T_AT_155346	7/29/2015 14:00	FALSE	0.636		1261.173		31.063		0.148	
TPSWC-1T_AT_155346	7/29/2015 15:00	FALSE	0.637		1264.938		31.409		0.143	
TPSWC-1T_AT_155346	7/29/2015 16:00	FALSE	0.637		1265.452		31.638		0.145	
TPSWC-1T_AT_155346	7/29/2015 17:00	FALSE	0.658		1304.312		31.552		0.145	
TPSWC-1T_AT_155346	7/29/2015 18:00	FALSE	0.661		1309.525		31.431		0.146	
TPSWC-1T_AT_155346	7/29/2015 19:00	FALSE	0.653		1295.313		31.258		0.143	
TPSWC-1T_AT_155346	7/29/2015 20:00	FALSE	0.642		1275.172		31.124		0.141	
TPSWC-1T_AT_155346	7/29/2015 21:00	FALSE	0.64		1269.669		31.031		0.141	
TPSWC-1T_AT_155346	7/29/2015 22:00	FALSE	0.638		1264.094		30.901		0.14	
TPSWC-1T_AT_155346	7/29/2015 23:00	FALSE	0.623		1238.417		30.783		0.141	
TPSWC-1T_AT_155346	7/30/2015 0:00	FALSE	0.614		1221.393		30.654		0.14	
TPSWC-1T_AT_155346	7/30/2015 1:00	FALSE	0.608		1209.771		30.475		0.139	
TPSWC-1T_AT_155346	7/30/2015 2:00	FALSE	0.608		1208.905		30.285		0.14	
TPSWC-1T_AT_155346	7/30/2015 3:00	FALSE	0.619		1229.576		30.071		0.139	
TPSWC-1T_AT_155346	7/30/2015 4:00	FALSE	0.626		1242.618		29.849		0.138	
TPSWC-1T_AT_155346	7/30/2015 5:00	FALSE	0.606		1204.219		29.612		0.139	
TPSWC-1T_AT_155346	7/30/2015 6:00	FALSE	0.589		1171.819		29.41		0.137	
TPSWC-1T_AT_155346	7/30/2015 7:00	FALSE	0.554		1105.856		29.201		0.138	
TPSWC-1T_AT_155346	7/30/2015 8:00	FALSE	0.537		1087.058		29.083		0.138	
TPSWC-1T_AT_155346	7/30/2015 9:00	FALSE	0.526		1052.043		29.081		0.139	
TPSWC-1T_AT_155346	7/30/2015 10:00	FALSE	0.514		1025.786		29.041		0.14	
TPSWC-1T_AT_155346	7/30/2015 11:00	FALSE	0.499		1000.497		29.192		0.142	
TPSWC-1T_AT_155346	7/30/2015 12:00	FALSE	0.557		1111.414		29.753		0.139	
TPSWC-1T_AT_155346	7/30/2015 13:00	FALSE	0.555		1108.254		30.477		0.142	
TPSWC-1T_AT_155346	7/30/2015 14:00	FALSE	0.58		1155.655		31.266		0.141	
TPSWC-1T_AT_155346	7/30/2015 15:00	FALSE	0.609		1211.689		31.49		0.14	
TPSWC-1T_AT_155346	7/30/2015 16:00	FALSE	0.613		1219.515		31.695		0.139	
TPSWC-1T_AT_155346	7/30/2015 17:00	FALSE	0.609		1212.135		31.69		0.139	
TPSWC-1T_AT_155346	7/30/2015 18:00	FALSE	0.607		1208.065		31.591		0.137	
TPSWC-1T_AT_155346	7/30/2015 19:00	FALSE	0.601		1197.108		31.468		0.138	
TPSWC-1T_AT_155346	7/30/2015 20:00	FALSE	0.589		1174.452		31.372		0.133	
TPSWC-1T_AT_155346	7/30/2015 21:00	FALSE	0.58		1155.459		31.285		0.132	
TPSWC-1T_AT_155346	7/30/2015 22:00	FALSE	0.57		1136.561		31.181		0.132	
TPSWC-1T_AT_155346	7/30/2015 23:00	FALSE	0.566		1128.716		31.085		0.133	
TPSWC-1T_AT_155346	7/31/2015 0:00	FALSE	0.59		1174.422		30.92		0.132	
TPSWC-1T_AT_155346	7/31/2015 1:00	FALSE	0.61		1211.657		30.775		0.132	
TPSWC-1T_AT_155346	7/31/2015 2:00	FALSE	0.616		1224.236		30.561		0.131	
TPSWC-1T_AT_155346	7/31/2015 3:00	FALSE	0.599		1192.356		30.306		0.131	
TPSWC-1T_AT_155346	7/31/2015 4:00	FALSE	0.607		1206.776		30.156		0.13	
TPSWC-1T_AT_155346	7/31/2015 5:00	FALSE	0.579		1153.079		29.911		0.13	
TPSWC-1T_AT_155346	7/31/2015 6:00	FALSE	0.523		1046.618		29.583		0.129	
TPSWC-1T_AT_155346	7/31/2015 7:00	FALSE	0.508		1012.292		29.402		0.129	
TPSWC-1T_AT_155346	7/31/2015 8:00	FALSE	0.53		1059.505		29.428		0.13	
TPSWC-1T_AT_155346	7/31/2015 9:00	FALSE	0.493		989.231		29.471		0.13	
TPSWC-1T_AT_155346	7/31/2015 10:00	FALSE	0.587		1168.221		29.847		0.137	
TPSWC-1T_AT_155346	7/31/2015 11:00	FALSE	0.584		1161.548		30.162		0.133	
TPSWC-1T_AT_155346	7/31/2015 12:00	FALSE	0.569		1134.271		30.379		0.138	
TPSWC-1T_AT_155346	7/31/2015 13:00	FALSE	0.557		1112.194		30.731		0.138	
TPSWC-1T_AT_155346	7/31/2015 14:00	FALSE	0.593		1181.988		31.194		0.134	
TPSWC-1T_AT_155346	7/31/2015 15:00	FALSE	0.582		1159.943		31.317		0.133	
TPSWC-1T_AT_155346	7/31/2015 16:00	FALSE	0.603		1200.391		31.257		0.131	
TPSWC-1										

WaterLevel (ft)

