

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	8/3/2015 0:00	FALSE	0.545		1089.382		30.348		0.271	
TPSWC-1T_AT_155346	8/3/2015 1:00	FALSE	0.544		1087.112		30.242		0.271	
TPSWC-1T_AT_155346	8/3/2015 2:00	FALSE	0.553		1103.562		30.136		0.272	
TPSWC-1T_AT_155346	8/3/2015 3:00	FALSE	0.564		1125.093		30.009		0.273	
TPSWC-1T_AT_155346	8/3/2015 4:00	FALSE	0.534		1067.727		29.763		0.273	
TPSWC-1T_AT_155346	8/3/2015 5:00	FALSE	0.536		1070.667		29.672		0.272	
TPSWC-1T_AT_155346	8/3/2015 6:00	FALSE	0.528		1055.939		29.517		0.274	
TPSWC-1T_AT_155346	8/3/2015 7:00	FALSE	0.51		1022.32		29.362		0.272	
TPSWC-1T_AT_155346	8/3/2015 8:00	FALSE	0.503		1007.704		29.315		0.273	
TPSWC-1T_AT_155346	8/3/2015 9:00	FALSE	0.505		1011.192		29.43		0.272	
TPSWC-1T_AT_155346	8/3/2015 10:00	FALSE	0.503		1008.608		29.622		0.27	
TPSWC-1T_AT_155346	8/3/2015 11:00	FALSE	0.518		1037.243		29.894		0.27	
TPSWC-1T_AT_155346	8/3/2015 12:00	FALSE	0.507		1015.409		30.082		0.269	
TPSWC-1T_AT_155346	8/3/2015 13:00	FALSE	0.514		1030.433		30.576		0.268	
TPSWC-1T_AT_155346	8/3/2015 14:00	FALSE	0.512		1026.598		30.943		0.269	
TPSWC-1T_AT_155346	8/3/2015 15:00	FALSE	0.511		1023.018		30.783		0.275	
TPSWC-1T_AT_155346	8/3/2015 16:00	FALSE	0.5		1002.11		30.608		0.275	
TPSWC-1T_AT_155346	8/3/2015 17:00	FALSE	0.501		1004.905		30.731		0.275	
TPSWC-1T_AT_155346	8/3/2015 18:00	FALSE	0.498		998.43		30.815		0.275	
TPSWC-1T_AT_155346	8/3/2015 19:00	FALSE	0.494		990.342		30.588		0.275	
TPSWC-1T_AT_155346	8/3/2015 20:00	FALSE	0.502		1007.226		30.404		0.274	
TPSWC-1T_AT_155346	8/3/2015 21:00	FALSE	0.482		967.758		30.175		0.274	
TPSWC-1T_AT_155346	8/3/2015 22:00	FALSE	0.468		941.034		30.06		0.273	
TPSWC-1T_AT_155346	8/3/2015 23:00	FALSE	0.465		935.868		29.944		0.274	
TPSWC-1T_AT_155346	8/4/2015 0:00	FALSE	0.463		930.755		29.8		0.274	
TPSWC-1T_AT_155346	8/4/2015 1:00	FALSE	0.465		935.784		29.671		0.275	
TPSWC-1T_AT_155346	8/4/2015 2:00	FALSE	0.465		935.579		29.549		0.275	
TPSWC-1T_AT_155346	8/4/2015 3:00	FALSE	0.465		934.899		29.427		0.275	
TPSWC-1T_AT_155346	8/4/2015 4:00	FALSE	0.465		933.781		29.315		0.276	
TPSWC-1T_AT_155346	8/4/2015 5:00	FALSE	0.462		928.221		29.208		0.276	
TPSWC-1T_AT_155346	8/4/2015 6:00	FALSE	0.461		927.11		29.118		0.275	
TPSWC-1T_AT_155346	8/4/2015 7:00	FALSE	0.46		924.185		29.056		0.275	
TPSWC-1T_AT_155346	8/4/2015 8:00	FALSE	0.45		906.545		29.056		0.274	
TPSWC-1T_AT_155346	8/4/2015 9:00	FALSE	0.452		908.696		29.112		0.273	
TPSWC-1T_AT_155346	8/4/2015 10:00	FALSE	0.454		914.179		29.159		0.271	
TPSWC-1T_AT_155346	8/4/2015 11:00	FALSE	0.432		871.04		29.243		0.27	
TPSWC-1T_AT_155346	8/4/2015 12:00	FALSE	0.438		882.88		29.493		0.268	
TPSWC-1T_AT_155346	8/4/2015 13:00	FALSE	0.439		884.974		29.714		0.268	
TPSWC-1T_AT_155346	8/4/2015 14:00	FALSE	0.439		884.747		29.847		0.266	
TPSWC-1T_AT_155346	8/4/2015 15:00	FALSE	0.444		894.164		30.003		0.264	
TPSWC-1T_AT_155346	8/4/2015 16:00	FALSE	0.454		913.204		30.096		0.264	
TPSWC-1T_AT_155346	8/4/2015 17:00	FALSE	0.45		905.146		30.109		0.263	
TPSWC-1T_AT_155346	8/4/2015 18:00	FALSE	0.454		913.379		30.181		0.261	
TPSWC-1T_AT_155346	8/4/2015 19:00	FALSE	0.455		916.54		30.199		0.263	
TPSWC-1T_AT_155346	8/4/2015 20:00	FALSE	0.457		919.422		30.235		0.263	
TPSWC-1T_AT_155346	8/4/2015 21:00	FALSE	0.456		917.017		30.243		0.262	
TPSWC-1T_AT_155346	8/4/2015 22:00	FALSE	0.455		915.41		30.268		0.264	
TPSWC-1T_AT_155346	8/4/2015 23:00	FALSE	0.454		913.347		30.338		0.263	
TPSWC-1T_AT_155346	8/5/2015 0:00	FALSE	0.453		912.026		30.369		0.264	
TPSWC-1T_AT_155346										
TPSWC-1T_AT_155346	8/5/2015 10:00	FALSE	0.433		872.448		29.922		0.277	
TPSWC-1T_AT_155346	8/5/2015 11:00	FALSE	0.395		799.455		30.02		0.274	
TPSWC-1T_AT_155346	8/5/2015 12:00	FALSE	0.403		814.042		30.347		0.276	
TPSWC-1T_AT_155346	8/5/2015 13:00	FALSE	0.386		782.618		30.728		0.276	
TPSWC-1T_AT_155346	8/5/2015 14:00	FALSE	0.378		765.974		31.796		0.275	
TPSWC-1T_AT_155346	8/5/2015 15:00	FALSE	0.377		765.386		32.062		0.274	
TPSWC-1T_AT_155346	8/5/2015 16:00	FALSE	0.396		801.098		31.626		0.272	
TPSWC-1T_AT_155346	8/5/2015 17:00	FALSE	0.386		782.507		31.886		0.27	
TPSWC-1T_AT_155346	8/5/2015 18:00	FALSE	0.385		780.602		32.007		0.27	
TPSWC-1T_AT_155346	8/5/2015 19:00	FALSE	0.386		781.436		31.824		0.27	
TPSWC-1T_AT_155346	8/5/2015 20:00	FALSE	0.389		788.892		31.712		0.27	
TPSWC-1T_AT_155346	8/5/2015 21:00	FALSE	0.391		792.388		31.646		0.27	
TPSWC-1T_AT_155346	8/5/2015 22:00	FALSE	0.399		807.509		31.498		0.269	
TPSWC-1T_AT_155346	8/5/2015 23:00	FALSE	0.399		808.261		31.337		0.269	
TPSWC-1T_AT_155346	8/6/2015 0:00	FALSE	0.404		816.263		31.264		0.268	
TPSWC-1T_AT_155346	8/6/2015 1:00	FALSE	0.41		827.819		31.141		0.268	
TPSWC-1T_AT_155346	8/6/2015 2:00	FALSE	0.401		811.526		31.027		0.269	
TPSWC-1T_AT_155346	8/6/2015 3:00	FALSE	0.39		789.37		30.861		0.269	
TPSWC-1T_AT_155346	8/6/2015 4:00	FALSE	0.392		793.528		30.736		0.269	
TPSWC-1T_AT_155346	8/6/2015 5:00	FALSE	0.392		794.384		30.609		0.269	
TPSWC-1T_AT_155346	8/6/2015 6:00	FALSE	0.399		807.847		30.453		0.268	
TPSWC-1T_AT_155346	8/6/2015 7:00	FALSE	0.412		832.134		30.353		0.268	
TPSWC-1T_AT_155346	8/6/2015 8:00	FALSE	0.398		804.67		30.271		0.267	
TPSWC-1T_AT_155346	8/6/2015 9:00	FALSE	0.412		832.551		30.316		0.265	
TPSWC-1T_AT_155346	8/6/2015 10:00	FALSE	0.374		759.232		30.551		0.263	
TPSWC-1T_AT_155346	8/6/2015 11:00	FALSE	0.375		760.653		30.585		0.262	
TPSWC-1T_AT_155346	8/6/2015 12:00	FALSE	0.363		736.518		30.757		0.261	
TPSWC-1T_AT_155346	8/6/2015 13:00	FALSE	0.371		752.514		30.875		0.259	
TPSWC-1T_AT_155346	8/6/2015 14:00	FALSE	0.383		776.86		31.61		0.258	
TPSWC-1T_AT_155346	8/6/2015 15:00	FALSE	0.38		771.045		31.877		0.256	
TPSWC-1T_AT_155346	8/6/2015 16:00	FALSE	0.378		766.393		31.883		0.254	
TPSWC-1T_AT_155346	8/6/2015 17:00	FALSE	0.369		748.534		31.965		0.252	
TPSWC-1T_AT_155346	8/6/2015 18:00	FALSE	0.37		750.553		31.873		0.252	
TPSWC-1T_AT_155346	8/6/2015 19:00	FALSE	0.373		756.414		31.757		0.254	
TPSWC-1T_AT_155346	8/6/2015 20:00	FALSE	0.373		757.194		31.719		0.253	
TPSWC-1T_AT_155346	8/6/2015 21:00	FALSE	0.375		760.573		31.632		0.253	
TPSWC-1T_AT_155346	8/6/2015 22:00	FALSE	0.369		748.624		31.523		0.252	
TPSWC-1T_AT_155346	8/6/2015 23:00	FALSE	0.384		778.952		31.324		0.252	
TPSWC-1T_AT_155346	8/7/2015 0:00	FALSE	0.407		822.856		31.171		0.251	
TPSWC-1T_AT_155346	8/7/2015 1:00	FALSE	0.39		788.903		30.982		0.251	
TPSWC-1T_AT_155346	8/7/2015 2:00	FALSE	0.385		779.474		30.815		0.251	
TPSWC-1T_AT_155346	8/7/2015 3:00	FALSE	0.398		805.835		30.678		0.252	
TPSWC-1T_AT_155346	8/7/2015 4:00	FALSE	0.401		810.902		30.595		0.251	
TPSWC-1T_AT_155346	8/7/2015 5:00	FALSE	0.398		805.108		30.495		0.252	
TPSWC-1T_AT_155346	8/7/2015 6:00	FALSE	0.403		814.681		30.364		0.253	
TPSWC-1T_AT_155346	8/7/2015 7:00	FALSE	0.412		831.874		30.247		0.252	
TPSWC-1T_AT_155346	8/7/2015 8:00	FALSE	0.385		780.088		30.248		0.25	
TPSWC-1T_AT_155346	8/7/2015 9:00	FALSE	0.388		786.053		30.284		0.25	
TPSWC-1T_AT_155346	8/7/2015 10:00	FALSE	0.392		793.796		30.386		0.249	
TPSWC-1T_AT_155346	8/7/2015 11:00	FALSE	0.392		794.1		30.59		0.246	
TPSWC-1T_AT_155346	8/7/2015 12:00	FALSE	0.388		786.028		30.73		0.244	
TPSWC-1T_AT_155346	8/7/2015 13:00	FALSE	0.389		787.345		30.869		0.243	
TPSWC-1T_AT_155346	8/7/2015 14:00	FALSE	0.383		776.041		31.115		0.251	
TPSWC-1T_AT_155346	8/7/2015 15:00	FALSE	0.412		832.888		31.399		0.245	
TPSWC-1T_AT_155346	8/7/2015 16:00	FALSE	0.404		816.732		31.445		0.242	
TPSWC-1T_AT_155346	8/7/2015 17:00	FALSE	0.412		833.577		31.577		0.242	
TPSWC-1T_AT_155346	8/7/2015 18:00	FALSE	0.409		826.475		31.625		0.242	
TPSWC-1T_AT_155346	8/7/2015 19:00	FALSE	0.418		845.128		31.581		0.242	
TPSWC-1T_AT_155346	8/7/2015 20:00	FALSE	0.404		817.72		31.649		0.241	
TPSWC-1T_AT_155346	8/7/2015 21:00	FALSE	0.411		830.988		31.848		0.241	
TPSWC-1T_AT_155346	8/7/2015 22:00	FALSE	0.421		850.566		31.877		0.242	
TPSWC-1T_AT_155346	8/7/2015 23:00	FALSE	0.404		817.573		31.862		0.239	

TPSWC-1T_AT_155346	8/8/2015 0:00	FALSE	0.395	798.769	31.573	0.239
TPSWC-1T_AT_155346	8/8/2015 1:00	FALSE	0.41	828.242	31.356	0.239
TPSWC-1T_AT_155346	8/8/2015 2:00	FALSE	0.45	905.967	31.343	0.239
TPSWC-1T_AT_155346	8/8/2015 3:00	FALSE	0.458	922.125	31.332	0.239
TPSWC-1T_AT_155346	8/8/2015 4:00	FALSE	0.456	918.378	31.227	0.238
TPSWC-1T_AT_155346	8/8/2015 5:00	FALSE	0.439	884.431	31.026	0.238
TPSWC-1T_AT_155346	8/8/2015 6:00	FALSE	0.42	848.005	30.872	0.239
TPSWC-1T_AT_155346	8/8/2015 7:00	FALSE	0.423	853.48	30.751	0.239
TPSWC-1T_AT_155346	8/8/2015 8:00	FALSE	0.423	853.257	30.704	0.238
TPSWC-1T_AT_155346	8/8/2015 9:00	FALSE	0.419	846.968	30.65	0.236
TPSWC-1T_AT_155346	8/8/2015 10:00	FALSE	0.415	838.815	30.66	0.236
TPSWC-1T_AT_155346	8/8/2015 11:00	FALSE	0.428	862.686	30.816	0.232
TPSWC-1T_AT_155346	8/8/2015 12:00	FALSE	0.436	878.787	31.108	0.233
TPSWC-1T_AT_155346	8/8/2015 13:00	FALSE	0.425	857.642	31.22	0.231
TPSWC-1T_AT_155346	8/8/2015 14:00	FALSE	0.407	822.778	32.759	0.231
TPSWC-1T_AT_155346	8/8/2015 15:00	FALSE	0.419	846.926	33.23	0.23
TPSWC-1T_AT_155346	8/8/2015 16:00	FALSE	0.419	847.895	33.3	0.231
TPSWC-1T_AT_155346	8/8/2015 17:00	FALSE	0.419	846.939	33.222	0.251
TPSWC-1T_AT_155346	8/8/2015 18:00	FALSE	0.417	842.868	33.017	0.249
TPSWC-1T_AT_155346	8/8/2015 19:00	FALSE	0.399	808.598	32.353	0.247
TPSWC-1T_AT_155346	8/8/2015 20:00	FALSE	0.409	828.001	32.405	0.247
TPSWC-1T_AT_155346	8/8/2015 21:00	FALSE	0.391	791.439	32.017	0.246
TPSWC-1T_AT_155346	8/8/2015 22:00	FALSE	0.415	838.509	31.711	0.246
TPSWC-1T_AT_155346	8/8/2015 23:00	FALSE	0.445	896.729	31.502	0.243
TPSWC-1T_AT_155346	8/9/2015 0:00	FALSE	0.458	921.734	31.361	0.245
TPSWC-1T_AT_155346	8/9/2015 1:00	FALSE	0.456	918.254	31.228	0.245
TPSWC-1T_AT_155346	8/9/2015 2:00	FALSE	0.451	908.996	31.158	0.245
TPSWC-1T_AT_155346	8/9/2015 3:00	FALSE	0.449	903.751	31.018	0.244
TPSWC-1T_AT_155346	8/9/2015 4:00	FALSE	0.435	876.896	30.786	0.244
TPSWC-1T_AT_155346	8/9/2015 5:00	FALSE	0.44	886.307	30.692	0.244
TPSWC-1T_AT_155346	8/9/2015 6:00	FALSE	0.453	911.726	30.572	0.243
TPSWC-1T_AT_155346	8/9/2015 7:00	FALSE	0.448	901.562	30.443	0.244
TPSWC-1T_AT_155346	8/9/2015 8:00	FALSE	0.448	901.673	30.412	0.244
TPSWC-1T_AT_155346	8/9/2015 9:00	FALSE	0.447	901.201	30.408	0.243
TPSWC-1T_AT_155346	8/9/2015 10:00	FALSE	0.453	912.257	30.489	0.241
TPSWC-1T_AT_155346	8/9/2015 11:00	FALSE	0.445	896.115	30.543	0.238
TPSWC-1T_AT_155346	8/9/2015 12:00	FALSE	0.443	893.07	30.67	0.237
TPSWC-1T_AT_155346	8/9/2015 13:00	FALSE	0.438	882.434	30.805	0.235
TPSWC-1T_AT_155346	8/9/2015 14:00	FALSE	0.448	901.67	31.061	0.234
TPSWC-1T_AT_155346	8/9/2015 15:00	FALSE	0.44	888.112	31.446	0.243
TPSWC-1T_AT_155346	8/9/2015 16:00	FALSE	0.452	910.434	31.003	0.246
TPSWC-1T_AT_155346	8/9/2015 17:00	FALSE	0.463	931.089	31.027	0.247
TPSWC-1T_AT_155346	8/9/2015 18:00	FALSE	0.441	889.192	31.878	0.248
TPSWC-1T_AT_155346	8/9/2015 19:00	FALSE	0.427	862.94	31.99	0.248
TPSWC-1T_AT_155346	8/9/2015 20:00	FALSE	0.418	843.765	31.824	0.249
TPSWC-1T_AT_155346	8/9/2015 21:00	FALSE	0.398	804.644	31.495	0.248
TPSWC-1T_AT_155346	8/9/2015 22:00	FALSE	0.429	866.358	31.239	0.247
TPSWC-1T_AT_155346	8/9/2015 23:00	FALSE	0.428	864.526	31.061	0.248
TPSWC-1T_AT_155346	8/10/2015 0:00	FALSE	0.465	934.39	31.004	0.247

WaterLevel (ft)

