

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	9/28/2015 0:00	FALSE	0.312		636.169		28.713		0.924	
TPSWC-1T_AT_155346	9/28/2015 1:00	FALSE	0.308		629.09		28.631		0.923	
TPSWC-1T_AT_155346	9/28/2015 2:00	FALSE	0.306		623.698		28.568		0.922	
TPSWC-1T_AT_155346	9/28/2015 3:00	FALSE	0.305		621.7		28.499		0.921	
TPSWC-1T_AT_155346	9/28/2015 4:00	FALSE	0.304		621.189		28.419		0.92	
TPSWC-1T_AT_155346	9/28/2015 5:00	FALSE	0.304		620.93		28.338		0.919	
TPSWC-1T_AT_155346	9/28/2015 6:00	FALSE	0.304		619.433		28.253		0.919	
TPSWC-1T_AT_155346	9/28/2015 7:00	FALSE	0.303		618.642		28.172		0.919	
TPSWC-1T_AT_155346	9/28/2015 8:00	FALSE	0.303		617.64		28.168		0.917	
TPSWC-1T_AT_155346	9/28/2015 9:00	FALSE	0.301		613.875		28.142		0.917	
TPSWC-1T_AT_155346	9/28/2015 10:00	FALSE	0.307		626.963		28.182		0.916	
TPSWC-1T_AT_155346	9/28/2015 11:00	FALSE	0.313		638.751		28.237		0.914	
TPSWC-1T_AT_155346	9/28/2015 12:00	FALSE	0.311		635.066		28.325		0.914	
TPSWC-1T_AT_155346	9/28/2015 13:00	FALSE	0.309		629.458		28.45		0.914	
TPSWC-1T_AT_155346	9/28/2015 14:00	FALSE	0.312		635.998		28.584		0.913	
TPSWC-1T_AT_155346	9/28/2015 15:00	FALSE	0.306		624.423		28.709		0.914	
TPSWC-1T_AT_155346	9/28/2015 16:00	FALSE	0.302		617.448		28.909		0.911	
TPSWC-1T_AT_155346	9/28/2015 17:00	FALSE	0.296		604.41		29.119		0.911	
TPSWC-1T_AT_155346	9/28/2015 18:00	FALSE	0.296		605.535		29.737		0.912	
TPSWC-1T_AT_155346	9/28/2015 19:00	FALSE	0.308		628.956		30.379		0.912	
TPSWC-1T_AT_155346	9/28/2015 20:00	FALSE	0.326		664.576		30.532		0.914	
TPSWC-1T_AT_155346	9/28/2015 21:00	FALSE	0.334		680.258		30.466		0.913	
TPSWC-1T_AT_155346	9/28/2015 22:00	FALSE	0.337		686.032		30.335		0.912	
TPSWC-1T_AT_155346	9/28/2015 23:00	FALSE	0.337		686.633		30.165		0.912	
TPSWC-1T_AT_155346	9/29/2015 0:00	FALSE	0.334		679.715		29.95		0.912	
TPSWC-1T_AT_155346	9/29/2015 1:00	FALSE	0.322		656.239		29.491		0.911	
TPSWC-1T_AT_155346	9/29/2015 2:00	FALSE	0.311		634.278		29.323		0.91	
TPSWC-1T_AT_155346	9/29/2015 3:00	FALSE	0.306		624.046		29.108		0.909	
TPSWC-1T_AT_155346	9/29/2015 4:00	FALSE	0.3		613.108		28.992		0.908	
TPSWC-1T_AT_155346	9/29/2015 5:00	FALSE	0.3		612.412		28.885		0.907	
TPSWC-1T_AT_155346	9/29/2015 6:00	FALSE	0.299		610.652		28.801		0.907	
TPSWC-1T_AT_155346	9/29/2015 7:00	FALSE	0.3		612.861		28.759		0.907	
TPSWC-1T_AT_155346	9/29/2015 8:00	FALSE	0.303		618.063		28.777		0.912	
TPSWC-1T_AT_155346	9/29/2015 9:00	FALSE	0.319		650.102		28.892		0.916	
TPSWC-1T_AT_155346	9/29/2015 10:00	FALSE	0.331		672.824		28.912		0.916	
TPSWC-1T_AT_155346	9/29/2015 11:00	FALSE	0.331		673.244		28.934		0.916	
TPSWC-1T_AT_155346	9/29/2015 12:00	FALSE	0.332		675.518		29.045		0.916	
TPSWC-1T_AT_155346	9/29/2015 13:00	FALSE	0.33		672.376		29.13		0.918	
TPSWC-1T_AT_155346	9/29/2015 14:00	FALSE	0.329		650.573		29.226		0.919	
TPSWC-1T_AT_155346	9/29/2015 15:00	FALSE	0.329		670.322		29.785		0.92	
TPSWC-1T_AT_155346	9/29/2015 16:00	FALSE	0.345		701.768		30.072		0.922	
TPSWC-1T_AT_155346	9/29/2015 17:00	FALSE	0.351		713.539		30.021		0.926	
TPSWC-1T_AT_155346	9/29/2015 18:00	FALSE	0.344		699.027		29.933		0.923	
TPSWC-1T_AT_155346	9/29/2015 19:00	FALSE	0.346		702.947		29.868		0.922	
TPSWC-1T_AT_155346	9/29/2015 20:00	FALSE	0.345		700.89		29.777		0.922	
TPSWC-1T_AT_155346	9/29/2015 21:00	FALSE	0.347		704.767		29.712		0.923	
TPSWC-1T_AT_155346	9/29/2015 22:00	FALSE	0.346		703.985		29.635		0.923	
TPSWC-1T_AT_155346	9/29/2015 23:00	FALSE	0.346		703.975		29.542		0.923	
TPSWC-1T_AT_155346	9/30/2015 0:00	FALSE	0.346		703.083		29.432		0.923	
TPSWC-1T_AT_155346	9/30/2015 1:00	FALSE	0.345		701.378		29.31		0.923	
TPSWC-1T_AT_155346	9/30/2015 2:00	FALSE	0.343		697.651		29.191		0.922	
TPSWC-1T_AT_155346	9/30/2015 3:00	FALSE	0.343		696.419		29.09		0.922	
TPSWC-1T_AT_155346	9/30/2015 4:00	FALSE	0.338		688.258		28.985		0.92	
TPSWC-1T_AT_155346	9/30/2015 5:00	FALSE	0.338		687.371		28.894		0.92	
TPSWC-1T_AT_155346	9/30/2015 6:00	FALSE	0.333		677.433		28.807		0.919	
TPSWC-1T_AT_155346	9/30/2015 7:00	FALSE	0.33		672.451		28.72		0.917	
TPSWC-1T_AT_155346	9/30/2015 8:00	FALSE	0.33		670.683		28.696		0.918	
TPSWC-1T_AT_155346	9/30/2015 9:00	FALSE	0.327		665.464		28.684		0.918	
TPSWC-1T_AT_155346	9/30/2015 10:00	FALSE	0.327		666.503		28.733		0.919	
TPSWC-1T_AT_155346	9/30/2015 11:00	FALSE	0.328		667.582		28.777		0.918	
TPSWC-1T_AT_155346	9/30/2015 12:00	FALSE	0.333		678.009		28.854		0.918	
TPSWC-1T_AT_155346	9/30/2015 13:00	FALSE	0.336		682.621		28.933		0.916	
TPSWC-1T_AT_155346	9/30/2015 14:00	FALSE	0.337		685.352		29.015		0.914	
TPSWC-1T_AT_155346	9/30/2015 15:00	FALSE	0.34		692.749		29.066		0.916	
TPSWC-1T_AT_155346	9/30/2015 16:00	FALSE	0.341		693.651		29.114		0.915	
TPSWC-1T_AT_155346	9/30/2015 17:00	FALSE	0.339		689.102		29.121		0.913	
TPSWC-1T_AT_155346	9/30/2015 18:00	FALSE	0.335		680.84		29.095		0.914	
TPSWC-1T_AT_155346	9/30/2015 19:00	FALSE	0.328		668.142		29.141		0.9	
TPSWC-1T_AT_155346	9/30/2015 20:00	FALSE	0.331		672.905		29.149		0.911	
TPSWC-1T_AT_155346	9/30/2015 21:00	FALSE	0.339		689.958		29.502		0.911	
TPSWC-1T_AT_155346	9/30/2015 22:00	FALSE	0.345		701.651		29.481		0.912	
TPSWC-1T_AT_155346	9/30/2015 23:00	FALSE	0.347		705.13		29.558		0.911	
TPSWC-1T_AT_155346	10/1/2015 0:00	FALSE	0.343		696.735		29.508		0.913	
TPSWC-1T_AT_155346	10/1/2015 1:00	FALSE	0.333		677.699		29.396		0.913	
TPSWC-1T_AT_155346	10/1/2015 2:00	FALSE	0.328		667.663		29.197		0.912	
TPSWC-1T_AT_155346	10/1/2015 3:00	FALSE	0.342		694.803		29.135		0.912	
TPSWC-1T_AT_155346	10/1/2015 4:00	FALSE	0.326		664.563		29.018		0.91	
TPSWC-1T_AT_155346	10/1/2015 5:00	FALSE	0.327		664.783		28.893		0.909	
TPSWC-1T_AT_155346	10/1/2015 6:00	FALSE	0.327		665.121		28.76		0.907	
TPSWC-1T_AT_155346	10/1/2015 7:00	FALSE	0.328		668.205		28.668		0.907	
TPSWC-1T_AT_155346	10/1/2015 8:00	FALSE	0.329		670.479		28.62		0.906	
TPSWC-1T_AT_155346	10/1/2015 9:00	FALSE	0.332		675.282		28.671		0.904	
TPSWC-1T_AT_155346	10/1/2015 10:00	FALSE	0.348		706.566		28.799		0.905	
TPSWC-1T_AT_155346	10/1/2015 11:00	FALSE	0.343		696.564		28.961		0.929	
TPSWC-1T_AT_155346	10/1/2015 12:00	FALSE	0.339		689.821		28.62		0.909	
TPSWC-1T_AT_155346	10/1/2015 13:00	FALSE	0.356		722.231		28.679		0.905	
TPSWC-1T_AT_155346	10/1/2015 14:00	FALSE	0.347		704.491		28.641		0.904	
TPSWC-1T_AT_155346	10/1/2015 15:00	FALSE	0.346		703.639		28.712		0.902	
TPSWC-1T_AT_155346	10/1/2015 16:00	FALSE	0.35		709.986		28.649		0.898	
TPSWC-1T_AT_155346	10/1/2015 17:00	FALSE	0.351		712.788		28.742		0.896	
TPSWC-1T_AT_155346	10/1/2015 18:00	FALSE	0.351		713.618		28.748		0.895	
TPSWC-1T_AT_155346	10/1/2015 19:00	FALSE	0.354		719.372		28.826		0.895	
TPSWC-1T_AT_155346	10/1/2015 20:00	FALSE	0.355		720.345		28.88		0.881	
TPSWC-1T_AT_155346	10/1/2015 21:00	FALSE	0.376		761.173		29.051		0.891	
TPSWC-1T_AT_155346	10/1/2015 22:00	FALSE	0.381		772.519		29.193		0.891	
TPSWC-1T_AT_155346	10/1/2015 23:00	FALSE	0.358		725.72		29.295		0.891	
TPSWC-1T_AT_155346	10/2/2015 0:00	FALSE	0.36		730.478		29.226		0.891	
TPSWC-1T_AT_155346	10/2/2015 1:00	FALSE	0.361		732.346		29.139		0.891	
TPSWC-1T_AT_155346	10/2/2015 2:00	FALSE	0.363		737.086		29.049		0.891	
TPSWC-1T_AT_155346	10/2/2015 3:00	FALSE	0.364		737.633		28.949		0.89	
TPSWC-1T_AT_155346	10/2/2015 4:00	FALSE	0.365		740.94		28.854		0.889	
TPSWC-1T_AT_155346	10/2/2015 5:00	FALSE	0.364		739.09		28.753		0.888	
TPSWC-1T_AT_155346	10/2/2015 6:00	FALSE	0.361		732.962		28.659		0.886	
TPSWC-1T_AT_155346	10/2/2015 7:00	FALSE	0.362		733.348		28.575		0.884	
TPSWC-1T_AT_155346	10/2/2015 8:00	FALSE	0.371		752.034		28.536		0.884	
TPSWC-1T_AT_155346	10/2/2015 9:00	FALSE	0.38		769.118		28.583		0.884	
TPSWC-1T_AT_155346	10/2/2015 10:00	FALSE	0.38		770.049		28.69		0.881	
TPSWC-1T_AT_155346	10/2/2015 11:00	FALSE	0.38		768.797		28.76		0.905	
TPSWC-1T_AT_155346	10/2/2015 12:00	FALSE	0.37		749.138		28.562		0.886	
TPSWC-1T_AT_155346	10/2/2015 13:00	FALSE	0.371		751.513		28.703		0.887	
TPSWC-1T_AT_155346	10/2/2015 14:00	FALSE	0.373		755.361		28.574		0.882	
TPSWC-1T_AT_155346	10/2/2015 15:00	FALSE	0.372		753.469		28.641		0.88	
TPSWC-1T_AT_155346	10/2/2015 16:00	FALSE	0.384		778.314		28.846		0.879	
TPSWC-1T_AT_155346	10/									

TPSWC-1T_AT_155346	10/2/2015 21:00	FALSE	0.398	805.194	29.087	0.877
TPSWC-1T_AT_155346	10/2/2015 22:00	FALSE	0.392	792.355	29.191	0.877
TPSWC-1T_AT_155346	10/2/2015 23:00	FALSE	0.391	790.833	29.074	0.874
TPSWC-1T_AT_155346	10/3/2015 0:00	FALSE	0.393	794.573	29	0.87
TPSWC-1T_AT_155346	10/3/2015 1:00	FALSE	0.395	798.444	28.934	0.87
TPSWC-1T_AT_155346	10/3/2015 2:00	FALSE	0.396	801.544	28.857	0.87
TPSWC-1T_AT_155346	10/3/2015 3:00	FALSE	0.396	801.57	28.766	0.869
TPSWC-1T_AT_155346	10/3/2015 4:00	FALSE	0.397	803.263	28.674	0.87
TPSWC-1T_AT_155346	10/3/2015 5:00	FALSE	0.399	806.468	28.579	0.868
TPSWC-1T_AT_155346	10/3/2015 6:00	FALSE	0.399	805.939	28.485	0.867
TPSWC-1T_AT_155346	10/3/2015 7:00	FALSE	0.401	810.915	28.383	0.866
TPSWC-1T_AT_155346	10/3/2015 8:00	FALSE	0.403	815.13	28.337	0.865
TPSWC-1T_AT_155346	10/3/2015 9:00	FALSE	0.407	821.715	28.338	0.866
TPSWC-1T_AT_155346	10/3/2015 10:00	FALSE	0.408	824.505	28.443	0.867
TPSWC-1T_AT_155346	10/3/2015 11:00	FALSE	0.408	824.23	28.464	0.869
TPSWC-1T_AT_155346	10/3/2015 12:00	FALSE	0.4	808.294	28.401	0.871
TPSWC-1T_AT_155346	10/3/2015 13:00	FALSE	0.408	823.65	28.589	0.875
TPSWC-1T_AT_155346	10/3/2015 14:00	FALSE	0.408	823.611	28.922	0.869
TPSWC-1T_AT_155346	10/3/2015 15:00	FALSE	0.402	813.175	29.314	0.868
TPSWC-1T_AT_155346	10/3/2015 16:00	FALSE	0.396	800.024	29.527	0.87
TPSWC-1T_AT_155346	10/3/2015 17:00	FALSE	0.395	799.375	29.73	0.867
TPSWC-1T_AT_155346	10/3/2015 18:00	FALSE	0.415	837.287	29.587	0.864
TPSWC-1T_AT_155346	10/3/2015 19:00	FALSE	0.415	838.645	29.374	0.863
TPSWC-1T_AT_155346	10/3/2015 20:00	FALSE	0.415	837.725	29.226	0.858
TPSWC-1T_AT_155346	10/3/2015 21:00	FALSE	0.415	838.046	29.096	0.856
TPSWC-1T_AT_155346	10/3/2015 22:00	FALSE	0.417	840.976	28.977	0.85
TPSWC-1T_AT_155346	10/3/2015 23:00	FALSE	0.417	841.73	28.851	0.848
TPSWC-1T_AT_155346	10/4/2015 0:00	FALSE	0.418	844.032	28.71	0.846
TPSWC-1T_AT_155346	10/4/2015 1:00	FALSE	0.419	845.289	28.581	0.845
TPSWC-1T_AT_155346	10/4/2015 2:00	FALSE	0.42	848.108	28.471	0.845
TPSWC-1T_AT_155346	10/4/2015 3:00	FALSE	0.421	848.386	28.357	0.844
TPSWC-1T_AT_155346	10/4/2015 4:00	FALSE	0.421	849.649	28.248	0.843
TPSWC-1T_AT_155346	10/4/2015 5:00	FALSE	0.422	851.15	28.13	0.843
TPSWC-1T_AT_155346	10/4/2015 6:00	FALSE	0.423	853.289	28.006	0.842
TPSWC-1T_AT_155346	10/4/2015 7:00	FALSE	0.424	855.434	27.884	0.839
TPSWC-1T_AT_155346	10/4/2015 8:00	FALSE	0.423	853.104	27.807	0.837
TPSWC-1T_AT_155346	10/4/2015 9:00	FALSE	0.426	859.232	27.757	0.836
TPSWC-1T_AT_155346	10/4/2015 10:00	FALSE	0.426	857.927	27.877	0.838
TPSWC-1T_AT_155346	10/4/2015 11:00	FALSE	0.431	867.839	27.762	0.853
TPSWC-1T_AT_155346	10/4/2015 12:00	FALSE	0.435	877.038	27.66	0.841
TPSWC-1T_AT_155346	10/4/2015 13:00	FALSE	0.419	845.534	27.978	0.838
TPSWC-1T_AT_155346	10/4/2015 14:00	FALSE	0.422	850.707	28.769	0.842
TPSWC-1T_AT_155346	10/4/2015 15:00	FALSE	0.428	862.674	29.097	0.841
TPSWC-1T_AT_155346	10/4/2015 16:00	FALSE	0.429	865.626	29.305	0.838
TPSWC-1T_AT_155346	10/4/2015 17:00	FALSE	0.43	867.851	29.192	0.838
TPSWC-1T_AT_155346	10/4/2015 18:00	FALSE	0.43	867.488	29.012	0.835
TPSWC-1T_AT_155346	10/4/2015 19:00	FALSE	0.431	868.351	28.874	0.833
TPSWC-1T_AT_155346	10/4/2015 20:00	FALSE	0.431	868.847	28.774	0.83
TPSWC-1T_AT_155346	10/4/2015 21:00	FALSE	0.431	869.043	28.641	0.829
TPSWC-1T_AT_155346	10/4/2015 22:00	FALSE	0.431	869.137	28.518	0.827
TPSWC-1T_AT_155346	10/4/2015 23:00	FALSE	0.431	869.402	28.405	0.826
TPSWC-1T_AT_155346	10/5/2015 0:00	FALSE	0.431	869.318	28.298	0.823

WaterLevel (ft)

