

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	10/5/2015 0:00	FALSE	0.431		869.318		28.298		0.823	
TPSWC-1T_AT_155346	10/5/2015 1:00	FALSE	0.432		869.932		28.189		0.822	
TPSWC-1T_AT_155346	10/5/2015 2:00	FALSE	0.432		870.48		28.07		0.822	
TPSWC-1T_AT_155346	10/5/2015 3:00	FALSE	0.432		871.107		27.967		0.821	
TPSWC-1T_AT_155346	10/5/2015 4:00	FALSE	0.433		871.464		27.843		0.821	
TPSWC-1T_AT_155346	10/5/2015 5:00	FALSE	0.433		872.281		27.71		0.82	
TPSWC-1T_AT_155346	10/5/2015 6:00	FALSE	0.434		873.39		27.612		0.82	
TPSWC-1T_AT_155346	10/5/2015 7:00	FALSE	0.434		873.59		27.522		0.818	
TPSWC-1T_AT_155346	10/5/2015 8:00	FALSE	0.434		874.342		27.486		0.815	
TPSWC-1T_AT_155346	10/5/2015 9:00	FALSE	0.435		875.322		27.474		0.81	
TPSWC-1T_AT_155346	10/5/2015 10:00	FALSE	0.435		876.136		27.542		0.811	
TPSWC-1T_AT_155346	10/5/2015 11:00	FALSE	0.435		875.623		27.588		0.837	
TPSWC-1T_AT_155346	10/5/2015 12:00	FALSE	0.437		881.117		28.119		0.818	
TPSWC-1T_AT_155346	10/5/2015 13:00	FALSE	0.44		886.889		28.442		0.816	
TPSWC-1T_AT_155346	10/5/2015 14:00	FALSE	0.44		886.58		28.554		0.816	
TPSWC-1T_AT_155346	10/5/2015 15:00	FALSE	0.442		890.955		28.702		0.815	
TPSWC-1T_AT_155346	10/5/2015 16:00	FALSE	0.443		891.621		28.76		0.812	
TPSWC-1T_AT_155346	10/5/2015 17:00	FALSE	0.444		894.307		28.784		0.813	
TPSWC-1T_AT_155346	10/5/2015 18:00	FALSE	0.445		896.157		28.642		0.809	
TPSWC-1T_AT_155346	10/5/2015 19:00	FALSE	0.446		896.793		28.528		0.807	
TPSWC-1T_AT_155346	10/5/2015 20:00	FALSE	0.446		897.01		28.424		0.804	
TPSWC-1T_AT_155346	10/5/2015 21:00	FALSE	0.446		897.17		28.333		0.802	
TPSWC-1T_AT_155346	10/5/2015 22:00	FALSE	0.446		897.128		28.251		0.801	
TPSWC-1T_AT_155346	10/5/2015 23:00	FALSE	0.446		896.753		28.164		0.799	
TPSWC-1T_AT_155346	10/6/2015 0:00	FALSE	0.445		896.57		28.07		0.798	
TPSWC-1T_AT_155346	10/6/2015 1:00	FALSE	0.446		896.615		27.97		0.796	
TPSWC-1T_AT_155346	10/6/2015 2:00	FALSE	0.446		897.366		27.887		0.795	
TPSWC-1T_AT_155346	10/6/2015 3:00	FALSE	0.446		898.276		27.803		0.796	
TPSWC-1T_AT_155346	10/6/2015 4:00	FALSE	0.446		896.877		27.722		0.795	
TPSWC-1T_AT_155346	10/6/2015 5:00	FALSE	0.445		896.075		27.638		0.794	
TPSWC-1T_AT_155346	10/6/2015 6:00	FALSE	0.445		895.75		27.55		0.793	
TPSWC-1T_AT_155346	10/6/2015 7:00	FALSE	0.444		893.814		27.46		0.792	
TPSWC-1T_AT_155346	10/6/2015 8:00	FALSE	0.443		890.88		27.412		0.791	
TPSWC-1T_AT_155346	10/6/2015 9:00	FALSE	0.443		892.284		27.415		0.79	
TPSWC-1T_AT_155346	10/6/2015 10:00	FALSE	0.443		890.915		27.509		0.79	
TPSWC-1T_AT_155346	10/6/2015 11:00	FALSE	0.44		885.878		27.552		0.788	
TPSWC-1T_AT_155346	10/6/2015 12:00	FALSE	0.437		879.104		27.643		0.791	
TPSWC-1T_AT_155346	10/6/2015 13:00	FALSE	0.437		879.722		27.859		0.788	
TPSWC-1T_AT_155346	10/6/2015 14:00	FALSE	0.438		874.476		27.775		0.787	
TPSWC-1T_AT_155346	10/6/2015 15:00	FALSE	0.435		876.646		28.035		0.787	
TPSWC-1T_AT_155346	10/6/2015 16:00	FALSE	0.437		880.366		28.515		0.79	
TPSWC-1T_AT_155346	10/6/2015 17:00	FALSE	0.442		889.535		28.845		0.788	
TPSWC-1T_AT_155346	10/6/2015 18:00	FALSE	0.447		899.512		28.811		0.787	
TPSWC-1T_AT_155346	10/6/2015 19:00	FALSE	0.447		899.069		28.696		0.79	
TPSWC-1T_AT_155346	10/6/2015 20:00	FALSE	0.453		911.856		28.533		0.788	
TPSWC-1T_AT_155346	10/6/2015 21:00	FALSE	0.454		912.5		28.416		0.785	
TPSWC-1T_AT_155346	10/6/2015 22:00	FALSE	0.453		911.061		28.33		0.783	
TPSWC-1T_AT_155346	10/6/2015 23:00	FALSE	0.452		909.64		28.256		0.782	
TPSWC-1T_AT_155346	10/7/2015 0:00	FALSE	0.451		907.787		28.17		0.779	
TPSWC-1T_AT_155346	10/7/2015 1:00	FALSE	0.45		905.168		28.086		0.779	
TPSWC-1T_AT_155346	10/7/2015 2:00	FALSE	0.448		902.152		28.014		0.778	
TPSWC-1T_AT_155346	10/7/2015 3:00	FALSE	0.446		897.941		27.926		0.777	
TPSWC-1T_AT_155346	10/7/2015 4:00	FALSE	0.445		895		27.83		0.776	
TPSWC-1T_AT_155346	10/7/2015 5:00	FALSE	0.443		892.23		27.736		0.776	
TPSWC-1T_AT_155346	10/7/2015 6:00	FALSE	0.444		893.536		27.641		0.775	
TPSWC-1T_AT_155346	10/7/2015 7:00	FALSE	0.444		892.924		27.553		0.774	
TPSWC-1T_AT_155346	10/7/2015 8:00	FALSE	0.443		891.799		27.51		0.773	
TPSWC-1T_AT_155346	10/7/2015 9:00	FALSE	0.445		894.695		27.442		0.772	
TPSWC-1T_AT_155346	10/7/2015 10:00	FALSE	0.446		897.315		27.528		0.766	
TPSWC-1T_AT_155346	10/7/2015 11:00	FALSE	0.446		898.435		27.682		0.789	
TPSWC-1T_AT_155346	10/7/2015 12:00	FALSE	0.447		900.005		27.553		0.769	
TPSWC-1T_AT_155346	10/7/2015 13:00	FALSE	0.462		928.375		27.413		0.766	
TPSWC-1T_AT_155346	10/7/2015 14:00	FALSE	0.449		903.309		27.587		0.767	
TPSWC-1T_AT_155346	10/7/2015 15:00	FALSE	0.439		884.454		28.563		0.766	
TPSWC-1T_AT_155346	10/7/2015 16:00	FALSE	0.441		887.462		28.916		0.764	
TPSWC-1T_AT_155346	10/7/2015 17:00	FALSE	0.439		883.785		28.808		0.764	
TPSWC-1T_AT_155346	10/7/2015 18:00	FALSE	0.439		883.894		28.656		0.763	
TPSWC-1T_AT_155346	10/7/2015 19:00	FALSE	0.438		882.618		28.392		0.762	
TPSWC-1T_AT_155346	10/7/2015 20:00	FALSE	0.44		886.167		28.382		0.761	
TPSWC-1T_AT_155346	10/7/2015 21:00	FALSE	0.442		889.312		28.336		0.76	
TPSWC-1T_AT_155346	10/7/2015 22:00	FALSE	0.442		889.208		28.242		0.759	
TPSWC-1T_AT_155346	10/7/2015 23:00	FALSE	0.443		891.381		28.298		0.759	
TPSWC-1T_AT_155346	10/8/2015 0:00	FALSE	0.442		889.094		28.361		0.758	
TPSWC-1T_AT_155346	10/8/2015 1:00	FALSE	0.442		890.177		28.309		0.756	
TPSWC-1T_AT_155346	10/8/2015 2:00	FALSE	0.443		891.825		28.217		0.757	
TPSWC-1T_AT_155346	10/8/2015 3:00	FALSE	0.443		891.196		28.122		0.757	
TPSWC-1T_AT_155346	10/8/2015 4:00	FALSE	0.442		890.656		28.025		0.756	
TPSWC-1T_AT_155346	10/8/2015 5:00	FALSE	0.441		887.047		27.939		0.756	
TPSWC-1T_AT_155346	10/8/2015 6:00	FALSE	0.44		885.307		27.832		0.755	
TPSWC-1T_AT_155346	10/8/2015 7:00	FALSE	0.44		885.387		27.741		0.754	
TPSWC-1T_AT_155346	10/8/2015 8:00	FALSE	0.435		876.418		27.688		0.754	
TPSWC-1T_AT_155346	10/8/2015 9:00	FALSE	0.446		896.63		27.723		0.753	
TPSWC-1T_AT_155346	10/8/2015 10:00	FALSE	0.454		913.703		27.668		0.751	
TPSWC-1T_AT_155346	10/8/2015 11:00	FALSE	0.453		911.088		27.734		0.748	
TPSWC-1T_AT_155346	10/8/2015 12:00	FALSE	0.458		920.222		27.811		0.747	
TPSWC-1T_AT_155346	10/8/2015 13:00	FALSE	0.456		917.036		27.946		0.744	
TPSWC-1T_AT_155346	10/8/2015 14:00	FALSE	0.452		910.125		28.103		0.743	
TPSWC-1T_AT_155346	10/8/2015 15:00	FALSE	0.457		918.044		28.226		0.743	
TPSWC-1T_AT_155346	10/8/2015 16:00	FALSE	0.453		910.546		28.341		0.744	
TPSWC-1T_AT_155346	10/8/2015 17:00	FALSE	0.451		906.78		28.4		0.743	
TPSWC-1T_AT_155346	10/8/2015 18:00	FALSE	0.456		917.091		28.323		0.743	
TPSWC-1T_AT_155346	10/8/2015 19:00	FALSE	0.456		916.277		28.375		0.743	
TPSWC-1T_AT_155346	10/8/2015 20:00	FALSE	0.456		917.693		28.35		0.743	
TPSWC-1T_AT_155346	10/8/2015 21:00	FALSE	0.458		920.697		28.326		0.742	
TPSWC-1T_AT_155346	10/8/2015 22:00	FALSE	0.456		916.6		28.32		0.741	
TPSWC-1T_AT_155346	10/8/2015 23:00	FALSE	0.456		916.173		28.342		0.741	
TPSWC-1T_AT_155346	10/9/2015 0:00	FALSE	0.455		914.515		28.374		0.741	
TPSWC-1T_AT_155346	10/9/2015 1:00	FALSE	0.448		902.253		28.435		0.74	
TPSWC-1T_AT_155346	10/9/2015 2:00	FALSE	0.442		889.08		28.534		0.736	
TPSWC-1T_AT_155346	10/9/2015 3:00	FALSE	0.434		873.706		28.477		0.736	
TPSWC-1T_AT_155346	10/9/2015 4:00	FALSE	0.437		880.039		28.382		0.734	
TPSWC-1T_AT_155346	10/9/2015 5:00	FALSE	0.438		882.117		28.296		0.735	
TPSWC-1T_AT_155346	10/9/2015 6:00	FALSE	0.438		881.991		28.211		0.735	
TPSWC-1T_AT_155346	10/9/2015 7:00	FALSE	0.437		880.75		28.111		0.734	
TPSWC-1T_AT_155346	10/9/2015 8:00	FALSE	0.432		870.275		28.087		0.733	
TPSWC-1T_AT_155346	10/9/2015 9:00	FALSE	0.434		875.203		28.107		0.734	
TPSWC-1T_AT_155346	10/9/2015 10:00	FALSE	0.436		878.525		28.164		0.732	
TPSWC-1T_AT_155346	10/9/2015 11:00	FALSE	0.43		866.86		28.262		0.758	
TPSWC-1T_AT_155346	10/9/2015 12:00	FALSE	0.441		887.943		28.218		0.736	
TPSWC-1T_AT_155346	10/9/2015 13:00	FALSE	0.449		902.985		28.11		0.735	
TPSWC-1T_AT_155346	10/9/2015 14:00	FALSE	0.424		854.412		28.697		0.771	
TPSWC-1T_AT_155346	10/9/2015 15:00	FALSE	0.423		853.472		28.49		0.778	
TPSWC-1T_AT_155346	10/9/2015 16:00	FALSE	0.441		887.174		28.58		0.776	
TPSWC-1T_AT_155346	10/9/2015 17									

TPSWC-1T_AT_155346	10/9/2015 21:00	FALSE	0.427	860.969	28.844	0.774
TPSWC-1T_AT_155346	10/9/2015 22:00	FALSE	0.428	862.411	28.785	0.774
TPSWC-1T_AT_155346	10/9/2015 23:00	FALSE	0.426	858.494	28.72	0.774
TPSWC-1T_AT_155346	10/10/2015 0:00	FALSE	0.431	868.806	28.63	0.79
TPSWC-1T_AT_155346	10/10/2015 1:00	FALSE	0.436	877.849	28.547	0.79
TPSWC-1T_AT_155346	10/10/2015 2:00	FALSE	0.443	891.092	28.539	0.783
TPSWC-1T_AT_155346	10/10/2015 3:00	FALSE	0.443	892.513	28.519	0.78
TPSWC-1T_AT_155346	10/10/2015 4:00	FALSE	0.444	893.805	28.483	0.78
TPSWC-1T_AT_155346	10/10/2015 5:00	FALSE	0.444	893.831	28.395	0.783
TPSWC-1T_AT_155346	10/10/2015 6:00	FALSE	0.445	895.544	28.333	0.779
TPSWC-1T_AT_155346	10/10/2015 7:00	FALSE	0.446	897.503	28.273	0.78
TPSWC-1T_AT_155346	10/10/2015 8:00	FALSE	0.448	900.562	28.234	0.78
TPSWC-1T_AT_155346	10/10/2015 9:00	FALSE	0.449	903.095	28.242	0.78
TPSWC-1T_AT_155346	10/10/2015 10:00	FALSE	0.448	902.099	28.253	0.78
TPSWC-1T_AT_155346	10/10/2015 11:00	FALSE	0.447	900.268	28.365	0.814
TPSWC-1T_AT_155346	10/10/2015 12:00	FALSE	0.443	891.379	27.849	0.79
TPSWC-1T_AT_155346	10/10/2015 13:00	FALSE	0.433	871.59	28.107	0.788
TPSWC-1T_AT_155346	10/10/2015 14:00	FALSE	0.445	895.133	29.159	0.788
TPSWC-1T_AT_155346	10/10/2015 15:00	FALSE	0.443	891.905	29.622	0.788
TPSWC-1T_AT_155346	10/10/2015 16:00	FALSE	0.45	906.244	29.985	0.786
TPSWC-1T_AT_155346	10/10/2015 17:00	FALSE	0.451	908.653	30.148	0.786
TPSWC-1T_AT_155346	10/10/2015 18:00	FALSE	0.453	911.134	30.012	0.785
TPSWC-1T_AT_155346	10/10/2015 19:00	FALSE	0.452	909.242	29.87	0.783
TPSWC-1T_AT_155346	10/10/2015 20:00	FALSE	0.452	909.451	29.755	0.782
TPSWC-1T_AT_155346	10/10/2015 21:00	FALSE	0.446	898.959	29.641	0.782
TPSWC-1T_AT_155346	10/10/2015 22:00	FALSE	0.452	909.65	29.526	0.782
TPSWC-1T_AT_155346	10/10/2015 23:00	FALSE	0.444	893.535	29.417	0.781
TPSWC-1T_AT_155346	10/11/2015 0:00	FALSE	0.444	894.211	29.314	0.78
TPSWC-1T_AT_155346	10/11/2015 1:00	FALSE	0.452	908.977	29.208	0.779
TPSWC-1T_AT_155346	10/11/2015 2:00	FALSE	0.448	901.208	29.096	0.777
TPSWC-1T_AT_155346	10/11/2015 3:00	FALSE	0.447	900.031	28.985	0.773
TPSWC-1T_AT_155346	10/11/2015 4:00	FALSE	0.448	901.693	28.869	0.771
TPSWC-1T_AT_155346	10/11/2015 5:00	FALSE	0.45	904.59	28.743	0.772
TPSWC-1T_AT_155346	10/11/2015 6:00	FALSE	0.444	893.773	28.634	0.771
TPSWC-1T_AT_155346	10/11/2015 7:00	FALSE	0.438	882.606	28.525	0.772
TPSWC-1T_AT_155346	10/11/2015 8:00	FALSE	0.437	880.43	28.457	0.771
TPSWC-1T_AT_155346	10/11/2015 9:00	FALSE	0.444	893.784	28.399	0.77
TPSWC-1T_AT_155346	10/11/2015 10:00	FALSE	0.448	902.503	28.374	0.771
TPSWC-1T_AT_155346	10/11/2015 11:00	FALSE	0.452	908.584	28.542	0.788
TPSWC-1T_AT_155346	10/11/2015 12:00	FALSE	0.417	841.717	27.817	0.775
TPSWC-1T_AT_155346	10/11/2015 13:00	FALSE	0.401	810.536	27.983	0.773
TPSWC-1T_AT_155346	10/11/2015 14:00	FALSE	0.431	868.093	28.367	0.786
TPSWC-1T_AT_155346	10/11/2015 15:00	FALSE	0.435	876.603	28.589	0.801
TPSWC-1T_AT_155346	10/11/2015 16:00	FALSE	0.441	888.493	28.721	0.801
TPSWC-1T_AT_155346	10/11/2015 17:00	FALSE	0.436	879.262	28.692	0.8
TPSWC-1T_AT_155346	10/11/2015 18:00	FALSE	0.433	872.406	28.688	0.8
TPSWC-1T_AT_155346	10/11/2015 19:00	FALSE	0.437	880.498	28.594	0.801
TPSWC-1T_AT_155346	10/11/2015 20:00	FALSE	0.433	872.837	28.515	0.801
TPSWC-1T_AT_155346	10/11/2015 21:00	FALSE	0.434	874.733	28.445	0.802
TPSWC-1T_AT_155346	10/11/2015 22:00	FALSE	0.432	870.176	28.369	0.802
TPSWC-1T_AT_155346	10/11/2015 23:00	FALSE	0.434	874.574	28.296	0.802
TPSWC-1T_AT_155346	10/12/2015 0:00	FALSE	0.437	879.974	28.205	0.801

WaterLevel (ft)

