

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	10/12/2015 0:00	FALSE	0.437		879.974		28.205		0.801	
TPSWC-1T_AT_155346	10/12/2015 1:00	FALSE	0.442		890.281		28.114		0.801	
TPSWC-1T_AT_155346	10/12/2015 2:00	FALSE	0.433		872.294		28.024		0.801	
TPSWC-1T_AT_155346	10/12/2015 3:00	FALSE	0.439		884.38		27.92		0.794	
TPSWC-1T_AT_155346	10/12/2015 4:00	FALSE	0.437		880.363		27.822		0.793	
TPSWC-1T_AT_155346	10/12/2015 5:00	FALSE	0.435		877.082		27.715		0.793	
TPSWC-1T_AT_155346	10/12/2015 6:00	FALSE	0.434		874.919		27.633		0.792	
TPSWC-1T_AT_155346	10/12/2015 7:00	FALSE	0.43		867.093		27.548		0.791	
TPSWC-1T_AT_155346	10/12/2015 8:00	FALSE	0.433		871.666		27.499		0.791	
TPSWC-1T_AT_155346	10/12/2015 9:00	FALSE	0.434		875.04		27.483		0.79	
TPSWC-1T_AT_155346	10/12/2015 10:00	FALSE	0.429		863.832		27.569		0.791	
TPSWC-1T_AT_155346	10/12/2015 11:00	FALSE	0.433		873.035		27.62		0.821	
TPSWC-1T_AT_155346	10/12/2015 12:00	FALSE	0.405		818.094		27.445		0.801	
TPSWC-1T_AT_155346	10/12/2015 13:00	FALSE	0.396		800.91		27.441		0.801	
TPSWC-1T_AT_155346	10/12/2015 14:00	FALSE	0.407		821.787		27.621		0.797	
TPSWC-1T_AT_155346	10/12/2015 15:00	FALSE	0.401		810.218		27.612		0.798	
TPSWC-1T_AT_155346	10/12/2015 16:00	FALSE	0.425		856.328		28.205		0.798	
TPSWC-1T_AT_155346	10/12/2015 17:00	FALSE	0.43		867.821		29.123		0.798	
TPSWC-1T_AT_155346	10/12/2015 18:00	FALSE	0.434		874.427		29.085		0.797	
TPSWC-1T_AT_155346	10/12/2015 19:00	FALSE	0.435		875.789		28.995		0.796	
TPSWC-1T_AT_155346	10/12/2015 20:00	FALSE	0.436		877.679		28.892		0.795	
TPSWC-1T_AT_155346	10/12/2015 21:00	FALSE	0.435		875.709		28.783		0.795	
TPSWC-1T_AT_155346	10/12/2015 22:00	FALSE	0.433		871.731		28.673		0.793	
TPSWC-1T_AT_155346	10/12/2015 23:00	FALSE	0.431		869.239		28.56		0.794	
TPSWC-1T_AT_155346	10/13/2015 0:00	FALSE	0.432		869.681		28.449		0.793	
TPSWC-1T_AT_155346	10/13/2015 1:00	FALSE	0.434		873.483		28.336		0.792	
TPSWC-1T_AT_155346	10/13/2015 2:00	FALSE	0.435		875.6		28.227		0.79	
TPSWC-1T_AT_155346	10/13/2015 3:00	FALSE	0.433		872.661		28.108		0.784	
TPSWC-1T_AT_155346	10/13/2015 4:00	FALSE	0.432		869.897		28.007		0.782	
TPSWC-1T_AT_155346	10/13/2015 5:00	FALSE	0.432		870.921		27.907		0.781	
TPSWC-1T_AT_155346	10/13/2015 6:00	FALSE	0.429		864.02		27.796		0.781	
TPSWC-1T_AT_155346	10/13/2015 7:00	FALSE	0.429		863.603		27.687		0.779	
TPSWC-1T_AT_155346	10/13/2015 8:00	FALSE	0.421		849.164		27.624		0.779	
TPSWC-1T_AT_155346	10/13/2015 9:00	FALSE	0.429		865.398		27.584		0.778	
TPSWC-1T_AT_155346	10/13/2015 10:00	FALSE	0.421		848.52		27.63		0.777	
TPSWC-1T_AT_155346	10/13/2015 11:00	FALSE	0.426		859.242		27.626		0.804	
TPSWC-1T_AT_155346	10/13/2015 12:00	FALSE	0.378		765.6		27.4		0.784	
TPSWC-1T_AT_155346	10/13/2015 13:00	FALSE	0.377		763.163		27.364		0.781	
TPSWC-1T_AT_155346	10/13/2015 14:00	FALSE	0.389		787.68		27.569		0.783	
TPSWC-1T_AT_155346	10/13/2015 15:00	FALSE	0.422		850.46		28.631		0.781	
TPSWC-1T_AT_155346	10/13/2015 16:00	FALSE	0.426		859.464		29.37		0.781	
TPSWC-1T_AT_155346	10/13/2015 17:00	FALSE	0.427		860.955		29.471		0.783	
TPSWC-1T_AT_155346	10/13/2015 18:00	FALSE	0.425		856.662		29.382		0.781	
TPSWC-1T_AT_155346	10/13/2015 19:00	FALSE	0.427		860.886		29.298		0.778	
TPSWC-1T_AT_155346	10/13/2015 20:00	FALSE	0.427		860.273		29.215		0.778	
TPSWC-1T_AT_155346	10/13/2015 21:00	FALSE	0.425		858.008		29.034		0.799	
TPSWC-1T_AT_155346	10/13/2015 22:00	FALSE	0.421		849.131		28.898		0.796	
TPSWC-1T_AT_155346	10/13/2015 23:00	FALSE	0.422		850.368		28.76		0.794	
TPSWC-1T_AT_155346	10/14/2015 0:00	FALSE	0.416		839.218		28.579		0.793	
TPSWC-1T_AT_155346	10/14/2015 1:00	FALSE	0.415		838.112		28.427		0.792	
TPSWC-1T_AT_155346	10/14/2015 2:00	FALSE	0.398		805.415		28.255		0.79	
TPSWC-1T_AT_155346	10/14/2015 3:00	FALSE	0.395		799.091		28.157		0.789	
TPSWC-1T_AT_155346	10/14/2015 4:00	FALSE	0.391		791.011		28.057		0.777	
TPSWC-1T_AT_155346	10/14/2015 5:00	FALSE	0.396		800.448		27.959		0.779	
TPSWC-1T_AT_155346	10/14/2015 6:00	FALSE	0.411		830.606		27.935		0.778	
TPSWC-1T_AT_155346	10/14/2015 7:00	FALSE	0.412		831.988		27.864		0.776	
TPSWC-1T_AT_155346	10/14/2015 8:00	FALSE	0.409		826.551		27.815		0.775	
TPSWC-1T_AT_155346	10/14/2015 9:00	FALSE	0.402		811.516		27.796		0.774	
TPSWC-1T_AT_155346	10/14/2015 10:00	FALSE	0.392		792.9		27.837		0.774	
TPSWC-1T_AT_155346	10/14/2015 11:00	FALSE	0.399		805.467		27.932		0.8	
TPSWC-1T_AT_155346	10/14/2015 12:00	FALSE	0.387		782.964		27.761		0.78	
TPSWC-1T_AT_155346	10/14/2015 13:00	FALSE	0.373		755.708		28.551		0.817	
TPSWC-1T_AT_155346	10/14/2015 14:00	FALSE	0.326		663.005		27.834		0.833	
TPSWC-1T_AT_155346	10/14/2015 15:00	FALSE	0.417		845.4		27.772		0.87	
TPSWC-1T_AT_155346	10/14/2015 16:00	FALSE	0.327		665.548		27.894		0.864	
TPSWC-1T_AT_155346	10/14/2015 17:00	FALSE	0.319		649.067		27.84		0.861	
TPSWC-1T_AT_155346	10/14/2015 18:00	FALSE	0.313		637.047		27.925		0.86	
TPSWC-1T_AT_155346	10/14/2015 19:00	FALSE	0.326		663.787		28.309		0.859	
TPSWC-1T_AT_155346	10/14/2015 20:00	FALSE	0.325		661.109		28.242		0.856	
TPSWC-1T_AT_155346	10/14/2015 21:00	FALSE	0.326		662.809		28.4		0.855	
TPSWC-1T_AT_155346	10/14/2015 22:00	FALSE	0.342		695.167		28.459		0.855	
TPSWC-1T_AT_155346	10/14/2015 23:00	FALSE	0.361		732.97		28.538		0.854	
TPSWC-1T_AT_155346	10/15/2015 0:00	FALSE	0.351		713.663		28.437		0.852	
TPSWC-1T_AT_155346	10/15/2015 1:00	FALSE	0.351		713.311		28.342		0.851	
TPSWC-1T_AT_155346	10/15/2015 2:00	FALSE	0.354		718.516		28.343		0.838	
TPSWC-1T_AT_155346	10/15/2015 3:00	FALSE	0.357		724.3		28.261		0.841	
TPSWC-1T_AT_155346	10/15/2015 4:00	FALSE	0.358		726.065		28.185		0.84	
TPSWC-1T_AT_155346	10/15/2015 5:00	FALSE	0.357		725.094		28.104		0.838	
TPSWC-1T_AT_155346	10/15/2015 6:00	FALSE	0.356		722.2		28.01		0.836	
TPSWC-1T_AT_155346	10/15/2015 7:00	FALSE	0.36		730.828		27.926		0.834	
TPSWC-1T_AT_155346	10/15/2015 8:00	FALSE	0.365		740.587		27.862		0.832	
TPSWC-1T_AT_155346	10/15/2015 9:00	FALSE	0.376		761.607		27.813		0.831	
TPSWC-1T_AT_155346	10/15/2015 10:00	FALSE	0.38		769.881		27.884		0.826	
TPSWC-1T_AT_155346	10/15/2015 11:00	FALSE	0.365		739.361		27.712		0.849	
TPSWC-1T_AT_155346	10/15/2015 12:00	FALSE	0.345		700.055		27.584		0.826	
TPSWC-1T_AT_155346	10/15/2015 13:00	FALSE	0.329		670.245		27.5		0.825	
TPSWC-1T_AT_155346	10/15/2015 14:00	FALSE	0.326		663.789		27.543		0.824	
TPSWC-1T_AT_155346	10/15/2015 15:00	FALSE	0.329		669.975		27.471		0.822	
TPSWC-1T_AT_155346	10/15/2015 16:00	FALSE	0.331		672.955		27.437		0.821	
TPSWC-1T_AT_155346	10/15/2015 17:00	FALSE	0.333		677.598		27.379		0.817	
TPSWC-1T_AT_155346	10/15/2015 18:00	FALSE	0.339		688.112		27.379		0.816	
TPSWC-1T_AT_155346	10/15/2015 19:00	FALSE	0.353		715.675		27.374		0.812	
TPSWC-1T_AT_155346	10/15/2015 20:00	FALSE	0.364		738.031		27.261		0.812	
TPSWC-1T_AT_155346	10/15/2015 21:00	FALSE	0.346		701.94		27.264		0.809	
TPSWC-1T_AT_155346	10/15/2015 22:00	FALSE	0.352		714.22		27.198		0.808	
TPSWC-1T_AT_155346	10/15/2015 23:00	FALSE	0.368		745.876		27.125		0.806	
TPSWC-1T_AT_155346	10/16/2015 0:00	FALSE	0.393		793.696		27.05		0.804	
TPSWC-1T_AT_155346	10/16/2015 1:00	FALSE	0.407		820.892		27.03		0.805	
TPSWC-1T_AT_155346	10/16/2015 2:00	FALSE	0.418		843.27		26.996		0.802	
TPSWC-1T_AT_155346	10/16/2015 3:00	FALSE	0.424		854.383		26.946		0.803	
TPSWC-1T_AT_155346	10/16/2015 4:00	FALSE	0.424		855.03		26.903		0.789	
TPSWC-1T_AT_155346	10/16/2015 5:00	FALSE	0.423		852.116		26.884		0.794	
TPSWC-1T_AT_155346	10/16/2015 6:00	FALSE	0.421		849.505		26.877		0.794	
TPSWC-1T_AT_155346	10/16/2015 7:00	FALSE	0.417		841.571		26.852		0.792	
TPSWC-1T_AT_155346	10/16/2015 8:00	FALSE	0.417		841.347		26.836		0.795	
TPSWC-1T_AT_155346	10/16/2015 9:00	FALSE	0.415		838.089		26.823		0.797	
TPSWC-1T_AT_155346	10/16/2015 10:00	FALSE	0.414		836.098		26.841		0.8	
TPSWC-1T_AT_155346	10/16/2015 11:00	FALSE	0.413		833.627		26.849		0.83	
TPSWC-1T_AT_155346	10/16/2015 12:00	FALSE	0.417		840.487		26.881		0.814	
TPSWC-1T_AT_155346	10/16/2015 13:00	FALSE	0.417		841.27		26.829		0.823	
TPSWC-1T_AT_155346	10/16/2015 14:00	FALSE	0.415		837.51		26.821		0.829	
TPSWC-1T_AT_155346	10/16/2015 15:00	FALSE	0.415		837.023		26.798		0.837	
TPSWC-1T_AT_155346	10/16/20									

TPSWC-1T_AT_155346	10/16/2015 21:00	FALSE	0.405	816.86	26.582	0.848
TPSWC-1T_AT_155346	10/16/2015 22:00	FALSE	0.403	813.836	26.546	0.849
TPSWC-1T_AT_155346	10/16/2015 23:00	FALSE	0.402	811.382	26.529	0.851
TPSWC-1T_AT_155346	10/17/2015 0:00	FALSE	0.4	807.83	26.503	0.852
TPSWC-1T_AT_155346	10/17/2015 1:00	FALSE	0.398	804.667	26.476	0.854
TPSWC-1T_AT_155346	10/17/2015 2:00	FALSE	0.396	800.398	26.455	0.855
TPSWC-1T_AT_155346	10/17/2015 3:00	FALSE	0.395	798.057	26.422	0.855
TPSWC-1T_AT_155346	10/17/2015 4:00	FALSE	0.394	797.159	26.367	0.86
TPSWC-1T_AT_155346	10/17/2015 5:00	FALSE	0.391	790.801	26.329	0.855
TPSWC-1T_AT_155346	10/17/2015 6:00	FALSE	0.387	783.527	26.305	0.857
TPSWC-1T_AT_155346	10/17/2015 7:00	FALSE	0.386	780.183	26.292	0.857
TPSWC-1T_AT_155346	10/17/2015 8:00	FALSE	0.383	774.597	26.275	0.856
TPSWC-1T_AT_155346	10/17/2015 9:00	FALSE	0.381	771.113	26.296	0.85
TPSWC-1T_AT_155346	10/17/2015 10:00	FALSE	0.38	768.374	26.379	0.849
TPSWC-1T_AT_155346	10/17/2015 11:00	FALSE	0.379	767.213	26.438	0.871
TPSWC-1T_AT_155346	10/17/2015 12:00	FALSE	0.382	773.432	26.505	0.854
TPSWC-1T_AT_155346	10/17/2015 13:00	FALSE	0.382	772.395	26.619	0.851
TPSWC-1T_AT_155346	10/17/2015 14:00	FALSE	0.384	777.498	26.799	0.851
TPSWC-1T_AT_155346	10/17/2015 15:00	FALSE	0.385	778.397	26.878	0.85
TPSWC-1T_AT_155346	10/17/2015 16:00	FALSE	0.383	774.194	26.815	0.849
TPSWC-1T_AT_155346	10/17/2015 17:00	FALSE	0.383	773.941	26.771	0.849
TPSWC-1T_AT_155346	10/17/2015 18:00	FALSE	0.384	777.811	26.715	0.848
TPSWC-1T_AT_155346	10/17/2015 19:00	FALSE	0.39	787.704	26.631	0.845
TPSWC-1T_AT_155346	10/17/2015 20:00	FALSE	0.39	787.799	26.537	0.846
TPSWC-1T_AT_155346	10/17/2015 21:00	FALSE	0.39	788.419	26.475	0.843
TPSWC-1T_AT_155346	10/17/2015 22:00	FALSE	0.39	788.552	26.441	0.844
TPSWC-1T_AT_155346	10/17/2015 23:00	FALSE	0.389	785.86	26.413	0.845
TPSWC-1T_AT_155346	10/18/2015 0:00	FALSE	0.387	783.142	26.379	0.846
TPSWC-1T_AT_155346	10/18/2015 1:00	FALSE	0.385	779.559	26.328	0.846
TPSWC-1T_AT_155346	10/18/2015 2:00	FALSE	0.385	779.348	26.285	0.846
TPSWC-1T_AT_155346	10/18/2015 3:00	FALSE	0.386	780.005	26.229	0.848
TPSWC-1T_AT_155346	10/18/2015 4:00	FALSE	0.386	780.555	26.173	0.846
TPSWC-1T_AT_155346	10/18/2015 5:00	FALSE	0.386	781.091	26.116	0.845
TPSWC-1T_AT_155346	10/18/2015 6:00	FALSE	0.387	782.266	26.057	0.845
TPSWC-1T_AT_155346	10/18/2015 7:00	FALSE	0.387	783.398	25.999	0.842
TPSWC-1T_AT_155346	10/18/2015 8:00	FALSE	0.388	785.332	25.969	0.842
TPSWC-1T_AT_155346	10/18/2015 9:00	FALSE	0.389	786.932	26.019	0.84
TPSWC-1T_AT_155346	10/18/2015 10:00	FALSE	0.39	788.218	26.099	0.838
TPSWC-1T_AT_155346	10/18/2015 11:00	FALSE	0.392	791.701	26.296	0.857
TPSWC-1T_AT_155346	10/18/2015 12:00	FALSE	0.392	792.667	26.375	0.859
TPSWC-1T_AT_155346	10/18/2015 13:00	FALSE	0.392	791.586	26.533	0.831
TPSWC-1T_AT_155346	10/18/2015 14:00	FALSE	0.393	793.509	26.557	0.833
TPSWC-1T_AT_155346	10/18/2015 15:00	FALSE	0.395	798.355	26.586	0.828
TPSWC-1T_AT_155346	10/18/2015 16:00	FALSE	0.398	803.251	26.528	0.829
TPSWC-1T_AT_155346	10/18/2015 17:00	FALSE	0.397	802.211	26.439	0.827
TPSWC-1T_AT_155346	10/18/2015 18:00	FALSE	0.398	804.476	26.385	0.826
TPSWC-1T_AT_155346	10/18/2015 19:00	FALSE	0.399	805.219	26.295	0.826
TPSWC-1T_AT_155346	10/18/2015 20:00	FALSE	0.4	807.202	26.24	0.824
TPSWC-1T_AT_155346	10/18/2015 21:00	FALSE	0.4	808.698	26.199	0.825
TPSWC-1T_AT_155346	10/18/2015 22:00	FALSE	0.401	810.056	26.16	0.825
TPSWC-1T_AT_155346	10/18/2015 23:00	FALSE	0.401	809.919	26.131	0.823
TPSWC-1T_AT_155346	10/19/2015 0:00	FALSE	0.403	813.213	26.068	0.82
TPSWC-1T_AT_155346	10/19/2015 1:00	FALSE	0.407	820.614	26.011	0.832
TPSWC-1T_AT_155346	10/19/2015 2:00	FALSE	0.404	816.299	25.973	0.831
TPSWC-1T_AT_155346	10/19/2015 3:00	FALSE	0.404	816.023	25.925	0.83
TPSWC-1T_AT_155346	10/19/2015 4:00	FALSE	0.404	815.33	25.867	0.828
TPSWC-1T_AT_155346	10/19/2015 5:00	FALSE	0.404	815.867	25.817	0.827
TPSWC-1T_AT_155346	10/19/2015 6:00	FALSE	0.404	816.45	25.759	0.826
TPSWC-1T_AT_155346	10/19/2015 7:00	FALSE	0.405	818.19	25.698	0.827
TPSWC-1T_AT_155346	10/19/2015 8:00	FALSE	0.407	820.594	25.673	0.819
TPSWC-1T_AT_155346	10/19/2015 9:00	FALSE	0.408	822.943	25.691	0.816
TPSWC-1T_AT_155346	10/19/2015 10:00	FALSE	0.407	821.848	25.775	0.813
TPSWC-1T_AT_155346	10/19/2015 11:00	FALSE	0.408	823.49	25.897	0.833
TPSWC-1T_AT_155346	10/19/2015 12:00	FALSE	0.413	832.977	26.042	0.812
TPSWC-1T_AT_155346	10/19/2015 13:00	FALSE	0.414	835.369	26.12	0.807
TPSWC-1T_AT_155346	10/19/2015 14:00	FALSE	0.416	839.125	26.113	0.812
TPSWC-1T_AT_155346	10/19/2015 15:00	FALSE	0.422	850.54	26.152	0.807
TPSWC-1T_AT_155346	10/19/2015 16:00	FALSE	0.433	871.199	26.146	0.817
TPSWC-1T_AT_155346	10/19/2015 17:00	FALSE	0.442	888.769	26.119	0.813
TPSWC-1T_AT_155346	10/19/2015 18:00	FALSE	0.456	917.034	26.084	0.812
TPSWC-1T_AT_155346	10/19/2015 19:00	FALSE	0.462	927.295	26.033	0.808
TPSWC-1T_AT_155346	10/19/2015 20:00	FALSE	0.467	937.33	25.962	0.81
TPSWC-1T_AT_155346	10/19/2015 21:00	FALSE	0.471	944.813	25.895	0.815
TPSWC-1T_AT_155346	10/19/2015 22:00	FALSE	0.475	952.344	25.835	0.805
TPSWC-1T_AT_155346	10/19/2015 23:00	FALSE	0.475	953.805	25.766	0.814
TPSWC-1T_AT_155346	10/20/2015 0:00	FALSE	0.479	960.876	25.703	0.816
TPSWC-1T_AT_155346	10/20/2015 1:00	FALSE	0.478	959.758	25.619	0.812
TPSWC-1T_AT_155346	10/20/2015 2:00	FALSE	0.479	960.298	25.56	0.813
TPSWC-1T_AT_155346	10/20/2015 3:00	FALSE	0.478	959.149	25.497	0.819
TPSWC-1T_AT_155346	10/20/2015 4:00	FALSE	0.48	962.225	25.434	0.818
TPSWC-1T_AT_155346	10/20/2015 5:00	FALSE	0.482	965.862	25.367	0.82
TPSWC-1T_AT_155346	10/20/2015 6:00	FALSE	0.481	964.482	25.295	0.82
TPSWC-1T_AT_155346	10/20/2015 7:00	FALSE	0.482	966.033	25.246	0.821
TPSWC-1T_AT_155346	10/20/2015 8:00	FALSE	0.483	969.356	25.214	0.822
TPSWC-1T_AT_155346	10/20/2015 9:00	FALSE	0.482	967.195	25.227	0.82
TPSWC-1T_AT_155346	10/20/2015 10:00	FALSE	0.459	921.964	25.196	0.82
TPSWC-1T_AT_155346	10/20/2015 11:00	FALSE	0.46	923.376	25.321	0.825
TPSWC-1T_AT_155346	10/20/2015 12:00	FALSE	0.46	924.409	25.494	0.822
TPSWC-1T_AT_155346	10/20/2015 13:00	FALSE	0.471	946.031	25.777	0.82
TPSWC-1T_AT_155346	10/20/2015 14:00	FALSE	0.477	956.498	25.999	0.821
TPSWC-1T_AT_155346	10/20/2015 15:00	FALSE	0.477	957.332	26.112	0.823
TPSWC-1T_AT_155346	10/20/2015 16:00	FALSE	0.482	966.853	26.26	0.821
TPSWC-1T_AT_155346	10/20/2015 17:00	FALSE	0.479	961.164	26.192	0.824
TPSWC-1T_AT_155346	10/20/2015 18:00	FALSE	0.476	955.362	26.06	0.826
TPSWC-1T_AT_155346	10/20/2015 19:00	FALSE	0.474	950.706	25.918	0.826
TPSWC-1T_AT_155346	10/20/2015 20:00	FALSE	0.466	935.995	25.786	0.825
TPSWC-1T_AT_155346	10/20/2015 21:00	FALSE	0.457	918.756	25.685	0.826
TPSWC-1T_AT_155346	10/20/2015 22:00	FALSE	0.458	919.94	25.645	0.828
TPSWC-1T_AT_155346	10/20/2015 23:00	FALSE	0.459	921.304	25.606	0.827
TPSWC-1T_AT_155346	10/21/2015 0:00	FALSE	0.459	922.124	25.56	0.826
TPSWC-1T_AT_155346	10/21/2015 1:00	FALSE	0.461	925.324	25.516	0.83
TPSWC-1T_AT_155346	10/21/2015 2:00	FALSE	0.46	924.713	25.478	0.831
TPSWC-1T_AT_155346	10/21/2015 3:00	FALSE	0.46	923.503	25.435	0.832
TPSWC-1T_AT_155346	10/21/2015 4:00	FALSE	0.46	923.52	25.388	0.833
TPSWC-1T_AT_155346	10/21/2015 5:00	FALSE	0.46	923.308	25.334	0.834
TPSWC-1T_AT_155346	10/21/2015 6:00	FALSE	0.459	922.224	25.277	0.835
TPSWC-1T_AT_155346	10/21/2015 7:00	FALSE	0.459	922.528	25.216	0.835
TPSWC-1T_AT_155346	10/21/2015 8:00	FALSE	0.459	922.441	25.178	0.836
TPSWC-1T_AT_155346	10/21/2015 9:00	FALSE	0.454	911.988	25.229	0.832
TPSWC-1T_AT_155346	10/21/2015 10:00	FALSE	0.452	907.982	25.358	0.83
TPSWC-1T_AT_155346	10/21/2015 11:00	FALSE	0.451	906.34	25.502	0.852
TPSWC-1T_AT_155346	10/21/2015 12:00	FALSE	0.457	918.149	25.741	0.833
TPSWC-1T_AT_155346	10/21/2015 13:00	FALSE	0.456	916.615	25.995	0.832
TPSWC-1T_AT_155346	10/21/2015 14:00	FALSE	0.461	925.983	26.245	0.831
TPSWC-1T_AT_155346	10/21/2015 15:00	FALSE	0.474	950.835	26.382	0.829
TPSWC-1T_AT_155346	10/21/2015 16:00	FALSE	0.481	965.492	26.464	0.826
TPSWC-1T_AT_155346	10/21/2015 17:00	FALSE	0.484	971.483	26.378	0.827
TPSWC-1T_AT_155346	10/21/2015 18:00	FALSE	0.491	983.129	26.264	0.827

TPSWC-1T_AT_155346	10/21/2015 19:00	FALSE	0.484	971.247	26.148	0.826
TPSWC-1T_AT_155346	10/21/2015 20:00	FALSE	0.477	956.383	26.047	0.827
TPSWC-1T_AT_155346	10/21/2015 21:00	FALSE	0.471	946.214	25.978	0.827
TPSWC-1T_AT_155346	10/21/2015 22:00	FALSE	0.47	943.474	25.931	0.824
TPSWC-1T_AT_155346	10/21/2015 23:00	FALSE	0.471	944.594	25.872	0.826
TPSWC-1T_AT_155346	10/22/2015 0:00	FALSE	0.47	944.375	25.821	0.826
TPSWC-1T_AT_155346	10/22/2015 1:00	FALSE	0.469	942.132	25.761	0.827
TPSWC-1T_AT_155346	10/22/2015 2:00	FALSE	0.468	940.376	25.702	0.827
TPSWC-1T_AT_155346	10/22/2015 3:00	FALSE	0.465	933.888	25.645	0.829
TPSWC-1T_AT_155346	10/22/2015 4:00	FALSE	0.465	934.298	25.605	0.829
TPSWC-1T_AT_155346	10/22/2015 5:00	FALSE	0.466	935.949	25.564	0.829
TPSWC-1T_AT_155346	10/22/2015 6:00	FALSE	0.466	935.378	25.522	0.829
TPSWC-1T_AT_155346	10/22/2015 7:00	FALSE	0.466	935.13	25.476	0.829
TPSWC-1T_AT_155346	10/22/2015 8:00	FALSE	0.466	935.42	25.461	0.828
TPSWC-1T_AT_155346	10/22/2015 9:00	FALSE	0.466	935.31	25.546	0.825
TPSWC-1T_AT_155346	10/22/2015 10:00	FALSE	0.472	946.756	25.75	0.795
TPSWC-1T_AT_155346	10/22/2015 11:00	FALSE	0.47	943.521	25.933	0.841
TPSWC-1T_AT_155346	10/22/2015 12:00	FALSE	0.472	947.382	26.139	0.822
TPSWC-1T_AT_155346	10/22/2015 13:00	FALSE	0.468	939.902	26.563	0.817
TPSWC-1T_AT_155346	10/22/2015 14:00	FALSE	0.456	917.454	26.637	0.817
TPSWC-1T_AT_155346	10/22/2015 15:00	FALSE	0.454	912.807	26.746	0.815
TPSWC-1T_AT_155346	10/22/2015 16:00	FALSE	0.449	903.931	26.821	0.812
TPSWC-1T_AT_155346	10/22/2015 17:00	FALSE	0.446	896.473	26.766	0.812
TPSWC-1T_AT_155346	10/22/2015 18:00	FALSE	0.443	891.639	26.648	0.809
TPSWC-1T_AT_155346	10/22/2015 19:00	FALSE	0.443	890.901	26.521	0.809
TPSWC-1T_AT_155346	10/22/2015 20:00	FALSE	0.442	889.685	26.426	0.809
TPSWC-1T_AT_155346	10/22/2015 21:00	FALSE	0.442	889.467	26.358	0.81
TPSWC-1T_AT_155346	10/22/2015 22:00	FALSE	0.442	889.174	26.286	0.809
TPSWC-1T_AT_155346	10/22/2015 23:00	FALSE	0.442	889.104	26.221	0.809
TPSWC-1T_AT_155346	10/23/2015 0:00	FALSE	0.442	889.059	26.169	0.808
TPSWC-1T_AT_155346	10/23/2015 1:00	FALSE	0.442	889.162	26.112	0.808
TPSWC-1T_AT_155346	10/23/2015 2:00	FALSE	0.442	888.739	26.037	0.807
TPSWC-1T_AT_155346	10/23/2015 3:00	FALSE	0.442	889.137	25.984	0.805
TPSWC-1T_AT_155346	10/23/2015 4:00	FALSE	0.443	891.278	25.932	0.806
TPSWC-1T_AT_155346	10/23/2015 5:00	FALSE	0.443	890.323	25.887	0.806
TPSWC-1T_AT_155346	10/23/2015 6:00	FALSE	0.442	889.555	25.851	0.807
TPSWC-1T_AT_155346	10/23/2015 7:00	FALSE	0.442	889.644	25.805	0.806
TPSWC-1T_AT_155346	10/23/2015 8:00	FALSE	0.442	889.119	25.765	0.805
TPSWC-1T_AT_155346	10/23/2015 9:00	FALSE	0.442	889.472	25.796	0.803
TPSWC-1T_AT_155346	10/23/2015 10:00	FALSE	0.442	889.858	25.852	0.8
TPSWC-1T_AT_155346	10/23/2015 11:00	FALSE	0.442	889.445	25.905	0.821
TPSWC-1T_AT_155346	10/23/2015 12:00	FALSE	0.442	890.122	26.097	0.8
TPSWC-1T_AT_155346	10/23/2015 13:00	FALSE	0.444	894.2	26.279	0.799
TPSWC-1T_AT_155346	10/23/2015 14:00	FALSE	0.456	916.768	26.533	0.798
TPSWC-1T_AT_155346	10/23/2015 15:00	FALSE	0.464	932.021	26.641	0.794
TPSWC-1T_AT_155346	10/23/2015 16:00	FALSE	0.461	926.862	26.508	0.793
TPSWC-1T_AT_155346	10/23/2015 17:00	FALSE	0.457	919.172	26.461	0.796
TPSWC-1T_AT_155346	10/23/2015 18:00	FALSE	0.457	917.483	26.394	0.797
TPSWC-1T_AT_155346	10/23/2015 19:00	FALSE	0.455	915.318	26.3	0.798
TPSWC-1T_AT_155346	10/23/2015 20:00	FALSE	0.454	912.821	26.206	0.795
TPSWC-1T_AT_155346	10/23/2015 21:00	FALSE	0.452	907.893	26.098	0.796
TPSWC-1T_AT_155346	10/23/2015 22:00	FALSE	0.448	900.595	26.006	0.797
TPSWC-1T_AT_155346	10/23/2015 23:00	FALSE	0.449	902.748	25.956	0.797
TPSWC-1T_AT_155346	10/24/2015 0:00	FALSE	0.45	905.619	25.908	0.797
TPSWC-1T_AT_155346	10/24/2015 1:00	FALSE	0.451	907.315	25.848	0.797
TPSWC-1T_AT_155346	10/24/2015 2:00	FALSE	0.451	907.384	25.794	0.797
TPSWC-1T_AT_155346	10/24/2015 3:00	FALSE	0.451	907.36	25.775	0.793
TPSWC-1T_AT_155346	10/24/2015 4:00	FALSE	0.451	907.156	25.731	0.793
TPSWC-1T_AT_155346	10/24/2015 5:00	FALSE	0.45	905.229	25.681	0.794
TPSWC-1T_AT_155346	10/24/2015 6:00	FALSE	0.449	902.56	25.614	0.794
TPSWC-1T_AT_155346	10/24/2015 7:00	FALSE	0.449	902.157	25.554	0.795
TPSWC-1T_AT_155346	10/24/2015 8:00	FALSE	0.449	902.101	25.519	0.793
TPSWC-1T_AT_155346	10/24/2015 9:00	FALSE	0.446	896.81	25.593	0.794
TPSWC-1T_AT_155346	10/24/2015 10:00	FALSE	0.444	892.353	25.7	0.792
TPSWC-1T_AT_155346	10/24/2015 11:00	FALSE	0.445	895.872	25.903	0.813
TPSWC-1T_AT_155346	10/24/2015 12:00	FALSE	0.447	899.958	25.952	0.793
TPSWC-1T_AT_155346	10/24/2015 13:00	FALSE	0.446	897.758	26.282	0.79
TPSWC-1T_AT_155346	10/24/2015 14:00	FALSE	0.466	935.962	26.415	0.787
TPSWC-1T_AT_155346	10/24/2015 15:00	FALSE	0.468	939.8	26.544	0.784
TPSWC-1T_AT_155346	10/24/2015 16:00	FALSE	0.478	958.124	26.616	0.786
TPSWC-1T_AT_155346	10/24/2015 17:00	FALSE	0.474	951.304	26.55	0.784
TPSWC-1T_AT_155346	10/24/2015 18:00	FALSE	0.476	955.955	26.476	0.784
TPSWC-1T_AT_155346	10/24/2015 19:00	FALSE	0.477	957.389	26.403	0.784
TPSWC-1T_AT_155346	10/24/2015 20:00	FALSE	0.476	955.977	26.338	0.784
TPSWC-1T_AT_155346	10/24/2015 21:00	FALSE	0.475	953.712	26.28	0.784
TPSWC-1T_AT_155346	10/24/2015 22:00	FALSE	0.474	950.901	26.213	0.785
TPSWC-1T_AT_155346	10/24/2015 23:00	FALSE	0.471	945.856	26.122	0.782
TPSWC-1T_AT_155346	10/25/2015 0:00	FALSE	0.467	937.962	26.06	0.784
TPSWC-1T_AT_155346	10/25/2015 1:00	FALSE	0.465	933.683	26.003	0.783
TPSWC-1T_AT_155346	10/25/2015 2:00	FALSE	0.464	932.328	25.939	0.782
TPSWC-1T_AT_155346	10/25/2015 3:00	FALSE	0.463	929.508	25.895	0.777
TPSWC-1T_AT_155346	10/25/2015 4:00	FALSE	0.462	928.748	25.855	0.776
TPSWC-1T_AT_155346	10/25/2015 5:00	FALSE	0.462	928.592	25.802	0.777
TPSWC-1T_AT_155346	10/25/2015 6:00	FALSE	0.458	920.617	25.746	0.777
TPSWC-1T_AT_155346	10/25/2015 7:00	FALSE	0.456	916.748	25.708	0.777
TPSWC-1T_AT_155346	10/25/2015 8:00	FALSE	0.455	915.204	25.698	0.776
TPSWC-1T_AT_155346	10/25/2015 9:00	FALSE	0.455	914.962	25.756	0.778
TPSWC-1T_AT_155346	10/25/2015 10:00	FALSE	0.452	908.818	25.861	0.775
TPSWC-1T_AT_155346	10/25/2015 11:00	FALSE	0.447	898.436	25.93	0.799
TPSWC-1T_AT_155346	10/25/2015 12:00	FALSE	0.447	898.138	26.028	0.799
TPSWC-1T_AT_155346	10/25/2015 13:00	FALSE	0.451	906.37	25.995	0.777
TPSWC-1T_AT_155346	10/25/2015 14:00	FALSE	0.453	910.84	26.148	0.774
TPSWC-1T_AT_155346	10/25/2015 15:00	FALSE	0.45	905.166	26.253	0.771
TPSWC-1T_AT_155346	10/25/2015 16:00	FALSE	0.449	903.835	26.381	0.771
TPSWC-1T_AT_155346	10/25/2015 17:00	FALSE	0.448	901.18	26.417	0.769
TPSWC-1T_AT_155346	10/25/2015 18:00	FALSE	0.445	895.429	26.475	0.771
TPSWC-1T_AT_155346	10/25/2015 19:00	FALSE	0.441	887.094	26.51	0.769
TPSWC-1T_AT_155346	10/25/2015 20:00	FALSE	0.44	885.869	26.52	0.771
TPSWC-1T_AT_155346	10/25/2015 21:00	FALSE	0.44	885.544	26.45	0.772
TPSWC-1T_AT_155346	10/25/2015 22:00	FALSE	0.443	890.732	26.351	0.77
TPSWC-1T_AT_155346	10/25/2015 23:00	FALSE	0.445	894.694	26.245	0.77
TPSWC-1T_AT_155346	10/26/2015 0:00	FALSE	0.446	897.757	26.151	0.769

WaterLevel (ft)

