

SensorName	DateSampleTaken	IsDataValid	Salinity (PSU)	SalinityTelemetryQualifiers	SpecificConductance (µS/cm)	SpecificConductanceTelemetryQualifiers	Temperature (C)	TemperatureTelemetryQualifiers	WaterLevel (ft)	WaterLevelTelemetryQualifiers
TPSWC-1T_AT_155346	6/1/2015 0:00	FALSE	0.752		1481.586		29.482		-0.304	
TPSWC-1T_AT_155346	6/1/2015 12:00	FALSE	0.735		1448.258		29.286		-0.285	
TPSWC-1T_AT_155346	6/1/2015 13:00	FALSE	0.734		1448.11		29.461		-0.175	
TPSWC-1T_AT_155346	6/1/2015 14:00	FALSE	0.741		1460.175		29.52		-0.193	
TPSWC-1T_AT_155346	6/1/2015 15:00	FALSE	0.75		1478.421		30.068		-0.234	
TPSWC-1T_AT_155346	6/1/2015 16:00	FALSE	0.723		1426.69		30.295		-0.429	
TPSWC-1T_AT_155346	6/1/2015 17:00	FALSE	0.719		1420.205		30.236		-0.45	
TPSWC-1T_AT_155346	6/1/2015 18:00	FALSE	0.723		1426.665		30.345		-0.441	
TPSWC-1T_AT_155346	6/1/2015 19:00	FALSE	0.723		1426.896		30.17		-0.433	
TPSWC-1T_AT_155346	6/1/2015 20:00	FALSE	0.723		1426.543		29.89		-0.422	
TPSWC-1T_AT_155346	6/1/2015 21:00	FALSE	0.723		1427.601		29.667		-0.415	
TPSWC-1T_AT_155346	6/1/2015 22:00	FALSE	0.725		1430.435		29.458		-0.401	
TPSWC-1T_AT_155346	6/1/2015 23:00	FALSE	0.726		1431.74		29.311		-0.395	
TPSWC-1T_AT_155346	6/2/2015 0:00	FALSE	0.726		1431.816		29.13		-0.374	
TPSWC-1T_AT_155346	6/2/2015 1:00	FALSE	0.726		1432.623		28.974		-0.366	
TPSWC-1T_AT_155346	6/2/2015 2:00	FALSE	0.727		1433.063		28.862		-0.361	
TPSWC-1T_AT_155346	6/2/2015 3:00	FALSE	0.727		1433.778		28.779		-0.356	
TPSWC-1T_AT_155346	6/2/2015 4:00	FALSE	0.726		1432.685		28.674		-0.351	
TPSWC-1T_AT_155346	6/2/2015 5:00	FALSE	0.727		1433.2		28.617		-0.35	
TPSWC-1T_AT_155346	6/2/2015 6:00	FALSE	0.727		1433.782		28.543		-0.349	
TPSWC-1T_AT_155346	6/2/2015 7:00	FALSE	0.727		1434.093		28.456		-0.346	
TPSWC-1T_AT_155346	6/2/2015 8:00	FALSE	0.728		1435.493		28.459		-0.343	
TPSWC-1T_AT_155346	6/2/2015 9:00	FALSE	0.728		1436.283		28.512		-0.338	
TPSWC-1T_AT_155346	6/2/2015 10:00	FALSE	0.728		1435.884		28.618		-0.331	
TPSWC-1T_AT_155346	6/2/2015 11:00	FALSE	0.728		1436.253		28.713		-0.325	
TPSWC-1T_AT_155346	6/2/2015 12:00	FALSE	0.728		1435.975		28.77		-0.32	
TPSWC-1T_AT_155346	6/2/2015 13:00	FALSE	0.729		1436.996		28.846		-0.317	
TPSWC-1T_AT_155346	6/2/2015 14:00	FALSE	0.734		1446.421		28.911		-0.317	
TPSWC-1T_AT_155346	6/2/2015 15:00	FALSE	0.735		1449.845		28.928		-0.315	
TPSWC-1T_AT_155346	6/2/2015 16:00	FALSE	0.736		1451.038		28.957		-0.316	
TPSWC-1T_AT_155346	6/2/2015 17:00	FALSE	0.735		1449.633		28.867		-0.319	
TPSWC-1T_AT_155346	6/2/2015 18:00	FALSE	0.732		1442.564		28.717		-0.322	
TPSWC-1T_AT_155346	6/2/2015 19:00	FALSE	0.729		1437.236		28.628		-0.325	
TPSWC-1T_AT_155346	6/2/2015 20:00	FALSE	0.728		1435.604		28.481		-0.326	
TPSWC-1T_AT_155346	6/2/2015 21:00	FALSE	0.728		1435.604		28.371		-0.328	
TPSWC-1T_AT_155346	6/2/2015 22:00	FALSE	0.729		1437.521		28.242		-0.329	
TPSWC-1T_AT_155346	6/2/2015 23:00	FALSE	0.729		1438.051		28.244		-0.325	
TPSWC-1T_AT_155346	6/3/2015 0:00	FALSE	0.731		1440.339		28.156		-0.322	
TPSWC-1T_AT_155346	6/3/2015 1:00	FALSE	0.731		1440.386		27.98		-0.322	
TPSWC-1T_AT_155346	6/3/2015 2:00	FALSE	0.73		1439.845		27.916		-0.322	
TPSWC-1T_AT_155346	6/3/2015 3:00	FALSE	0.73		1439.943		27.914		-0.323	
TPSWC-1T_AT_155346	6/3/2015 4:00	FALSE	0.73		1439.541		27.855		-0.325	
TPSWC-1T_AT_155346	6/3/2015 5:00	FALSE	0.731		1440.871		27.8		-0.327	
TPSWC-1T_AT_155346	6/3/2015 6:00	FALSE	0.731		1440.201		27.766		-0.33	
TPSWC-1T_AT_155346	6/3/2015 7:00	FALSE	0.731		1441.599		27.732		-0.333	
TPSWC-1T_AT_155346	6/3/2015 8:00	FALSE	0.731		1441.758		27.791		-0.336	
TPSWC-1T_AT_155346	6/3/2015 9:00	FALSE	0.733		1445.588		27.911		-0.338	
TPSWC-1T_AT_155346	6/3/2015 10:00	FALSE	0.738		1455.082		28.081		-0.338	
TPSWC-1T_AT_155346	6/3/2015 11:00	FALSE	0.742		1461.329		28.293		-0.329	
TPSWC-1T_AT_155346	6/3/2015 12:00	FALSE	0.742		1462.446		28.347		-0.327	
TPSWC-1T_AT_155346	6/3/2015 13:00	FALSE	0.739		1455.99		28.408		-0.307	
TPSWC-1T_AT_155346	6/3/2015 14:00	FALSE	0.74		1458.73		28.569		-0.301	
TPSWC-1T_AT_155346	6/3/2015 15:00	FALSE	0.735		1448.148		28.799		-0.299	
TPSWC-1T_AT_155346	6/3/2015 16:00	FALSE	0.734		1446.24		28.985		-0.3	
TPSWC-1T_AT_155346	6/3/2015 17:00	FALSE	0.743		1463.414		29.107		-0.3	
TPSWC-1T_AT_155346	6/3/2015 18:00	FALSE	0.744		1466.101		29.141		-0.3	
TPSWC-1T_AT_155346	6/3/2015 19:00	FALSE	0.748		1472.674		29.201		-0.298	
TPSWC-1T_AT_155346	6/3/2015 20:00	FALSE	0.735		1449.734		29.054		-0.299	
TPSWC-1T_AT_155346	6/3/2015 21:00	FALSE	0.739		1456.053		28.819		-0.296	
TPSWC-1T_AT_155346	6/3/2015 22:00	FALSE	0.738		1453.571		28.604		-0.293	
TPSWC-1T_AT_155346	6/3/2015 23:00	FALSE	0.742		1461.846		28.47		-0.287	
TPSWC-1T_AT_155346	6/4/2015 0:00	FALSE	0.741		1460.687		28.323		-0.276	
TPSWC-1T_AT_155346	6/4/2015 1:00	FALSE	0.741		1458.997		28.202		-0.274	
TPSWC-1T_AT_155346	6/4/2015 2:00	FALSE	0.739		1456.661		28.091		-0.269	
TPSWC-1T_AT_155346	6/4/2015 3:00	FALSE	0.739		1456.842		27.981		-0.265	
TPSWC-1T_AT_155346	6/4/2015 4:00	FALSE	0.738		1454.26		27.895		-0.265	
TPSWC-1T_AT_155346	6/4/2015 5:00	FALSE	0.738		1453.82		27.82		-0.264	
TPSWC-1T_AT_155346	6/4/2015 6:00	FALSE	0.737		1451.368		27.723		-0.265	
TPSWC-1T_AT_155346	6/4/2015 7:00	FALSE	0.736		1451.036		27.743		-0.267	
TPSWC-1T_AT_155346	6/4/2015 8:00	FALSE	0.736		1450.848		27.845		-0.268	
TPSWC-1T_AT_155346	6/4/2015 9:00	FALSE	0.736		1449.893		27.931		-0.269	
TPSWC-1T_AT_155346	6/4/2015 10:00	FALSE	0.743		1463.121		28.179		-0.186	
TPSWC-1T_AT_155346	6/4/2015 11:00	FALSE	0.75		1477.261		28.347		-0.048	
TPSWC-1T_AT_155346	6/4/2015 12:00	FALSE	0.75		1477.096		28.472		-0.061	
TPSWC-1T_AT_155346	6/4/2015 13:00	FALSE	0.761		1497.999		28.565		-0.039	
TPSWC-1T_AT_155346	6/4/2015 14:00	FALSE	0.775		1524.748		28.721		-0.148	
TPSWC-1T_AT_155346	6/4/2015 15:00	FALSE	0.74		1458.093		29.161		-0.249	
TPSWC-1T_AT_155346	6/4/2015 16:00	FALSE	0.739		1457.504		29.319		-0.326	
TPSWC-1T_AT_155346	6/4/2015 17:00	FALSE	0.737		1452.513		29.315		-0.407	
TPSWC-1T_AT_155346	6/4/2015 18:00	FALSE	0.737		1452.078		29.249		-0.401	
TPSWC-1T_AT_155346	6/4/2015 19:00	FALSE	0.739		1455.947		29.2		-0.378	
TPSWC-1T_AT_155346	6/4/2015 20:00	FALSE	0.74		1458.794		29.045		-0.371	
TPSWC-1T_AT_155346	6/4/2015 21:00	FALSE	0.741		1459.78		28.904		-0.368	
TPSWC-1T_AT_155346	6/4/2015 22:00	FALSE	0.742		1461.249		28.799		-0.36	
TPSWC-1T_AT_155346	6/4/2015 23:00	FALSE	0.743		1464.313		28.642		-0.353	
TPSWC-1T_AT_155346	6/5/2015 0:00	FALSE	0.745		1465.744		28.557		-0.344	
TPSWC-1T_AT_155346	6/5/2015 1:00	FALSE	0.746		1469.099		28.48		-0.333	
TPSWC-1T_AT_155346	6/5/2015 2:00	FALSE	0.745		1468.354		28.396		-0.324	
TPSWC-1T_AT_155346	6/5/2015 3:00	FALSE	0.746		1469.922		28.31		-0.318	
TPSWC-1T_AT_155346	6/5/2015 4:00	FALSE	0.748		1473.478		28.241		-0.314	
TPSWC-1T_AT_155346	6/5/2015 5:00	FALSE	0.749		1474.805		28.141		-0.313	
TPSWC-1T_AT_155346	6/5/2015 6:00	FALSE	0.75		1476.267		28.104		-0.312	
TPSWC-1T_AT_155346	6/5/2015 7:00	FALSE	0.749		1474.039		28.048		-0.314	
TPSWC-1T_AT_155346	6/5/2015 8:00	FALSE	0.75		1476.941		28.056		-0.312	
TPSWC-1T_AT_155346	6/5/2015 9:00	FALSE	0.752		1479.885		28.195		-0.314	
TPSWC-1T_AT_155346	6/5/2015 10:00	FALSE	0.753		1482.855		28.443		-0.314	
TPSWC-1T_AT_155346	6/5/2015 11:00	FALSE	0.757		1490.746		28.771		-0.314	
TPSWC-1T_AT_155346	6/5/2015 12:00	FALSE	0.763		1500.977		29.17		-0.31	
TPSWC-1T_AT_155346	6/5/2015 13:00	FALSE	0.762		1499.217		29.204		-0.304	
TPSWC-1T_AT_155346	6/5/2015 14:00	FALSE	0.762		1499.833		29.128		-0.297	
TPSWC-1T_AT_155346	6/5/2015 15:00	FALSE	0.764		1503.005		29.02		-0.152	
TPSWC-1T_AT_155346	6/5/2015 16:00	FALSE	0.772		1518.617		28.965		-0.217	
TPSWC-1T_AT_155346	6/5/2015 17:00	FALSE	0.754		1485.065		29.006		-0.438	
TPSWC-1T_AT_155346	6/5/2015 18:00	FALSE	0.756		1488.258		28.922		-0.434	
TPSWC-1T_AT_155346	6/5/2015 19:00	FALSE	0.753		1481.799		28.769		-0.417	
TPSWC-1T_AT_155346	6/5/2015 20:00	FALSE	0.751		1478.34		28.658		-0.406	
TPSWC-1T_AT_155346	6/5/2015 21:00	FALSE	0.75		1477.776		28.54		-0.395	
TPSWC-1T_AT_155346	6/5/2015 22:00	FALSE	0.75		1476.486		28.432		-0.383	
TPSWC-1T_AT_155346	6/5/2015 23:00	FALSE	0.751		1479.608		28.363		-0.368	
TPSWC-1T_AT_155346	6/6/2015 0:00	FALSE	0.75		1477.082		28.281		-0.355	
TPSWC-1T_AT_155346	6/6/2015 1:00	FALSE	0.752		1480.775		28.22		-0.338	
TPSWC-1T_AT_155346	6/6/2015 2:00	FALSE	0.752		1480.374		28.103		-0.322	
TPSWC-1T_AT_155346	6/6/2015 3:00	FALSE	0.752		1480.614		28.004		-0.309	
TPSWC-1T_AT_155346	6/6/									

TPSWC-1T_AT_155346	6/6/2015 18:00	FALSE	0.763	1500.674	28.441	-0.26
TPSWC-1T_AT_155346	6/6/2015 19:00	FALSE	0.763	1501.636	28.355	-0.26
TPSWC-1T_AT_155346	6/6/2015 20:00	FALSE	0.761	1497.583	28.189	-0.258
TPSWC-1T_AT_155346	6/6/2015 21:00	FALSE	0.759	1494.507	28.098	-0.259
TPSWC-1T_AT_155346	6/6/2015 22:00	FALSE	0.757	1489.041	27.956	-0.259
TPSWC-1T_AT_155346	6/6/2015 23:00	FALSE	0.755	1486.512	27.904	-0.259
TPSWC-1T_AT_155346	6/7/2015 0:00	FALSE	0.756	1487.733	27.805	-0.256
TPSWC-1T_AT_155346	6/7/2015 1:00	FALSE	0.758	1491.62	27.762	-0.252
TPSWC-1T_AT_155346	6/7/2015 2:00	FALSE	0.759	1493.492	27.714	-0.247
TPSWC-1T_AT_155346	6/7/2015 3:00	FALSE	0.761	1497.287	27.642	-0.243
TPSWC-1T_AT_155346	6/7/2015 4:00	FALSE	0.762	1499.307	27.587	-0.237
TPSWC-1T_AT_155346	6/7/2015 5:00	FALSE	0.762	1499.631	27.545	-0.235
TPSWC-1T_AT_155346	6/7/2015 6:00	FALSE	0.762	1499.875	27.474	-0.235
TPSWC-1T_AT_155346	6/7/2015 7:00	FALSE	0.763	1500.234	27.465	-0.237
TPSWC-1T_AT_155346	6/7/2015 8:00	FALSE	0.763	1500.437	27.547	-0.237
TPSWC-1T_AT_155346	6/7/2015 9:00	FALSE	0.767	1509.04	27.812	-0.24
TPSWC-1T_AT_155346	6/7/2015 10:00	FALSE	0.76	1495.455	27.942	-0.242
TPSWC-1T_AT_155346	6/7/2015 11:00	FALSE	0.769	1513.478	28.606	-0.245
TPSWC-1T_AT_155346	6/7/2015 12:00	FALSE	0.774	1521.991	29.126	-0.246
TPSWC-1T_AT_155346	6/7/2015 13:00	FALSE	0.776	1525.429	29.69	-0.244
TPSWC-1T_AT_155346	6/7/2015 14:00	FALSE	0.775	1524.315	29.822	-0.243
TPSWC-1T_AT_155346	6/7/2015 15:00	FALSE	0.775	1524.37	29.891	-0.239
TPSWC-1T_AT_155346	6/7/2015 16:00	FALSE	0.775	1524.433	29.695	-0.239
TPSWC-1T_AT_155346	6/7/2015 17:00	FALSE	0.775	1524.257	29.441	-0.239
TPSWC-1T_AT_155346	6/7/2015 18:00	FALSE	0.774	1522.649	29.152	-0.236
TPSWC-1T_AT_155346	6/7/2015 19:00	FALSE	0.773	1519.407	28.913	-0.239
TPSWC-1T_AT_155346	6/7/2015 20:00	FALSE	0.77	1515.203	28.677	-0.243
TPSWC-1T_AT_155346	6/7/2015 21:00	FALSE	0.77	1514.016	28.49	-0.244
TPSWC-1T_AT_155346	6/7/2015 22:00	FALSE	0.77	1514.087	28.324	-0.246
TPSWC-1T_AT_155346	6/7/2015 23:00	FALSE	0.769	1512.931	28.188	-0.248
TPSWC-1T_AT_155346	6/8/2015 0:00	FALSE	0.768	1509.684	28.063	-0.247

WaterLevel (ft)

